

ILLINOIS POLLUTION CONTROL BOARD
January 13, 2009

CASEYVILLE SPORT CHOICE, LLC,)	
)	
Complainant,)	
)	
v.)	PCB 08-30
)	(Citizens Enforcement - Land)
ERMA I. SEIBER, ADMINISTRATRIX OF)	
THE ESTATE OF JAMES A. SEIBER,)	
DECEASED, AND ERMA I. SEIBER,)	
INDIVIDUALLY, and FAIRMONT PARK,)	
INC.)	
)	
Respondents.)	

HEARING OFFICER ORDER

On January 13, 2009, the parties participated in a telephone status conference with the hearing officer. The parties agree that any responses to Fairmont Park’s affirmative defenses and counterclaims are due by February 2, 2009. Any replies to the responses are due by February 17, 2009. The parties will begin work on an agreed discovery schedule.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:30 a.m. on March 9, 2009. The status conference shall be initiated by the complainant.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on January 13, 2009 to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on January 13, 2009:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2008-030
Donald W. Urban
Sprague and Urban
26 East Washington Street
Belleville, IL 62220

PCB 2008-030
*
Emma I. Seiber
2070 Rattlesnake road
Elkton, KY 42220

PCB 2008-030
John Long
Belsheim & Bruckert, L.L.C.
1002 E. Eesley Drive
Suite 100
O'Fallon, IL 62269

PCB 2008-030
*
Charles E. Hamilton
87 Oak Hill Drive
P. O. Box 24240
Belleville, IL 62223