ILLINOIS POLLUTION CONTROL BOARD April 6, 2009

PEOPLE OF THE STATE OF ILLINOIS,)	
Complainant,)	
)	
V.)	PCB 00-211
)	(RCRA Enforcement)
TOYAL, INC. f/k/a ALCON-TOYO)	
AMERICA, INC., a foreign corporation,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On April 3, 2009, the respondent filed a motion for extension of time to file its post-hearing brief. The respondent represents that the complainant has no objection. The respondent's motion is granted. The respondent's post-hearing brief is now due to be filed on or before April 10, 2009. The complainant's reply brief, if any, is now due to be filed on or before April 24, 2009.

IT IS SO ORDERED.

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center, Suite

Bradly P. 12000-

11-500

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on April 6, 2009, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on April 6, 2009:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

> Bradley P. Halloran Hearing Officer Illinois Pollution Control Board James R. Thompson Center 100 West Randolph Street, Suite 11-500 Chicago, Illinois 60601 312.814.8917

PCB 2000-211 Roy M. Harsch Drinker Biddle & Reath 191 N. Wacker Drive Suite 3700 Chicago, IL 60606-1698 PCB 2000-211 Yesenia Villasenor-Rodriguez Drinker Biddle & Reath 191 N. Wacker Drive Suite 3700 Chicago, IL 60606-1698

PCB 2000-211 Lawrence W. Falbe Drinker Biddle & Reath 191 N. Wacker Drive Suite 3700 Chicago, IL 60606-1698 PCB 2000-211 Christopher J. Grant Office of the Attorney General Environmental Bureau 69 W. Washington, 18th Floor Chicago, IL 60602

PCB 2000-211 Vanessa A. Vail Office of the Attorney General Environmental Bureau 69 W. Washington, 18th Floor Chicago, IL 60602