

ILLINOIS POLLUTION CONTROL BOARD

April 30, 2009


KYLE NASH,	)	
	)	
Complainant,	)	
	)	
v.	)	PCB 07-96
	)	(Citizens Enforcement – Noise)
KAREN SOKOLOWSKI,	)	
	)	
Respondent.	)	

**HEARING OFFICER ORDER**

A telephonic status conference was scheduled for April 16, 2009. However, due to a scheduling conflict on the part of the hearing officer, the telephonic status conference was cancelled and will be continued to the date and time noted below.

The parties or their legal representatives are directed to appear at a telephonic status conference with the hearing officer on May 7, 2009, at 11:45 a.m. The telephonic conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.




Bradley P. Halloran  
Hearing Officer  
Illinois Pollution Control Board  
James R. Thompson Center, Suite 11-500  
100 W. Randolph Street  
Chicago, Illinois 60601  
312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on April 30, 2009, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on April 30, 2009:

John T. Therriault  
Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph St., Ste. 11-500  
Chicago, Illinois 60601

A handwritten signature in black ink that reads "Bradley P. Halloran" with a horizontal line underneath.

Bradley P. Halloran  
Hearing Officer  
Illinois Pollution Control Board  
James R. Thompson Center  
100 West Randolph Street, Suite 11-500  
Chicago, Illinois

PCB 2007-096  
Kyle Nash  
1630 W. 33rd Place  
Chicago, IL 60608

PCB 2007-096  
Karen Sokolowski  
1634 W. 33rd Place  
Chicago, IL 60608-6202

PCB 2007-096  
James M. Knox  
121 W. Chestnut  
#3104  
Chicago, IL 60610