## ILLINOIS POLLUTION CONTROL BOARD January 23, 1997

IN MATTER OF:	)
PETITION OF GRANITE CITY STEEL FO AN ADJUSTED STANDARD FROM 35 ILL. ADM. CODE 302.212 AND 302.213, WATER QUALITY STANDARDS RELATING TO AMMONIA	) (Adjusted Standard - Water)
ORDER OF THE BOARD (by C.A. Manni	ng):
request for an adjusted standard from the Boar Specifically, GCD requests permanent relief frammonia nitrogen water quality standards and (ammonia) specified at 35 Ill. Adm. Code 302 seeking relief pursuant to the general standard	the requirements for effluent modified waters .212 and 302.213, respectively. GCD states that it is set forth at 35 Ill. Adm. Code 301.108, since the cify a level of justification. Section 301.108 sets
Environmental Protection Act. However, the requirements of 35 Ill. Adm. Code 106.Subpa requirements specified at Sections 106.705 (b) requested hearing, it would not be fruitful to p	rt G. Specifically, the petition does not address the , (d), (e), (f), (g), (h) and (k). While GCD has roceed to hearing until GCD files an amended es not file an amended petition within 45 days of the
do not indicate that they are licensed to practic	eys for GCD are all from Pennsylvania. The filings to in Illinois, and they have not filed motions to in. Code 101.107(b). This should be corrected at the
IT IS SO ORDERED.	
Board Member K.M. Hennessey abs	tained.
I, Dorothy M. Gunn, Clerk of the Ill the above order was adopted on the d	linois Pollution Control Board, hereby certify that ay of, 1997, by a vote of
	Dorothy M. Gunn, Clerk Illinois Pollution Control Board