

The electronic service is fine.

While I disagree with your opinion of the facts, there is no need to waste paper with a hard copy for the sake of service.

Also, there certainly was no intent on the part of SIPC to wait until the last minute with these comments, but there have been a large number of environmental issues this summer that has absorbed the time of our VERY small staff (2).

**Leonard F. Hopkins, P.E.**

Fuel Procurement & Compliance Manager  
Southern Illinois Power Cooperative  
11543 Lake of Egypt Road  
Marion, IL 62959  
(618) 964-1448 x 268  
[lhopkins@sipower.org](mailto:lhopkins@sipower.org)

PC# 3

RECEIVED  
CLERK'S OFFICE  
AUG 25 2009  
STATE OF ILLINOIS  
Pollution Control Board

---

**From:** Doctors, Rachel [mailto:Rachel.Doctors@Illinois.gov]  
**Sent:** Tuesday, August 25, 2009 11:08 AM  
**To:** Doctors, Rachel; crowlek@ipcb.state.il.us; KBassi@schiffhardin.com; adavis@ierg.org; mdunn@atg.state.il.us; Monica T. Rios; Yang, Virginia; khodge@hddattorneys.com; therriaj@ipcb.state.il.us  
**Cc:** Leonard Hopkins  
**Subject:** RE: R07-20 Sunset W Provisions

R09-20

Please find attached the Response to comment that was electronically filed with the Board. If you object to this electronic service, please notify me and I will send you a hard copy.

---

This e-mail, and any documents attached or included hereto, is a confidential attorney-client, attorney work product and/or pre-decisional FOIA-exempt document intended solely for the use of the individual to whom it is addressed, and should be handled accordingly.

If you are not the intended recipient, be advised that you have received this e-mail in error and that any use, dissemination, forwarding, printing or copying of this e-mail is strictly prohibited. If you have received this e-mail in error, please notify:

Rachel Doctors  
Assistant Counsel  
Division of Legal Counsel  
Illinois Environmental Protection Agency  
1021 N. Grand Ave. East, P.O. Box 19276  
Springfield, IL 62794-9276  
(217) 782-5544  
(217) 782-9807 fax