

ILLINOIS POLLUTION CONTROL BOARD

April 19, 2012

IN THE MATTER OF:)
RCRA SUBTITLE C UPDATE, USEPA) R12-7
AMENDMENTS (January 1, 2011 through) (Identical-in-Substance
June 30, 2011)) Rulemaking - Land)

Adopted Rule. Final Order.

OPINION AND ORDER OF THE BOARD (by J.A. Burke):

SUMMARY OF TODAY'S ACTION

This opinion and accompanying order adopt amendments that update the Illinois hazardous waste regulations to include amendments adopted by the United States Environmental Protection Agency (USEPA) during the time period that embraces the first half of calendar year 2011. During this time USEPA amended the land disposal restrictions relating to carbamate wastes on June 13, 2011 and the hazardous waste manifest printing requirements on June 22, 2011. This opinion and order responds to both sets of USEPA amendments.

The Board has further included limited additional corrective and clarifying amendments that are not directly derived from current USEPA amendments. Notably, the Board has done the following: (1) clarified a segment of text by addition of a Board note in response to an inquiry by the legislative Joint Committee of Administrative Rules (JCAR); and (2) updated all incorporations by reference of segments of the *Code of Federal Regulations*.

This is an identical-in-substance rulemaking that updates the Illinois hazardous waste regulations to incorporate revisions to the federal hazardous waste regulations. Sections 7.2 and 22.4(a) of the Act (415 ILCS 5/7.2 and 22.4(a) (2010)) require the Board to adopt regulations that are "identical in substance" to hazardous waste regulations adopted by the USEPA. These USEPA rules implement Subtitle C of the federal Resource Conservation and Recovery Act of 1976 (RCRA Subtitle C) (42 U.S.C. §§ 6921 *et seq.* (2006)). The federal RCRA Subtitle C hazardous waste management (HWM) regulations are found at 40 C.F.R. 260 through 268, 270 through 273, and 279. USEPA adopted the underlying federal hazardous waste amendments during the time period of January 1, 2011 through June 30, 2011.

This opinion and the related order adopt identical-in-substance amendments to 35 Ill. Adm. Code 722 and 728. The adopted amendments also make a series of substantive and non-substantive corrections and stylistic revisions to segments of the text that are not otherwise affected by the covered federal amendments.

Section 22.4(a) also provides that Title VII of the Act and Section 5 of the Administrative Procedure Act (5 ILCS 100/5-35 and 5-40 (2010)) do not apply to the Board's adoption of identical-in-substance regulations.

The Board will delay for no less than 30 days from the date of this opinion and order, until no earlier than May 19, 2012, the filing of these adopted amendments with the Office of the Secretary of State. This is pursuant to agreement between USEPA and the State of Illinois to allow USEPA an opportunity to review the adopted rules before they become effective.

TABLE OF CONTENTS

The Board includes the following table of contents to this opinion. This table will provide an outline of what is to follow and aid locating specific segments of discussion. The table indicates with emphasis locations in the text of the opinion where the Board has requested comments on particular issues relating to this proposal.

Federal Actions Considered In This Rulemaking	3
Docket R12-7: January 1, 2011 through June 30, 2011 Amendments	3
June 13, 2011 (76 Fed. Reg. 34147): Revised Land Disposal Restrictions for Carbamate Wastes	3
June 22, 2011 (76 Fed. Reg. 36363): Revised Hazardous Waste Manifest Printing Requirements	4
No Later RCRA Subtitle C (Hazardous Waste) Amendments of Interest	4
Summary Listing of the Federal Actions Upon Which Action is Required in This Docket	4
Other Federal Actions Having a Direct Impact on the Illinois RCRA Subtitle C Regulations	5
Public Comments	5
Discussion	6
Discussion of the Particular Federal Actions Involved in This Docket	6
Amendment of the LDRs Applicable to Carbamate Wastes—Tables T and U to Part 728	6
Revised Hazardous Waste Manifest Printing Requirements— Section 722.121	11
Discussion of Board-Initiated Corrections	12
Revision to the Hazardous Waste Manifest Use Requirements Prompted by a JCAR Inquiry—Section 722.123	12

Updating <i>Code of Federal Regulations</i> Citations and Incorporations by Reference	15
Removal of the Historical Summary of the RCRA Subtitle C and UIC Regulations from the Board Opinion	16
General Explanations of Board Deviation from the Literal Text of Federal Rules	17
Agency or Board Action	19
Routine Board Stylistic Changes, Clarifications, and Corrections	19
Tables of Deviations from the Federal text and Corrections to and Clarifications of the Base Text	20
Table 1: Federal Amendments That Are Not Necessary in This Docket	21
Table 2: Deviations from the Text of the Federal Amendments	22
Table 3: Board Housekeeping Amendments	22
Order and the Text of the Amendments	30

FEDERAL ACTIONS CONSIDERED IN THIS RULEMAKING

The following listing briefly summarizes the federal actions considered in this RCRA Subtitle C update rulemaking:

Docket R12-7: January 1, 2011 through June 30, 2011 Amendments

USEPA amended the federal hazardous waste regulations twice during the period January 1, 2011 through June 30, 2011. Board action is required on both sets of amendments, as is summarized below:

June 13, 2011 (76 Fed. Reg. 34147): Revised Land Disposal Restrictions for Carbamate Wastes

Description of the USEPA action: By a direct final rule, USEPA amended the land disposal restrictions (LDRs) applicable to carbamate wastes effective August 12, 2011. The amendments establish an alternative standard that allows the use of best demonstrated available technologies (BDAT) for treating carbamate wastes instead of applying the existing numerical concentration limits for contaminants. The amendments further removed carbamate regulated constituents from the table of the Universal Treatment Standards (UTS).

Necessary Board action in response: The Board must incorporate the alternative LDR for carbamate wastes into the Illinois rules and remove the carbamate-regulated constituents from the UTS.

June 22, 2011 (76 Fed. Reg. 36363): Revised Hazardous Waste Manifest Printing Requirements

Description of the USEPA action: By a direct final rule, USEPA amended the hazardous waste manifest printing requirements effective August 22, 2011. The amendments allow the use of red or other contrasting color ink for copy distribution notations on the manifest form.

Necessary Board action in response: The Board must incorporate the changes to the manifest printing requirements into the Illinois regulations.

No Later RCRA Subtitle C (Hazardous Waste) Amendments of Interest

The Board engages in ongoing monitoring of federal actions. As of the date of this opinion and accompanying order, the Board has identified no USEPA actions since June 30, 2011 that further affected the RCRA Subtitle C hazardous waste rules in any way that would require immediate Board attention.

Summary Listing of the Federal Actions Upon Which Action is Required in This Docket

Based on the foregoing, the two federal actions that form the basis for Board action in this update docket are the following, listed in chronological order:

Federal Action Date (citation)	Description of the Action
June 13, 2011 (76 Fed. Reg. 34147)	Revised LDRs for carbamate wastes, including (1) allowing the alternative of BDAT treatment and (2) removal of carbamate wastes from the UTS.
June 22, 2011 (76 Fed. Reg. 36363)	Revised hazardous waste manifest printing requirements to allow alternative contrasting color ink requirements for distribution requirements.

**Other Federal Actions Having a Direct Impact
on the Illinois RCRA Subtitle C Regulations**

In addition to the amendments to the federal RCRA Subtitle C regulations, amendments to certain other federal regulations occasionally have an effect on the Illinois hazardous waste rules. Most notably, 35 Ill. Adm. Code 720.111(b) includes several incorporations of federal regulations by reference. The incorporated regulations include segments of various USEPA environmental regulations, Nuclear Regulatory Commission (NRC) rules, and United States Department of Transportation (USDOT) hazardous materials transportation regulations that USEPA has incorporated into the federal hazardous waste rules. The text of the rules also includes citations to federal rules that are not incorporations by reference. Principally, these are citations to the federal source of the segment of the regulations to which the citation is appended. All citations to the *Code of Federal Regulations* throughout the hazardous waste rules are dated with a C.F.R. edition, without regard to whether the citation involves incorporation by reference or not.

The Board has found several updates to incorporations by reference and references and source-citations to segments of the *Code of Federal Regulations*. Discussion that begins on page 15 and Table 3 that begins on page 22 of this opinion and order explain and itemize these revisions more fully.

PUBLIC COMMENTS

The Board adopted a proposal for public comment in this matter on January 5, 2012. Notices of Proposed Amendments for the proposal appeared in the February 3, 2012 issue of the *Illinois Register*, at 36 Ill. Reg. 1219 (Part 720), 1252 (Part 722), and 1269 (Part 728). The public comment period began upon publication and lasted for 45 days, ending on March 19, 2012.

Prior to adoption of the January 5, 2012 proposal for public comment, the Board received one public comment. This comment was an e-mail exchange between Board staff and JCAR relating to the prior RCRA Subtitle C update, RCRA Subtitle C Update, USEPA Amendments (January 1, 2010 through June 30, 2010), R11-2 and RCRA Subtitle C Update, USEPA Regulations (July 1, 2010 through December 31, 2010), R11-16 (Aug. 18, 2011) (consolidated). That comment is described as follows:

PC 1 August 30, 2011 e-mail from Deborah Connelly, JCAR, and September 1, 2011 e-mail response from Michael J. McCambridge, Board hearing officer, relating to clarification of meaning of 35 Ill. Adm. Code 722.123(f). (Docketed September 1, 2011.)

By PC 1, JCAR requested clarification of the meaning of “non-empty container” in 35 Ill. Adm. Code 722.123(f). Board staff explained the meaning intended by USEPA and promised future consideration of the issues raised by JCAR in a future rulemaking proceeding. Discussion of those issues appears below, beginning on page 12 of this opinion and order.

The Board did not receive comments during the comment period. The Board did receive suggestions for minor corrections to the text from JCAR. The JCAR suggestions came in the form of nine additional documents (one for each Part of the rules under amendment in this docket) that indicate numerous stylistic and clarifying revisions that JCAR made in the text. JCAR routinely submits these documents to the Board for each rulemaking proposal after the Notice of Proposed Amendments appears in the *Illinois Register*. The Board carefully reviews these documents to determine the changes that JCAR has suggested for each proposal.

The Board has evaluated all of the JCAR suggestions received. The Board has incorporated a limited number of changes in the text of the rules in response to the suggestions. Table 4 (which begins below at page 29) indicates the textual location, the source of the suggestion for change, and a brief description of the nature for all of the revisions that the Board has made since the January 5, 2012 proposal for public comment. Table 5 (which begins below at page 30) indicates suggested revisions that the Board has chosen not to make. The Table E listing of suggestions declined indicates the textual location relating to each suggested change, indication of the source and brief description of the suggested revision, and a brief explanation why the Board has chosen not to accept the suggestion.

The majority of the revisions that the Board has made are minor, and no expanded discussion of those revisions appears in this opinion. The same is true of the revisions and suggested changes not made by the Board.

A single correction to the text is briefly discussed beginning on page 11 of this opinion and order. In the January 5, 2012 proposal for public comment, the Board inadvertently did not mark the entry for carbofuran phenol in Table U of 35 Ill. Adm. Code 728 for deletion. The Board corrects that omission today.

DISCUSSION

The following discussion begins with a series of two substantive discussions of the federally derived amendments involved in this docket. A discussion of Board-initiated corrections and clarifying amendments follows discussion of the federal amendments. This series is organized by federal subject matter, appearing in chronological order of the relevant *Federal Register* notices involved. The discussion concludes with a description of the types of deviations that the Board makes from the literal text of federal regulations in adopting identical-in-substance rules.

Discussion of the Particular Federal Actions Involved in This Docket

Amendment of the LDRs Applicable to Carbamate Wastes—Tables T and U to Part 728

On June 13, 2011 (76 Fed. Reg. 34147), USEPA amended the LDRs that apply to carbamate wastes. USEPA allowed application of the BDAT treatment to the wastes as an alternative to the existing numeric limits for waste constituents in the table of treatment standards

for hazardous wastes at 40 C.F.R. 268.40(b) (corresponding with 35 Ill. Adm. Code 728.Table T). USEPA also removed the carbamate waste listings from the UTS table in 40 C.F.R. 268.48 (corresponding with 35 Ill. Adm. Code 728.Table U).

The USEPA amendments to the table of treatment standards affected the following LDRs (altering each as described):

Hazardous wastes from specific sources: organic chemicals production (listed in 40 C.F.R. 261.32(a), corresponding with 35 Ill. Adm. Code 721.132(a)):

- K156 organic wastes from the production of carbamates and carbamoyl oximes (added BDAT as alternative for benomyl, carbaryl, carbenzadim, carbofuran, carbosulfan, methomyl, and triethylamine; removed a sentence that made the listing inapplicable to 3-iodo-2-propynyl-*n*-butylcarbamate)
- K157 wastewaters from the production of carbamates and carbamoyl oximes (added BDAT as alternative for methomyl and triethylamine; removed sentence that made the listing inapplicable to 3-iodo-2-propynyl-*n*-butylcarbamate)
- K158 baghouse dusts and filter/separation solids from the production of carbamates and carbamoyl oximes (added BDAT as alternative for carbenzadim, carbofuran, and carbosulfan; removed sentence that made the listing inapplicable to 3-iodo-2-propynyl-*n*-butylcarbamate)
- K159 organics from the treatment of thiocarbamate wastes (added BDAT as alternative for butylate, EPTC, molinate, pebulate, and vernolate)
- K161 purification solids, bag house dust, and floor sweepings from the treatment of dithiocarbamate acids and their salts (added BDAT as alternative for dithiolcarbamates)

Discarded commercial chemical products and off-specification species and container residues and spill residues from such that are acute hazardous waste when discarded (listed in 40 C.F.R. 261.33(e), corresponding with 35 Ill. Adm. Code 721.133(e)):

- P127 carbofuran (added BDAT as alternative for carbofuran)
- P128 mexacarbate (added BDAT as alternative for mexacarbate)
- P185 tirpate (added BDAT as alternative for tirpate)

- P188 physostigmine salicylate
(added BDAT as alternative for physostigmine salicylate)
- P189 carbosulfan
(added BDAT as alternative for carbosulfan)
- P190 metolcarb
(added BDAT as alternative for metolcarb)
- P191 dimetilan
(added BDAT as alternative for dimetilan)
- P192 isolan
(added BDAT as alternative for isolan)
- P194 oxamyl
(added BDAT as alternative for oxamyl)
- P196 manganese dimethyldithiocarbamate
(added BDAT as alternative for dithiocarbamates (total))
- P197 formparantate
(added BDAT as alternative for formparantate)
- P198 formetanate hydrochloride
(added BDAT as alternative for formetanate hydrochloride)
- P199 methiocarb
(added BDAT as alternative for methiocarb)
- P201 promecarb
(added BDAT as alternative for promecarb)
- P202 *m*-cumenyl methylcarbamate
(added BDAT as alternative for *m*-cumenyl methylcarbamate)
- P203 aldicarb sulfone
(added BDAT as alternative for aldicarb sulfone)
- P204 physostigmine
(added BDAT as alternative for physostigmine)
- P205 ziram
(added BDAT as alternative for dithiocarbamates (total))

Discarded commercial chemical products and off-specification species and container residues and spill residues from such that are toxic waste when discarded (listed in 40 C.F.R. 261.33(f), corresponding with 35 Ill. Adm. Code 721.133(f))

- U271 benomyl
(added BDAT as alternative for benomyl)
- U278 bendiocarb
(added BDAT as alternative for bendiocarb)
- U279 carbaryl
(added BDAT as alternative for carbaryl)
- U280 barban
(added BDAT as alternative for barban)
- U364 bendiocarb phenol
(added BDAT as alternative for bendiocarb phenol)
- U367 carbofuran phenol
(added BDAT as alternative for carbofuran phenol)
- U372 carbendazim
(added BDAT as alternative for carbendazim)
- U373 propham
(added BDAT as alternative for propham)
- U387 prosulfocarb
(added BDAT as alternative for prosulfocarb)
- U389 triallate
(added BDAT as alternative for triallate)
- U394 A2213
(added BDAT as alternative for A2213)
- U395 diethylene glycol, dicarbameate
(added BDAT as alternative for diethylene glycol, dicarbameate)
- U404 triethylamine
(added BDAT as alternative for triethylamine)
- U409 thiophanate-methyl
(added BDAT as alternative for thiophanate-methyl)

- U410 thiodicarb
(added BDAT as alternative for thiodicarb)

- U411 propoxur
(added BDAT as alternative for propoxur)

The BDAT added for non-wastewaters for all waste codes is combustion (CMBST). The BDATs added for all wastewaters for all waste codes are combustion, chemical oxidation (CHOXD), biodegradation (BIODG), and activated carbon adsorption (CARBN).

The amendments to the UTS table removed the listings for the following carbamate waste constituents:

- Aldicarb sulfone
- Carbaryl
- Carbenzadim
- Carbofuran
- Carbofuran phenol
- Carbosulfan
- m-Cumenyl
- Methylcarbamate
- Dithiocarbamates (total)
- EPTC (eptam)
- Formentate hydrochloride
- Methiocarb
- Methomyl
- Metolcarb
- Mexacarbamate
- Molinate
- Oxamyl
- Pebulate
- Physostigmine
- Physostigmine salicylate
- Promecarb
- Propham
- Propoxur
- Prosulfocarb
- Thiodicarb
- Thiophanate-methyl
- Triallate
- Triethylamin
- Vomolate

USEPA based adoption of the alternative LDRs for carbamate waste and removal of the UTS standards for carbamate constituents on the lack of readily available analytical techniques

that would ensure compliance with the numeric standards. *See* 76 Fed. Reg. at 34150-51. USEPA did not explain the removal of the exclusion of 3-iodo-2-propynyl *n*-butylcarbamate from the K156, K157, and K158 waste listings. The Board observes, however, that each of the waste listings for these three hazardous wastes continue to exclude this material. *See* 40 C.F.R. 261.32(a) (2010) (corresponding with 35 Ill. Adm. Code 721.132(a)). Thus, removal of the exclusion from the waste listing appears to have no substantive effect.

Any person interested in the substance of the revisions to the carbamate waste LDRs and USEPA's rationale behind them should refer to the June 13, 2011 *Federal Register* discussion that accompanied the USEPA amendments. Alternatively, interested persons could contact USEPA as directed in the *Federal Register* notice.

The Board has incorporated the federal amendments relating to the land disposal restrictions applicable to carbamate wastes without substantive changes. Nevertheless, the Board has found a very limited number of minor revisions to the federal text necessary. All of those revisions are itemized and summarily outlined in Table 2, which begins on page 22 of this opinion. No further discussion of those changes will appear in this opinion.

The Board requested comments on the incorporation of the June 13, 2011 USEPA amendments relating to land disposal restrictions applicable to carbamate wastes into the Illinois hazardous waste regulations. The Board received no comments on the proposal for public comment. For this reason, the Board adopts the amendments largely as proposed on January 5, 2012. The only changes made in the text are the corrections listed in Table 4, which begins on page 29 below.

The Board makes one correction to the text of the amendments as included in the January 5, 2012 proposal for public comment. The Board inadvertently omitted to overstrike the entry for carbofuran phenol in Table U to 35 Ill. Adm. Code 728 for deletion. The chemical was listed in the opinion for deletion, yet the Board neglected to overstrike the entry from the text of the rule. *See RCRA Subtitle C Update, USEPA Amendments (January 1, 2011 through June 30, 2011)*, R12-7 (Jan. 5, 2012), slip op. at pp. 11, 178).

Revised Hazardous Waste Manifest Printing Requirements—Section 722.121

On June 22, 2011 (at 76 Fed. Reg. 36363), USEPA revised the printing requirements for hazardous waste manifest forms. USEPA formerly required that manifest distribution instructions appear in red ink. USEPA revised the rule to allow the distribution instructions to appear in any distinct color or other appearance

Any person interested in the substance of the revisions to the hazardous waste manifest printing requirements and USEPA's rationale behind them should refer to the June 22, 2011 *Federal Register* discussion that accompanied the USEPA amendments. Alternatively, interested persons could contact USEPA as directed in the *Federal Register* notice. The discussion that follows considers the substance of the federal amendments only to the extent needed to

understand any issues that the Board encountered in the process of incorporating the federal changes into the Illinois rules.

The Board incorporated the USEPA amendments of June 22, 2011 without substantive deviation from the federal text. The Board did make a minor change in punctuation, which is listed in Table 2, which begins on page 22 of this opinion and order.

The Board requested comments on the incorporation of the June 22, 2011 USEPA revision to the hazardous waste manifest printing requirements. The Board received no comments on the proposal for public comment. For this reason, the Board adopts the amendments as proposed on January 5, 2012. The only changes made in the text are the minor, non-substantive corrections listed in Table 4, which begins on page 29 below.

Discussion of Board-Initiated Corrections and Updates

The Board made a limited number of changes in the text of various rules that are not directly based on USEPA actions during January 1, 2011 through June 30, 2011. One of the changes responds to an inquiry submitted by JCAR relative a prior consolidated RCRA Subtitle C update docket. The following segments of discussion consider the amendments added by the Board.

Revision to the Hazardous Waste Manifest Use Requirements Prompted by a JCAR Inquiry—Section 722.123

By PC 1, JCAR requested clarification of a segment of text included in the prior RCRA Subtitle C update docket, RCRA Subtitle C Update, USEPA Amendments (January 1, 2010 through June 30, 2010), R11-2 and RCRA Subtitle C Update, USEPA Regulations (July 1, 2010 through December 31, 2010), R11-16 (Aug. 18, 2011) (consolidated). USEPA added the language of 40 C.F.R. 262.23(f) as part of the technical corrections of March 18, 2010 (75 Fed. Reg. 12989). JCAR questioned the meaning of a segment of text, and examination of the questioned segment has prompted Board review to remove the potential ambiguity in this docket.

The hazardous waste generator requirements include a provision outlining how a generator must use the hazardous waste manifest. USEPA added a segment to that provision on March 18, 2010¹ that applies to shipments that a designated facility has returned to the generator. That provision requires generators to take certain actions as follows:

For rejected shipments of hazardous waste or container residues contained in non-empty containers that are returned to the generator by the designated facility (following the procedures of 40 C[.]F[.]R[.] 264.72(f) or 265.72(f)), the generator

¹ The Hazardous Waste Technical Corrections and Clarifications Rule at 75 Fed. Reg. 12989, 13004 (Mar. 18, 2010).

must: 40 C.F.R. 262.23(f) (2010) (emphasis added; required actions omitted) (corresponding with 35 Ill. Adm. Code 722.123(f)).

At first blush, the phrase “container residues contained in non-empty containers” would appear a lengthy statement capable of simplification to “non-empty containers” or “residues in containers,” but this would defeat the purpose of the new requirement. The phrase “container residues contained in non-empty containers” is a phrase of art under the hazardous waste regulations. The Board cannot alter the language without defeating USEPA’s intent.

The citations to 40 C.F.R. 264.72(f) and 265.72(f) support a conclusion that USEPA intended to use “container residues contained in non-empty containers” as a phrase of art. These two provisions are segments of the hazardous waste treatment, storage, and disposal (T/S/D) facility standards applicable to permitted facilities and interim status facilities, respectively. The provisions relate what a T/S/D facility must do to return hazardous waste to the generator when that is the course of action required to resolve manifest discrepancies. These two segments use the term “residues that must be sent back to the generator.” *See* 40 C.F.R. 264.72(f) and 265.72(f) (2010) (corresponding with 35 Ill. Adm. Code 724.172(f) and 725.172(f)). Two other segments of each T/S/D facility provision, however, describe the returned residues as “container residue that exceeds the quantity limits for ‘empty’ containers set forth in 40 C[.]F[.]R[.] 261.7(b).” 40 C.F.R. 264.172(d)(1) and (g) and 265.172(d)(1) and (g) (2010) (corresponding with 35 Ill. Adm. Code 724.272(d)(1) and (g) and 725.272(d)(1) and (g)). Further, the two T/S/D facility provisions define “manifest discrepancies,” in significant part, using similar terms. 40 C.F.R. 264.172(a)(3) and 265.172(a)(3) (2010) (using “Container residues, which are residues that exceed the quantity limits for ‘empty’ containers set forth in 40 C[.]F[.]R[.] 261.7(b)”) (corresponding with 35 Ill. Adm. Code 724.272(a)(3) and 725.272(a)(3)).

Thus, the generator manifest requirement of 40 C.F.R. 262.23(f) (corresponding with 35 Ill. Adm. Code 722.123(f)) directs attention to the requirements of 40 C.F.R. 264.72(f) and 265.72(f) in the T/S/D facility standards for definition of the event that triggers the obligation to comply with its manifest requirement relative to “container residues contained in non-empty containers.” Those two T/S/D facility provisions, in turn, redirect attention to the Empty Containers Rule of 40 C.F.R. 261.7(b) (corresponding with 35 Ill. Adm. Code 721.107(b)) for definition of when a container is “empty.” The Empty Container Rule defines an “empty container” as follows:

(b)(1) A container . . . that has held any hazardous waste, except a waste that is a compressed gas or that is identified as an acute hazardous waste listed in [40 C.F.R.] 261.31 or 261.33(e) of this chapter is empty if:

(i) All wastes have been removed that can be removed using the practices commonly employed to remove materials from that type of container, [*e.g.*], pouring, pumping, and aspirating, *and*

(ii) No more than 2.5 centimeters (one inch) of residue remain on the bottom of the container . . . , *or*

(iii)(A) No more than 3 percent by weight of the total capacity of the container remains in the container or inner liner if the container is less than or equal to 119 gallons in size; or

(B) No more than 0.3 percent by weight of the total capacity of the container remains in the container . . . if the container is greater than 119 gallons in size.

(2) A container that has held a hazardous waste that is a compressed gas is empty when the pressure in the container approaches atmospheric.

(3) A container . . . that has held an acute hazardous waste listed in [40 C.F.R.] 261.31 or 261.33(e) is empty if:

(i) The container or inner liner has been triple rinsed using a solvent capable of removing the commercial chemical product or manufacturing chemical intermediate;

(ii) The container . . . has been cleaned by another method that has been shown in the scientific literature, or by tests conducted by the generator, to achieve equivalent removal; or

(iii) In the case of a container, the inner liner that prevented contact of the commercial chemical product or manufacturing chemical intermediate with the container, has been removed. 40 C.F.R. 261.7 (2010) (emphasis in original; passages relating to container liners omitted) (corresponding with 35 Ill. Adm. Code 721.107(b)).

The meaning of the phrase “container residues contained in non-empty containers” derives from this definition of “empty container.” That definition deems containers that still contain waste residues as “empty containers” and excludes them from regulation as hazardous waste. 40 C.F.R. 261.7(a) (2010) (corresponding with 35 Ill. Adm. Code 721.107(a)). Thus, an “empty” container can contain waste residue. *See* 45 Fed. Reg. 78524, 25-26 (Nov. 25, 1980) (discussion with the initial adoption of the Empty Containers Rule). From this, “container residues contained in non-empty containers,” as used in 40 C.F.R. 262.23(f) (corresponding with 35 Ill. Adm. Code 722.123(f)), means the residues remaining in a container that is not considered “empty” for the purposes of exclusion from regulation as hazardous waste under the Empty Container Rule.

In sum, use of the phrase “container residues contained in non-empty containers” requires that a generator must complete the hazardous waste manifest requirements for hazardous waste—*i.e.*, the residues that are not excluded under the Empty Container Rule—that is returned to the generator. USEPA stated that it added 40 C.F.R. 262.23(f) to clarify that the generator must confirm to the T/S/D facility its receipt of the returned shipment of hazardous waste. 75 Fed. Reg. 12989, 97-98 (Mar. 18, 2010). Use of “container residues contained in non-empty containers” both reminds the generator that the requirement does not apply to “empty” containers and that the requirement does apply to containers that are not “empty.”

The fact that a multi-layered analysis has been necessary to explain the meaning of the term “container residues contained in non-empty containers” indicates that clarification is necessary within the text of the rule itself. As already stated, the Board cannot simplify the

phrase in 35 Ill. Adm. Code 722.123(f) (corresponding with 40 C.F.R. 262.23(f)) without changing the meaning, since the phrase derives from a phrase of art.

The Board has opted to append a note to 35 Ill. Adm. Code 722.123(f). The note explains the relationship with the Empty Container Rule, as follows:

BOARD NOTE: The use of the term “non-empty containers” in this subsection (f) derives from the language of corresponding 40 CFR 262.23(f). “Non-empty containers,” for the purposes of this subsection (f), are containers that are not deemed “empty” by the empty container rule of 35 Ill. Adm. Code 721.107. That rule allows a container that still contains waste residues to be considered “empty” under specified conditions. Thus, “container residues contained in non-empty containers” are subject to regulation as hazardous waste, and the requirements of this subsection (f) apply to such residues.

The Board requested public comments on the note appended to 35 Ill. Adm. Code 722.123(f) to clarify use of the phrase “container residues contained in non-empty containers.” In particular, the Board requested comments on the following:

1. Is clarification of the rule necessary?
2. What is the effect of adding clarification in the rule as proposed by the Board?
3. Would another method for adding clarification in the rule be more effective?

The Board received no comments on the proposal for public comment. For this reason, the Board adopts the amendments as proposed on January 5, 2012. The only changes made in the text are the minor, non-substantive corrections listed in Table 4, which begins on page 29 below.

Updating Code of Federal Regulations Citations and Incorporations by Reference

The Board is using this opportunity to update the *Code of Federal Regulations* citations throughout the text of the rules. This includes updating the version of rules incorporated by reference in 35 Ill. Adm. Code 720.111. USEPA and the U.S. Department of Transportation have amended various of their regulations that the Board has incorporated by reference in 35 Ill. Adm. Code 720.111(b) for use throughout various segments of the hazardous waste and underground injection control (UIC) regulations. The Board has updated all citations to Titles 40 and 49 to the appropriate latest editions of the *Code of Federal Regulations*, including later amendments to date.

The Board does not evaluate the impact of individual federal amendments on implementation of the hazardous waste and UIC regulations in Illinois. Instead, the Board routinely updates the version of the incorporated *Code of Federal Regulations* provision to the most recent version available for each. This includes inclusion of *Federal Register* citations to

the latest version of the *Code of Federal Regulations*, as needed to ensure that all incorporations are as current as possible.

In recently completed action in RCRA Subtitle C Update, USEPA Amendments (January 1, 2010 through June 30, 2010), R11-2 and RCRA Subtitle C Update, USEPA Regulations (July 1, 2010 through December 31, 2010), R11-16 (Aug. 18, 2011) (consolidated), the Board updated most of the incorporations by reference to include amendments known to the Board at that time. The Board has since, however, discovered that the Government Printing Office (GPO) has released the 2011 edition of the *Code of Federal Regulations* for Titles 10 and 40, and the Board has obtained electronic copies of the segments incorporated by reference in 35 Ill. Adm. Code 720.111(b). The 2010 edition is the latest edition available for 40 C.F.R. 153 and all of Title 49. The Board anticipates that the Government Publishing Office will release the 2011 edition of these regulations before the Board concludes this proceeding.

The Board has updated all of the citations to the *Code of Federal Regulations* to the 2011 edition for the incorporations by reference in 35 Ill. Adm. Code 720.111(b) in this proceeding.² The Board has included updates to segments of the *Code* that are not yet available in the 2011 edition as of the adoption of this proposal for public comment. The release of the 2011 edition for those provisions is nearly certain before the conclusion of this proceeding. If the GPO fails to release the 2011 edition of any of the incorporated by reference as anticipated, the Board will remove the pertinent proposed amendments and use the 2010 version upon final adoption.

The Board requested comments on the update of the *Code of Federal Regulations* citations in the incorporations by reference in 35 Ill. Adm. Code 720.111(b). The Board received no comments on the proposal for public comment. For this reason, the Board adopts the amendments as proposed on January 5, 2012. The only changes made in the text are the minor, non-substantive corrections listed in Table 4, which begins on page 29 below.

**Removal of the Historical Summary of the
RCRA Subtitle C and UIC Regulations
from the Board Opinion**

The Board has included a recitation of a historical summary of the Illinois RCRA Subtitle C and underground injection control (UIC) regulations and programs in the opinion segment of every update to these regulations. The Board conducted the review of recent actions that is needed to include the summary in this opinion and order. The Board encountered a number of issues during the course of this review. As a result, the Board has done as follows with regard to the historical summary:

1. The Board has integrated the historical summary into a single summary.

² That is with the exception of the incorporation of the 2000 edition of subpart EEE of 40 C.F.R. 63 incorporated by reference for the purposes of 35 Ill. Adm. Code 703.280.

2. The Board has removed the historical summary from this opinion relating to the RCRA Subtitle C and UIC programs.

In the early years of these programs, the historical recitation that the Board included in every opinion was quite short. *See, e.g., RCRA and UIC Update*, R84-9 (June 13, 1985 and June 27, 1985), slip op. at pp. 2-4. By 2000, however, the list became several pages long. *See, e.g., RCRA Subtitle C Update, USEPA Amendments (July 1, 1999 through December 31, 1999)*, R00-13 (May 18, 2000), slip op. at pp. 50-63. As a result, the Board opted to shorten the historical recitation and present only those amendments that occurred after May 18, 2000 in subsequent opinions and reference back to a May 18, 2000 opinion for prior actions. *See RCRA Subtitle C Update, USEPA Amendments (January 1, 2000 through June 30, 2000)*, R01-3 (Dec. 7, 2000), slip op. at pp. 13-14.

Reviewing the complete historical summary of the programs has required integrating the latest listing with the listing in an opinion of the Board that is more than 10 years old. The historical summary spanning the period since May 18, 2000 has grown to several pages in length. *See RCRA Subtitle C Update, USEPA Amendments (January 1, 2010 through June 30, 2010)*, R11-2 and *RCRA Subtitle C Update, USEPA Regulations (July 1, 2010 through December 31, 2010)*, R11-16 (Aug. 18, 2011) (cons), slip op. at pp. 163-70. The fact that the summary appears in two segments, combined with the growing length of the post-2000 summary, has made discerning the complete summary difficult.

The Board has integrated the pre-2000 and post-2000 summaries into a single summary. That integrated document now spans 32 pages. In a break from past tradition, the Board has determined to stop reciting the lengthy histories of the RCRA Subtitle C and UIC programs. The Board will post a document to the Board's website that presents the entire summary as a cohesive document.

As a result, no historical summary appears as a segment of this opinion and order. Persons wishing to review the historical summary of the Illinois RCRA Subtitle C and UIC regulations and programs as it stood on December 31, 2011 must consult the Board's website to do so.

General Explanations of Board Deviation from the Literal Text of Federal Rules

When incorporating the federal rules into the Illinois system, the Board cannot always follow their literal text. Some deviation from the literal federal text is unavoidable. There are a variety of reasons that copying the federal text is not possible.

Deviation arises through differences between the federal and state regulatory structure and systems. In Illinois, the responsibilities are divided among several entities—principally

between the Board and the Agency.³ *See* 415 ILCS 5/4 and 5 (2010). The scope of the particular identical-in-substance mandate may not embrace all aspects of the USEPA action involved in a particular proceeding. Further, the Illinois environmental regulations are organized differently than are the more extensive rules of USEPA, sometimes requiring the Board to adapt many of the federal requirements into segments of the Illinois rules. Finally, the Board must comply with the Illinois Administrative Procedure Act (5 ILCS 100 (2010)) and codification requirements of the Office of the Secretary of State (1 Ill. Adm. Code 100) when incorporating the federal requirements.

Another source of deviation from the literal federal text of a rule relates to updating incorporations by reference and references and source-citations to federal rules. Sometimes this involves federal rules that are part of the USEPA action that prompts the Board amendments. The Board has incorporated many segments of USEPA rules by reference, so that updating the references completes the amendments without use of the literal text of federal amendments. At other times, the deviation is the result of updated federal regulations that are not directly involved in an underlying USEPA action within the timeframe of the docket. The Board has incorporated federal regulations not directly involved by reference because USEPA has cited to unrelated USEPA rules or rules of other federal agencies. As a result, the Board routinely examines federal regulations that are incorporated by reference or source-cited in the Illinois rules and updates the references and citations to ensure reliance on the most recent versions, unless incorporation of an earlier version is required.

Some deviation also arises through errors in and problems with the federal text itself. The language of many federal rules differs stylistically from the Board's preferences. The Board also sometimes finds segments of federal text that are less than clear or which contain errors. The Board conforms the federal text to the Illinois rules and regulatory scheme and corrects errors found in the text in the course of these routine update rulemakings.

The following discussion segments explain in broad terms some of the changes to the literal text of federal rules that the Board makes on a more routine basis. What follows are general consideration of deviation from the literal text of federal rules that are prompted by three

³ Many other State agencies have some role to play in many functions under the Environmental Protection Act: the Department of Commerce and Community Affairs (*see* 415 ILCS 5/22, 22.23, 22.34, 25, 27, 55, 55.2, 55.6, 55.7, 55.14, 55.14a, and 55.15 (2010)), the Department of Natural Resources (*see* 415 ILCS 5/17.1-17.3, 27, and 55.6 (2010)), the Department of Agriculture (*see* 415 ILCS 5/14.3, 14.6, 22.2, 22.34, 22.35, 39.4, and 55.6 (2010)), the Illinois Department of Transportation (*see* 415 ILCS 5/3.135, 22.51, 39, and 39.2 (2010)), the Office of the State Fire Marshall (*see* 415 ILCS 5/22.12, 57.3-57.6, 57.9, and 57.11 (2010)), the Illinois Emergency Management Agency (*see* 415 ILCS 5/13.6, 25a-1, 25b, and 57.5 (2010)), the Department of Public Health (*see* 415 ILCS 5/13.2, 22.55, 25d-6, 55.2, and 55.6 (2010)), and the Department of Labor (*see* 415 ILCS 5/52 (2010)). Although the Board must remain mindful of the roles of every State agency in a particular subject matter area, the major divisions of authority of concern in identical-in-substance proceedings are those between the Board and the Agency.

sources: (1) the divisions of authority between the Board and Agency under the Act; (2) routine updating of incorporations by reference of and citations to the *Code of Federal Regulations*; and (3) stylistic changes, clarifications, and corrections routinely made.

The Board will not further discuss changes prompted by three other causes: (1) differences in regulatory structure; (2) the scope of an identical-in-substance mandate, or (3) Illinois rulemaking procedure and codification requirements. The Board includes discussion of deviation caused by these considerations in substantive segments of opinions when issues arise.

Agency or Board Action. Section 7.2(a)(5) of the Act requires the Board to specify those portions of the program over which USEPA will retain decision making authority. Based on the general division of functions within the Act and other Illinois statutes, the Board is also to specify which State agency is to make decisions.

In situations in which the Board has determined that USEPA will retain decision-making authority, the Board has replaced “Regional Administrator” with USEPA, so as to avoid specifying which office within USEPA is to make a decision.

In some identical-in-substance rules, certain decisions pertaining to a permit application are not appropriate for the Agency to consider. In determining the general division of authority between the Agency and the Board, the following factors should be considered:

1. Whether the entity making the decision is applying a Board regulation, or taking action contrary to, *i.e.*, “waiving,” a Board regulation. It generally takes some form of Board action to “waive” a Board regulation.
2. Whether there is a clear standard for action such that the Board can give meaningful review to an Agency decision.
3. Whether the action would result in exemption from the permit requirement itself. If so, Board action is generally required.
4. Whether the decision amounts to “determining, defining or implementing environmental control standards” within the meaning of Section 5(b) of the Act. If so, it must be made by the Board.

There are four common classes of Board decisions: variance, adjusted standard, general and site-specific rulemaking, and enforcement. The first three are methods by which a regulation can be temporarily postponed (variance) or adjusted to meet specific situations (adjusted standard or site-specific rulemaking). There often are differences in the nomenclature for these decisions between the USEPA and Board regulations.

Routine Board Stylistic Changes, Clarifications, and Corrections. In addition to the amendments derived from federal amendments, the Board often makes necessary alterations in the text of various passages of the existing rules as provisions are opened for update in response

to USEPA actions. This involves correcting deficiencies, clarifying provisions, and making other changes that are necessary to establish a clear set of rules that closely parallel the corresponding federal requirements within the codification scheme of the *Illinois Administrative Code*.

The Board substituted “or” for “/” in most instances where this appeared in the federal base text, using “and” where more appropriate. The Board further used this opportunity to make a number of corrections to punctuation, grammar, spelling, and cross-reference format throughout the opened text. The Board changed “who” to “that” and “he” or “she” to “it,” where the person to which the regulation referred was not necessarily a natural person, or to “he or she,” where a natural person was evident; changed “which” to “that” for restrictive relative clauses; substituted “must” for “shall”; capitalized the section headings and corrected their format where necessary; and corrected punctuation within sentences.

In addition, the federal rules have been edited to establish a uniform usage throughout the Board’s regulations. For example, with respect to “shall,” “will,” and “may,” “must” is used when an action is required by the rule, without regard to whether the action is required of the subject of the sentence or not. “Shall” is no longer used, since this word is not used in everyday language. Thus, where a federal rule uses “shall,” the Board substitutes “must.” This is a break from our former practice where “shall” was used when the subject of a sentence has a duty to do something. “Will” is used when the Board obliges itself to do something. “May” is used when choice of a provision is optional. “Or” is used rather than “and/or,” and denotes “one or both.” “Either . . . or” denotes “one but not both.” “And” denotes “both.”

The Joint Committee on Administrative Rules has requested that the Board refer to the United States Environmental Protection Agency in the same manner throughout all of our bodies of regulations—*i.e.*, air, water, drinking water, RCRA Subtitle D (municipal solid waste landfill), RCRA Subtitle C (hazardous waste), underground injection control (UIC), etc. The Board has decided to refer to the United States Environmental Protection Agency as “USEPA.” The Board will continue this conversion in future rulemakings as additional sections become open to amendment. The Board will further convert “EPA” used in federal text to “USEPA,” where USEPA is clearly intended.

The Board has assembled tables to aid in the location of these alterations and to briefly outline their intended purpose. These are explained in the introductory paragraph of the following opinion segment.

**Tables of Deviations from the Federal Text and
Corrections to and Clarifications of the Base Text**

The tables below list numerous corrections and amendments that are not based on current federal amendments. The following paragraphs briefly describe the contents and locations of the tables:

Table 1 (beginning immediately below) outlines federal amendments of June 13, 2011 that are not necessary in this docket, with summary explanation why the Board need take no action with regard to each.

Table 2 (beginning immediately after Table 1 on page 22) includes deviations made in the adopted amendments from the verbatim text of the federal amendments.

Table 3 (beginning immediately after Table 2 on page 22) contains corrections and clarifications that the Board made in the base text involved in the adopted amendments. The amendments listed in Table 3 are not directly derived from the current federal amendments. Some of the entries in these tables are discussed further in appropriate segments of the general discussion beginning at page 6 of this opinion.

Table 4 (beginning on page 29 below) is a listing of revisions made to the text of the amendments from that proposed and set forth in the Board's opinion and order of January 5, 2012. Table 4 indicates the changes made, as well as the source that suggested each of the changes.

Table 5 (on page 30 below) indicates suggested revisions that the Board has not made in adopting these amendments. Each entry gives a brief explanation why the Board did not incorporate the suggested change.

**Table 1:
Federal Amendments of June 13, 2011
That Are Not Necessary in This Docket**

Provision Citations 40 C.F.R./ 35 Ill. Adm. Code	USEPA Correction/ Explanation Why Not Made in This Docket
271.1(j), table 1/ No corresponding Illinois provision	Add the action of June 13, 2011 to the list of provisions adopted pursuant to the Hazardous and Solid Waste Amendments of 1984 (HSWA), Pub. L. No. 98-616, 98 Stat. 3221/ The Board has not included a similar tabulation of HSWA provisions, promulgation dates, and effective dates in the Illinois regulations.
271.1(j), table 2/ No corresponding Illinois provision	Add the action of June 13, 2011 to the list of self-implementing provisions adopted pursuant to the Hazardous and Solid Waste Amendments of 1984 (HSWA), Pub. L. No. 98-616, 98 Stat. 3221/ The Board has not included a similar tabulation of self-implementing HSWA provisions, promulgation dates, and effective dates in the Illinois regulations.

**Table 2:
Deviations from the Text of the Federal Amendments**

Illinois Section	40 C.F.R. Section	Revision(s)
722.121(f)(4)	262.21(f)(4)	Removed the commas from the two-element series “white text . . . in text box, or, black text . . . in text box” which essentially offset the conjunction as a parenthetical.
728.Table T, “K157,” “methyl ethyl ketone”	268.40 table, “K157,” “methylethyl ketone”	Retained the spelling “methyl ethyl ketone,” rather than changing it to “methylethyl ketone.”
728.Table T, “K157,” “triethylamine”	268.40 table, “K157,” “triethylamine”	Added the semicolon to separate the numeric standard from the treatment-based standard in “0.081; or CMBST, CHOXD, BIODG or CARBN” to agree with all other additions in the USEPA amendments.
728.Table T, “P196”	268.40 table, “P196”	Retained the spelling “dimethyldithiocarbamates,” rather than changing it to “dimethyldithiocarbamates” by adding a hyphen.
728.Table U, note 6	268.48(a) table, note 6	Revised the note to explain USEPA marking it “reserved,” instead of removing the note.

**Table 3:
Board Housekeeping Amendments**

Section	Source	Revision(s)
720.111(b), “10 CFR 20.2006”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “table II, column 2 in appendix B to 10 CFR 20”	Board	Changed capitalized “Appendix” to lower-case “appendix”; updated the <i>Code of Federal Regulations</i> citation to the latest edition available.

720.111(b), “appendix G to 10 CFR 20”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “10 CFR 71”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “10 CFR 71.5”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 3.2”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 3.3”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 3.10”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 3.2000”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 51.100(ii)”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix W to 40 CFR 51”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix B to 40 CFR 52.741”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 60”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of now-obsolete <i>Federal Register</i> citations for amendments now included in the main volume.
720.111(b), “subpart VV of 40 CFR 60”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix A to 40 CFR 60”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of a now-obsolete <i>Federal Register</i> citation for amendments now included in the main volume.

720.111(b), “40 CFR 61”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of now-obsolete <i>Federal Register</i> citations for amendments now included in the main volume.
720.111(b), “subpart V of 40 CFR 60”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “subpart FF of 40 CFR 60”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 63”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of now-obsolete <i>Federal Register</i> citations for amendments now included in the main volume.
720.111(b), “subpart RR of 40 CFR 63”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “subpart EEE of 40 CFR 63”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “Method 301 in appendix A to 40 CFR 63”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of a now-obsolete <i>Federal Register</i> citation for amendments now included in the main volume.
720.111(b), “appendix C to 40 CFR 63”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix D to 40 CFR 63”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 136.3”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 144.7”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 136.3”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 232.2”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.

720.111(b), “40 CFR 257”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 258”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of now-obsolete <i>Federal Register</i> citations for amendments now included in the main volume.
720.111(b), “40 CFR 260.21”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix I to 40 CFR 260”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 261.151”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix III to 40 CFR 261”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 262.53”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 262.54”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 262.55”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 262.56”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 262.57”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix to 40 CFR 262”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 264.151”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix I to 40 CFR 264”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix IV to 40 CFR 264”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.

720.111(b), “appendix V to 40 CFR 264”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix VI to 40 CFR 264”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix I to 40 CFR 265”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix III to 40 CFR 265”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix IV to 40 CFR 265”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix V to 40 CFR 265”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “appendix IX to 40 CFR 266”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 267.151”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 270.5”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 761”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 761.3”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 761.60”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 761.65”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “40 CFR 761.70”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “subpart B of 49 CFR 107”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of a now-obsolete <i>Federal Register</i> citation for amendments now included in the main volume.

720.111(b), “49 CFR 171”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of now-obsolete <i>Federal Register</i> citations for amendments now included in the main volume.
720.111(b), “49 CFR 171.3”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 171.8”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of now-obsolete <i>Federal Register</i> citations for amendments now included in the main volume.
720.111(b), “49 CFR 171.15”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 171.16”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 172”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 172.304”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “subpart F of 49 CFR 172”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of a now-obsolete <i>Federal Register</i> citation for amendments now included in the main volume.
720.111(b), “49 CFR 173”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 173.2”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 173.12”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 173.28”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 17350”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.

720.111(b), “49 CFR 173.54”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 173.115”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 174”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 175”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of a now-obsolete <i>Federal Register</i> citation for amendments now included in the main volume.
720.111(b), “49 CFR 176”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of a now-obsolete <i>Federal Register</i> citation for amendments now included in the main volume.
720.111(b), “49 CFR 177”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of a now-obsolete <i>Federal Register</i> citation for amendments now included in the main volume.
720.111(b), “49 CFR 178”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of now-obsolete <i>Federal Register</i> citations for amendments now included in the main volume.
720.111(b), “49 CFR 179”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
720.111(b), “49 CFR 180”	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available, including deletion of a now-obsolete <i>Federal Register</i> citation for amendments now included in the main volume.
722.121(f) Board note	Board, JCAR	Added the explanation of the term “container residues contained in non-empty containers.”
728.Table T, “K161”	Board	Added a comma before “and floor sweepings” to offset the final element of the series.
728.Table T, “P196”	Board	Added the footnote “ ¹⁰ ,” formerly omitted in error; added the closing parenthesis mark to “(total),” formerly omitted in error.

728.Table T, “P198”	Board	Added the footnote “ ¹⁰ ,” formerly omitted in error.
728.Table T, “P202”	Board	Added the footnote “ ¹⁰ ,” formerly omitted in error.
728.Table T Board note	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.
728.Table U Board note	Board	Updated the <i>Code of Federal Regulations</i> citation to the latest edition available.

Table 4:
Revisions to the Text of the Proposed Amendments in Final Adoption

Section Revised	Source(s) of Revision(s)	Revision(s)
720.111(a), “ACGME” Board note	JCAR	Added the ending period after the Internet address.
722.123(f) Board note	JCAR	Changed “apply to such residues” to “apply to those residues.”
728.Table T heading	JCAR	Changed “728.Table T” to uppercase “728.TABLE T.”
728.Table T, U201	JCAR	Added the ending period after the chemical name in the entry title; removed the ending period from after the chemical name in the table entry.
728.Table U heading	JCAR	Changed “728.Table U” to uppercase “728.TABLE U.”
728.Table U, “carbofuran phenol”	Board	Corrected the entry by placing the previously omitted overstrike marks to indicate deletion of the entire entry. (See the discussion that begins on page 11 of this opinion and order.)

**Table 5:
Requested Revisions to the Text of the Proposed Amendments Not Made in
Final Adoption**

Section Affected	Source(s) of Request: Requested Revision(s)	Explanation
720.111(a), "OECD," "OECD Guidance Manual"	JCAR: Change "as Amended" to lower-case "as amended."	The "as Amended" is capitalized in the formal document title
720.111(a), "OECD," "OECD Guidance Manual," "Annex A"	JCAR: Change "as Amended" to lower-case "as amended."	The "as Amended" is capitalized in the formal annex title
722.123(f) Board note	JCAR: Move the comma after "'Non-empty containers,'" outside the closing quotation mark.	The Board consistently applies the American rule and places commas and periods inside the closing quotation mark.

ORDER

The Board directs the Clerk to immediately file the following adopted amendments to the Illinois RCRA Subtitle C hazardous waste regulations at 35 Ill. Adm. Code 720, 722, and 728 with the Office of the Secretary of State to cause them to become effective and provide notice in the *Illinois Register*:

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 720
HAZARDOUS WASTE MANAGEMENT SYSTEM: GENERAL

SUBPART A: GENERAL PROVISIONS

Section	
720.101	Purpose, Scope, and Applicability
720.102	Availability of Information; Confidentiality of Information
720.103	Use of Number and Gender
720.104	Electronic Reporting

SUBPART B: DEFINITIONS AND REFERENCES

Section	
720.110	Definitions

720.111 References

SUBPART C: RULEMAKING PETITIONS AND OTHER PROCEDURES

Section

720.120	Rulemaking
720.121	Alternative Equivalent Testing Methods
720.122	Waste Delisting
720.123	Petitions for Regulation as Universal Waste
720.130	Procedures for Solid Waste Determinations and Non-Waste Determinations
720.131	Solid Waste Determinations
720.132	Boiler Determinations
720.133	Procedures for Determinations
720.134	Non-Waste Determinations
720.140	Additional Regulation of Certain Hazardous Waste Recycling Activities on a Case-by-Case Basis
720.141	Procedures for Case-by-Case Regulation of Hazardous Waste Recycling Activities
720.142	Notification Requirement for Hazardous Secondary Materials
720.143	Legitimate Recycling of Hazardous Secondary Materials

720.APPENDIX A Overview of Federal RCRA Subtitle C (Hazardous Waste) Regulations (Repealed)

AUTHORITY: Implementing Sections 7.2, 13, and 22.4 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 13, 22.4, and 27].

SOURCE: Adopted in R81-22 at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22 at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-19 at 7 Ill. Reg. 14015, effective October 12, 1983; amended in R84-9 at 9 Ill. Reg. 11819, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 968, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 13998, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20630, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6017, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13435, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19280, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2450, effective January 15, 1988; amended in R87-39 at 12 Ill. Reg. 12999, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 362, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18278, effective November 13, 1989; amended in R89-2 at 14 Ill. Reg. 3075, effective February 20, 1990; amended in R89-9 at 14 Ill. Reg. 6225, effective April 16, 1990; amended in R90-10 at 14 Ill. Reg. 16450, effective September 25, 1990; amended in R90-17 at 15 Ill. Reg. 7934, effective May 9, 1991; amended in R90-11 at 15 Ill. Reg. 9323, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14446, effective September 30, 1991; amended in R91-13 at 16 Ill. Reg. 9489, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17636, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5625, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20545, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6720, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12160, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17480, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg.

9508, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 10929, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 256, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7590, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17496, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 1704, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9094, effective July 26, 1999; amended in R00-5 at 24 Ill. Reg. 1063, effective January 6, 2000; amended in R00-13 at 24 Ill. Reg. 9443, effective June 20, 2000; amended in R01-3 at 25 Ill. Reg. 1266, effective January 11, 2001; amended in R01-21/R01-23 at 25 Ill. Reg. 9168, effective July 9, 2001; amended in R02-1/R02-12/R02-17 at 26 Ill. Reg. 6550, effective April 22, 2002; amended in R03-7 at 27 Ill. Reg. 3712, effective February 14, 2003; amended in R03-18 at 27 Ill. Reg. 12713, effective July 17, 2003; amended in R05-8 at 29 Ill. Reg. 5974, effective April 13, 2005; amended in R05-2 at 29 Ill. Reg. 6290, effective April 22, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 2930, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 730, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 11726, effective July 14, 2008; amended in R09-3 at 33 Ill. Reg. 922, effective December 30, 2008; amended in R09-16/R10-4 at 34 Ill. Reg. 18535, effective November 12, 2010; amended in R11-2/R11-16 at 35 Ill. Reg. 17672, effective October 14, 2011; amended in R12-7 at 36 Ill. Reg. _____, effective _____.

SUBPART B: DEFINITIONS AND REFERENCES

Section 720.111 References

The following documents are incorporated by reference for the purposes of this Part and 35 Ill. Adm. Code 702 through 705, 721 through 728, 730, 733, 738, and 739:

- a) Non-Regulatory Government Publications and Publications of Recognized Organizations and Associations:

ACGME. Available from the Accreditation Council for Graduate Medical Education, 515 North State Street, Suite 2000, Chicago, IL 60654, 312-755-5000:

“Accreditation Council for Graduate Medical Education: Glossary of Terms,” March 19, 2009, referenced in 35 Ill. Adm. Code 722.300.

BOARD NOTE: Also available on the Internet for download and viewing as a PDF file at the following Internet address:

http://www.acgme.org/acWebsite/about/ab_ACGMEglossary.pdf,

ACI. Available from the American Concrete Institute, Box 19150, Redford Station, Detroit, Michigan 48219:

ACI 318-83: "Building Code Requirements for Reinforced Concrete," adopted November 1983, referenced in 35 Ill. Adm. Code 724.673 and 725.543.

ANSI. Available from the American National Standards Institute, 1430 Broadway, New York, New York 10018, 212-354-3300:

See ASME/ANSI B31.3 and B31.4 and supplements below in this subsection (a) under ASME.

API. Available from the American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005, 202-682-8000:

"Cathodic Protection of Underground Petroleum Storage Tanks and Piping Systems," API Recommended Practice 1632, Second Edition, December 1987, referenced in 35 Ill. Adm. Code 724.292, 724.295, 725.292, and 725.295.

"Evaporative Loss from External Floating-Roof Tanks," API publication 2517, Third Edition, February 1989, USEPA-approved for 35 Ill. Adm. Code 725.984.

"Guide for Inspection of Refinery Equipment," Chapter XIII, "Atmospheric and Low Pressure Storage Tanks," 4th Edition, 1981, reaffirmed December 1987, referenced in 35 Ill. Adm. Code 724.291, 724.293, 725.291, and 725.292.

"Installation of Underground Petroleum Storage Systems," API Recommended Practice 1615, Fourth Edition, November 1987, referenced in 35 Ill. Adm. Code 724.292.

ASME. Available from the American Society of Mechanical Engineers, 345 East 47th Street, New York, NY 10017, 212-705-7722:

"Chemical Plant and Petroleum Refinery Piping," ASME/ANSI B31.3-1987, as supplemented by B31.3a-1988 and B31.3b-1988, referenced in 35 Ill. Adm. Code 724.292 and 725.292. Also available from ANSI.

"Liquid Transportation Systems for Hydrocarbons, Liquid Petroleum Gas, Anhydrous Ammonia, and Alcohols," ASME/ANSI B31.4-1986, as supplemented by B31.4a-1987, referenced in 35 Ill. Adm. Code 724.292 and 725.292. Also available from ANSI.

ASTM. Available from American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, 610-832-9585:

ASTM C 94-90, "Standard Specification for Ready-Mixed Concrete," approved March 30, 1990, referenced in 35 Ill. Adm. Code 724.673 and 725.543.

ASTM D 88-87, "Standard Test Method for Saybolt Viscosity," approved April 24, 1981, reapproved January 1987, referenced in 35 Ill. Adm. Code 726.200.

ASTM D 93-85, "Standard Test Methods for Flash Point by Pensky-Martens Closed Tester," approved October 25, 1985, USEPA-approved for 35 Ill. Adm. Code 721.121.

ASTM D 140-70, "Standard Practice for Sampling Bituminous Materials," approved 1970, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 346-75, "Standard Practice for Collection and Preparation of Coke Samples for Laboratory Analysis," approved 1975, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 420-69, "Guide to Site Characterization for Engineering, Design, and Construction Purposes," approved 1969, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 1452-65, "Standard Practice for Soil Investigation and Sampling by Auger Borings," approved 1965, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 1946-90, "Standard Practice for Analysis of Reformed Gas by Gas Chromatography," approved March 30, 1990, USEPA-approved for 35 Ill. Adm. Code 724.933 and 725.933.

ASTM D 2161-87, "Standard Practice for Conversion of Kinematic Viscosity to Saybolt Universal or to Saybolt Furol Viscosity," March 27, 1987, referenced in 35 Ill. Adm. Code 726.200.

ASTM D 2234-76, "Standard Practice for Collection of a Gross Sample of Coal," approved 1976, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 2267-88, "Standard Test Method for Aromatics in Light Naphthas and Aviation Gasolines by Gas Chromatography," approved November 17, 1988, USEPA-approved for 35 Ill. Adm. Code 724.963.

ASTM D 2382-88, "Standard Test Method for Heat of Combustion of Hydrocarbon Fuels by Bomb Calorimeter (High Precision Method)," approved October 31, 1988, USEPA-approved for 35 Ill. Adm. Code 724.933 and 725.933.

ASTM D 2879-92, "Standard Test Method for Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope," approved 1992, USEPA-approved for 35 Ill. Adm. Code 725.984, referenced in 35 Ill. Adm. Code 724.963 and 725.963.

ASTM D 3828-87, "Standard Test Methods for Flash Point of Liquids by Setaflash Closed Tester," approved December 14, 1988, USEPA-approved for 35 Ill. Adm. Code 721.121(a).

ASTM E 168-88, "Standard Practices for General Techniques of Infrared Quantitative Analysis," approved May 27, 1988, USEPA-approved for 35 Ill. Adm. Code 724.963.

ASTM E 169-87, "Standard Practices for General Techniques of Ultraviolet-Visible Quantitative Analysis," approved February 1, 1987, USEPA-approved for 35 Ill. Adm. Code 724.963.

ASTM E 260-85, "Standard Practice for Packed Column Gas Chromatography," approved June 28, 1985, USEPA-approved for 35 Ill. Adm. Code 724.963.

ASTM G 21-70 (1984a), "Standard Practice for Determining Resistance of Synthetic Polymer Materials to Fungi," referenced in 35 Ill. Adm. Code 724.414 and 725.414.

ASTM G 22-76 (1984b), "Standard Practice for Determining Resistance of Plastics to Bacteria," referenced in 35 Ill. Adm. Code 724.414 and 725.414.

GPO. Available from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402, 202-512-1800:

Standard Industrial Classification Manual (1972), and 1977 Supplement, republished in 1983, referenced in 35 Ill. Adm. Code 702.110 and Section 720.110.

“Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846 (Third Edition, November 1986), as amended by Updates I (July 1992), II (November 1994), IIA (August, 1993), IIB (January 1995), III (December 1996), IIIA (April 1998), and IIIB (November 2004) (document number 955-001-00000-1). See below in this subsection (a) under NTIS.

NACE. Available from the National Association of Corrosion Engineers, 1400 South Creek Dr., Houston, TX 77084, 713-492-0535:

“Control of External Corrosion on Metallic Buried, Partially Buried, or Submerged Liquid Storage Systems,” NACE Recommended Practice RP0285-85, approved March 1985, referenced in 35 Ill. Adm. Code 724.292, 724.295, 725.292, and 725.295.

NFPA. Available from the National Fire Protection Association, 1 Batterymarch Park, Boston, MA 02269, 617-770-3000 or 800-344-3555:

“Flammable and Combustible Liquids Code,” NFPA 30, issued July 18, 2003, as supplemented by TIA 03-1, issued July 15, 2004, and corrected by Errata 30-03-01, issued August 13, 2004, USEPA-approved for 35 Ill. Adm. Code 724.298, 725.298, and 727.290, referenced in 35 Ill. Adm. Code 725.301 and 726.211.

NTIS. Available from the U.S. Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161, 703-605-6000 or 800-553-6847 (Internet address: www.ntis.gov):

“APTI Course 415: Control of Gaseous Emissions,” December 1981, USEPA publication number EPA-450/2-81-005, NTIS document number PB80-208895, USEPA-approved for 35 Ill. Adm. Code 703.210, 703.211, 703.352, 724.935, and 725.935. BOARD NOTE: “APTI” denotes USEPA’s “Air Pollution Training Institute” (Internet address: www.epa.gov/air/oaqps/eog/).

“Generic Quality Assurance Project Plan for Land Disposal Restrictions Program,” USEPA publication number EPA-530/SW-

87-011, March 15, 1987, NTIS document number PB88-170766, referenced in 35 Ill. Adm. Code 728.106.

“Method 1664, Revision A, n-Hexane Extractable Material (HEM; Oil and Grease) and Silica Gel Treated n-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry,” USEPA publication number EPA-821/R-98-002, NTIS document number PB99-121949, USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

BOARD NOTE: Also available on the Internet for free download as a PDF document from the USEPA website at: www.epa.gov/waterscience/methods/16640514.pdf.

“Methods for Chemical Analysis of Water and Wastes,” Third Edition, March 1983, USEPA document number EPA-600/4-79-020, NTIS document number PB84-128677, referenced in 35 Ill. Adm. Code 725.192.

BOARD NOTE: Also available on the Internet as a viewable/printable HTML document from the USEPA website at: www.epa.gov/clariton/clhtml/pubtitleORD.html as document 600479002.

“North American Industry Classification System,” July 2007, U.S. Department of Commerce, Bureau of the Census, document number PB2007-100002 (hardcover printed volume) or PB2007-500023, referenced in Section 720.110 (definition of “NAICS Code”) for the purposes of Section 720.142.

BOARD NOTE: Also available on the Internet from the Bureau of Census: www.census.gov/naics/2007/naicod07.htm.

“Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Facilities,” August 1977, EPA-530/SW-611, NTIS document number PB84-174820, referenced in 35 Ill. Adm. Code 725.192.

“Screening Procedures for Estimating the Air Quality Impact of Stationary Sources,” October 1992, USEPA publication number EPA-454/R-92-019, NTIS document number 93-219095, referenced in 35 Ill. Adm. Code 726.204 and 726.206.

BOARD NOTE: Also available on the Internet for free download as a WordPerfect document from the USEPA website at the following Internet address: www.epa.gov/scram001/guidance/guide/scrng.wpd.

“Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846 (Third Edition, November 1986; Revision 6, January 2005), as amended by Updates I (July 1992), II (November 1994), IIA (August 1993), IIB (January 1995), III (December 1996), IIIA (April 1998), and IIIB (November 2004) (document number 955-001-00000-1), generally referenced in Appendices A and I to 35 Ill. Adm. Code 721 and 35 Ill. Adm. Code 726.200, 726.206, 726.212, and 728.106 (in addition to the references cited below for specific methods):

Method 0010 (November 1986) (Modified Method 5 Sampling Train), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0011 (December 1996) (Sampling for Selected Aldehyde and Ketone Emissions from Stationary Sources), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and for Appendix I to 35 Ill. Adm. Code 726.

Method 0020 (November 1986) (Source Assessment Sampling System), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0023A (December 1996) (Sampling Method for Polychlorinated Dibenzop-Dioxins and Polychlorinated Dibenzofuran Emissions from Stationary Sources), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, Appendix I to 35 Ill. Adm. Code 726, and 35 Ill. Adm. Code 726.204.

Method 0030 (November 1986) (Volatile Organic Sampling Train), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0031 (December 1996) (Sampling Method for Volatile Organic Compounds (SMVOC)), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0040 (December 1996) (Sampling of Principal Organic Hazardous Constituents from Combustion Sources Using Tedlar® Bags), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0050 (December 1996) (Isokinetic HCl/Cl₂ Emission Sampling Train), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, Appendix I to 35 Ill. Adm. Code 726, and 35 Ill. Adm. Code 726.207.

Method 0051 (December 1996) (Midget Impinger HCl/Cl₂ Emission Sampling Train), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, Appendix I to 35 Ill. Adm. Code 726, and 35 Ill. Adm. Code 726.207.

Method 0060 (December 1996) (Determination of Metals in Stack Emissions), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, Appendix I to 35 Ill. Adm. Code 726, and 35 Ill. Adm. Code 726.206.

Method 0061 (December 1996) (Determination of Hexavalent Chromium Emissions from Stationary Sources), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, 35 Ill. Adm. Code 726.206, and Appendix I to 35 Ill. Adm. Code 726.

Method 1010A (November 2004) (Test Methods for Flash Point by Pensky-Martens Closed Cup Tester), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 1020B (November 2004) (Standard Test Methods for Flash Point by Setaflash (Small Scale) Closed-cup Apparatus), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 1110A (November 2004) (Corrosivity Toward Steel), USEPA-approved for 35 Ill. Adm. Code 721.122 and Appendix I to 35 Ill. Adm. Code 721.

Method 1310B (November 2004) (Extraction Procedure (EP) Toxicity Test Method and Structural Integrity Test), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and referenced in Appendix I to 35 Ill. Adm. Code 728.

Method 1311 (November 1992) (Toxicity Characteristic Leaching Procedure), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721; for 35 Ill. Adm. Code 721.124, 728.107, and 728.140; and for Table T to 35 Ill. Adm. Code 728.

Method 1312 (November 1994) (Synthetic Precipitation Leaching Procedure), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 1320 (November 1986) (Multiple Extraction Procedure), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 1330A (November 1992) (Extraction Procedure for Oily Wastes), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 9010C (November 2004) (Total and Amenable Cyanide: Distillation), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and 35 Ill. Adm. Code 728.140, 728.144, and 728.148, referenced in Table H to 35 Ill. Adm. Code 728.

Method 9012B (November 2004) (Total and Amenable Cyanide (Automated Colorimetric, with Off-Line Distillation)), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and 35 Ill. Adm. Code 728.140, 728.144, and 728.148, referenced in Table H to 35 Ill. Adm. Code 728.

Method 9040C (November 2004) (pH Electrometric Measurement), USEPA-approved for 35 Ill. Adm. Code 721.122 and Appendix I to 35 Ill. Adm. Code 721.

Method 9045D (November 2004) (Soil and Waste pH), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 9060A (November 2004) (Total Organic Carbon), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and 35 Ill. Adm. Code 724.934, 724.963, 725.934, and 725.963.

Method 9070A (November 2004) (n-Hexane Extractable Material (HEM) for Aqueous Samples), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 9071B (April 1998) (n-Hexane Extractable Material (HEM) for Sludge, Sediment, and Solid Samples), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 9095B (November 2004) (Paint Filter Liquids Test), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and 35 Ill. Adm. Code 724.290, 724.414, 725.290, 725.414, 725.981, 727.290, and 728.132.

BOARD NOTE: Also available on the Internet for free download in segments in PDF format from the USEPA website at: www.epa.gov/SW-846.

OECD. Organisation for Economic Co-operation and Development, Environment Directorate, 2 rue Andre Pascal, F-75775 Paris Cedex 16, France, +33 (0) 1 45 24 81 67 (www.oecd.org), also OECD Washington Center, 2001 L Street, NW, Suite 650, Washington, DC 20036-4922, 202-785-6323 or 800-456-6323 (www.oecdwash.org):

OECD Guidance Manual. “Guidance Manual for the Implementation of Council Decision C(2001)107/FINAL, as Amended, on the Control of Transboundary Movements of Wastes Destined for Recovery Operations,” 2009 (also called “Guidance Manual for the Control of Transboundary Movements of Recoverable Materials” in OECD documents), but only the following segments, which set forth the substantive requirements of OECD decision C(2001)107/FINAL, as amended by C(2004)20, C(2005)141, and C(2008)156:

“Annex A: OECD Decision C(2001)107/FINAL, as Amended by C(2004)20; C(2005)141 and C(2008)156” (also called “Revision of Council Decision C(92)39/FINAL on the Control of Transboundary Movements of Wastes Destined for Recovery Operations,” within the text of Annex A, and “Decision of the Council Concerning the Control of Transboundary Movements of Wastes Destined for Recovery Operations” in the original OECD decision source document, C(2001)107/FINAL (June 14, 2001), as amended by C(2001)107/ADD1 (February 28, 2002), C(2004)20 (March 9, 2004), C(2005)141 (December 2, 2005), and C(2008)156 (December 4, 2008)).

“Annex B: OECD Consolidated List of Wastes Subject to the Green Control Procedure” (individually referred to as “Annex B to OECD Guidance Manual” in 35 Ill. Adm. Code 722), combining Appendix 3 to OECD decision C(2001)107/FINAL, as amended as described above, together with the text of Annex IX (“List B”) to the “Basel Convention on the Control of Transboundary Movements

of Hazardous Wastes and Their Disposal” (“Basel Convention”).

“Annex C: OECD Consolidated List of Wastes Subject to the Amber Control Procedure” (individually referred to as “Annex C to OECD Guidance Manual” in 35 Ill. Adm. Code 722), combining Appendix 4 to OECD decision C(2001)107/FINAL, as amended, together with the text of Annexes II (“Categories of Wastes Requiring Special Consideration”) and VIII (“List A”) to the Basel Convention.

BOARD NOTE: The OECD Guidance Manual is available online from OECD at www.oecd.org/dataoecd/57/1/42262259.pdf. The OECD and the Basel Convention consider the OECD Guidance Manual unofficial text of these documents. Despite this unofficial status, the Board has chosen to follow USEPA’s lead and incorporate the OECD Guidance Manual by reference, instead of separately incorporating the OECD decision C(2001)107/FINAL (with its subsequent amendments: OECD decisions C(2001)107/ADD1, C(2004)20, C(2005)141, and C(2008)156) and the Basel Convention by reference. Use of the OECD Guidance Manual eases reference to the documents, increases access to the documents, and facilitates future updates to this incorporation by reference. All references to “OECD C(2001)107/FINAL” in the text of 35 Ill. Adm. Code 722 refer to both the OECD decision and the Basel Convention that the OECD decision references. The OECD Guidance Manual includes as Annex A the full text of OECD document C(2001)107/FINAL, with amendments, and Annexes B and C set forth lists of wastes subject to Green control procedures and wastes subject to Amber control procedures, respectively, which consolidate the wastes from C(2001)107/FINAL together with those from the Basel Convention.

OECD Guideline for Testing of Chemicals, “Ready Biodegradability,” Method 301B (July 17, 1992), “CO₂ Evolution (Modified Sturm Test),” referenced in 35 Ill. Adm. Code 724.414.

STI. Available from the Steel Tank Institute, 728 Anthony Trail, Northbrook, IL 60062, 708-498-1980:

“Standard for Dual Wall Underground Steel Storage Tanks” (1986), referenced in 35 Ill. Adm. Code 724.293.

USDOD. Available from the United States Department of Defense:

“DOD Ammunition and Explosives Safety Standards” (DOD 6055.09-STD), as in effect on February 29, 2008, referenced in 35 Ill. Adm. Code 726.305.

“The Motor Vehicle Inspection Report” (DD Form 626), as in effect in March 2007, referenced in 35 Ill. Adm. Code 726.303.

“Requisition Tracking Form” (DD Form 1348), as in effect in July 1991, referenced in 35 Ill. Adm. Code 726.303.

“The Signature and Tally Record” (DD Form 1907), as in effect in November 2006, referenced in 35 Ill. Adm. Code 726.303.

“Dangerous Goods Shipping Paper/Declaration and Emergency Response Information for Hazardous Materials Transported by Government Vehicles” (DD Form 836), as in effect in December 2007, referenced in 35 Ill. Adm. Code 726.303.

BOARD NOTE: DOD 6055.09-STD is available on-line for download in pdf format from <http://www.ddesb.pentagon.mil>. DD Form 1348, DD Form 1907, DD Form 836, and DOD 6055.09-STD are available on-line for download in pdf format from <http://www.dtic.mil/whs/directives/infomgt/forms/formsprogram.htm>.

USEPA, Office of Ground Water and Drinking Water. Available from United States Environmental Protection Agency, Office of Drinking Water, State Programs Division, WH 550 E, Washington, D.C. 20460:

“Inventory of Injection Wells,” USEPA Form 7520-16 (Revised 8-01), referenced in 35 Ill. Adm. Code 704.148 and 704.283.

“Technical Assistance Document: Corrosion, Its Detection and Control in Injection Wells,” USEPA publication number EPA-570/9-87-002, August 1987, referenced in 35 Ill. Adm. Code 730.165.

USEPA, Receptor Analysis Branch. Available from Receptor Analysis Branch, USEPA (MD-14), Research Triangle Park, NC 27711:

“Screening Procedures for Estimating the Air Quality Impact of Stationary Sources, Revised,” October 1992, USEPA publication number EPA-450/R-92-019, USEPA-approved for Appendix I to 35 Ill. Adm. Code 726.

BOARD NOTE: Also available for purchase from NTIS (see above) and on the Internet for free download as a WordPerfect document from the USEPA website at following Internet address: www.epa.gov/scram001/guidance/guide/scrng.wpd.

USEPA Region 6. Available from United States Environmental Protection Agency, Region 6, Multimedia Permitting and Planning Division, 1445 Ross Avenue, Dallas, TX 75202 (phone: 214-665-7430):

“EPA RCRA Delisting Program—Guidance Manual for the Petitioner,” March 23, 2000, referenced in Section 720.122.

USGSA. Available from the United States Government Services Administration:

Government Bill of Lading (GBL) (GSA Standard Form 1103, rev 9/2003, supplemented as necessary with GSA Standard Form 1109, rev 09/1998), referenced in Section 726.303.

BOARD NOTE: Available on-line for download in various formats from www.gsa.gov/forms/forms.htm.

- b) Code of Federal Regulations. Available from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20401, 202-783-3238:

10 CFR 20.2006-~~(2010)~~ (2011) (Transfer for Disposal and Manifests), referenced in 35 Ill. Adm. Code 702.110, 726.425, and 726.450.

Table II, column 2 in ~~Appendix~~ appendix B to 10 CFR 20-~~(2010)~~ (2011) (Water Effluent Concentrations), referenced in 35 Ill. Adm. Code 702.110, 730.103, and 730.151.

Appendix G to 10 CFR 20-~~(2010)~~ (2011) (Requirements for Transfers of Low-Level Radioactive Waste Intended for Disposal at Licensed Land Disposal Facilities and Manifests), referenced in 35 Ill. Adm. Code 726.440.

10 CFR 71-~~(2010)~~ (2011) (Packaging and Transportation of Radioactive Material), referenced generally in 35 Ill. Adm. Code 726.430.

10 CFR 71.5-~~(2010)~~ (2011) (Transportation of Licensed Material), referenced in 35 Ill. Adm. Code 726.425.

33 CFR 153.203-~~(2010)~~ (2011) (Procedure for the Notice of Discharge), referenced in 35 Ill. Adm. Code 723.130 and 739.143.

40 CFR 3.2-~~(2010)~~ (2011) (How Does This Part Provide for Electronic Reporting?), referenced in Section 720.104.

40 CFR 3.3-~~(2010)~~ (2011) (What Definitions Are Applicable to This Part?), referenced in Section 720.104.

40 CFR 3.10-~~(2010)~~ (2011) (What Are the Requirements for Electronic Reporting to EPA?), referenced in Section 720.104.

40 CFR 3.2000-~~(2010)~~ (2011) (What Are the Requirements Authorized State, Tribe, and Local Programs' Reporting Systems Must Meet?), referenced in Section 720.104.

40 CFR 51.100(ii)-~~(2010)~~ (2011) (Definitions), referenced in 35 Ill. Adm. Code 726.200.

Appendix W to 40 CFR 51-~~(2010)~~ (2011) (Guideline on Air Quality Models), referenced in 35 Ill. Adm. Code 726.204.

BOARD NOTE: Also available from NTIS (see above for contact information) as "Guideline on Air Quality Models," Revised 1986, USEPA publication number EPA-450/12-78-027R, NTIS document numbers PB86-245248 (Guideline) and PB88-150958 (Supplement).

Appendix B to 40 CFR 52.741-~~(2010)~~ (2011) (VOM Measurement Techniques for Capture Efficiency), referenced in 35 Ill. Adm. Code 703.213, 703.352, 724.982, 724.984, 724.986, 724.989, 725.983, 725.985, 725.987, and 725.990.

40 CFR 60-~~(2010)~~, as amended at 75 Fed. Reg. 54970 (September 9, 2010), 75 Fed. Reg. 55274 (September 10, 2010), 75 Fed. Reg. 55636 (September 13, 2010), 75 Fed. Reg. 69348 (November 12, 2010), 76 Fed. Reg. 2832 (January 18, 2011), 76 Fed. Reg. 3517 (January 20, 2011), 76 Fed. Reg. 10524 (February 25, 2011), 76 Fed. Reg. 15372 (March 21, 2011), 76 Fed. Reg. 15704 (March 21, 2011), 76 Fed. Reg. 18408 (April 4, 2011), 76 Fed. Reg. 28662 (May 18, 2011) (2011) (Standards of Performance for New Stationary Sources), referenced generally in 35 Ill. Adm. Code 724.964, 724.980, 725.964, and 725.980.

Subpart VV of 40 CFR 60-~~(2010)~~ (2011) (Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry), referenced in 35 Ill. Adm. Code 724.989 and 725.990.

Appendix A to 40 CFR 60-~~(2010)~~, as amended at 75 Fed. Reg. 55636 ~~(September 13, 2010)~~ (2011) (Test Methods), referenced generally in 35

Ill. Adm. Code 726.205 (in addition to the references cited below for specific methods):

Method 1 (Sample and Velocity Traverses for Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 2 (Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)), referenced in 35 Ill. Adm. Code 724.933, 724.934, 725.933, 725.934, and 726.205.

Method 2A (Direct Measurement of Gas Volume through Pipes and Small Ducts), referenced in 35 Ill. Adm. Code 724.933, 725.933, and 726.205.

Method 2B (Determination of Exhaust Gas Volume Flow Rate from Gasoline Vapor Incinerators), referenced in 35 Ill. Adm. Code 726.205.

Method 2C (Determination of Gas Velocity and Volumetric Flow Rate in Small Stacks or Ducts (Standard Pitot Tube)), referenced in 35 Ill. Adm. Code 724.933, 725.933, and 726.205.

Method 2D (Measurement of Gas Volume Flow Rates in Small Pipes and Ducts), referenced in 35 Ill. Adm. Code 724.933, 725.933, and 726.205.

Method 2E (Determination of Landfill Gas Production Flow Rate), referenced in 35 Ill. Adm. Code 726.205.

Method 2F (Determination of Stack Gas Velocity and Volumetric Flow Rate with Three-Dimensional Probes), referenced in 35 Ill. Adm. Code 726.205.

Method 2G (Determination of Stack Gas Velocity and Volumetric Flow Rate with Two-Dimensional Probes), referenced in 35 Ill. Adm. Code 726.205.

Method 2H (Determination of Stack Gas Velocity Taking into Account Velocity Decay Near the Stack Wall), referenced in 35 Ill. Adm. Code 726.205.

Method 3 (Gas Analysis for the Determination of Dry Molecular Weight), referenced in 35 Ill. Adm. Code 724.443 and 726.205.

Method 3A (Determination of Oxygen and Carbon Dioxide Concentrations in Emissions from Stationary Sources (Instrumental Analyzer Procedure)), referenced in 35 Ill. Adm. Code 726.205.

Method 3B (Gas Analysis for the Determination of Emission Rate Correction Factor or Excess Air), referenced in 35 Ill. Adm. Code 726.205.

Method 3C (Determination of Carbon Dioxide, Methane, Nitrogen, and Oxygen from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 4 (Determination of Moisture Content in Stack Gases), referenced in 35 Ill. Adm. Code 726.205.

Method 5 (Determination of Particulate Matter Emissions from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 5A (Determination of Particulate Matter Emissions from the Asphalt Processing and Asphalt Roofing Industry), referenced in 35 Ill. Adm. Code 726.205.

Method 5B (Determination of Nonsulfuric Acid Particulate Matter Emissions from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 5D (Determination of Particulate Matter Emissions from Positive Pressure Fabric Filters), referenced in 35 Ill. Adm. Code 726.205.

Method 5E (Determination of Particulate Matter Emissions from the Wool Fiberglass Insulation Manufacturing Industry), referenced in 35 Ill. Adm. Code 726.205.

Method 5F (Determination of Nonsulfate Particulate Matter Emissions from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 5G (Determination of Particulate Matter Emissions from Wood Heaters (Dilution Tunnel Sampling Location)), referenced in 35 Ill. Adm. Code 726.205.

Method 5H (Determination of Particulate Emissions from Wood Heaters from a Stack Location), referenced in 35 Ill. Adm. Code 726.205.

Method 5I (Determination of Low Level Particulate Matter Emissions from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 18 (Measurement of Gaseous Organic Compound Emissions by Gas Chromatography), referenced in 35 Ill. Adm. Code 724.933, 724.934, 725.933, and 725.934.

Method 21 (Determination of Volatile Organic Compound Leaks), referenced in 35 Ill. Adm. Code 703.213, 724.934, 724.935, 724.963, 725.934, 725.935, 725.963, and 725.984.

Method 22 (Visual Determination of Fugitive Emissions from Material Sources and Smoke Emissions from Flares), referenced in 35 Ill. Adm. Code 724.933, 724.1101, 725.933, 725.1101, and 727.900.

Method 25A (Determination of Total Gaseous Organic Concentration Using a Flame Ionization Analyzer), referenced in 35 Ill. Adm. Code 724.934 and 725.985.

Method 25D (Determination of the Volatile Organic Concentration of Waste Samples), referenced in 35 Ill. Adm. Code 724.982, 725.983, and 725.984.

Method 25E (Determination of Vapor Phase Organic Concentration in Waste Samples), referenced in 35 Ill. Adm. Code 725.984.

Method 27 (Determination of Vapor Tightness of Gasoline Delivery Tank Using Pressure-Vacuum Test), referenced in 35 Ill. Adm. Code 724.987 and 725.987.

40 CFR 61-(2010), as amended at September 10, 2010 (75 Fed. Reg. 55274), September 13, 2010 (75 Fed. Reg. 55636), November 12, 2010 (75 Fed. Reg. 69348) (2011) (National Emission Standards for Hazardous Air Pollutants), referenced generally in 35 Ill. Adm. Code 725.933, 725.964, and 725.980.

Subpart V of 40 CFR 61-(2010) (2011) (National Emission Standard for Equipment Leaks (Fugitive Emission Sources)), referenced in 35 Ill. Adm. Code 724.989 and 725.990.

Subpart FF of 40 CFR 61 ~~(2010)~~ (2011) (National Emission Standard for Benzene Waste Operations), referenced in 35 Ill. Adm. Code 724.982 and 725.983.

40 CFR 63 ~~(2010)~~, as amended at July 20, 2010 (75 Fed. Reg. 41991), August 20, 2010 (75 Fed. Reg. 51570), September 9, 2010 (75 Fed. Reg. 54970), September 13, 2010 (75 Fed. Reg. 55636), November 3, 2010 (75 Fed. Reg. 67625), November 12, 2010 (75 Fed. Reg. 69348), November 30, 2010 (75 Fed. Reg. 73967), December 14, 2010 (75 Fed. Reg. 77760), December 17, 2010 (75 Fed. Reg. 78916), December 30, 2010 (75 Fed. Reg. 82269), January 18, 2011 (76 Fed. Reg. 2832), January 24, 2011 (76 Fed. Reg. 4156), February 17, 2011 (76 Fed. Reg. 9450), February 28, 2011 (76 Fed. Reg. 10761), March 9, 2011 (76 Fed. Reg. 12863), March 14, 2011 (76 Fed. Reg. 13514), March 18, 2011 (76 Fed. Reg. 14807), March 21, 2011 (76 Fed. Reg. 15554), March 21, 2011 (76 Fed. Reg. 15608), April 1, 2011 (76 Fed. Reg. 18064), April 21, 2011 (76 Fed. Reg. 22566), May 18, 2011 (76 Fed. Reg. 28662), May 26, 2011 (76 Fed. Reg. 30545) (2011) (National Emission Standards for Hazardous Air Pollutants for Source Categories), referenced generally in 35 Ill. Adm. Code 725.933, 725.964, and 725.980.

Subpart RR of 40 CFR 63 ~~(2010)~~ (2011) (National Emission Standards for Individual Drain Systems), referenced in 35 Ill. Adm. Code 724.982, 724.984, 724.985, 725.983, 725.985, and 725.986.

Subpart EEE of 40 CFR 63 (2000) (National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors), referenced in 35 Ill. Adm. Code 703.280.

Subpart EEE of 40 CFR 63 ~~(2010)~~ (2011) (National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors) (includes 40 CFR 63.1206 (When and How Must You Comply with the Standards and Operating Requirements?), 63.1215 (What are the Health-Based Compliance Alternatives for Total Chlorine?), 63.1216 (What are the Standards for Solid-Fuel Boilers that Burn Hazardous Waste?), 63.1217 (What are the Standards for Liquid-Fuel Boilers that Burn Hazardous Waste?), 63.1218 (What are the Standards for Hydrochloric Acid Production Furnaces that Burn Hazardous Waste?), 63.1219 (What are the Replacement Standards for Hazardous Waste Incinerators?), 63.1220 (What are the Replacement Standards for Hazardous Waste-Burning Cement Kilns?), and 63.1221 (What are the Replacement Standards for Hazardous Waste-Burning Lightweight Aggregate Kilns?)), referenced in Appendix A to 35 Ill. Adm. Code 703 and 35 Ill. Adm. Code 703.155, 703.205, 703.208, 703.221, 703.232, 703.320, 703.280, 724.440, 724.701, 724.950, 725.440, and 726.200.

Method 301 (Field Validation of Pollutant Measurement Methods from Various Waste Media) in appendix A to 40 CFR 63-~~(2010)~~, as amended at ~~76 Fed. Reg. 28664 (May 18, 2011)~~ (2011) (Test Methods), referenced in 35 Ill. Adm. Code 725.984.

Appendix C to 40 CFR 63-~~(2010)~~ (2011) (Determination of the Fraction Biodegraded (Fbio) in a Biological Treatment Unit), referenced in 35 Ill. Adm. Code 725.984.

Appendix D to 40 CFR 63-~~(2010)~~ (2011) (Test Methods), referenced in 35 Ill. Adm. Code 725.984.

40 CFR 136.3 (Identification of Test Procedures)-~~(2010)~~ (2011), referenced in 35 Ill. Adm. Code 702.110, 704.150, 704.187, and 730.103.

40 CFR 144.70-~~(2010)~~ (2011) (Wording of the Instruments), referenced in 35 Ill. Adm. Code 704.240.

40 CFR 232.2-~~(2010)~~ (2011) (Definitions), referenced in 35 Ill. Adm. Code 721.104.

40 CFR 257-~~(2010)~~ (2011) (Criteria for Classification of Solid Waste Disposal Facilities and Practices), referenced in 35 Ill. Adm. Code 739.181.

40 CFR 258-~~(2010)~~, as amended at ~~75 Fed. Reg. 50932 (August 18, 2010)~~, ~~75 Fed. Reg. 53220 (August 31, 2010)~~ (2011) (Criteria for Municipal Solid Waste Landfills), referenced in 35 Ill. Adm. Code 739.181.

40 CFR 260.21-~~(2010)~~ (2011) (Alternative Equivalent Testing Methods), referenced in Section 720.121.

Appendix I to 40 CFR 260-~~(2010)~~ (2011) (Overview of Subtitle C Regulations), referenced in Appendix A to 35 Ill. Adm. Code 720.

40 CFR 261.151-~~(2010)~~ (2011) (Wording of the Instruments), referenced in 35 Ill. Adm. Code 721.251.

Appendix III to 40 CFR 261-~~(2010)~~ (2011) (Chemical Analysis Test Methods), referenced in 35 Ill. Adm. Code 704.150 and 704.187.

40 CFR 262.53-~~(2010)~~ (2011) (Notification of Intent to Export), referenced in 35 Ill. Adm. Code 722.153.

40 CFR 262.54-~~(2010)~~ (2011) (Special Manifest Requirements), referenced in 35 Ill. Adm. Code 722.154.

40 CFR 262.55-~~(2010)~~ (2011) (Exception Reports), referenced in 35 Ill. Adm. Code 722.155.

40 CFR 262.56-~~(2010)~~ (2011) (Annual Reports), referenced in 35 Ill. Adm. Code 722.156.

40 CFR 262.57-~~(2010)~~ (2011) (Recordkeeping), referenced in 35 Ill. Adm. Code 722.157.

Appendix to 40 CFR 262-~~(2010)~~ (2011) (Uniform Hazardous Waste Manifest and Instructions (EPA Forms 8700-22 and 8700-22A and Their Instructions)), referenced in Appendix A to 35 Ill. Adm. Code 722 and 35 Ill. Adm. Code 724.986 and 725.987.

40 CFR 264.151-~~(2010)~~ (2011) (Wording of the Instruments), referenced in 35 Ill. Adm. Code 724.251 and 727.240.

Appendix I to 40 CFR 264-~~(2010)~~ (2011) (Recordkeeping Instructions), referenced in Appendix A to 35 Ill. Adm. Code 724.

Appendix IV to 40 CFR 264-~~(2010)~~ (2011) (Cochran's Approximation to the Behrens-Fisher Students' T-Test), referenced in Appendix D to 35 Ill. Adm. Code 724.

Appendix V to 40 CFR 264-~~(2010)~~ (2011) (Examples of Potentially Incompatible Waste), referenced in Appendix E to 35 Ill. Adm. Code 724 and 35 Ill. Adm. Code 727.270.

Appendix VI to 40 CFR 264-~~(2010)~~ (2011) (Political Jurisdictions in Which Compliance with § 264.18(a) Must Be Demonstrated), referenced in 35 Ill. Adm. Code 703.306 and 724.118.

Appendix I to 40 CFR 265-~~(2010)~~ (2011) (Recordkeeping Instructions), referenced in Appendix A to 35 Ill. Adm. Code 725.

Appendix III to 40 CFR 265-~~(2010)~~ (2011) (EPA Interim Primary Drinking Water Standards), referenced in Appendix C to 35 Ill. Adm. Code 725.

Appendix IV to 40 CFR 265-~~(2010)~~ (2011) (Tests for Significance), referenced in Appendix D to 35 Ill. Adm. Code 725.

Appendix V to 40 CFR 265-~~(2010)~~ (2011) (Examples of Potentially Incompatible Waste), referenced in 35 Ill. Adm. Code 725.277, 725.330, 725.357, 725.382, and 725.413 and Appendix E to 35 Ill. Adm. Code 725.

Appendix IX to 40 CFR 266-~~(2010)~~ (2011) (Methods Manual for Compliance with the BIF Regulations), referenced generally in Appendix I to 35 Ill. Adm. Code 726.

Section 4.0 (Procedures for Estimating the Toxicity Equivalence of Chlorinated Dibenzo-p-Dioxin and Dibenzofuran Congeners), referenced in 35 Ill. Adm. Code 726.200 and 726.204.

Section 5.0 (Hazardous Waste Combustion Air Quality Screening Procedure), referenced in 35 Ill. Adm. Code 726.204.

Section 7.0 (Statistical Methodology for Bevill Residue Determinations), referenced in 35 Ill. Adm. Code 726.212.

BOARD NOTE: Also available from NTIS (see above for contact information) as “Methods Manual for Compliance with BIF Regulations: Burning Hazardous Waste in Boilers and Industrial Furnaces,” December 1990, USEPA publication number EPA-530/SW-91-010, NTIS document number PB91-120006.

40 CFR 267.151-~~(2010)~~ (2011) (Wording of the Instruments), referenced in 35 Ill. Adm. Code 727.240.

40 CFR 270.5-~~(2010)~~ (2011) (Noncompliance and Program Reporting by the Director), referenced in 35 Ill. Adm. Code 703.305.

40 CFR 761-~~(2010)~~ (2011) (Polychlorinated Biphenyls (PCBs) Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions), referenced generally in 35 Ill. Adm. Code 728.145.

40 CFR 761.3-~~(2010)~~ (2011) (Definitions), referenced in 35 Ill. Adm. Code 728.102 and 739.110.

40 CFR 761.60-~~(2010)~~ (2011) (Disposal Requirements), referenced in 35 Ill. Adm. Code 728.142.

40 CFR 761.65-~~(2010)~~ (2011) (Storage for Disposal), referenced in 35 Ill. Adm. Code 728.150.

40 CFR 761.70-~~(2010)~~ (2011) (Incineration), referenced in 35 Ill. Adm. Code 728.142.

Subpart B of 49 CFR 107-(2010), as amended at 76 Fed. Reg. 454 (January 5, 2011) (2011) (Exemptions), referenced generally in 35 Ill. Adm. Code 724.986 and 725.987.

49 CFR 171-(2010), as amended at January 5, 2011 (76 Fed. Reg. 454), 76 Fed. Reg. 3308 (January 19, 2011) (2011) (General Information, Regulations, and Definitions), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.

49 CFR 171.3-(2010) (2011) (Hazardous Waste), referenced in 35 Ill. Adm. Code 722.133.

49 CFR 171.8-(2010), as amended at January 5, 2011 (76 Fed. Reg. 454), January 19, 2011 (76 Fed. Reg. 3308) (2011) (Definitions and Abbreviations), referenced in 35 Ill. Adm. Code 733.118, 733.138, 733.152, 733.155, and 739.143.

49 CFR 171.15-(2010) (2011) (Immediate Notice of Certain Hazardous Materials Incidents), referenced in 35 Ill. Adm. Code 723.130 and 739.143.

49 CFR 171.16-(2010) (2011) (Detailed Hazardous Materials Incident Reports), referenced in 35 Ill. Adm. Code 723.130 and 739.143.

49 CFR 172-(2010) (2011) (Hazardous Materials Table, Special Provisions, Hazardous Materials Communications, Emergency Response Information, and Training Requirements), referenced generally in 35 Ill. Adm. Code 722.131, 722.132, 724.986, 725.987, 733.114, 733.118, 733.134, 733.138, 733.152, 733.155, and 739.143.

49 CFR 172.304-(2010) (2011) (Marking Requirements), referenced in 35 Ill. Adm. Code 722.132.

Subpart F of 49 CFR 172-(2010), as amended at January 19, 2011 (76 Fed. Reg. 3308) (2011) (Placarding), referenced in 35 Ill. Adm. Code 722.133.

49 CFR 173-(2010) (2011) (Shippers—General Requirements for Shipments and Packages), referenced generally in 35 Ill. Adm. Code 721.104, 722.130, 724.986, 724.416, 725.987, 733.118, 733.138, 733.152, and 739.143.

49 CFR 173.2-(2010) (2011) (Hazardous Materials Classes and Index to Hazard Class Definitions), referenced in 35 Ill. Adm. Code 733.152.

49 CFR 173.12-~~(2010)~~ (2011) (Exceptions for Shipments of Waste Materials), referenced in 35 Ill. Adm. Code 724.416, 724.986, and 725.987.

49 CFR 173.28-~~(2010)~~ (2011) (Reuse, Reconditioning, and Remanufacture of Packagings), referenced in 35 Ill. Adm. Code 725.273.

49 CFR 173.50-~~(2010)~~ (2011) (Class 1—Definitions), referenced in 35 Ill. Adm. Code 721.124.

49 CFR 173.54-~~(2010)~~ (2011) (Forbidden Explosives), referenced in 35 Ill. Adm. Code 721.124.

49 CFR 173.115-~~(2010)~~ (2011) (Class 2, Divisions 2.1, 2.2, and 2.3—Definitions), referenced in 35 Ill. Adm. Code 721.121.

49 CFR 174-~~(2010)~~ (2011) (Carriage by Rail), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.

49 CFR 175-~~(2010)~~, as amended at 76 Fed. Reg. 3308 (January 19, 2011) (2011) (Carriage by Aircraft), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.

49 CFR 176-~~(2010)~~, as amended at 76 Fed. Reg. 3308 (January 19, 2011) (2011) (Carriage by Vessel), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.

49 CFR 177-~~(2010)~~, as amended at 76 Fed. Reg. 10771 (February 28, 2011) (2011) (Carriage by Public Highway), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.

49 CFR 178-~~(2010)~~, as amended at 76 Fed. Reg. 3308 (January 19, 2011), 76 Fed. Reg. 30551 (May 26, 2011) (2011) (Specifications for Packagings), referenced generally in 35 Ill. Adm. Code 721.104, 722.130, 724.416, 724.986, 725.416, 725.987, 733.118, 733.138, 733.152, and 739.143.

49 CFR 179-~~(2010)~~ (2011) (Specifications for Tank Cars), referenced in 35 Ill. Adm. Code 721.104, 722.130, 724.416, 724.986, 725.416, 725.987, 733.118, 733.138, 733.152, and 739.143.

49 CFR 180-~~(2010)~~, as amended at 76 Fed. Reg. 3308 (January 19, 2011) (2011) (Continuing Qualification and Maintenance of Packagings), referenced generally in 35 Ill. Adm. Code 724.986, 725.987, 733.118, 733.138, 733.152, and 739.143.

c) Federal Statutes:

Section 11 of the Atomic Energy Act of 1954 (42 USC 2014), as amended through January 3, 2007, referenced in 35 Ill. Adm. Code 721.104 and 726.310.

Sections 201(v), 201(w), and 512(j) of the Federal Food, Drug, and Cosmetic Act (FFDCA; 21 USC 321(v), 321(w), and 360b(j)), as amended through January 3, 2007, referenced in Section 720.110 and 35 Ill. Adm. Code 733.109.

Section 1412 of the Department of Defense Authorization Act of 1986, Pub. L. 99-145 (50 USC 1521(j)(1)), as amended through January 3, 2007, referenced in 35 Ill. Adm. Code 726.301.

d) This Section incorporates no later editions or amendments.

(Source: Amended at 36 Ill. Reg. _____, effective _____)

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 722
STANDARDS APPLICABLE TO GENERATORS OF HAZARDOUS WASTE

SUBPART A: GENERAL

Section	
722.110	Purpose, Scope, and Applicability
722.111	Hazardous Waste Determination
722.112	USEPA Identification Numbers
722.113	Electronic Reporting

SUBPART B: THE MANIFEST

Section	
722.120	General Requirements
722.121	Manifest Tracking Numbers, Manifest Printing, and Obtaining Manifests
722.122	Number of Copies
722.123	Use of the Manifest
722.127	Waste Minimization Certification

SUBPART C: PRE-TRANSPORT REQUIREMENTS

Section	
722.130	Packaging
722.131	Labeling
722.132	Marking
722.133	Placarding
722.134	Accumulation Time

SUBPART D: RECORDKEEPING AND REPORTING

Section	
722.140	Recordkeeping
722.141	Annual Reporting
722.142	Exception Reporting
722.143	Additional Reporting
722.144	Special Requirements for Generators of between 100 and 1,000 kilograms per month

SUBPART E: EXPORTS OF HAZARDOUS WASTE

Section	
722.150	Applicability
722.151	Definitions
722.152	General Requirements
722.153	Notification of Intent to Export
722.154	Special Manifest Requirements
722.155	Exception Report
722.156	Annual Reports
722.157	Recordkeeping
722.158	International Agreements

SUBPART F: IMPORTS OF HAZARDOUS WASTE

Section	
722.160	Imports of Hazardous Waste

SUBPART G: FARMERS

Section	
722.170	Farmers

SUBPART H: TRANS-BOUNDARY SHIPMENTS OF HAZARDOUS WASTE FOR RECOVERY WITHIN THE OECD

Section	
722.180	Applicability
722.181	Definitions
722.182	General Conditions
722.183	Notification and Consent
722.184	Movement Document

722.185	Contracts
722.186	Provisions Relating to Recognized Traders
722.187	Reporting and Recordkeeping
722.189	OECD Waste Lists

SUBPART K: ALTERNATIVE REQUIREMENTS FOR HAZARDOUS
WASTE DETERMINATION AND ACCUMULATION OF UNWANTED
MATERIAL FOR LABORATORIES OWNED BY ELIGIBLE ACADEMIC
ENTITIES

Section	
722.300	Definitions
722.301	Applicability
722.302	Opting into the Subpart K Requirements
722.303	Notice of Election into the Subpart K Requirements
722.304	Notice of Withdrawal from the Subpart K Requirements
722.305	Summary of the Requirements of this Subpart K
722.306	Container Standards in the Laboratory
722.307	Personnel Training
722.308	Removing Unwanted Material from the Laboratory
722.309	Hazardous Waste Determination and Removal of Unwanted Material from the Laboratory
722.310	Hazardous Waste Determination in the Laboratory
722.311	Hazardous Waste Determination at an On-Site Central Accumulation Area
722.312	Hazardous Waste Determination at an On-Site Treatment, Storage, or Disposal Facility
722.313	Laboratory Clean-Outs
722.314	Laboratory Management Plan
722.315	Unwanted Material That Is Not Solid Waste or Hazardous Waste
722.316	Non-Laboratory Hazardous Waste Generated at an Eligible Academic Entity

722.APPENDIX A Hazardous Waste Manifest

AUTHORITY: Implementing Sections 7.2 and 22.4 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, and 27].

SOURCE: Adopted in R81-22 at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22 at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-18 at 7 Ill. Reg. 2518, effective February 22, 1983; amended in R84-9 at 9 Ill. Reg. 11950, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 1131, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 14112, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20709, effective December 2, 1986; amended in R86-46 at 11 Ill. Reg. 13555, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19392, effective November 12, 1987; amended in R87-39 at 12 Ill. Reg. 13129, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 452, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18523, effective November 13, 1989; amended in R90-10 at 14 Ill. Reg. 16653, effective September 25, 1990; amended in R90-11 at 15 Ill. Reg. 9644,

effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14562, effective October 1, 1991; amended in R91-13 at 16 Ill. Reg. 9833, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17696, effective November 6, 1992; amended in R93-4 at 17 Ill. Reg. 20822, effective November 22, 1993; amended in R95-6 at 19 Ill. Reg. 9935, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11236, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 603, effective December 16, 1997; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17950, effective September 28, 1998; amended in R00-5 at 24 Ill. Reg. 1136, effective January 6, 2000; amended in R00-13 at 24 Ill. Reg. 9822, effective June 20, 2000; expedited correction at 25 Ill. Reg. 5105, effective June 20, 2000; amended in R05-2 at 29 Ill. Reg. 6312, effective April 22, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 3138, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 871, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 11927, effective July 14, 2008; amended in R09-16/R10-4 at 34 Ill. Reg. 18817, effective November 12, 2010; amended in R11-2/R11-16 at 35 Ill. Reg. 17888, effective October 14, 2011; amended in R12-7 at 36 Ill. Reg. _____, effective _____.

SUBPART B: THE MANIFEST

Section 722.121 Manifest Tracking Numbers, Manifest Printing, and Obtaining Manifests

- a) USEPA approval of manifest.
 - 1) A registrant may not print the manifest or have the manifest printed for use or distribution, unless it has received approval from the USEPA Director of the Office of Resource Conservation and Recovery to do so pursuant to 40 CFR 262.21(c) and (e), as described in subsections (c) and (e) of this Section.
 - 2) The approved registrant is responsible for ensuring that the organizations identified in its application are in compliance with the procedures of its approved application and the requirements of 40 CFR 262.21, as described in this Section. The registrant is responsible for assigning manifest tracking numbers to its manifests.
- b) A registrant must submit an initial application to the USEPA Director of the Office of Resource Conservation and Recovery that contains the following information:
 - 1) The name and mailing address of registrant;
 - 2) The name, telephone number, and email address of contact person;
 - 3) A brief description of registrant's government or business activity;
 - 4) The USEPA identification number of the registrant, if applicable;

- 5) A description of the scope of the operations that the registrant plans to undertake in printing, distributing, and using its manifests, including the following:
 - A) A description of the printing operation. The description should include an explanation of whether the registrant intends to print its manifests in-house (i.e., using its own printing establishments) or through a separate (i.e., unaffiliated) printing company. If the registrant intends to use a separate printing company to print the manifest on its behalf, the application must identify this printing company and discuss how the registrant will oversee the company. If this includes the use of intermediaries (e.g., prime and subcontractor relationships), the role of each must be discussed. The application must provide the name and mailing address of each company. It also must provide the name and telephone number of the contact person at each company;
 - B) A description of how the registrant will ensure that its organization and unaffiliated companies, if any, comply with the requirements of 40 CFR 262.21, as described in this Section. The application must discuss how the registrant will ensure that a unique manifest tracking number will be preprinted on each manifest. The application must describe the internal control procedures to be followed by the registrant and unaffiliated companies to ensure that numbers are tightly controlled and remain unique. In particular, the application must describe how the registrant will assign manifest tracking numbers to its manifests. If computer systems or other infrastructure will be used to maintain, track, or assign numbers, these should be indicated. The application must also indicate how the printer will pre-print a unique number on each form (e.g., crash or press numbering). The application also must explain the other quality procedures to be followed by each establishment and printing company to ensure that all required print specifications are consistently achieved and that printing violations are identified and corrected at the earliest practicable time; and
 - C) An indication of whether the registrant intends to use the manifests for its own business operations or to distribute the manifests to a separate company or to the general public (e.g., for purchase);
- 6) A brief description of the qualifications of the company that will print the manifest. The registrant may use readily available information to do so (e.g., corporate brochures, product samples, customer references,

documentation of ISO certification), so long as such information pertains to the establishments or company being proposed to print the manifest;

- 7) Proposed unique three-letter manifest tracking number suffix. If the registrant is approved to print the manifest, the registrant must use this suffix to pre-print a unique manifest tracking number on each manifest; and
 - 8) A signed certification by a duly authorized employee of the registrant that the organizations and companies in its application will comply with the procedures of its approved application and the requirements of 40 CFR 262.21, as described in this Section and that it will notify the Agency and the USEPA Director of the Office of Resource Conservation and Recovery of any duplicated manifest tracking numbers on manifests that have been used or distributed to other parties as soon as this becomes known.
- c) USEPA will review the application submitted under subsection (b) of this Section and either approve it or request additional information or modification before approving it.
 - d) Submission of document samples.
 - 1) Upon USEPA approval of the application pursuant to 40 CFR 262.21(c), as described in subsection (c) of this Section, USEPA will provide the registrant an electronic file of the manifest, continuation sheet, and manifest instructions and ask the registrant to submit three fully assembled manifests and continuation sheet samples, except as noted in 40 CFR 262.21(d)(3), as described in subsection (d)(3) of this Section. The registrant's samples must meet all of the specifications in 40 CFR 262.21(f), as described in subsection (f) of this Section, and be printed by the company that will print the manifest as identified in the application approved by USEPA pursuant to 40 CFR 262.21(c), as described in subsection (c) of this Section.
 - 2) The registrant must submit a description of the manifest samples as follows:
 - A) The paper type (i.e., manufacturer and grade of the manifest paper);
 - B) The paper weight of each copy;
 - C) The ink color of the manifest's instructions. If screening of the ink was used, the registrant must indicate the extent of the screening; and

- D) The method of binding the copies.
- 3) The registrant need not submit samples of the continuation sheet if it will print its continuation sheet using the same paper type, paper weight of each copy, ink color of the instructions, and binding method as its manifest form samples.
- e) USEPA will evaluate the forms and either approve the registrant to print them as proposed or request additional information or modification to them before approval. USEPA will notify the registrant of its decision by mail. The registrant cannot use or distribute its forms until USEPA approves them. An approved registrant must print the manifest and continuation sheet according to its application approved by USEPA pursuant to 40 CFR 262.21(c), as described in subsection (e) of this Section and the manifest specifications in 40 CFR 262.21(f), as described in subsection (f) of this Section. It also must print the forms according to the paper type, paper weight, ink color of the manifest instructions and binding method of its approved forms.
- f) Paper manifests and continuation sheets must be printed according to the following specifications:
- 1) The manifest and continuation sheet must be printed with the exact format and appearance as USEPA Forms 8700-22 and 8700-22A, respectively. However, information required to complete the manifest may be preprinted on the manifest form.
 - 2) A unique manifest tracking number assigned in accordance with a numbering system approved by USEPA must be pre-printed in Item 4 of the manifest. The tracking number must consist of a unique three-letter suffix following nine digits.
 - 3) The manifest and continuation sheet must be printed on 8½ × 11-inch white paper, excluding common stubs (*e.g.*, top- or side-bound stubs). The paper must be durable enough to withstand normal use.
 - 4) The manifest and continuation sheet must be printed in black ink that can be legibly photocopied, scanned, ~~and or~~ faxed, except that the marginal words indicating copy distribution must be in red printed with a distinct ink color or with another method (e.g., white text against black background in text box or black text against grey background in text box) that clearly distinguishes the copy distribution notations from the other text and data entries on the form.

- 5) The manifest and continuation sheet must be printed as six-copy forms. Copy-to-copy registration must be exact within 1/32 inch. Handwritten and typed impressions on the form must be legible on all six copies. Copies must be bound together by one or more common stubs that reasonably ensure that they will not become detached inadvertently during normal use.
- 6) Each copy of the manifest and continuation sheet must indicate how the copy must be distributed, as follows:
 - A) Page 1 (top copy): “Designated facility to destination State (if required).”
 - B) Page 2: “Designated facility to generator State (if required).”
 - C) Page 3: “Designated facility to generator.”
 - D) Page 4: “Designated facility’s copy.”
 - E) Page 5: “Transporter’s copy.”
 - F) Page 6 (bottom copy): “Generator’s initial copy.”
- 7) The instructions in the appendix to 40 CFR 262 (Uniform Hazardous Waste Manifest and Instructions (EPA Forms 8700-22 and 8700-22A and Their Instructions)), incorporated by reference in 35 Ill. Adm. Code 720.111(b), must appear legibly on the back of the copies of the manifest and continuation sheet as provided in 40 CFR 262.21(f), as described in this subsection (f). The instructions must not be visible through the front of the copies when photocopied or faxed.
 - A) Manifest Form 8700-22.
 - i) The “Instructions for Generators” on Copy 6;
 - ii) The “Instructions for International Shipment Block” and “Instructions for Transporters” on Copy 5; and
 - iii) The “Instructions for Treatment, Storage, and Disposal Facilities” on Copy 4.
 - B) Manifest Form 8700-22A.
 - i) The “Instructions for Generators” on Copy 6;

- ii) The “Instructions for Transporters” on Copy 5; and
 - iii) The “Instructions for Treatment, Storage, and Disposal Facilities” on Copy 4.
- g) Use of approved manifests.
- 1) A generator may use manifests printed by any source so long as the source of the printed form has received approval from USEPA to print the manifest pursuant to 40 CFR 262.21(c) and (e), as described in subsections (c) and (e) of this Section. A registered source may be any of the following:
 - A) A state agency;
 - B) A commercial printer;
 - C) A hazardous waste generator, transporter, or treatment, storage, or disposal facility; or
 - D) A hazardous waste broker or other preparer who prepares or arranges shipments of hazardous waste for transportation.
 - 2) The waste generator must determine whether the generator state or the consignment state for a shipment regulates any additional wastes (beyond those regulated federally) as hazardous wastes under these states’ authorized programs. The generator must also determine whether the consignment state or generator state requires the generator to submit any copies of the manifest to these states. In cases where the generator must supply copies to either the generator’s state or the consignment state, the generator is responsible for supplying legible photocopies of the manifest to these states.
- h) Manifest revisions.
- 1) If an approved registrant would like to update any of the information provided in its application approved by USEPA pursuant to 40 CFR 262.21(c), as described in subsection (c) of this Section (e.g., to update a company phone number or name of contact person), the registrant must revise the application and submit it to the USEPA Director of the Office of Resource Conservation and Recovery, along with an indication or explanation of the update, as soon as practicable after the change occurs. The USEPA will either approve or deny the revision. If USEPA denies the revision, it will explain the reasons for the denial, and it will contact the registrant and request further modification before approval.

- 2) If the registrant would like a new tracking number suffix, the registrant must submit a proposed suffix to the USEPA Director of the Office of Resource Conservation and Recovery, along with the reason for requesting it. USEPA will either approve the suffix or deny the suffix and provide an explanation why it is not acceptable.
- 3) If a registrant would like to change the paper type, paper weight, ink color of the manifest instructions, or binding method of its manifest or continuation sheet subsequent to approval by USEPA pursuant to 40 CFR 262.21(e), as described in this subsection (e) of this Section, then the registrant must submit three samples of the revised form for USEPA review and approval. If the approved registrant would like to use a new printer, the registrant must submit three manifest samples printed by the new printer, along with a brief description of the printer's qualifications to print the manifest. USEPA will evaluate the manifests and either approve the registrant to print the forms as proposed or request additional information or modification to them before approval. USEPA will notify the registrant of its decision by mail. The registrant cannot use or distribute its revised forms until USEPA approves them.
 - i) If, subsequent to its approval by USEPA pursuant to 40 CFR 262.21(e), as described in subsection (e) of this Section, a registrant typesets its manifest or continuation sheet instead of using the electronic file of the forms provided by USEPA, it must submit three samples of the manifest or continuation sheet to the registry for approval. USEPA will evaluate the manifests or continuation sheets and either approve the registrant to print them as proposed or request additional information or modification to them before approval. USEPA will notify the registrant of its decision by mail. The registrant cannot use or distribute its typeset forms until USEPA approves them.
 - j) USEPA may exempt a registrant from the requirement to submit form samples pursuant to 40 CFR 262.21(d) or (h)(3), as described in subsection (d) or (h)(3) of this Section, if USEPA is persuaded that a separate review of the registrant's forms would serve little purpose in informing an approval decision (e.g., a registrant certifies that it will print the manifest using the same paper type, paper weight, ink color of the instructions, and binding method of the form samples approved for some other registrant). A registrant may request an exemption from USEPA by indicating why an exemption is warranted.
 - k) An approved registrant must notify USEPA by phone or email as soon as it becomes aware that it has duplicated tracking numbers on any manifests that have been used or distributed to other parties.

- l) If, subsequent to approval of a registrant by USEPA pursuant to 40 CFR 262.21(e), as described in subsection (e) of this Section, USEPA becomes aware that the approved paper type, paper weight, ink color of the instructions, or binding method of the registrant's form is unsatisfactory, USEPA will contact the registrant and require modifications to the form.
- m) Effects of non-compliance.
 - 1) USEPA may suspend and, if necessary, revoke printing privileges if we find that the registrant has done either of the following:
 - A) The registrant has used or distributed forms that deviate from its approved form samples in regard to paper weight, paper type, ink color of the instructions, or binding method; or
 - B) The registrant exhibits a continuing pattern of behavior in using or distributing manifests that contain duplicate manifest tracking numbers.
 - 2) USEPA will send a warning letter to the registrant that specifies the date by which it must come into compliance with the requirements. If the registrant does not come in compliance by the specified date, USEPA will send a second letter notifying the registrant that USEPA has suspended or revoked its printing privileges. An approved registrant must provide information on its printing activities to the Agency and USEPA if requested.

(Source: Amended at 36 Ill. Reg. _____, effective _____)

Section 722.123 Use of the Manifest

- a) The generator shall do the following:
 - 1) Sign the manifest certification by hand;
 - 2) Obtain the handwritten signature of the initial transporter and date of acceptance on the manifest;
 - 3) Retain one copy, in accordance with Section 722.140(a); and
 - 4) Send one copy of the manifest to the Agency within two working days.
- b) The generator must give the transporter the remaining copies of the manifest.

- c) For shipments of hazardous waste within the United States solely by water (bulk shipments only), the generator must send three copies of the manifest dated and signed in accordance with this Section to the owner or operator of the designated receiving facility, if that facility is in the United States, or to the last water (bulk shipment) transporter to handle the waste in the United States, if the waste is exported by water. Copies of the manifest are not required for each transporter.
- d) For rail shipments of hazardous waste within the United States that originate at the site of generation, the generator must send at least three copies of the manifest dated and signed in accordance with this Section to the following persons:
 - 1) The next non-rail transporter, if any;
 - 2) The designated receiving facility, if the waste is transported solely by rail;
or
 - 3) The last rail transporter to handle the waste in the United States, if the waste is exported by rail.

BOARD NOTE: See Section 723.120(e) and (f) for special provisions for rail or water (bulk shipment) transporters.

- e) For shipments of hazardous waste to a designated receiving facility in an authorized state that has not yet obtained authorization to regulate that particular waste as hazardous, the generator must assure that the designated receiving facility agrees to sign and return the manifest to the generator, and that any out-of-state transporter signs and forwards the manifest to the designated receiving facility.
- f) For rejected shipments of hazardous waste or container residues contained in non-empty containers that the designated facility has returned to the generator (following the procedures of 35 Ill. Adm. Code 724.172(f) or 725.172(f)), the generator must do each of the following:
 - 1) The generator must sign the hazardous waste manifest (USEPA Form 8700-22) as follows:
 - A) Item 20 of the new manifest if a new manifest is used for the returned shipment; or
 - B) Item 18c of the original manifest if the original manifest is used for the returned shipment;
 - 2) The generator must provide a copy of the manifest to the transporter;

- 3) Within 30 days after delivery of the rejected shipment or container residues contained in non-empty containers, the generator must send a copy of the manifest to the designated facility that returned the shipment to the generator; and
- 4) The generator must retain a copy of each manifest at the generator's site for at least three years from the date of delivery.

BOARD NOTE: The use of the term "non-empty containers" in this subsection (f) derives from the language of corresponding 40 CFR 262.23(f). "Non-empty containers," for the purposes of this subsection (f), are containers that are not deemed "empty" by the empty container rule of 35 Ill. Adm. Code 721.107. That rule allows a container that still contains waste residues to be considered "empty" under specified conditions. Thus, "container residues contained in non-empty containers" are subject to regulation as hazardous waste, and the requirements of this subsection (f) apply to those residues.

(Source: Amended at 36 Ill. Reg. _____, effective _____)

TITLE 35: ENVIRONMENTAL PROTECTION
 SUBTITLE G: WASTE DISPOSAL
 CHAPTER I: POLLUTION CONTROL BOARD
 SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 728
 LAND DISPOSAL RESTRICTIONS

SUBPART A: GENERAL

Section	
728.101	Purpose, Scope, and Applicability
728.102	Definitions
728.103	Dilution Prohibited as a Substitute for Treatment
728.104	Treatment Surface Impoundment Exemption
728.105	Procedures for Case-by-Case Extensions to an Effective Date
728.106	Petitions to Allow Land Disposal of a Waste Prohibited Pursuant to Subpart C
728.107	Testing, Tracking, and Recordkeeping Requirements for Generators, Treaters, and Disposal Facilities
728.108	Landfill and Surface Impoundment Disposal Restrictions (Repealed)
728.109	Special Rules for Characteristic Wastes

SUBPART B: SCHEDULE FOR LAND DISPOSAL PROHIBITION AND
 ESTABLISHMENT OF TREATMENT STANDARDS

Section	
728.110	First Third (Repealed)
728.111	Second Third (Repealed)

728.112	Third Third (Repealed)
728.113	Newly Listed Wastes
728.114	Surface Impoundment Exemptions

SUBPART C: PROHIBITION ON LAND DISPOSAL

Section	
728.120	Waste-Specific Prohibitions: Dyes and Pigments Production Wastes
728.130	Waste-Specific Prohibitions: Wood Preserving Wastes
728.131	Waste-Specific Prohibitions: Dioxin-Containing Wastes
728.132	Waste-Specific Prohibitions: Soils Exhibiting the Toxicity Characteristic for Metals and Containing PCBs
728.133	Waste-Specific Prohibitions: Chlorinated Aliphatic Wastes
728.134	Waste-Specific Prohibitions: Toxicity Characteristic Metal Wastes
728.135	Waste-Specific Prohibitions: Petroleum Refining Wastes
728.136	Waste-Specific Prohibitions: Inorganic Chemical Wastes
728.137	Waste-Specific Prohibitions: Ignitable and Corrosive Characteristic Wastes Whose Treatment Standards Were Vacated
728.138	Waste-Specific Prohibitions: Newly-Identified Organic Toxicity Characteristic Wastes and Newly-Listed Coke By-Product and Chlorotoluene Production Wastes
728.139	Waste-Specific Prohibitions: Spent Aluminum Potliners and Carbamate Wastes

SUBPART D: TREATMENT STANDARDS

Section	
728.140	Applicability of Treatment Standards
728.141	Treatment Standards Expressed as Concentrations in Waste Extract
728.142	Treatment Standards Expressed as Specified Technologies
728.143	Treatment Standards Expressed as Waste Concentrations
728.144	Adjustment of Treatment Standard
728.145	Treatment Standards for Hazardous Debris
728.146	Alternative Treatment Standards Based on HTMR
728.148	Universal Treatment Standards
728.149	Alternative LDR Treatment Standards for Contaminated Soil

SUBPART E: PROHIBITIONS ON STORAGE

Section	
728.150	Prohibitions on Storage of Restricted Wastes
728.APPENDIX A	Toxicity Characteristic Leaching Procedure (TCLP) (Repealed)
728.APPENDIX B	Treatment Standards (As concentrations in the Treatment Residual Extract) (Repealed)
728.APPENDIX C	List of Halogenated Organic Compounds Regulated under Section 728.132
728.APPENDIX D	Wastes Excluded from Lab Packs
728.APPENDIX E	Organic Lab Packs (Repealed)
728.APPENDIX F	Technologies to Achieve Deactivation of Characteristics
728.APPENDIX G	Federal Effective Dates

728.APPENDIX H	National Capacity LDR Variances for UIC Wastes
728.APPENDIX I	EP Toxicity Test Method and Structural Integrity Test
728.APPENDIX J	Recordkeeping, Notification, and Certification Requirements (Repealed)
728.APPENDIX K	Metal-Bearing Wastes Prohibited from Dilution in a Combustion Unit According to Section 728.103(c)
728.TABLE A	Constituent Concentrations in Waste Extract (CCWE)
728.TABLE B	Constituent Concentrations in Wastes (CCW)
728.TABLE C	Technology Codes and Description of Technology-Based Standards
728.TABLE D	Technology-Based Standards by RCRA Waste Code
728.TABLE E	Standards for Radioactive Mixed Waste
728.TABLE F	Alternative Treatment Standards for Hazardous Debris
728.TABLE G	Alternative Treatment Standards Based on HTMR
728.TABLE H	Wastes Excluded from CCW Treatment Standards
728.TABLE I	Generator Paperwork Requirements
728.TABLE T	Treatment Standards for Hazardous Wastes
728.TABLE U	Universal Treatment Standards (UTS)

AUTHORITY: Implementing Sections 7.2 and 22.4 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, and 27].

SOURCE: Adopted in R87-5 at 11 Ill. Reg. 19354, effective November 12, 1987; amended in R87-39 at 12 Ill. Reg. 13046, effective July 29, 1988; amended in R89-1 at 13 Ill. Reg. 18403, effective November 13, 1989; amended in R89-9 at 14 Ill. Reg. 6232, effective April 16, 1990; amended in R90-2 at 14 Ill. Reg. 14470, effective August 22, 1990; amended in R90-10 at 14 Ill. Reg. 16508, effective September 25, 1990; amended in R90-11 at 15 Ill. Reg. 9462, effective June 17, 1991; amended in R90-11 at 15 Ill. Reg. 11937, effective August 12, 1991; amendment withdrawn at 15 Ill. Reg. 14716, October 11, 1991; amended in R91-13 at 16 Ill. Reg. 9619, effective June 9, 1992; amended in R92-10 at 17 Ill. Reg. 5727, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20692, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6799, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12203, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17563, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9660, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11100, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 783, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7685, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17706, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 1964, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9204, effective July 26, 1999; amended in R00-13 at 24 Ill. Reg. 9623, effective June 20, 2000; amended in R01-3 at 25 Ill. Reg. 1296, effective January 11, 2001; amended in R01-21/R01-23 at 25 Ill. Reg. 9181, effective July 9, 2001; amended in R02-1/R02-12/R02-17 at 26 Ill. Reg. 6687, effective April 22, 2002; amended in R03-18 at 27 Ill. Reg. 13045, effective July 17, 2003; amended in R05-8 at 29 Ill. Reg. 6049, effective April 13, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 3800, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 1254, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 12840, effective July 14, 2008; amended in R09-3 at 33 Ill. Reg. 1186, effective

December 30, 2008; amended in R11-2/R11-16 at 35 Ill. Reg. 18131, effective October 14, 2011; amended in R12-7 at 36 Ill. Reg. _____, effective _____.

Section 728. ~~Table 728.~~ TABLE T Treatment Standards for Hazardous Wastes

Note: The treatment standards that heretofore appeared in tables in Sections 728.141, 728.142, and 728.143 have been consolidated into this table.

Waste Code

Waste Description and Treatment or Regulatory Subcategory¹

Regulated Hazardous Constituent	Wastewaters	Nonwastewaters
	Concentration ³ in mg/l; or Technology Code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/l TCLP"; or Technology Code ⁴
Common Name	CAS ² Number	

D001⁹

Ignitable Characteristic Wastes, except for the 35 Ill. Adm. Code 721.121(a)(1) High TOC Subcategory.

NA	NA	DEACT and meet Section 728.148 standards ⁸ ; or RORGS; or CMBST	DEACT and meet Section 728.148 standards ⁸ ; or RORGS; or CMBST
----	----	--	--

D001⁹

High TOC Ignitable Characteristic Liquids Subcategory based on 35 Ill. Adm. Code 721.121(a)(1) - Greater than or equal to 10 percent total organic carbon.

(Note: This subcategory consists of nonwastewaters only.)

NA	NA	NA	RORGS; CMBST; or POLYM
----	----	----	------------------------

D002⁹

Corrosive Characteristic Wastes.

NA	NA	DEACT and meet Section 728.148 standards ⁸	DEACT and meet Section 728.148 standards ⁸
----	----	---	---

D002, D004, D005, D006, D007, D008, D009, D010, D011

Radioactive high level wastes generated during the reprocessing of fuel rods.

(Note: This subcategory consists of nonwastewaters only.)

Corrosivity (pH)	NA	NA	HLVIT
Arsenic	7440-38-2	NA	HLVIT
Barium	7440-39-3	NA	HLVIT

Cadmium	7440-43-9	NA	HLVIT
Chromium (Total)	7440-47-3	NA	HLVIT
Lead	7439-92-1	NA	HLVIT
Mercury	7439-97-6	NA	HLVIT
Selenium	7782-49-2	NA	HLVIT
Silver	7440-22-4	NA	HLVIT

D003⁹

Reactive Sulfides Subcategory based on 35 Ill. Adm. Code 721.123(a)(5).

NA	NA	DEACT	DEACT
----	----	-------	-------

D003⁹

Explosive subcategory based on 35 Ill. Adm. Code 721.123(a)(6), (a)(7), and (a)(8).

NA	NA	DEACT and meet Section 728.148 standards ⁸	DEACT and meet Section 728.148 standards ⁸
----	----	---	---

D003⁹

Unexploded ordnance and other explosive devices that have been the subject of an emergency response.

NA	NA	DEACT	DEACT
----	----	-------	-------

D003⁹

Other Reactives Subcategory based on 35 Ill. Adm. Code 721.123(a)(1).

NA	NA	DEACT and meet Section 728.148 standards ⁸	DEACT and meet Section 728.148 standards ⁸
----	----	---	---

D003⁹

Water Reactive Subcategory based on 35 Ill. Adm. Code 721.123(a)(2), (a)(3), and (a)(4).

(Note: This subcategory consists of nonwastewaters only.)

NA	NA	NA	DEACT and meet Section 728.148 standards ⁸
----	----	----	---

D003⁹

Reactive Cyanides Subcategory based on 35 Ill. Adm. Code 721.123(a)(5).

Cyanides (Total) ⁷	57-12-5	—	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30

D004⁹

Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for arsenic based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Arsenic	7440-38-2	1.4 and meet Section 728.148 standards ⁸	5.0 mg/ℓ TCLP and meet Section 728.148 standards ⁸
---------	-----------	---	---

D005⁹

Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for barium based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Barium	7440-39-3	1.2 and meet Section 728.148 standards ⁸	21 mg/ℓ TCLP and meet Section 728.148 standards ⁸
--------	-----------	---	--

D006⁹

Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for cadmium based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Cadmium	7440-43-9	0.69 and meet Section 728.148 standards ⁸	0.11 mg/ℓ TCLP and meet Section 728.148 standards ⁸
---------	-----------	--	--

D006⁹

Cadmium-Containing Batteries Subcategory.

(Note: This subcategory consists of nonwastewaters only.)

Cadmium	7440-43-9	NA	RTHRM
---------	-----------	----	-------

D006⁹

Radioactively contaminated cadmium-containing batteries.

(Note: This subcategory consists of nonwastewaters only.)

Cadmium	7440-43-9	NA	Macroencapsula- tion in accordance with Section 728.145
---------	-----------	----	--

D007⁹

Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for chromium based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Chromium (Total)	7440-47-3	2.77 and meet Section 728.148 standards ⁸	0.60 mg/ℓ TCLP and meet Section 728.148 standards ⁸
------------------	-----------	--	--

D008⁹

Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for lead based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Lead	7439-92-1	0.69 and meet Section 728.148 standards ⁸	0.75 mg/ℓ TCLP and meet Section 728.148 standards ⁸
------	-----------	--	--

D008⁹

Lead Acid Batteries Subcategory

(Note: This standard only applies to lead acid batteries that are identified as RCRA hazardous wastes and that are not excluded elsewhere from regulation under the land disposal restrictions of this Part or exempted under other regulations (see 35 Ill. Adm. Code 726.180). This subcategory consists of nonwastewaters only.)

Lead	7439-92-1	NA	RLEAD
------	-----------	----	-------

D008⁹

Radioactive Lead Solids Subcategory

(Note: These lead solids include, but are not limited to, all forms of lead shielding and other elemental forms of lead. These lead solids do not include treatment residuals such as hydroxide sludges, other wastewater treatment residuals, or incinerator ashes that can undergo conventional pozzolanic stabilization, nor do they include organo-lead materials that can be incinerated and stabilized as ash. This subcategory consists of nonwastewaters only.)

Lead	7439-92-1	NA	MACRO
------	-----------	----	-------

D009⁹

Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a); and contain greater than or equal to 260 mg/kg total mercury that also contain organics and are not incinerator residues. (High Mercury-Organic Subcategory)

Mercury	7439-97-6	NA	IMERC; or RMERC
---------	-----------	----	--------------------

D009⁹

Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a); and contain greater than or equal to 260 mg/kg total mercury that are inorganic, including incinerator residues and residues from RMERC. (High Mercury-Inorganic Subcategory)

Mercury	7439-97-6	NA	RMERC
---------	-----------	----	-------

D009⁹

Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a); and contain less than 260 mg/kg total mercury. (Low Mercury Subcategory)

Mercury	7439-97-6	NA	0.20 mg/ℓ TCLP and meet Section 728.148 standards ⁸
---------	-----------	----	--

D009⁹

All other nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a); and contain less than 260 mg/kg total mercury and that are not residues from RMERC. (Low Mercury Subcategory)

Mercury	7439-97-6	NA	0.025 mg/ℓ TCLP and meet Section 728.148 standards ⁸
---------	-----------	----	---

D009⁹

All D009 wastewaters.

Mercury	7439-97-6	0.15 and meet Section 728.148 standards ⁸	NA
---------	-----------	--	----

D009⁹

Elemental mercury contaminated with radioactive materials.
(Note: This subcategory consists of nonwastewaters only.)

Mercury	7439-97-6	NA	AMLGM
---------	-----------	----	-------

D009⁹

Hydraulic oil contaminated with Mercury Radioactive Materials Subcategory.
(Note: This subcategory consists of nonwastewaters only.)

Mercury	7439-97-6	NA	IMERC
---------	-----------	----	-------

D009⁹

Radioactively contaminated mercury-containing batteries.
(Note: This subcategory consists of nonwastewaters only.)

Mercury	7439-97-6	NA	Macroencapsulation in accordance with Section 728.145
---------	-----------	----	---

D010⁹

Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for selenium based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Selenium	7782-49-2	0.82	5.7 mg/ℓ TCLP and meet Section 728.148 standards ⁸
----------	-----------	------	---

D011⁹

Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for silver based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Silver	7440-22-4	0.43	0.14 mg/ℓ TCLP and meet Section 728.148 standards ⁸
--------	-----------	------	--

D011⁹

Radioactively contaminated silver-containing batteries.
(Note: This subcategory consists of nonwastewaters only.)

Silver	7440-22-4	NA	Macroencapsulation in accordance with Section 728.145
--------	-----------	----	---

D012⁹

Wastes that are TC for endrin based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Endrin	72-20-8	BIODG; or CMBST	0.13 and meet Section 728.148 standards ⁸
--------	---------	--------------------	--

Endrin aldehyde	7421-93-4	BIODG; or CMBST	0.13 and meet Section 728.148 standards ⁸
-----------------	-----------	--------------------	--

D013⁹

Wastes that are TC for lindane based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

α -BHC	319-84-6	CARBN; or CMBST	0.066 and meet Section 728.148 standards ⁸
β -BHC	319-85-7	CARBN; or CMBST	0.066 and meet Section 728.148 standards ⁸
δ -BHC	319-86-8	CARBN; or CMBST	0.066 and meet Section 728.148 standards ⁸
γ -BHC (Lindane)	58-89-9	CARBN; or CMBST	0.066 and meet Section 728.148 standards ⁸

D014⁹

Wastes that are TC for methoxychlor based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Methoxychlor	72-43-5	WETOX or CMBST	0.18 and meet Section 728.148 standards ⁸
--------------	---------	-------------------	--

D015⁹

Wastes that are TC for toxaphene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Toxaphene	8001-35-2	BIODG or CMBST	2.6 and meet Section 728.148 standards ⁸
-----------	-----------	-------------------	---

D016⁹

Wastes that are TC for 2,4-D (2,4-dichlorophenoxyacetic acid) based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

2,4-D (2,4-dichloro- phenoxyacetic acid)	94-75-7	CHOXD; BIODG; or CMBST	10 and meet Section 728.148 standards ⁸
---	---------	---------------------------	--

D017⁹

Wastes that are TC for 2,4,5-TP (Silvex) based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

2,4,5-TP (Silvex)	93-72-1	CHOXD or CMBST	7.9 and meet Section 728.148 standards ⁸
-------------------	---------	-------------------	---

D018⁹

Wastes that are TC for benzene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Benzene	71-43-2	0.14 and meet Section 728.148 standards ⁸	10 and meet Section 728.148 standards ⁸
---------	---------	--	--

D019⁹

Wastes that are TC for carbon tetrachloride based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Carbon tetrachloride	56-23-5	0.057 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
----------------------	---------	---	---

D020⁹

Wastes that are TC for chlordane based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Chlordane (α and χ isomers)	57-74-9	0.0033 and meet Section 728.148 standards ⁸	0.26 and meet Section 728.148 standards ⁸
--	---------	--	--

D021⁹

Wastes that are TC for chlorobenzene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Chlorobenzene	108-90-7	0.057 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
---------------	----------	---	---

D022⁹

Wastes that are TC for chloroform based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Chloroform	67-66-3	0.046 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
------------	---------	---	---

D023⁹

Wastes that are TC for o-cresol based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

o-Cresol	95-48-7	0.11 and meet Section 728.148 standards ⁸	5.6 and meet Section 728.148 standards ⁸
----------	---------	--	---

D024⁹

Wastes that are TC for m-cresol based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77 and meet Section 728.148 standards ⁸	5.6 and meet Section 728.148 standards ⁸
--	----------	--	---

D025⁹

Wastes that are TC for p-cresol based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77 and meet Section 728.148 standards ⁸	5.6 and meet Section 728.148 standards ⁸
--	----------	--	---

D026⁹

Wastes that are TC for cresols (total) based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Cresol-mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88 and meet Section 728.148 standards ⁸	11.2 and meet Section 728.148 standards ⁸
--	-----------	--	--

D027⁹

Wastes that are TC for p-dichlorobenzene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

p-Dichlorobenzene (1,4-Dichlorobenzene)	106-46-7	0.090 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
---	----------	---	---

D028⁹

Wastes that are TC for 1,2-dichloroethane based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

1,2-Dichloroethane	107-06-2	0.21 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
--------------------	----------	--	---

D029⁹

Wastes that are TC for 1,1-dichloroethylene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

1,1-Dichloroethylene	75-35-4	0.025 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
----------------------	---------	---	---

D030⁹

Wastes that are TC for 2,4-dinitrotoluene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

2,4-Dinitrotoluene	121-14-2	0.32 and meet Section 728.148 standards ⁸	140 and meet Section 728.148 standards ⁸
--------------------	----------	--	---

D031⁹

Wastes that are TC for heptachlor based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Heptachlor	76-44-8	0.0012 and meet Section 728.148 standards ⁸	0.066 and meet Section 728.148 standards ⁸
Heptachlor epoxide	1024-57-3	0.016 and meet Section 728.148 standards ⁸	0.066 and meet Section 728.148 standards ⁸

D032⁹

Wastes that are TC for hexachlorobenzene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Hexachlorobenzene	118-74-1	0.055 and meet Section 728.148 standards ⁸	10 and meet Section 728.148 standards ⁸
-------------------	----------	---	--

D033⁹

Wastes that are TC for hexachlorobutadiene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Hexachlorobutadiene	87-68-3	0.055 and meet Section 728.148 standards ⁸	5.6 and meet Section 728.148 standards ⁸
---------------------	---------	---	---

D034⁹

Wastes that are TC for hexachloroethane based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Hexachloroethane	67-72-1	0.055 and meet Section 728.148 standards ⁸	30 and meet Section 728.148 standards ⁸
------------------	---------	---	--

D035⁹

Wastes that are TC for methyl ethyl ketone based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Methyl ethyl ketone	78-93-3	0.28 and meet Section 728.148 standards ⁸	36 and meet Section 728.148 standards ⁸
---------------------	---------	--	--

D036⁹

Wastes that are TC for nitrobenzene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Nitrobenzene	98-95-3	0.068 and meet Section 728.148 standards ⁸	14 and meet Section 728.148 standards ⁸
--------------	---------	---	--

D037⁹

Wastes that are TC for pentachlorophenol based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Pentachlorophenol	87-86-5	0.089 and meet Section 728.148 standards ⁸	7.4 and meet Section 728.148 standards ⁸
-------------------	---------	---	---

D038⁹

Wastes that are TC for pyridine based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Pyridine	110-86-1	0.014 and meet Section 728.148 standards ⁸	16 and meet Section 728.148 standards ⁸
----------	----------	---	--

D039⁹

Wastes that are TC for tetrachloroethylene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Tetrachloroethylene	127-18-4	0.056 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
---------------------	----------	---	---

D040⁹

Wastes that are TC for trichloroethylene based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Trichloroethylene	79-01-6	0.054 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
-------------------	---------	---	---

D041⁹

Wastes that are TC for 2,4,5-trichlorophenol based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

2,4,5-Trichlorophenol	95-95-4	0.18 and meet Section 728.148 standards ⁸	7.4 and meet Section 728.148 standards ⁸
-----------------------	---------	--	---

D042⁹

Wastes that are TC for 2,4,6-trichlorophenol based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

2,4,6-Trichlorophenol	88-06-2	0.035 and meet Section 728.148 standards ⁸	7.4 and meet Section 728.148 standards ⁸
-----------------------	---------	---	---

D043⁹

Wastes that are TC for vinyl chloride based on Method 1311 (Toxicity Characteristic Leaching Procedure (TCLP)) in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a).

Vinyl chloride	75-01-4	0.27 and meet Section 728.148 standards ⁸	6.0 and meet Section 728.148 standards ⁸
----------------	---------	--	---

F001, F002, F003, F004 & F005

F001, F002, F003, F004, or F005 solvent wastes that contain any combination of one or more of the following spent solvents: acetone, benzene, n-butyl alcohol, carbon disulfide, carbon tetrachloride, chlorinated fluorocarbons, chlorobenzene, o-cresol, m-cresol, p-cresol, cyclohexanone, o-dichlorobenzene, 2-ethoxyethanol, ethyl acetate, ethyl benzene, ethyl ether, isobutyl alcohol, methanol, methylene chloride, methyl ethyl ketone, methyl isobutyl ketone, nitrobenzene, 2-nitropropane, pyridine, tetrachloroethylene, toluene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, 1,1,2-trichloro-1,2,2-trifluoroethane, trichloroethylene, trichloromonofluoromethane, or xylenes

(except as specifically noted in other subcategories). See further details of these listings in 35 Ill. Adm. Code 721.131.

Acetone	67-64-1	0.28	160
Benzene	71-43-2	0.14	10
n-Butyl alcohol	71-36-3	5.6	2.6
Carbon disulfide	75-15-0	3.8	NA
Carbon tetrachloride	56-23-5	0.057	6.0
Chlorobenzene	108-90-7	0.057	6.0
o-Cresol	95-48-7	0.11	5.6
m-Cresol	108-39-4	0.77	5.6
(difficult to distinguish from p-cresol)			
p-Cresol	106-44-5	0.77	5.6
(difficult to distinguish from m-cresol)			
Cresol-mixed isomers (Cresylic acid)	1319-77-3	0.88	11.2
(sum of o-, m-, and p-cresol concentrations)			
Cyclohexanone	108-94-1	0.36	NA
o-Dichlorobenzene	95-50-1	0.088	6.0
Ethyl acetate	141-78-6	0.34	33
Ethyl benzene	100-41-4	0.057	10
Ethyl ether	60-29-7	0.12	160
Isobutyl alcohol	78-83-1	5.6	170
Methanol	67-56-1	5.6	NA
Methylene chloride	75-9-2	0.089	30
Methyl ethyl ketone	78-93-3	0.28	36
Methyl isobutyl ketone	108-10-1	0.14	33
Nitrobenzene	98-95-3	0.068	14
Pyridine	110-86-1	0.014	16
Tetrachloroethylene	127-18-4	0.056	6.0
Toluene	108-88-3	0.080	10
1,1,1-Trichloroethane	71-55-6	0.054	6.0
1,1,2-Trichloroethane	79-00-5	0.054	6.0
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30
Trichloroethylene	79-01-6	0.054	6.0
Trichloromonofluoromethane	75-69-4	0.020	30
Xylenes-mixed isomers	1330-20-7	0.32	30
(sum of o-, m-, and p-xylene concentrations)			

F001, F002, F003, F004 & F005

F003 and F005 solvent wastes that contain any combination of one or more of the following three solvents as the only listed F001 through F005 solvents: carbon disulfide, cyclohexanone, or methanol. (Formerly Section 728.141(c)).

Carbon disulfide	75-15-0	3.8	4.8 mg/ℓ TCLP
Cyclohexanone	108-94-1	0.36	0.75 mg/ℓ TCLP
Methanol	67-56-1	5.6	0.75 mg/ℓ TCLP

F001, F002, F003, F004 & F005

F005 solvent waste containing 2-Nitropropane as the only listed F001 through F005 solvent.

2-Nitropropane	79-46-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
----------------	---------	--	-------

F001, F002, F003, F004 & F005

F005 solvent waste containing 2-Ethoxyethanol as the only listed F001 through F005 solvent.

2-Ethoxyethanol	110-80-5	BIODG; or CMBST	CMBST
-----------------	----------	--------------------	-------

F006

Wastewater treatment sludges from electroplating operations except from the following processes: (1) Sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning or stripping associated with tin, zinc, and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum.

Cadmium	7440-43-9	0.69	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Silver	7440-22-4	NA	0.14 mg/ℓ TCLP

F007

Spent cyanide plating bath solutions from electroplating operations.

Cadmium	7440-43-9	NA	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Silver	7440-22-4	NA	0.14 mg/ℓ TCLP

F008

Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.

Cadmium	7440-43-9	NA	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Silver	7440-22-4	NA	0.14 mg/ℓ TCLP

F009

Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process.

Cadmium	7440-43-9	NA	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Silver	7440-22-4	NA	0.14 mg/ℓ TCLP

F010

Quenching bath residues from oil baths from metal heat-treating operations where cyanides are used in the process.

Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	NA

F011

Spent cyanide solutions from salt bath pot cleaning from metal heat-treating operations.

Cadmium	7440-43-9	NA	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Silver	7440-22-4	NA	0.14 mg/ℓ TCLP

F012

Quenching wastewater treatment sludges from metal heat-treating operations where cyanides are used in the process.

Cadmium	7440-43-9	NA	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30

Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Silver	7440-22-4	NA	0.14 mg/ℓ TCLP

F019

Wastewater treatment sludges from the chemical conversion coating of aluminum, except from zirconium phosphating in aluminum can washing when such phosphating is an exclusive conversion coating process.

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30

F020, F021, F022, F023, F026

Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of: (1) tri- or tetrachlorophenol, or of intermediates used to produce their pesticide derivatives, excluding wastes from the production of Hexachlorophene from highly purified 2,4,5-trichlorophenol (i.e., F020); (2) pentachlorophenol, or of intermediates used to produce its derivatives (i.e., F021); (3) tetra-, penta-, or hexachlorobenzenes under alkaline conditions (i.e., F022) and wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production of materials on equipment previously used for the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of: (1) tri- or tetrachlorophenols, excluding wastes from equipment used only for the production of Hexachlorophene from highly purified 2,4,5-trichlorophenol (F023) or (2) tetra-, penta-, or hexachlorobenzenes under alkaline conditions (i.e., F026).

HxCDDs (All Hexachloro-dibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachloro-dibenzofurans)	55684-94-1	0.000063	0.001
PeCDDs (All Pentachloro-dibenzo-p-dioxins)	36088-22-9	0.000063	0.001
PeCDFs (All Pentachloro-dibenzofurans)	30402-15-4	0.000035	0.001
Pentachlorophenol	87-86-5	0.089	7.4
TCDDs (All Tetrachloro-dibenzo-p-dioxins)	41903-57-5	0.000063	0.001
TCDFs (All Tetrachlorodibenzo-furans)	55722-27-5	0.000063	0.001
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4

F024

Process wastes, including but not limited to, distillation residues, heavy ends, tars, and reactor clean-out wastes, from the production of certain chlorinated aliphatic hydrocarbons by free

radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. (This listing does not include wastewaters, wastewater treatment sludges, spent catalysts, and wastes listed in 35 Ill. Adm. Code 721.131 or 721.132.)

All F024 wastes	NA	CMBST ¹¹	CMBST ¹¹
2-Chloro-1,3-butadiene	126-99-8	0.057	0.28
3-Chloropropylene	107-05-1	0.036	30
1,1-Dichloroethane	75-34-3	0.059	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
1,2-Dichloropropane	78-87-5	0.85	18
cis-1,3-Dichloropropylene	10061-01-5	0.036	18
trans-1,3-Dichloropropylene	10061-02-6	0.036	18
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
Hexachloroethane	67-72-1	0.055	30
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP

F025

Condensed light ends from the production of certain chlorinated aliphatic hydrocarbons by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one up to and including five, with varying amounts and positions of chlorine substitution. F025—Light Ends Subcategory.

Carbon tetrachloride	56-23-5	0.057	6.0
Chloroform	67-66-3	0.046	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
1,1-Dichloroethylene	75-35-4	0.025	6.0
Methylene chloride	75-9-2	0.089	30
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0
Vinyl chloride	75-01-4	0.27	6.0

F025

Spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. F025—Spent Filters/Aids and Desiccants Subcategory.

Carbon tetrachloride	56-23-5	0.057	6.0
Chloroform	67-66-3	0.046	6.0
Hexachlorobenzene	118-74-1	0.055	10
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachloroethane	67-72-1	0.055	30
Methylene chloride	75-9-2	0.089	30
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0

Vinyl chloride	75-01-4	0.27	6.0
----------------	---------	------	-----

F027

Discarded unused formulations containing tri-, tetra-, or pentachlorophenol or discarded unused formulations containing compounds derived from these chlorophenols. (This listing does not include formulations containing hexachlorophene synthesized from prepurified 2,4,5-trichlorophenol as the sole component.)

HxCDDs (All Hexachloro-dibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachloro-dibenzofurans)	55684-94-1	0.000063	0.001
PeCDDs (All Pentachloro-dibenzo-p-dioxins)	36088-22-9	0.000063	0.001
PeCDFs (All Pentachloro-dibenzofurans)	30402-15-4	0.000035	0.001
Pentachlorophenol	87-86-5	0.089	7.4
TCDDs (All Tetrachloro-dibenzo-p-dioxins)	41903-57-5	0.000063	0.001
TCDFs (All Tetrachlorodibenzo-furans)	55722-27-5	0.000063	0.001
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4

F028

Residues resulting from the incineration or thermal treatment of soil contaminated with USEPA hazardous waste numbers F020, F021, F023, F026, and F027.

HxCDDs (All Hexachloro-dibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachloro-dibenzofurans)	55684-94-1	0.000063	0.001
PeCDDs (All Pentachloro-dibenzo-p-dioxins)	36088-22-9	0.000063	0.001
PeCDFs (All Pentachloro-dibenzofurans)	30402-15-4	0.000035	0.001
Pentachlorophenol	87-86-5	0.089	7.4
TCDDs (All Tetrachloro-dibenzo-p-dioxins)	41903-57-5	0.000063	0.001
TCDFs (All Tetrachlorodibenzo-furans)	55722-27-5	0.000063	0.001
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4

F032

Wastewaters (except those that have not come into contact with process contaminants), process residuals, preservative drippage, and spent formulations from wood preserving processes generated at plants that currently use or have previously used chlorophenolic formulations (except potentially cross-contaminated wastes that have had the F032 waste code deleted in accordance with 35 Ill. Adm. Code 721.135 or potentially cross-contaminated wastes that are otherwise currently regulated as hazardous wastes (i.e., F034 or F035), where the generator does not resume or initiate use of chlorophenolic formulations). This listing does not include K001 bottom sediment sludge from the treatment of wastewater from wood preserving processes that use creosote or penta-chlorophenol.

Acenaphthene	83-32-9	0.059	3.4
Anthracene	120-12-7	0.059	3.4
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(b)fluoranthene (difficult to distinguish from benzo(k) fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b) fluoranthene)	207-08-9	0.11	6.8
Benzo(a)pyrene	50-32-8	0.061	3.4
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
2,4-Dimethyl phenol	105-67-9	0.036	14
Fluorene	86-73-7	0.059	3.4
Hexachlorodibenzo-p-dioxins	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
Hexachlorodibenzofurans	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4
Naphthalene	91-20-3	0.059	5.6
Pentachlorodibenzo-p-dioxins	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
Pentachlorodibenzofurans	NA	0.000035 or CMBST ¹¹	0.001 or CMBST ¹¹
Pentachlorophenol	87-86-5	0.089	7.4
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
Pyrene	129-00-0	0.067	8.2
Tetrachlorodibenzo-p-dioxins	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
Tetrachlorodibenzofurans	NA	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
------------------	-----------	------	----------------

F034

Wastewaters (except those that have not come into contact with process contaminants), process residuals, preservative drippage, and spent formulations from wood preserving processes generated at plants that use creosote formulations. This listing does not include K001 bottom sediment sludge from the treatment of wastewater from wood preserving processes that use creosote or pentachlorophenol.

Acenaphthene	83-32-9	0.059	3.4
Anthracene	120-12-7	0.059	3.4
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
Benzo(a)pyrene	50-32-8	0.061	3.4
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Fluorene	86-73-7	0.059	3.4
Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Pyrene	129-00-0	0.067	8.2
Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP

F035

Wastewaters (except those that have not come into contact with process contaminants), process residuals, preservative drippage, and spent formulations from wood preserving processes that are generated at plants that use inorganic preservatives containing arsenic or chromium. This listing does not include K001 bottom sediment sludge from the treatment of wastewater from wood preserving processes that use creosote or pentachlorophenol.

Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP

F037

Petroleum refinery primary oil/water/solids separation sludge—any sludge generated from the gravitational separation of oil/water/solids during the storage or treatment of process wastewaters and oily cooling wastewaters from petroleum refineries. Such sludges include, but are not limited to, those generated in: oil/water/solids separators; tanks, and impoundments; ditches, and other conveyances; sumps; and stormwater units receiving dry weather flow. Sludge generated in stormwater units that do not receive dry weather flow, sludges generated from non-contact once-through cooling waters segregated for treatment from other process or oily cooling waters,

sludges generated in aggressive biological treatment units as defined in 35 Ill. Adm. Code 721.131(b)(2) (including sludges generated in one or more additional units after wastewaters have been treated in aggressive biological treatment units) and K051 wastes are not included in this listing.

Acenaphthene	83-32-9	0.059	NA
Anthracene	120-12-7	0.059	3.4
Benzene	71-43-2	0.14	10
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
Chrysene	218-01-9	0.059	3.4
Di-n-butyl phthalate	84-74-2	0.057	28
Ethylbenzene	100-41-4	0.057	10
Fluorene	86-73-7	0.059	NA
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
Pyrene	129-00-0	0.067	8.2
Toluene	108-88-3	0.080	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Lead	7439-92-1	0.69	NA
Nickel	7440-02-0	NA	11 mg/ℓ TCLP

F038

Petroleum refinery secondary (emulsified) oil/water/solids separation sludge or float generated from the physical or chemical separation of oil/water/solids in process wastewaters and oily cooling wastewaters from petroleum refineries. Such wastes include, but are not limited to, all sludges and floats generated in: induced air floatation (IAF) units, tanks, and impoundments, and all sludges generated in DAF units. Sludges generated in stormwater units that do not receive dry weather flow, sludges generated from non-contact once-through cooling waters segregated for treatment from other process or oily cooling waters, sludges, and floats generated in aggressive biological treatment units as defined in 35 Ill. Adm. Code 721.131(b)(2) (including sludges and floats generated in one or more additional units after wastewaters have been treated in aggressive biological units) and F037, K048, and K051 are not included in this listing.

Benzene	71-43-2	0.14	10
Benzo(a)pyrene	50-32-8	0.061	3.4
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
Chrysene	218-01-9	0.059	3.4
Di-n-butyl phthalate	84-74-2	0.057	28
Ethylbenzene	100-41-4	0.057	10
Fluorene	86-73-7	0.059	NA

Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
Pyrene	129-00-0	0.067	8.2
Toluene	108-88-3	0.080	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Lead	7439-92-1	0.69	NA
Nickel	7440-02-0	NA	11 mg/ℓ TCLP

F039

Leachate (liquids that have percolated through land disposed wastes) resulting from the disposal of more than one restricted waste classified as hazardous under Subpart D of this Part. (Leachate resulting from the disposal of one or more of the following USEPA hazardous wastes and no other hazardous wastes retains its USEPA hazardous waste numbers: F020, F021, F022, F026, F027, or F028.).

Acenaphthylene	208-96-8	0.059	3.4
Acenaphthene	83-32-9	0.059	3.4
Acetone	67-64-1	0.28	160
Acetonitrile	75-05-8	5.6	NA
Acetophenone	96-86-2	0.010	9.7
2-Acetylaminofluorene	53-96-3	0.059	140
Acrolein	107-02-8	0.29	NA
Acrylonitrile	107-13-1	0.24	84
Aldrin	309-00-2	0.021	0.066
4-Aminobiphenyl	92-67-1	0.13	NA
Aniline	62-53-3	0.81	14
o-Anisidine (2-methoxyaniline)	90-04-0	0.010	0.66
Anthracene	120-12-7	0.059	3.4
Aramite	140-57-8	0.36	NA
α-BHC	319-84-6	0.00014	0.066
β-BHC	319-85-7	0.00014	0.066
δ-BHC	319-86-8	0.023	0.066
γ-BHC	58-89-9	0.0017	0.066
Benzene	71-43-2	0.14	10
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)- fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)- fluoranthene)	207-08-9	0.11	6.8

Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
Benzo(a)pyrene	50-32-8	0.061	3.4
Bromodichloromethane	75-27-4	0.35	15
Methyl bromide (Bromo- methane)	74-83-9	0.11	15
4-Bromophenyl phenyl ether	101-55-3	0.055	15
n-Butyl alcohol	71-36-3	5.6	2.6
Butyl benzyl phthalate	85-68-7	0.017	28
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	88-85-7	0.066	2.5
Carbon disulfide	75-15-0	3.8	NA
Carbon tetrachloride	56-23-5	0.057	6.0
Chlordane (α and χ isomers)	57-74-9	0.0033	0.26
p-Chloroaniline	106-47-8	0.46	16
Chlorobenzene	108-90-7	0.057	6.0
Chlorobenzilate	510-15-6	0.10	NA
2-Chloro-1,3-butadiene	126-99-8	0.057	NA
Chlorodibromomethane	124-48-1	0.057	15
Chloroethane	75-00-3	0.27	6.0
bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2
bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
Chloroform	67-66-3	0.046	6.0
bis(2-Chloroisopropyl)ether	39638-32-9	0.055	7.2
p-Chloro-m-cresol	59-50-7	0.018	14
Chloromethane (Methyl chloride)	74-87-3	0.19	30
2-Chloronaphthalene	91-58-7	0.055	5.6
2-Chlorophenol	95-57-8	0.044	5.7
3-Chloropropylene	107-05-1	0.036	30
Chrysene	218-01-9	0.059	3.4
p-Cresidine	120-71-8	0.010	0.66
o-Cresol	95-48-7	0.11	5.6
m-Cresol (difficult to distinguish from p- cresol)	108-39-4	0.77	5.6
p-Cresol (difficult to distinguish from m- cresol)	106-44-5	0.77	5.6
Cyclohexanone	108-94-1	0.36	NA
1,2-Dibromo-3-chloropropane	96-12-8	0.11	15
Ethylene dibromide (1,2- Dibromoethane)	106-93-4	0.028	15
Dibromomethane	74-95-3	0.11	15
2,4-D (2,4-Dichlorophenoxy- acetic acid)	94-75-7	0.72	10

o,p'-DDD	53-19-0	0.023	0.087
p,p'-DDD	72-54-8	0.023	0.087
o,p'-DDE	3424-82-6	0.031	0.087
p,p'-DDE	72-55-9	0.031	0.087
o,p'-DDT	789-02-6	0.0039	0.087
p,p'-DDT	50-29-3	0.0039	0.087
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Dibenz(a,e)pyrene	192-65-4	0.061	NA
m-Dichlorobenzene	541-73-1	0.036	6.0
o-Dichlorobenzene	95-50-1	0.088	6.0
p-Dichlorobenzene	106-46-7	0.090	6.0
Dichlorodifluoromethane	75-71-8	0.23	7.2
1,1-Dichloroethane	75-34-3	0.059	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
1,1-Dichloroethylene	75-35-4	0.025	6.0
trans-1,2-Dichloroethylene	156-60-5	0.054	30
2,4-Dichlorophenol	120-83-2	0.044	14
2,6-Dichlorophenol	87-65-0	0.044	14
1,2-Dichloropropane	78-87-5	0.85	18
cis-1,3-Dichloropropylene	10061-01-5	0.036	18
trans-1,3-Dichloropropylene	10061-02-6	0.036	18
Dieldrin	60-57-1	0.017	0.13
2,4-Dimethylaniline (2,4-xylidine)	95-68-1	0.010	0.66
Diethyl phthalate	84-66-2	0.20	28
2,4-Dimethyl phenol	105-67-9	0.036	14
Dimethyl phthalate	131-11-3	0.047	28
Di-n-butyl phthalate	84-74-2	0.057	28
1,4-Dinitrobenzene	100-25-4	0.32	2.3
4,6-Dinitro-o-cresol	534-52-1	0.28	160
2,4-Dinitrophenol	51-28-5	0.12	160
2,4-Dinitrotoluene	121-14-2	0.32	140
2,6-Dinitrotoluene	606-20-2	0.55	28
Di-n-octyl phthalate	117-84-0	0.017	28
Di-n-propylnitrosamine	621-64-7	0.40	14
1,4-Dioxane	123-91-1	12.0	170
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	NA
Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	NA
1,2-Diphenylhydrazine	122-66-7	0.087	NA
Disulfoton	298-04-4	0.017	6.2
Endosulfan I	939-98-8	0.023	0.066

Endosulfan II	33213-6-5	0.029	0.13
Endosulfan sulfate	1031-07-8	0.029	0.13
Endrin	72-20-8	0.0028	0.13
Endrin aldehyde	7421-93-4	0.025	0.13
Ethyl acetate	141-78-6	0.34	33
Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360
Ethyl benzene	100-41-4	0.057	10
Ethyl ether	60-29-7	0.12	160
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
Ethyl methacrylate	97-63-2	0.14	160
Ethylene oxide	75-21-8	0.12	NA
Famphur	52-85-7	0.017	15
Fluoranthene	206-44-0	0.068	3.4
Fluorene	86-73-7	0.059	3.4
Heptachlor	76-44-8	0.0012	0.066
1,2,3,4,6,7,8-Heptachloro-dibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	35822-46-9	0.000035	0.0025
1,2,3,4,6,7,8-Heptachloro-dibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035	0.0025
1,2,3,4,7,8,9-Heptachloro-dibenzofuran (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035	0.0025
Heptachlor epoxide	1024-57-3	0.016	0.066
Hexachlorobenzene	118-74-1	0.055	10
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachlorocyclopentadiene	77-47-4	0.057	2.4
HxCDDs (All Hexachloro-dibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachloro-dibenzofurans)	55684-94-1	0.000063	0.001
Hexachloroethane	67-72-1	0.055	30
Hexachloropropylene	1888-71-7	0.035	30
Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4
Iodomethane	74-88-4	0.19	65
Isobutyl alcohol	78-83-1	5.6	170
Isodrin	465-73-6	0.021	0.066
Isosafrole	120-58-1	0.081	2.6
Kepone	143-50-8	0.0011	0.13
Methacrylonitrile	126-98-7	0.24	84
Methanol	67-56-1	5.6	NA
Methapyrilene	91-80-5	0.081	1.5
Methoxychlor	72-43-5	0.25	0.18
3-Methylcholanthrene	56-49-5	0.0055	15

4,4-Methylene bis(2-chloro-aniline)	101-14-4	0.50	30
Methylene chloride	75-09-2	0.089	30
Methyl ethyl ketone	78-93-3	0.28	36
Methyl isobutyl ketone	108-10-1	0.14	33
Methyl methacrylate	80-62-6	0.14	160
Methyl methansulfonate	66-27-3	0.018	NA
Methyl parathion	298-00-0	0.014	4.6
Naphthalene	91-20-3	0.059	5.6
2-Naphthylamine	91-59-8	0.52	NA
p-Nitroaniline	100-01-6	0.028	28
Nitrobenzene	98-95-3	0.068	14
5-Nitro-o-toluidine	99-55-8	0.32	28
p-Nitrophenol	100-02-7	0.12	29
N-Nitrosodiethylamine	55-18-5	0.40	28
N-Nitrosodimethylamine	62-75-9	0.40	NA
N-Nitroso-di-n-butylamine	924-16-3	0.40	17
N-Nitrosomethylethylamine	10595-95-6	0.40	2.3
N-Nitrosomorpholine	59-89-2	0.40	2.3
N-Nitrosopiperidine	100-75-4	0.013	35
N-Nitrosopyrrolidine	930-55-2	0.013	35
1,2,3,4,6,7,8,9-Octachloro-dibenzo-p-dioxin (1,2,3,4,6,7,8,9-OCDD)	3268-87-9	0.000063	0.0025
Parathion	56-38-2	0.014	4.6
Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.10	10
Pentachlorobenzene	608-93-5	0.055	10
PeCDDs (All Pentachloro-dibenzo-p-dioxins)	36088-22-9	0.000063	0.001
PeCDFs (All Pentachloro-dibenzofurans)	30402-15-4	0.000035	0.001
Pentachloronitrobenzene	82-68-8	0.055	4.8
Pentachlorophenol	87-86-5	0.089	7.4
Phenacetin	62-44-2	0.081	16
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
1,3-Phenylenediamine	108-45-2	0.010	0.66
Phorate	298-02-2	0.021	4.6
Phthalic anhydride	85-44-9	0.055	NA
Pronamide	23950-58-5	0.093	1.5
Pyrene	129-00-0	0.067	8.2
Pyridine	110-86-1	0.014	16
Safrole	94-59-7	0.081	22

Silvex (2,4,5-TP)	93-72-1	0.72	7.9
2,4,5-T	93-76-5	0.72	7.9
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
TCDDs (All Tetrachloro-dibenzo-p-dioxins)	41903-57-5	0.000063	0.001
TCDFs (All Tetrachlorodibenzo-furans)	55722-27-5	0.000063	0.001
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
Toluene	108-88-3	0.080	10
Toxaphene	8001-35-2	0.0095	2.6
Bromoform (Tribromomethane)	75-25-2	0.63	15
1,2,4-Trichlorobenzene	120-82-1	0.055	19
1,1,1-Trichloroethane	71-55-6	0.054	6.0
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0
Trichloromonofluoromethane	75-69-4	0.020	30
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
1,2,3-Trichloropropane	96-18-4	0.85	30
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30
tris(2,3-Dibromopropyl)phosphate	126-72-7	0.11	NA
Vinyl chloride	75-01-4	0.27	6.0
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Antimony	7440-36-0	1.9	1.15 mg/l TCLP
Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
Barium	7440-39-3	1.2	21 mg/l TCLP
Beryllium	7440-41-7	0.82	NA
Cadmium	7440-43-9	0.69	0.11 mg/l TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/l TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	NA
Fluoride	16964-48-8	35	NA
Lead	7439-92-1	0.69	0.75 mg/l TCLP
Mercury	7439-97-6	0.15	0.025 mg/l TCLP
Nickel	7440-02-0	3.98	11 mg/l TCLP
Selenium	7782-49-2	0.82	5.7 mg/l TCLP
Silver	7440-22-4	0.43	0.14 mg/l TCLP
Sulfide	8496-25-8	14	NA

Thallium	7440-28-0	1.4	NA
Vanadium	7440-62-2	4.3	NA

K001

Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote or pentachlorophenol.

Naphthalene	91-20-3	0.059	5.6
Pentachlorophenol	87-86-5	0.089	7.4
Phenanthrene	85-01-8	0.059	5.6
Pyrene	129-00-0	0.067	8.2
Toluene	108-88-3	0.080	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K002

Wastewater treatment sludge from the production of chrome yellow and orange pigments.

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K003

Wastewater treatment sludge from the production of molybdate orange pigments.

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K004

Wastewater treatment sludge from the production of zinc yellow pigments.

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K005

Wastewater treatment sludge from the production of chrome green pigments.

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590

K006

Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous).

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K006

Wastewater treatment sludge from the production of chrome oxide green pigments (hydrated).

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
------------------	-----------	------	----------------

Lead	7439-92-1	0.69	NA
K007			
Wastewater treatment sludge from the production of iron blue pigments.			
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
K008			
Oven residue from the production of chrome oxide green pigments.			
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
K009			
Distillation bottoms from the production of acetaldehyde from ethylene.			
Chloroform	67-66-3	0.046	6.0
K010			
Distillation side cuts from the production of acetaldehyde from ethylene.			
Chloroform	67-66-3	0.046	6.0
K011			
Bottom stream from the wastewater stripper in the production of acrylonitrile.			
Acetonitrile	75-05-8	5.6	38
Acrylonitrile	107-13-1	0.24	84
Acrylamide	79-06-1	19	23
Benzene	71-43-2	0.14	10
Cyanide (Total)	57-12-5	1.2	590
K013			
Bottom stream from the acetonitrile column in the production of acrylonitrile.			
Acetonitrile	75-05-8	5.6	38
Acrylonitrile	107-13-1	0.24	84
Acrylamide	79-06-1	19	23
Benzene	71-43-2	0.14	10
Cyanide (Total)	57-12-5	1.2	590
K014			
Bottoms from the acetonitrile purification column in the production of acrylonitrile.			
Acetonitrile	75-05-8	5.6	38
Acrylonitrile	107-13-1	0.24	84
Acrylamide	79-06-1	19	23
Benzene	71-43-2	0.14	10
Cyanide (Total)	57-12-5	1.2	590

K015

Still bottoms from the distillation of benzyl chloride.

Anthracene	120-12-7	0.059	3.4
Benzal chloride	98-87-3	0.055	6.0
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)-fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)-fluoranthene)	207-08-9	0.11	6.8
Phenanthrene	85-01-8	0.059	5.6
Toluene	108-88-3	0.080	10
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP

K016

Heavy ends or distillation residues from the production of carbon tetrachloride.

Hexachlorobenzene	118-74-1	0.055	10
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachlorocyclopentadiene	77-47-4	0.057	2.4
Hexachloroethane	67-72-1	0.055	30
Tetrachloroethylene	127-18-4	0.056	6.0

K017

Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin.

bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
1,2-Dichloropropane	78-87-5	0.85	18
1,2,3-Trichloropropane	96-18-4	0.85	30

K018

Heavy ends from the fractionation column in ethyl chloride production.

Chloroethane	75-00-3	0.27	6.0
Chloromethane	74-87-3	0.19	NA
1,1-Dichloroethane	75-34-3	0.059	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
Hexachlorobenzene	118-74-1	0.055	10
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachloroethane	67-72-1	0.055	30
Pentachloroethane	76-01-7	NA	6.0
1,1,1-Trichloroethane	71-55-6	0.054	6.0

K019

Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production.

bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
Chlorobenzene	108-90-7	0.057	6.0

Chloroform	67-66-3	0.046	6.0
p-Dichlorobenzene	106-46-7	0.090	NA
1,2-Dichloroethane	107-06-2	0.21	6.0
Fluorene	86-73-7	0.059	NA
Hexachloroethane	67-72-1	0.055	30
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	NA
Tetrachloroethylene	127-18-4	0.056	6.0
1,2,4-Trichlorobenzene	120-82-1	0.055	19
1,1,1-Trichloroethane	71-55-6	0.054	6.0

K020

Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production.

1,2-Dichloroethane	107-06-2	0.21	6.0
1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0

K021

Aqueous spent antimony catalyst waste from fluoromethanes production.

Carbon tetrachloride	56-23-5	0.057	6.0
Chloroform	67-66-3	0.046	6.0
Antimony	7440-36-0	1.9	1.15 mg/ℓ TCLP

K022

Distillation bottom tars from the production of phenol or acetone from cumene.

Toluene	108-88-3	0.080	10
Acetophenone	96-86-2	0.010	9.7
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
Phenol	108-95-2	0.039	6.2
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP

K023

Distillation light ends from the production of phthalic anhydride from naphthalene.

Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28
---	----------	-------	----

Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28
---	---------	-------	----

K024

Distillation bottoms from the production of phthalic anhydride from naphthalene.

Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28
---	----------	-------	----

Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28
---	---------	-------	----

K025

Distillation bottoms from the production of nitrobenzene by the nitration of benzene.

NA	NA	LLEXT fb SSTRP fb CARBN; or CMBST	CMBST
----	----	---	-------

K026

Stripping still tails from the production of methyl ethyl pyridines.

NA	NA	CMBST	CMBST
----	----	-------	-------

K027

Centrifuge and distillation residues from toluene diisocyanate production.

NA	NA	CARBN; or CMBST	CMBST
----	----	--------------------	-------

K028

Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane.

1,1-Dichloroethane	75-34-3	0.059	6.0
trans-1,2-Dichloroethylene	156-60-5	0.054	30
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachloroethane	67-72-1	0.055	30
Pentachloroethane	76-01-7	NA	6.0
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
1,1,1-Trichloroethane	71-55-6	0.054	6.0
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Cadmium	7440-43-9	0.69	NA
Chromium(Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP

K029

Waste from the product steam stripper in the production of 1,1,1-trichloroethane.

Chloroform	67-66-3	0.046	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
1,1-Dichloroethylene	75-35-4	0.025	6.0
1,1,1-Trichloroethane	71-55-6	0.054	6.0
Vinyl chloride	75-01-4	0.27	6.0

K030

Column bodies or heavy ends from the combined production of trichloroethylene and perchloroethylene.

o-Dichlorobenzene	95-50-1	0.088	NA
p-Dichlorobenzene	106-46-7	0.090	NA
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachloroethane	67-72-1	0.055	30
Hexachloropropylene	1888-71-7	NA	30
Pentachlorobenzene	608-93-5	NA	10
Pentachloroethane	76-01-7	NA	6.0
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
Tetrachloroethylene	127-18-4	0.056	6.0
1,2,4-Trichlorobenzene	120-82-1	0.055	19

K031

By-product salts generated in the production of MSMA and cacodylic acid.

Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
---------	-----------	-----	---------------

K032

Wastewater treatment sludge from the production of chlordane.

Hexachlorocyclopentadiene	77-47-4	0.057	2.4
Chlordane (α and γ isomers)	57-74-9	0.0033	0.26
Heptachlor	76-44-8	0.0012	0.066
Heptachlor epoxide	1024-57-3	0.016	0.066

K033

Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chlordane.

Hexachlorocyclopentadiene	77-47-4	0.057	2.4
---------------------------	---------	-------	-----

K034

Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane.

Hexachlorocyclopentadiene	77-47-4	0.057	2.4
---------------------------	---------	-------	-----

K035

Wastewater treatment sludges generated in the production of creosote.

Acenaphthene	83-32-9	NA	3.4
--------------	---------	----	-----

Anthracene	120-12-7	NA	3.4
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
Chrysene	218-01-9	0.059	3.4
o-Cresol	95-48-7	0.11	5.6
m-Cresol	108-39-4	0.77	5.6
(difficult to distinguish from p-cresol)			
p-Cresol	106-44-5	0.77	5.6
(difficult to distinguish from m-cresol)			
Dibenz(a,h)anthracene	53-70-3	NA	8.2
Fluoranthene	206-44-0	0.068	3.4
Fluorene	86-73-7	NA	3.4
Indeno(1,2,3-cd)pyrene	193-39-5	NA	3.4
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
Pyrene	129-00-0	0.067	8.2

K036

Still bottoms from toluene reclamation distillation in the production of disulfoton.

Disulfoton	298-04-4	0.017	6.2
------------	----------	-------	-----

K037

Wastewater treatment sludges from the production of disulfoton.

Disulfoton	298-04-4	0.017	6.2
Toluene	108-88-3	0.080	10

K038

Wastewater from the washing and stripping of phorate production.

Phorate	298-02-2	0.021	4.6
---------	----------	-------	-----

K039

Filter cake from the filtration of diethylphosphorodithioic acid in the production of phorate.

NA	NA	CARBN; or CMBST	CMBST
----	----	--------------------	-------

K040

Wastewater treatment sludge from the production of phorate.

Phorate	298-02-2	0.021	4.6
---------	----------	-------	-----

K041

Wastewater treatment sludge from the production of toxaphene.

Toxaphene	8001-35-2	0.0095	2.6
-----------	-----------	--------	-----

K042

Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T.

o-Dichlorobenzene	95-50-1	0.088	6.0
p-Dichlorobenzene	106-46-7	0.090	6.0
Pentachlorobenzene	608-93-5	0.055	10
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
1,2,4-Trichlorobenzene	120-82-1	0.055	19

K043

2,6-Dichlorophenol waste from the production of 2,4-D.

2,4-Dichlorophenol	120-83-2	0.044	14
2,6-Dichlorophenol	187-65-0	0.044	14
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
Pentachlorophenol	87-86-5	0.089	7.4
Tetrachloroethylene	127-18-4	0.056	6.0
HxCDDs (All Hexachloro-dibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachloro-dibenzofurans)	55684-94-1	0.000063	0.001
PeCDDs (All Pentachloro-dibenzo-p-dioxins)	36088-22-9	0.000063	0.001
PeCDFs (All Pentachloro-dibenzofurans)	30402-15-4	0.000035	0.001
TCDDs (All Tetrachloro-dibenzo-p-dioxins)	41903-57-5	0.000063	0.001
TCDFs (All Tetrachlorodibenzo-furans)	55722-27-5	0.000063	0.001

K044

Wastewater treatment sludges from the manufacturing and processing of explosives.

NA	NA	DEACT	DEACT
----	----	-------	-------

K045

Spent carbon from the treatment of wastewater containing explosives.

NA	NA	DEACT	DEACT
----	----	-------	-------

K046

Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds.

Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
------	-----------	------	----------------

K047

Pink or red water from TNT operations.

NA	NA	DEACT	DEACT
----	----	-------	-------

K048

Dissolved air flotation (DAF) float from the petroleum refining industry.

Benzene	71-43-2	0.14	10
Benzo(a)pyrene	50-32-8	0.061	3.4
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
Chrysene	218-01-9	0.059	3.4
Di-n-butyl phthalate	84-74-2	0.057	28
Ethylbenzene	100-41-4	0.057	10
Fluorene	86-73-7	0.059	NA
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
Pyrene	129-00-0	0.067	8.2
Toluene	108-88-33	0.080	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Chromium (Total)	7440-47-3	2.77	0.60 mg/l TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Lead	7439-92-1	0.69	NA
Nickel	7440-02-0	NA	11 mg/l TCLP

K049

Slop oil emulsion solids from the petroleum refining industry.

Anthracene	120-12-7	0.059	3.4
Benzene	71-43-2	0.14	10
Benzo(a)pyrene	50-32-8	0.061	3.4
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
Carbon disulfide	75-15-0	3.8	NA
Chrysene	2218-01-9	0.059	3.4
2,4-Dimethylphenol	105-67-9	0.036	NA
Ethylbenzene	100-41-4	0.057	10
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
Pyrene	129-00-0	0.067	8.2
Toluene	108-88-3	0.080	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Cyanides (Total) ⁷	57-12-5	1.2	590

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	NA
Nickel	7440-02-0	NA	11 mg/ℓ TCLP

K050

Heat exchanger bundle cleaning sludge from the petroleum refining industry.

Benzo(a)pyrene	50-32-8	0.061	3.4
Phenol	108-95-2	0.039	6.2
Cyanides (Total) ⁷	57-12-5	1.2	590
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	NA
Nickel	7440-02-0	NA	11 mg/ℓ TCLP

K051

API separator sludge from the petroleum refining industry.

Acenaphthene	83-32-9	0.059	NA
Anthracene	120-12-7	0.059	3.4
Benz(a)anthracene	56-55-3	0.059	3.4
Benzene	71-43-2	0.14	10
Benzo(a)pyrene	50-32-8	0.061	3.4
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
Chrysene	2218-01-9	0.059	3.4
Di-n-butyl phthalate	105-67-9	0.057	28
Ethylbenzene	100-41-4	0.057	10
Fluorene	86-73-7	0.059	NA
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
Pyrene	129-00-0	0.067	8.2
Toluene	108-88-3	0.08	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Cyanides (Total) ⁷	57-12-5	1.2	590
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	NA
Nickel	7440-02-0	NA	11 mg/ℓ TCLP

K052

Tank bottoms (leaded) from the petroleum refining industry.

Benzene	71-43-2	0.14	10
Benzo(a)pyrene	50-32-8	0.061	3.4
o-Cresol	95-48-7	0.11	5.6

m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
2,4-Dimethylphenol	105-67-9	0.036	NA
Ethylbenzene	100-41-4	0.057	10
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
Toluene	108-88-3	0.08	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Lead	7439-92-1	0.69	NA
Nickel	7440-02-0	NA	11 mg/ℓ TCLP

K060

Ammonia still lime sludge from coking operations.

Benzene	71-43-2	0.14	10
Benzo(a)pyrene	50-32-8	0.061	3.4
Naphthalene	91-20-3	0.059	5.6
Phenol	108-95-2	0.039	6.2
Cyanides (Total) ⁷	57-12-5	1.2	590

K061

Emission control dust or sludge from the primary production of steel in electric furnaces.

Antimony	7440-36-0	NA	1.15 mg/ℓ TCLP
Arsenic	7440-38-2	NA	5.0 mg/ℓ TCLP
Barium	7440-39-3	NA	21 mg/ℓ TCLP
Beryllium	7440-41-7	NA	1.22 mg/ℓ TCLP
Cadmium	7440-43-9	0.69	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Mercury	7439-97-6	NA	0.025 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Selenium	7782-49-2	NA	5.7 mg/ℓ TCLP
Silver	7440-22-4	NA	0.14 mg/ℓ TCLP
Thallium	7440-28-0	NA	0.20 mg/ℓ TCLP
Zinc	7440-66-6	NA	4.3 mg/ℓ TCLP

K062

Spent pickle liquor generated by steel finishing operations of facilities within the iron and steel industry (SIC Codes 331 and 332).

Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Nickel	7440-02-0	3.98	NA

K069

Emission control dust or sludge from secondary lead smelting - Calcium sulfate (Low Lead)

Subcategory.

Cadmium	7440-43-9	0.69	0.11 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K069

Emission control dust or sludge from secondary lead smelting - Non-Calcium sulfate (High Lead) Subcategory.

NA	NA	NA	RLEAD
----	----	----	-------

K071

K071 (Brine purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not used) nonwastewaters that are residues from RMERC.

Mercury	7439-97-6	NA	0.20 mg/ℓ TCLP
---------	-----------	----	----------------

K071

K071 (Brine purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not used) nonwastewaters that are not residues from RMERC.

Mercury	7439-97-6	NA	0.025 mg/ℓ TCLP
---------	-----------	----	-----------------

K071

All K071 wastewaters.

Mercury	7439-97-6	0.15	NA
---------	-----------	------	----

K073

Chlorinated hydrocarbon waste from the purification step of the diaphragm cell process using graphite anodes in chlorine production.

Carbon tetrachloride	56-23-5	0.057	6.0
Chloroform	67-66-3	0.046	6.0
Hexachloroethane	67-72-1	0.055	30
Tetrachloroethylene	127-18-4	0.056	6.0
1,1,1-Trichloroethane	71-55-6	0.054	6.0

K083

Distillation bottoms from aniline production.

Aniline	62-53-3	0.81	14
Benzene	71-43-2	0.14	10

Cyclohexanone	108-94-1	0.36	NA
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
Diphenylnitrosamine (difficult to distinguish from diphenyl- amine)	86-30-6	0.92	13
Nitrobenzene	98-95-3	0.068	14
Phenol	108-95-2	0.039	6.2
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP

K084

Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.

Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
---------	-----------	-----	---------------

K085

Distillation or fractionation column bottoms from the production of chlorobenzenes.

Benzene	71-43-2	0.14	10
Chlorobenzene	108-90-7	0.057	6.0
m-Dichlorobenzene	541-73-1	0.036	6.0
o-Dichlorobenzene	95-50-1	0.088	6.0
p-Dichlorobenzene	106-46-7	0.090	6.0
Hexachlorobenzene	118-74-1	0.055	10
Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.10	10
Pentachlorobenzene	608-93-5	0.055	10
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
1,2,4-Trichlorobenzene	120-82-1	0.055	19

K086

Solvent wastes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead.

Acetone	67-64-1	0.28	160
Acetophenone	96-86-2	0.010	9.7
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
n-Butyl alcohol	71-36-3	5.6	2.6
Butylbenzyl phthalate	85-68-7	0.017	28
Cyclohexanone	108-94-1	0.36	NA
o-Dichlorobenzene	95-50-1	0.088	6.0
Diethyl phthalate	84-66-2	0.20	28
Dimethyl phthalate	131-11-3	0.047	28
Di-n-butyl phthalate	84-74-2	0.057	28

Di-n-octyl phthalate	117-84-0	0.017	28
Ethyl acetate	141-78-6	0.34	33
Ethylbenzene	100-41-4	0.057	10
Methanol	67-56-1	5.6	NA
Methyl ethyl ketone	78-93-3	0.28	36
Methyl isobutyl ketone	108-10-1	0.14	33
Methylene chloride	75-09-2	0.089	30
Naphthalene	91-20-3	0.059	5.6
Nitrobenzene	98-95-3	0.068	14
Toluene	108-88-3	0.080	10
1,1,1-Trichloroethane	71-55-6	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Cyanides (Total) ⁷	57-12-5	1.2	590
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K087

Decanter tank tar sludge from coking operations.

Acenaphthylene	208-96-8	0.059	3.4
Benzene	71-43-2	0.14	10
Chrysene	218-01-9	0.059	3.4
Fluoranthene	206-44-0	0.068	3.4
Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	85-01-8	0.059	5.6
Toluene	108-88-3	0.080	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K088

Spent potliners from primary aluminum reduction.

Acenaphthene	83-32-9	0.059	3.4
Anthracene	120-12-7	0.059	3.4
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
Benzo(b)fluoranthene	205-99-2	0.11	6.8
Benzo(k)fluoranthene	207-08-9	0.11	6.8
Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2

Fluoranthene	206-44-0	0.068	3.4
Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
Phenanthrene	85-01-8	0.059	5.6
Pyrene	129-00-0	0.067	8.2
Antimony	7440-36-0	1.9	1.15 mg/ℓ TCLP
Arsenic	7440-38-2	1.4	26.1 mg/ℓ
Barium	7440-39-3	1.2	21 mg/ℓ TCLP
Beryllium	7440-41-7	0.82	1.22 mg/ℓ TCLP
Cadmium	7440-43-9	0.69	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Mercury	7439-97-6	0.15	0.025 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Selenium	7782-49-2	0.82	5.7 mg/ℓ TCLP
Silver	7440-22-4	0.43	0.14 mg/ℓ TCLP
Cyanide (Total) ⁷	57-12-5	1.2	590
Cyanide (Amenable) ⁷	57-12-5	0.86	30
Fluoride	16984-48-8	35	NA

K093

Distillation light ends from the production of phthalic anhydride from ortho-xylene.

Phthalic anhydride (measured as	100-21-0	0.055	28
Phthalic acid or Terephthalic acid)			
Phthalic anhydride (measured as	85-44-9	0.055	28
Phthalic acid or Terephthalic acid)			

K094

Distillation bottoms from the production of phthalic anhydride from ortho-xylene.

Phthalic anhydride (measured as	100-21-0	0.055	28
Phthalic acid or Terephthalic acid)			
Phthalic anhydride (measured as	85-44-9	0.055	28
Phthalic acid or Terephthalic acid)			

K095

Distillation bottoms from the production of 1,1,1-trichloroethane.

Hexachloroethane	67-72-1	0.055	30
Pentachloroethane	76-01-7	0.055	6.0
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
1,1,2-Trichloroethane	79-00-5	0.054	6.0

Trichloroethylene	79-01-6	0.054	6.0
-------------------	---------	-------	-----

K096

Heavy ends from the heavy ends column from the production of 1,1,1-trichloroethane.

m-Dichlorobenzene	541-73-1	0.036	6.0
Pentachloroethane	76-01-7	0.055	6.0
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
1,2,4-Trichlorobenzene	120-82-1	0.055	19
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0

K097

Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane.

Chlordane (α and χ isomers)	57-74-9	0.0033	0.26
Heptachlor	76-44-8	0.0012	0.066
Heptachlor epoxide	1024-57-3	0.016	0.066
Hexachlorocyclopentadiene	77-47-4	0.057	2.4

K098

Untreated process wastewater from the production of toxaphene.

Toxaphene	8001-35-2	0.0095	2.6
-----------	-----------	--------	-----

K099

Untreated wastewater from the production of 2,4-D.

2,4-Dichlorophenoxyacetic acid	94-75-7	0.72	10
HxCDDs (All Hexachloro-dibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachloro-dibenzofurans)	55684-94-1	0.000063	0.001
PeCDDs (All Pentachloro-dibenzo-p-dioxins)	36088-22-9	0.000063	0.001
PeCDFs (All Pentachloro-dibenzofurans)	30402-15-4	0.000035	0.001
TCDDs (All Tetrachloro-dibenzo-p-dioxins)	41903-57-5	0.000063	0.001
TCDFs (All Tetrachlorodibenzo-furans)	55722-27-5	0.000063	0.001

K100

Waste leaching solution from acid leaching of emission control dust or sludge from secondary lead smelting.

Cadmium	7440-43-9	0.69	0.11 mg/ℓ TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP

Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
------	-----------	------	----------------

K101

Distillation tar residues from the distillation of aniline-based compounds in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.

o-Nitroaniline	88-74-4	0.27	14
Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
Cadmium	7440-43-9	0.69	NA
Lead	7439-92-1	0.69	NA
Mercury	7439-97-6	0.15	NA

K102

Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.

o-Nitrophenol	88-75-5	0.028	13
Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
Cadmium	7440-43-9	0.69	NA
Lead	7439-92-1	0.69	NA
Mercury	7439-97-6	0.15	NA

K103

Process residues from aniline extraction from the production of aniline.

Aniline	62-53-3	0.81	14
Benzene	71-43-2	0.14	10
2,4-Dinitrophenol	51-28-5	0.12	160
Nitrobenzene	98-95-3	0.068	14
Phenol	108-95-2	0.039	6.2

K104

Combined wastewater streams generated from nitrobenzene or aniline production.

Aniline	62-53-3	0.81	14
Benzene	71-43-2	0.14	10
2,4-Dinitrophenol	51-28-5	0.12	160
Nitrobenzene	98-95-3	0.068	14
Phenol	108-95-2	0.039	6.2
Cyanides (Total) ⁷	57-12-5	1.2	590

K105

Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes.

Benzene	71-43-2	0.14	10
Chlorobenzene	108-90-7	0.057	6.0
2-Chlorophenol	95-57-8	0.044	5.7
o-Dichlorobenzene	95-50-1	0.088	6.0
p-Dichlorobenzene	106-46-7	0.090	6.0

Phenol	108-95-2	0.039	6.2
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4

K106

K106 (wastewater treatment sludge from the mercury cell process in chlorine production) nonwastewaters that contain greater than or equal to 260 mg/kg total mercury.

Mercury	7439-97-6	NA	RMERC
---------	-----------	----	-------

K106

K106 (wastewater treatment sludge from the mercury cell process in chlorine production) nonwastewaters that contain less than 260 mg/kg total mercury that are residues from RMERC.

Mercury	7439-97-6	NA	0.20 mg/l TCLP
---------	-----------	----	----------------

K106

Other K106 nonwastewaters that contain less than 260 mg/kg total mercury and are not residues from RMERC.

Mercury	7439-97-6	NA	0.025 mg/l TCLP
---------	-----------	----	-----------------

K106

All K106 wastewaters.

Mercury	7439-97-6	0.15	NA
---------	-----------	------	----

K107

Column bottoms from product separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.

NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
----	----	---	-------

K108

Condensed column overheads from product separation and condensed reactor vent gases from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.

NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
----	----	---	-------

K109

Spent filter cartridges from product purification from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.

NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
----	----	---	-------

K110

Condensed column overheads from intermediate separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.

NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
----	----	---	-------

K111

Product washwaters from the production of dinitrotoluene via nitration of toluene.

2,4-Dinitrotoluene	121-14-2	0.32	140
2,6-Dinitrotoluene	606-20-2	0.55	28

K112

Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene.

NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
----	----	---	-------

K113

Condensed liquid light ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.

NA	NA	CARBN; or CMBST	CMBST
----	----	--------------------	-------

K114

Vicinals from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.

NA	NA	CARBN; or CMBST	CMBST
----	----	--------------------	-------

K115

Heavy ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.

Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
NA	NA	CARBN; or CMBST	CMBST

K116

Organic condensate from the solvent recovery column in the production of toluene diisocyanate via phosgenation of toluenediamine.

NA	NA	CARBN; or CMBST	CMBST
----	----	--------------------	-------

K117

Wastewater from the reactor vent gas scrubber in the production of ethylene dibromide via bromination of ethene.

Methyl bromide (Bromo-methane)	74-83-9	0.11	15
Chloroform	67-66-3	0.046	6.0
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15

K118

Spent absorbent solids from purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.

Methyl bromide (Bromo-methane)	74-83-9	0.11	15
Chloroform	67-66-3	0.046	6.0
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15

K123

Process wastewater (including supernates, filtrates, and washwaters) from the production of ethylenebisdithiocarbamic acid and its salts.

NA	NA	CMBST; or CHOXD fb (BIODG or CARBN)	CMBST
----	----	--	-------

K124

Reactor vent scrubber water from the production of ethylenebisdithiocarbamic acid and its salts.

NA	NA	CMBST; or CHOXD fb (BIODG or CARBN)	CMBST
----	----	--	-------

K125

Filtration, evaporation, and centrifugation solids from the production of ethylenebisdithiocarbamic acid and its salts.

NA	NA	CMBST; or CHOXD fb (BIODG or CARBN)	CMBST
----	----	--	-------

K126

Baghouse dust and floor sweepings in milling and packaging operations from the production or formulation of ethylenebisdithiocarbamic acid and its salts.

NA	NA	CMBST; or CHOXD fb (BIODG or CARBN)	CMBST
----	----	--	-------

K131

Wastewater from the reactor and spent sulfuric acid from the acid dryer from the production of methyl bromide.

Methyl bromide (Bromo-methane)	74-83-9	0.11	15
--------------------------------	---------	------	----

K132

Spent absorbent and wastewater separator solids from the production of methyl bromide.

Methyl bromide (Bromo-methane)	74-83-9	0.11	15
--------------------------------	---------	------	----

K136

Still bottoms from the purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.

Methyl bromide (Bromo-methane)	74-83-9	0.11	15
Chloroform	67-66-3	0.046	6.0
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15

K141

Process residues from the recovery of coal tar, including, but not limited to, collecting sump residues from the production of coke or the recovery of coke by-products produced from coal. This listing does not include K087 (decanter tank tar sludge from coking operations).

Benzene	71-43-2	0.14	10
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-2-8	0.061	3.4

Benzo(b)fluoranthene (difficult to distinguish from benzo(k)-fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)-fluoranthene)	207-08-9	0.11	6.8
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4

K142

Tar storage tank residues from the production of coke from coal or from the recovery of coke by-products produced from coal.

Benzene	71-43-2	0.14	10
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)-fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)-fluoranthene)	207-08-9	0.11	6.8
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4

K143

Process residues from the recovery of light oil, including, but not limited to, those generated in stills, decanters, and wash oil recovery units from the recovery of coke by-products produced from coal.

Benzene	71-43-2	0.14	10
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)-fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)-fluoranthene)	207-08-9	0.11	6.8
Chrysene	218-01-9	0.059	3.4

K144

Wastewater sump residues from light oil refining, including, but not limited to, intercepting or contamination sump sludges from the recovery of coke by-products produced from coal.

Benzene	71-43-2	0.14	10
---------	---------	------	----

Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)-fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)-fluoranthene)	207-08-9	0.11	6.8
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2

K145

Residues from naphthalene collection and recovery operations from the recovery of coke by-products produced from coal.

Benzene	71-43-2	0.14	10
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Naphthalene	91-20-3	0.059	5.6

K147

Tar storage tank residues from coal tar refining.

Benzene	71-43-2	0.14	10
Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)-fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)-fluoranthene)	207-08-9	0.11	6.8
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4

K148

Residues from coal tar distillation, including, but not limited to, still bottoms.

Benz(a)anthracene	56-55-3	0.059	3.4
Benzo(a)pyrene	50-32-8	0.061	3.4
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)-fluoranthene)	205-99-2	0.11	6.8

Benzo(k)fluoranthene (difficult to distinguish from benzo(b)-fluoranthene)	207-08-9	0.11	6.8
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4

K149

Distillation bottoms from the production of α - (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups. (This waste does not include still bottoms from the distillations of benzyl chloride.)

Chlorobenzene	108-90-7	0.057	6.0
Chloroform	67-66-3	0.046	6.0
Chloromethane	74-87-3	0.19	30
p-Dichlorobenzene	106-46-7	0.090	6.0
Hexachlorobenzene	118-74-1	0.055	10
Pentachlorobenzene	608-93-5	0.055	10
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
Toluene	108-88-3	0.080	10

K150

Organic residuals, excluding spent carbon adsorbent, from the spent chlorine gas and hydrochloric acid recovery processes associated with the production of α - (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups.

Carbon tetrachloride	56-23-5	0.057	6.0
Chloroform	67-66-3	0.046	6.0
Chloromethane	74-87-3	0.19	30
p-Dichlorobenzene	106-46-7	0.090	6.0
Hexachlorobenzene	118-74-1	0.055	10
Pentachlorobenzene	608-93-5	0.055	10
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
1,1,2,2- Tetrachloroethane	79-34-5	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
1,2,4-Trichlorobenzene	120-82-1	0.055	19

K151

Wastewater treatment sludges, excluding neutralization and biological sludges, generated during the treatment of wastewaters from the production of α - (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups.

Benzene	71-43-2	0.14	10
Carbon tetrachloride	56-23-5	0.057	6.0
Chloroform	67-66-3	0.046	6.0
Hexachlorobenzene	118-74-1	0.055	10

Pentachlorobenzene	608-93-5	0.055	10
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
Tetrachloroethylene	127-18-4	0.056	6.0
Toluene	108-88-3	0.080	10

K156

Organic waste (including heavy ends, still bottoms, light ends, spent solvents, filtrates, and decantates) from the production of carbamates and carbamoyl oximes. ~~(This listing does not apply to wastes generated from the manufacture of 3-iodo-2-propynyl n-butylcarbamate.)~~

Acetonitrile	75-05-8	5.6	1.8
Acetophenone	98-86-2	0.010	9.7
Aniline	62-53-3	0.81	14
Benomyl ¹⁰	17804-35-2	0.056; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.4; or CMBST
Benzene	71-43-2	0.14	10
Carbaryl ¹⁰	63-25-21	0.006; or CMBST, <u>CHOXD, BIODG</u> or CARBN	0.14; or CMBST
Carbenzadim ¹⁰	10605-21-7	0.056; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.4; or CMBST
Carbofuran ¹⁰	1563-66-2	0.006; or CMBST, <u>CHOXD, BIODG</u> or CARBN	0.14; or CMBST
Carbosulfan ¹⁰	55285-14-8	0.028; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.4; or CMBST
Chlorobenzene	108-90-7	0.057	6.0
Chloroform	67-66-3	0.046	6.0
o-Dichlorobenzene	95-50-1	0.088	6.0
Methomyl ¹⁰	16752-77-5	0.028; or CMBST, <u>CHOXD, BIODG</u> or CARBN	0.14; or CMBST
Methylene chloride	75-09-2	0.089	30
Methyl ethyl ketone	78-93-3	0.28	36
Naphthalene	91-20-3	0.059	5.6
Phenol	108-95-2	0.039	6.2
Pyridine	110-86-1	0.014	16
Toluene	108-88-3	0.080	10
Triethylamine	121-44-8	0.081; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.5; or CMBST

K157

Wastewaters (including scrubber waters, condenser waters, washwaters, and separation waters) from the production of carbamates and carbamoyl oximes. ~~(This listing does not apply to wastes generated from the manufacture of 3-iodo-2-propynyl n-butylcarbamate.)~~

Carbon tetrachloride	56-23-5	0.057	6.0
Chloroform	67-66-3	0.046	6.0
Chloromethane	74-87-3	0.19	30
Methomyl ¹⁰	16752-77-5	0.028; or CMBST, <u>CHOXD, BIODG</u> or CARBN	0.14; or CMBST
Methylene chloride	75-09-2	0.089	30
Methyl ethyl ketone	78-93-3	0.28	36
Pyridine	110-86-1	0.014	16
Triethylamine	121-44-8	0.081; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.5; or CMBST

K158

Baghouse dusts and filter/separation solids from the production of carbamates and carbamoyl oximes. ~~(This listing does not apply to wastes generated from the manufacture of 3-iodo-2-propynyl n-butylcarbamate.)~~

Benomyl	17804-35-2	0.056	1.4
Benzene	71-43-2	0.14	10
Carbenzadim ¹⁰	10605-21-7	0.056; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.4; or CMBST
Carbofuran ¹⁰	1563-66-2	0.006; or CMBST, <u>CHOXD, BIODG</u> or CARBN	0.14; or CMBST
Carbosulfan ¹⁰	55285-14-8	0.028; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.4; or CMBST
Chloroform	67-66-3	0.046	6.0
Methylene chloride	75-09-2	0.089	30
Phenol	108-95-2	0.039	6.2

K159

Organics from the treatment of thiocarbamate wastes.¹⁰

Benzene	71-43-2	0.14	10
Butylate ¹⁰	2008-41-5	0.042; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.4; or CMBST
EPTC (Eptam) ¹⁰	759-94-4	0.042; or CMBST, <u>CHOXD, BIODG</u> or CARBN	1.4; or CMBST

Molinate ¹⁰	2212-67-1	0.042; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; <u>or CMBST</u>
Pebulate ¹⁰	1114-71-2	0.042; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; <u>or CMBST</u>
Vernolate ¹⁰	1929-77-7	0.042; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; <u>or CMBST</u>

K161

Purification solids (including filtration, evaporation, and centrifugation solids), baghouse dust, and floor sweepings from the production of dithiocarbamate acids and their salts.

Antimony	7440-36-0	1.9	1.15 ¹¹
Arsenic	7440-38-2	1.4	5.0 ¹¹
Carbon disulfide	75-15-0	3.8	4.8 ¹¹
Dithiocarbamates (total) ¹⁰	137-30-4	0.028; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	28; <u>or CMBST</u>
Lead	7439-92-1	0.69	0.75 ¹¹
Nickel	7440-02-0	3.98	11 ¹¹
Selenium	7782-49-2	0.82	5.7 ¹¹

K169

Crude oil tank sediment from petroleum refining operations.

Benz(a)anthracene	56-55-3	0.059	3.4
Benzene	71-43-2	0.14	10
Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
Chrysene	218-01-9	0.059	3.4
Ethyl benzene	100-41-4	0.057	10
Fluorene	86-73-7	0.059	3.4
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	81-05-8	0.059	5.6
Pyrene	129-00-0	0.067	8.2
Toluene (Methyl Benzene)	108-88-3	0.080	10
Xylenes (Total)	1330-20-7	0.32	30

K170

Clarified slurry oil sediment from petroleum refining operations.

Benz(a)anthracene	56-55-3	0.059	3.4
Benzene	71-43-2	0.14	10
Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
Chrysene	218-01-9	0.059	3.4
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Ethyl benzene	100-41-4	0.057	10

Fluorene	86-73-7	0.059	3.4
Indeno(1,2,3,-cd)pyrene	193-39-5	0.0055	3.4
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	81-05-8	0.059	5.6
Pyrene	129-00-0	0.067	8.2
Toluene (Methyl Benzene)	108-88-3	0.080	10
Xylenes (Total)	1330-20-7	0.32	30

K171

Spent hydrotreating catalyst from petroleum refining operations, including guard beds used to desulfurize feeds to other catalytic reactors. (This listing does not include inert support media.)

Benz(a)anthracene	56-55-3	0.059	3.4
Benzene	71-43-2	0.14	10
Chrysene	218-01-9	0.059	3.4
Ethyl benzene	100-41-4	0.057	10
Naphthalene	91-20-3	0.059	5.6
Phenanthrene	81-05-8	0.059	5.6
Pyrene	129-00-0	0.067	8.2
Toluene (Methyl Benzene)	108-88-3	0.080	10
Xylenes (Total)	1330-20-7	0.32	30
Arsenic	7740-38-2	1.4	5 mg/l TCLP
Nickel	7440-02-0	3.98	11.0 mg/l TCLP
Vanadium	7440-62-2	4.3	1.6 mg/l TCLP
Reactive sulfides	NA	DEACT	DEACT

K172

Spent hydrorefining catalyst from petroleum refining operations, including guard beds used to desulfurize feeds to other catalytic reactors. (This listing does not include inert support media.)

Benzene	71-43-2	0.14	10
Ethyl benzene	100-41-4	0.057	10
Toluene (Methyl Benzene)	108-88-3	0.080	10
Xylenes (Total)	1330-20-7	0.32	30
Antimony	7740-36-0	1.9	1.15 mg/l TCLP
Arsenic	7740-38-2	1.4	5 mg/l TCLP
Nickel	7440-02-0	3.98	11.0 mg/l TCLP
Vanadium	7440-62-2	4.3	1.6 mg/l TCLP
Reactive Sulfides	NA	DEACT	DEACT

K174

Wastewater treatment sludge from the production of ethylene dichloride or vinyl chloride monomer.

1,2,3,4,6,7,8-Heptachloro-dibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	35822-46-9	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
--	------------	---------------------------------	-------------------------------

1,2,3,4,6,7,8-Heptachloro-dibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
1,2,3,4,7,8,9-Heptachloro-dibenzofuran (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
All hexachlorodibenzo-p-dioxins (HxCDDs)	34465-46-8	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
All hexachlorodibenzofurans (HxCDFs)	55684-94-1	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
1,2,3,4,6,7,8,9-Octachloro-dibenzo-p-dioxin (1,2,3,4,6,7,8,9-OCDD)	3268-87-9	0.000063 or CMBST ¹¹	0.005 or CMBST ¹¹
1,2,3,4,6,7,8,9-Octachloro-dibenzofuran (1,2,3,4,6,7,8,9-OCDF)	39001-02-0	0.000063 or CMBST ¹¹	0.005 or CMBST ¹¹
All pentachlorodibenzo-p-dioxins (PeCDDs)	36088-22-9	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
All pentachlorodibenzofurans (PeCDFs)	30402-15-4	0.000035 or CMBST ¹¹	0.001 or CMBST ¹¹
All tetrachlorodibenzo-p-dioxins (TCDDs)	41903-57-5	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
All tetrachlorodibenzofurans (TCDFs)	55722-27-5	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
Arsenic	7440-36-0	1.4	5.0 mg/ℓ TCLP

K175

Wastewater treatment sludge from the production of vinyl chloride monomer using mercuric chloride catalyst in an acetylene-based process.

Mercury ¹²	7439-97-6	NA	0.025 mg/ℓ TCLP
pH ¹²		NA	pH≤6.0

K175

All K175 wastewaters.

Mercury	7439-97-6	0.15	NA
---------	-----------	------	----

K176

Baghouse filters from the production of antimony oxide, including filters from the production of intermediates e.g., antimony metal or crude antimony oxide).

Antimony	7440-36-0	1.9	1.15 mg/ℓ TCLP
Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
Cadmium	7440-43-9	0.69	0.11 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Mercury	7439-97-6	0.15	0.025 mg/ℓ TCLP

K177

Slag from the production of antimony oxide that is speculatively accumulated or disposed, including slag from the production of intermediates (e.g., antimony metal or crude antimony oxide).

Antimony	7440-36-0	1.9	1.15 mg/ℓ TCLP
Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

K178

Residues from manufacturing and manufacturing-site storage of ferric chloride from acids formed during the production of titanium dioxide using the chloride-ilmenite process.

1,2,3,4,6,7,8-Heptachloro-dibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	35822-46-9	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
1,2,3,4,6,7,8-Heptachloro-dibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
1,2,3,4,7,8,9-Heptachloro-dibenzofuran (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035 or CMBST ¹¹	0.0025 or CMBST ¹¹
HxCDDs (All Hexachloro-dibenzo-p-dioxins)	34465-46-8	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
HxCDFs (All Hexachloro-dibenzofurans)	55684-94-1	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
1,2,3,4,6,7,8,9-Octachloro-dibenzo-p-dioxin (1,2,3,4,6,7,8,9-OCDD)	3268-87-9	0.000063 or CMBST ¹¹	0.005 or CMBST ¹¹
1,2,3,4,6,7,8,9-Octachloro-dibenzofuran (OCDF)	39001-02-0	0.000063 or CMBST ¹¹	0.005 or CMBST ¹¹
PeCDDs (All Pentachloro-dibenzo-p-dioxins)	36088-22-9	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
PeCDFs (All Pentachloro-dibenzofurans)	30402-15-4	0.000035 or CMBST ¹¹	0.001 or CMBST ¹¹
TCDDs (All Tetrachloro-dibenzo-p-dioxins)	41903-57-5	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
TCDFs (All Tetrachlorodibenzofurans)	55722-27-5	0.000063 or CMBST ¹¹	0.001 or CMBST ¹¹
Thallium	7440-28-0	1.4	0.20 mg/ℓ TCLP

K181

Nonwastewaters from the production of dyes or pigments (including nonwastewaters commingled at the point of generation with nonwastewaters from other processes) that, at the point of generation, contain mass loadings of any of the constituents identified in Section 721.132(c) which are equal to or greater than the corresponding Section 721.132(c) levels, as determined on a calendar-year basis.

Aniline	62-53-3	0.81	14
o-Anisidine (2-methoxyaniline)	90-04-0	0.010	0.66
4-Chloroaniline	106-47-8	0.46	16
p-Cresidine	120-71-8	0.010	0.66
2,4-Dimethylaniline (2,4-xylidine)	95-68-1	0.010	0.66
1,2-Phenylenediamine	95-54-5	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN
1,3-Phenylenediamine	108-45-2	0.010	0.66
P001			
Warfarin, & salts, when present at concentrations greater than 0.3 percent.			
Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P002			
1-Acetyl-2-thiourea.			
1-Acetyl-2-thiourea	591-08-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P003			
Acrolein.			
Acrolein	107-02-8	0.29	CMBST
P004			
Aldrin.			
Aldrin	309-00-2	0.021	0.066
P005			
Allyl alcohol.			
Allyl alcohol	107-18-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

P006 Aluminum phosphide. Aluminum phosphide	20859-73-8	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
P007 5-Aminomethyl-3-isoxazolol. 5-Aminomethyl-3-isoxazolol	2763-96-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P008 4-Aminopyridine. 4-Aminopyridine	504-24-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P009 Ammonium picrate. Ammonium picrate	131-74-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P010 Arsenic acid. Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
P011 Arsenic pentoxide. Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
P012 Arsenic trioxide. Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
P013 Barium cyanide. Barium Cyanides (Total) ⁷ Cyanides (Amenable) ⁷	7440-39-3 57-12-5 57-12-5	NA 1.2 0.86	21 mg/ℓ TCLP 590 30

P014			
Thiophenol (Benzene thiol).			
Thiophenol (Benzene thiol)	108-98-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P015			
Beryllium dust.			
Beryllium	7440-41-7	RMETL;or RTHRM	RMETL; or RTHRM
P016			
Dichloromethyl ether (Bis(chloromethyl)ether).			
Dichloromethyl ether	542-88-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P017			
Bromoacetone.			
Bromoacetone	598-31-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P018			
Brucine.			
Brucine	357-57-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P020			
2-sec-Butyl-4,6-dinitrophenol (Dinoseb).			
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	88-85-7	0.066	2.5
P021			
Calcium cyanide.			
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30

P022			
Carbon disulfide.			
Carbon disulfide	75-15-0	3.8	CMBST
Carbon disulfide; alternate ⁶ standard for nonwastewaters only	75-15-0	NA	4.8 mg/ℓ TCLP
P023			
Chloroacetaldehyde.			
Chloroacetaldehyde	107-20-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P024			
p-Chloroaniline.			
p-Chloroaniline	106-47-8	0.46	16
P026			
1-(o-Chlorophenyl)thiourea.			
1-(o-Chlorophenyl)thiourea	5344-82-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P027			
3-Chloropropionitrile.			
3-Chloropropionitrile	542-76-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P028			
Benzyl chloride.			
Benzyl chloride	100-44-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P029			
Copper cyanide.			
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30

P030			
Cyanides (soluble salts and complexes).			
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30
P031			
Cyanogen.			
Cyanogen	460-19-5	CHOXD; WETOX; or CMBST	CHOXD; WETOX; or CMBST
P033			
Cyanogen chloride.			
Cyanogen chloride	506-77-4	CHOXD; WETOX; or CMBST	CHOXD; WETOX; or CMBST
P034			
2-Cyclohexyl-4,6-dinitrophenol.			
2-Cyclohexyl-4,6-dinitrophenol	131-89-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P036			
Dichlorophenylarsine.			
Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
P037			
Dieldrin.			
Dieldrin	60-57-1	0.017	0.13
P038			
Diethylarsine.			
Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
P039			
Disulfoton.			
Disulfoton	298-04-4	0.017	6.2
P040			
O,O-Diethyl-O-pyrazinyl-phosphorothioate.			
O,O-Diethyl-O-pyrazinyl-phosphorothioate	297-97-2	CARBN; or CMBST	CMBST

P041 Diethyl-p-nitrophenyl phosphate. Diethyl-p-nitrophenyl phosphate	311-45-5	CARBN; or CMBST	CMBST
P042 Epinephrine. Epinephrine	51-43-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P043 Diisopropylfluorophosphate (DFP). Diisopropylfluorophosphate (DFP)	55-91-4	CARBN; or CMBST	CMBST
P044 Dimethoate. Dimethoate	60-51-5	CARBN; or CMBST	CMBST
P045 Thiofanox. Thiofanox	39196-18-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P046 α,α -Dimethylphenethylamine. α,α -Dimethylphenethylamine	122-09-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P047 4,6-Dinitro-o-cresol. 4,6-Dinitro-o-cresol	543-52-1	0.28	160

P047 4,6-Dinitro-o-cresol salts. NA	NA	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P048 2,4-Dinitrophenol. 2,4-Dinitrophenol	51-28-5	0.12	160
P049 Dithiobiuret. Dithiobiuret	541-53-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P050 Endosulfan. Endosulfan I Endosulfan II Endosulfan sulfate	939-98-8 33213-6-5 1031-07-8	0.023 0.029 0.029	0.066 0.13 0.13
P051 Endrin. Endrin Endrin aldehyde	72-20-8 7421-93-4	0.0028 0.025	0.13 0.13
P054 Aziridine. Aziridine	151-56-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P056 Fluorine. Fluoride (measured in wastewaters only)	16964-48-8	35	ADGAS fb NEUTR

P057			
Fluoroacetamide.			
Fluoroacetamide	640-19-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P058			
Fluoroacetic acid, sodium salt.			
Fluoroacetic acid, sodium salt	62-74-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P059			
Heptachlor.			
Heptachlor	76-44-8	0.0012	0.066
Heptachlor epoxide	1024-57-3	0.016	0.066
P060			
Isodrin.			
Isodrin	465-73-6	0.021	0.066
P062			
Hexaethyl tetraphosphate.			
Hexaethyl tetraphosphate	757-58-4	CARBN; or CMBST	CMBST
P063			
Hydrogen cyanide.			
Cyanides (Total) ⁷	57-12-5	1.2	590
Cyanides (Amenable) ⁷	57-12-5	0.86	30
P064			
Isocyanic acid, ethyl ester.			
Isocyanic acid, ethyl ester	624-83-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P065			
P065 (mercury fulminate) nonwastewaters, regardless of their total mercury content, that are not incinerator residues or are not residues from RMERC.			
Mercury	7439-97-6	NA	IMERC

P065

P065 (mercury fulminate) nonwastewaters that are either incinerator residues or are residues from RMERC; and contain greater than or equal to 260 mg/kg total mercury.

Mercury	7339-97-6	NA	RMERC
---------	-----------	----	-------

P065

P065 (mercury fulminate) nonwastewaters that are residues from RMERC and contain less than 260 mg/kg total mercury.

Mercury	7439-97-6	NA	0.20 mg/ℓ TCLP
---------	-----------	----	----------------

P065

P065 (mercury fulminate) nonwastewaters that are incinerator residues and contain less than 260 mg/kg total mercury.

Mercury	7439-97-6	NA	0.025 mg/ℓ TCLP
---------	-----------	----	-----------------

P065

All P065 (mercury fulminate) wastewaters.

Mercury	7439-97-6	0.15	NA
---------	-----------	------	----

P066

Methomyl.

Methomyl	16752-77-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
----------	------------	--	-------

P067

2-Methyl-aziridine.

2-Methyl-aziridine	75-55-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
--------------------	---------	--	-------

P068

Methyl hydrazine.

Methyl hydrazine	60-34-4	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED, or CMBST
------------------	---------	--	---------------------------

P069

2-Methylactonitrile.

2-Methylactonitrile	75-86-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
---------------------	---------	--	-------

P070 Aldicarb. Aldicarb	116-06-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P071 Methyl parathion. Methyl parathion	298-00-0	0.014	4.6
P072 1-Naphthyl-2-thiourea. 1-Naphthyl-2-thiourea	86-88-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P073 Nickel carbonyl. Nickel	7440-02-0	3.98	11 mg/l TCLP
P074 Nickel cyanide. Cyanides (Total) ⁷ Cyanides (Amenable) ⁷ Nickel	57-12-5 57-12-5 7440-02-0	1.2 0.86 3.98	590 30 11 mg/l TCLP
P075 Nicotine and salts. Nicotine and salts	54-11-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P076 Nitric oxide. Nitric oxide	10102-43-9	ADGAS	ADGAS
P077 p-Nitroaniline. p-Nitroaniline	100-01-6	0.028	28

P078 Nitrogen dioxide. Nitrogen dioxide	10102-44-0	ADGAS	ADGAS
P081 Nitroglycerin. Nitroglycerin	55-63-0	CHOXD; CHRED; CARBN; BIODG or CMBST	CHOXD; CHRED; or CMBST
P082 N-Nitrosodimethylamine. N-Nitrosodimethylamine	62-75-9	0.40	2.3
P084 N-Nitrosomethylvinylamine. N-Nitrosomethylvinylamine	4549-40-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P085 Octamethylpyrophosphoramid. Octamethylpyrophosphoramid	152-16-9	CARBN; or CMBST	CMBST
P087 Osmium tetroxide. Osmium tetroxide	20816-12-0	RMETL; or RTHRM	RMETL; or RTHRM
P088 Endothall. Endothall	145-73-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P089 Parathion. Parathion	56-38-2	0.014	4.6

P092

P092 (phenyl mercuric acetate) nonwastewaters, regardless of their total mercury content, that are not incinerator residues or are not residues from RMERC.

Mercury	7439-97-6	NA	IMERC; or RMERC
---------	-----------	----	--------------------

P092

P092 (phenyl mercuric acetate) nonwastewaters that are either incinerator residues or are residues from RMERC; and still contain greater than or equal to 260 mg/kg total mercury.

Mercury	7439-97-6	NA	RMERC
---------	-----------	----	-------

P092

P092 (phenyl mercuric acetate) nonwastewaters that are residues from RMERC and contain less than 260 mg/kg total mercury.

Mercury	7439-97-6	NA	0.20 mg/ℓ TCLP
---------	-----------	----	----------------

P092

P092 (phenyl mercuric acetate) nonwastewaters that are incinerator residues and contain less than 260 mg/kg total mercury.

Mercury	7439-97-6	NA	0.025 mg/ℓ TCLP
---------	-----------	----	-----------------

P092

All P092 (phenyl mercuric acetate) wastewaters.

Mercury	7439-97-6	0.15	NA
---------	-----------	------	----

P093

Phenylthiourea.

Phenylthiourea	103-85-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
----------------	----------	--	-------

P094

Phorate.

Phorate	298-02-2	0.021	4.6
---------	----------	-------	-----

P095

Phosgene.

Phosgene	75-44-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
----------	---------	--	-------

P096 Phosphine. Phosphine	7803-51-2	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
P097 Famphur. Famphur	52-85-7	0.017	15
P098 Potassium cyanide. Cyanides (Total) ⁷ Cyanides (Amenable) ⁷	57-12-5 57-12-5	1.2 0.86	590 30
P099 Potassium silver cyanide. Cyanides (Total) ⁷ Cyanides (Amenable) ⁷ Silver	57-12-5 57-12-5 7440-22-4	1.2 0.86 0.43	590 30 0.14 mg/ℓ TCLP
P101 Ethyl cyanide (Propanenitrile). Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360
P102 Propargyl alcohol. Propargyl alcohol	107-19-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P103 Selenourea. Selenium	7782-49-2	0.82	5.7 mg/ℓ TCLP
P104 Silver cyanide. Cyanides (Total) ⁷ Cyanides (Amenable) ⁷ Silver	57-12-5 57-12-5 7440-22-4	1.2 0.86 0.43	590 30 0.14 mg/ℓ TCLP

P105 Sodium azide. Sodium azide	26628-22-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P106 Sodium cyanide. Cyanides (Total) ⁷ Cyanides (Amenable) ⁷	57-12-5 57-12-5	1.2 0.86	590 30
P108 Strychnine and salts. Strychnine and salts	57-24-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P109 Tetraethyldithiopyrophosphate. Tetraethyldithiopyrophosphate	3689-24-5	CARBN; or CMBST	CMBST
P110 Tetraethyl lead. Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
P111 Tetraethylpyrophosphate. Tetraethylpyrophosphate	107-49-3	CARBN; or CMBST	CMBST
P112 Tetranitromethane. Tetranitromethane	509-14-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P113 Thallic oxide. Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL

P114 Thallium selenite. Selenium	7782-49-2	0.82	5.7 mg/ℓ TCLP
P115 Thallium (I) sulfate. Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
P116 Thiosemicarbazide. Thiosemicarbazide	79-19-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P118 Trichloromethanethiol. Trichloromethanethiol	75-70-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P119 Ammonium vanadate. Vanadium (measured in wastewaters only)	7440-62-2	4.3	STABL
P120 Vanadium pentoxide. Vanadium (measured in wastewaters only)	7440-62-2	4.3	STABL
P121 Zinc cyanide. Cyanides (Total) ⁷ Cyanides (Amenable) ⁷	57-12-5 57-12-5	1.2 0.86	590 30
P122 Zinc phosphide Zn ₃ P ₂ , when present at concentrations greater than 10 percent. Zinc Phosphide	1314-84-7	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST

P123 Toxaphene. Toxaphene	8001-35-2	0.0095	2.6
P127 Carbofuran. ¹⁰ Carbofuran	1563-66-2	0.006; or <u>CMBST, CHOXD, BIODG or CARBN</u>	0.14; or <u>CMBST</u>
P128 Mexacarbate. ¹⁰ Mexacarbate	315-18-4	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
P185 Tirpate. ¹⁰ Tirpate	26419-73-8	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	0.28; or <u>CMBST</u>
P188 Physostigmine salicylate. ¹⁰ Physostigmine salicylate	57-64-7	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
P189 Carbosulfan. ¹⁰ Carbosulfan	55285-14-8	0.028; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
P190 Metolcarb. ¹⁰ Metolcarb	1129-41-5	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
P191 Dimetilan. ¹⁰ Dimetilan	644-64-4	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>

P192 Isolan. ¹⁰ Isolan	119-38-0	0.056; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; <u>or CMBST</u>
P194 Oxamyl. ¹⁰ Oxamyl	23135-22-0	0.056; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	0.28; <u>or CMBST</u>
P196 Manganese dimethyldithiocarbamates (total). ¹⁰ Dithiocarbamates (total)	NA	0.028; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	28; <u>or CMBST</u>
P197 Formparanate. ¹⁰ Formparanate	17702-57-7	0.056; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; <u>or CMBST</u>
P198 Formetanate hydrochloride. ¹⁰ Formetanate hydrochloride	23422-53-9	0.056; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; <u>or CMBST</u>
P199 Methiocarb. ¹⁰ Methiocarb	2032-65-7	0.056; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; <u>or CMBST</u>
P201 Promecarb. ¹⁰ Promecarb	2631-37-0	0.056; <u>or CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; <u>or CMBST</u>

P202 m-Cumenyl methylcarbamate. ¹⁰ m-Cumenyl methylcarbamate	64-00-6	0.056; or <u>CMBST,</u> <u>CHOXD, BIODG</u> or <u>CARBN</u>	1.4; or <u>CMBST</u>
P203 Aldicarb sulfone. ¹⁰ Aldicarb sulfone	1646-88-4	0.056; or <u>CMBST,</u> <u>CHOXD, BIODG</u> or <u>CARBN</u>	0.28; or <u>CMBST</u>
P204 Physostigmine. ¹⁰ Physostigmine	57-47-6	0.056; or <u>CMBST,</u> <u>CHOXD, BIODG</u> or <u>CARBN</u>	1.4; or <u>CMBST</u>
P205 Ziram. ¹⁰ Dithiocarbamates (total)	NA	0.028; or <u>CMBST,</u> <u>CHOXD, BIODG</u> or <u>CARBN</u>	28; or <u>CMBST</u>
U001 Acetaldehyde. Acetaldehyde	75-07-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U002 Acetone. Acetone	67-64-1	0.28	160
U003 Acetonitrile. Acetonitrile Acetonitrile; alternate ⁶ standard for nonwastewaters only	75-05-8 75-05-8	5.6 NA	CMBST 38
U004 Acetophenone. Acetophenone	98-86-2	0.010	9.7

U005 2-Acetylaminofluorene. 2-Acetylaminofluorene	53-96-3	0.059	140
U006 Acetyl chloride. Acetyl chloride	75-36-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U007 Acrylamide. Acrylamide	79-06-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U008 Acrylic acid. Acrylic acid	79-10-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U009 Acrylonitrile. Acrylonitrile	107-13-1	0.24	84
U010 Mitomycin C. Mitomycin C	50-07-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U011 Amitrole. Amitrole	61-82-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

U012 Aniline. Aniline	62-53-3	0.81	14
U014 Auramine. Auramine	492-80-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U015 Azaserine. Azaserine	115-02-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U016 Benz(c)acridine. Benz(c)acridine	225-51-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U017 Benzal chloride. Benzal chloride	98-87-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U018 Benz(a)anthracene. Benz(a)anthracene	56-55-3	0.059	3.4
U019 Benzene. Benzene	71-43-2	0.14	10

U020 Benzenesulfonyl chloride. Benzenesulfonyl chloride	98-09-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U021 Benzidine. Benzidine	92-87-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U022 Benzo(a)pyrene. Benzo(a)pyrene	50-32-8	0.061	3.4
U023 Benzotrichloride. Benzotrichloride	98-07-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U024 bis(2-Chloroethoxy)methane. bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2
U025 bis(2-Chloroethyl)ether. bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
U026 Chlornaphazine. Chlornaphazine	494-03-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U027 bis(2-Chloroisopropyl)ether. bis(2-Chloroisopropyl)ether	39638-32-9	0.055	7.2

U028				
bis(2-Ethylhexyl)phthalate.				
bis(2-Ethylhexyl)phthalate	117-81-7	0.28	28	
U029				
Methyl bromide (Bromomethane).				
Methyl bromide (Bromo- methane)	74-83-9	0.11	15	
U030				
4-Bromophenyl phenyl ether.				
4-Bromophenyl phenyl ether	101-55-3	0.055	15	
U031				
n-Butyl alcohol.				
n-Butyl alcohol	71-36-3	5.6	2.6	
U032				
Calcium chromate.				
Chromium (Total)	7440-47-3	2.77	0.60 mg/ℓ TCLP	
U033				
Carbon oxyfluoride.				
Carbon oxyfluoride	353-50-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U034				
Trichloroacetaldehyde (Chloral).				
Trichloroacetaldehyde (Chloral)	75-87-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U035				
Chlorambucil.				
Chlorambucil	305-03-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U036				
Chlordane.				
Chlordane (α and χ isomers)	57-74-9	0.0033	0.26	

U037				
Chlorobenzene.				
Chlorobenzene	108-90-7	0.057		6.0
U038				
Chlorobenzilate.				
Chlorobenzilate	510-15-6	0.10		CMBST
U039				
p-Chloro-m-cresol.				
p-Chloro-m-cresol	59-50-7	0.018		14
U041				
Epichlorohydrin (1-Chloro-2,3-epoxypropane).				
Epichlorohydrin (1-Chloro-2,3-epoxypropane)	106-89-8	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U042				
2-Chloroethyl vinyl ether.				
2-Chloroethyl vinyl ether	110-75-8	0.062		CMBST
U043				
Vinyl chloride.				
Vinyl chloride	75-01-4	0.27		6.0
U044				
Chloroform.				
Chloroform	67-66-3	0.046		6.0
U045				
Chloromethane (Methyl chloride).				
Chloromethane (Methyl chloride)	74-87-3	0.19		30
U046				
Chloromethyl methyl ether.				
Chloromethyl methyl ether	107-30-2	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST

U047			
2-Chloronaphthalene.			
2-Chloronaphthalene	91-58-7	0.055	5.6
U048			
2-Chlorophenol.			
2-Chlorophenol	95-57-8	0.044	5.7
U049			
4-Chloro-o-toluidine hydrochloride.			
4-Chloro-o-toluidine hydrochloride	3165-93-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U050			
Chrysene.			
Chrysene	218-01-9	0.059	3.4
U051			
Creosote.			
Naphthalene	91-20-3	0.059	5.6
Pentachlorophenol	87-86-5	0.089	7.4
Phenanthrene	85-01-8	0.059	5.6
Pyrene	129-00-0	0.067	8.2
Toluene	108-88-3	0.080	10
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
U052			
Cresols (Cresylic acid).			
o-Cresol	95-48-7	0.11	5.6
m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
Cresol-mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88	11.2

U053 Crotonaldehyde. Crotonaldehyde	4170-30-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U055 Cumene. Cumene	98-82-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U056 Cyclohexane. Cyclohexane	110-82-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U057 Cyclohexanone. Cyclohexanone	108-94-1	0.36	CMBST
Cyclohexanone; alternate ⁶ standard for nonwastewaters only	108-94-1	NA	0.75 mg/ℓ TCLP
U058 Cyclophosphamide. Cyclophosphamide	50-18-0	CARBN; or CMBST	CMBST
U059 Daunomycin. Daunomycin	20830-81-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U060 DDD. o,p'-DDD	53-19-0	0.023	0.087
p,p'-DDD	72-54-8	0.023	0.087

U061			
DDT.			
o,p'-DDT	789-02-6	0.0039	0.087
p,p'-DDT	50-29-3	0.0039	0.087
o,p'-DDD	53-19-0	0.023	0.087
p,p'-DDD	72-54-8	0.023	0.087
o,p'-DDE	3424-82-6	0.031	0.087
p,p'-DDE	72-55-9	0.031	0.087
U062			
Diallate.			
Diallate	2303-16-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U063			
Dibenz(a,h)anthracene.			
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
U064			
Dibenz(a,i)pyrene.			
Dibenz(a,i)pyrene	189-55-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U066			
1,2-Dibromo-3-chloropropane.			
1,2-Dibromo-3-chloropropane	96-12-8	0.11	15
U067			
Ethylene dibromide (1,2-Dibromoethane).			
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
U068			
Dibromomethane.			
Dibromomethane	74-95-3	0.11	15
U069			
Di-n-butyl phthalate.			
Di-n-butyl phthalate	84-74-2	0.057	28

U070			
o-Dichlorobenzene. o-Dichlorobenzene	95-50-1	0.088	6.0
U071			
m-Dichlorobenzene. m-Dichlorobenzene	541-73-1	0.036	6.0
U072			
p-Dichlorobenzene. p-Dichlorobenzene	106-46-7	0.090	6.0
U073			
3,3'-Dichlorobenzidine. 3,3'-Dichlorobenzidine	91-94-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U074			
1,4-Dichloro-2-butene. cis-1,4-Dichloro-2-butene	1476-11-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
trans-1,4-Dichloro-2-butene	764-41-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U075			
Dichlorodifluoromethane. Dichlorodifluoromethane	75-71-8	0.23	7.2
U076			
1,1-Dichloroethane. 1,1-Dichloroethane	75-34-3	0.059	6.0
U077			
1,2-Dichloroethane. 1,2-Dichloroethane	107-06-2	0.21	6.0
U078			
1,1-Dichloroethylene. 1,1-Dichloroethylene	75-35-4	0.025	6.0

U079			
1,2-Dichloroethylene. trans-1,2-Dichloroethylene	156-60-5	0.054	30
U080			
Methylene chloride. Methylene chloride	75-09-2	0.089	30
U081			
2,4-Dichlorophenol. 2,4-Dichlorophenol	120-83-2	0.044	14
U082			
2,6-Dichlorophenol. 2,6-Dichlorophenol	87-65-0	0.044	14
U083			
1,2-Dichloropropane. 1,2-Dichloropropane	78-87-5	0.85	18
U084			
1,3-Dichloropropylene. cis-1,3-Dichloropropylene	10061-01-5	0.036	18
trans-1,3-Dichloropropylene	10061-02-6	0.036	18
U085			
1,2:3,4-Diepoxybutane. 1,2:3,4-Diepoxybutane	1464-53-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U086			
N,N'-Diethylhydrazine. N,N'-Diethylhydrazine	1615-80-1	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U087			
O,O-Diethyl-S-methyldithiophosphate. O,O-Diethyl-S-methyldithio- phosphate	3288-58-2	CARBN; or CMBST	CMBST

U088 Diethyl phthalate. Diethyl phthalate	84-66-2	0.20	28
U089 Diethyl stilbestrol. Diethyl stilbestrol	56-53-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U090 Dihydrosafrole. Dihydrosafrole	94-58-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U091 3,3'-Dimethoxybenzidine. 3,3'-Dimethoxybenzidine	119-90-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U092 Dimethylamine. Dimethylamine	124-40-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U093 p-Dimethylaminoazobenzene. p-Dimethylaminoazobenzene	60-11-7	0.13	CMBST
U094 7,12-Dimethylbenz(a)anthracene. 7,12-Dimethylbenz(a)anthracene	57-97-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

U095 3,3'-Dimethylbenzidine. 3,3'-Dimethylbenzidine	119-93-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U096 α , α -Dimethyl benzyl hydroperoxide. α , α -Dimethyl benzyl hydro- peroxide	80-15-9	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U097 Dimethylcarbamoyl chloride. Dimethylcarbamoyl chloride	79-44-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U098 1,1-Dimethylhydrazine. 1,1-Dimethylhydrazine	57-14-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U099 1,2-Dimethylhydrazine. 1,2-Dimethylhydrazine	540-73-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U101 2,4-Dimethylphenol. 2,4-Dimethylphenol	105-67-9	0.036	14
U102 Dimethyl phthalate. Dimethyl phthalate	131-11-3	0.047	28
U103 Dimethyl sulfate. Dimethyl sulfate	77-78-1	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST

U105 2,4-Dinitrotoluene. 2,4-Dinitrotoluene	121-14-2	0.32	140
U106 2,6-Dinitrotoluene. 2,6-Dinitrotoluene	606-20-2	0.55	28
U107 Di-n-octyl phthalate. Di-n-octyl phthalate	117-84-0	0.017	28
U108 1,4-Dioxane. 1,4-Dioxane	123-91-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
1,4-Dioxane; alternate ⁶ standard for nonwastewaters only	123-91-1	12.0	170
U109 1,2-Diphenylhydrazine. 1,2-Diphenylhydrazine	122-66-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
1,2-Diphenylhydrazine; alternate ⁶ standard for wastewaters only	122-66-7	0.087	NA
U110 Dipropylamine. Dipropylamine	142-84-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U111 Di-n-propylnitrosamine. Di-n-propylnitrosamine	621-64-7	0.40	14
U112 Ethyl acetate. Ethyl acetate	141-78-6	0.34	33

U113 Ethyl acrylate. Ethyl acrylate	140-88-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U114 Ethylenebisdithiocarbamic acid salts and esters. Ethylenebisdithiocarbamic acid	111-54-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U115 Ethylene oxide. Ethylene oxide	75-21-8	(WETOX or CHOXD) fb CARBN; or CMBST	CHOXD; or CMBST
Ethylene oxide; alternate ⁶ standard for wastewaters only	75-21-8	0.12	NA
U116 Ethylene thiourea. Ethylene thiourea	96-45-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U117 Ethyl ether. Ethyl ether	60-29-7	0.12	160
U118 Ethyl methacrylate. Ethyl methacrylate	97-63-2	0.14	160
U119 Ethyl methane sulfonate. Ethyl methane sulfonate	62-50-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

U120 Fluoranthene. Fluoranthene	206-44-0	0.068	3.4
U121 Trichloromonofluoromethane. Trichloromonofluoromethane	75-69-4	0.020	30
U122 Formaldehyde. Formaldehyde	50-00-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U123 Formic acid. Formic acid	64-18-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U124 Furan. Furan	110-00-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U125 Furfural. Furfural	98-01-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U126 Glycidylaldehyde. Glycidylaldehyde	765-34-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

U127			
Hexachlorobenzene. Hexachlorobenzene	118-74-1	0.055	10
U128			
Hexachlorobutadiene. Hexachlorobutadiene	87-68-3	0.055	5.6
U129			
Lindane. α -BHC	319-84-6	0.00014	0.066
β -BHC	319-85-7	0.00014	0.066
δ -BHC	319-86-8	0.023	0.066
γ -BHC (Lindane)	58-89-9	0.0017	0.066
U130			
Hexachlorocyclopentadiene. Hexachlorocyclopentadiene	77-47-4	0.057	2.4
U131			
Hexachloroethane. Hexachloroethane	67-72-1	0.055	30
U132			
Hexachlorophene. Hexachlorophene	70-30-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U133			
Hydrazine. Hydrazine	302-01-2	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U134			
Hydrogen fluoride. Fluoride (measured in wastewaters only)	7664-39-3	35	ADGAS fb NEUTR; or NEUTR

U135 Hydrogen sulfide. Hydrogen sulfide	7783-06-4	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
U136 Cacodylic acid. Arsenic	7440-38-2	1.4	5.0 mg/ℓ TCLP
U137 Indeno(1,2,3-cd)pyrene. Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
U138 Iodomethane. Iodomethane	74-88-4	0.19	65
U140 Isobutyl alcohol. Isobutyl alcohol	78-83-1	5.6	170
U141 Isosafrole. Isosafrole	120-58-1	0.081	2.6
U142 Kepone. Kepone	143-50-8	0.0011	0.13
U143 Lasiocarpine. Lasiocarpine	303-34-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U144 Lead acetate. Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
U145 Lead phosphate. Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP

U146 Lead subacetate. Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
U147 Maleic anhydride. Maleic anhydride	108-31-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U148 Maleic hydrazide. Maleic hydrazide	123-33-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U149 Malononitrile. Malononitrile	109-77-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U150 Melphalan. Melphalan	148-82-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U151 U151 (mercury) nonwastewaters that contain greater than or equal to 260 mg/kg total mercury. Mercury	7439-97-6	NA	RMERC
U151 U151 (mercury) nonwastewaters that contain less than 260 mg/kg total mercury and that are residues from RMERC only. Mercury	7439-97-6	NA	0.20 mg/ℓ TCLP
U151 U151 (mercury) nonwastewaters that contain less than 260 mg/kg total mercury and that are not residues from RMERC only. Mercury	7439-97-6	NA	0.025 mg/ℓ TCLP

U151 All U151 (mercury) wastewater. Mercury	7439-97-6	0.15	NA
U151 Elemental Mercury Contaminated with Radioactive Materials. Mercury	7439-97-6	NA	AMLGM
U152 Methacrylonitrile. Methacrylonitrile	126-98-7	0.24	84
U153 Methanethiol. Methanethiol	74-93-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U154 Methanol. Methanol	67-56-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
Methanol; alternate ⁶ set of standards for both wastewaters and nonwastewaters	67-56-1	5.6	0.75 mg/ℓ TCLP
U155 Methapyrilene. Methapyrilene	91-80-5	0.081	1.5
U156 Methyl chlorocarbonate. Methyl chlorocarbonate	79-22-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U157 3-Methylcholanthrene. 3-Methylcholanthrene	56-49-5	0.0055	15

U158				
4,4'-Methylene bis(2-chloroaniline).				
4,4'-Methylene bis(2-chloro-aniline)	101-14-4	0.50		30
U159				
Methyl ethyl ketone.				
Methyl ethyl ketone	78-93-3	0.28		36
U160				
Methyl ethyl ketone peroxide.				
Methyl ethyl ketone peroxide	1338-23-4	CHOXD; CHRED; CARBN; BIODG; or CMBST		CHOXD; CHRED; or CMBST
U161				
Methyl isobutyl ketone.				
Methyl isobutyl ketone	108-10-1	0.14		33
U162				
Methyl methacrylate.				
Methyl methacrylate	80-62-6	0.14		160
U163				
N-Methyl-N'-nitro-N-nitrosoguanidine.				
N-Methyl-N'-nitro-N-nitroso-guanidine	70-25-7	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U164				
Methylthiouracil.				
Methylthiouracil	56-04-2	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U165				
Naphthalene.				
Naphthalene	91-20-3	0.059		5.6

U166 1,4-Naphthoquinone. 1,4-Naphthoquinone	130-15-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U167 1-Naphthylamine. 1-Naphthylamine	134-32-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U168 2-Naphthylamine. 2-Naphthylamine	91-59-8	0.52	CMBST
U169 Nitrobenzene. Nitrobenzene	98-95-3	0.068	14
U170 p-Nitrophenol. p-Nitrophenol	100-02-7	0.12	29
U171 2-Nitropropane. 2-Nitropropane	79-46-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U172 N-Nitrosodi-n-butylamine. N-Nitrosodi-n-butylamine	924-16-3	0.40	17
U173 N-Nitrosodiethanolamine. N-Nitrosodiethanolamine	1116-54-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

U174				
N-Nitrosodiethylamine.				
N-Nitrosodiethylamine	55-18-5	0.40		28
U176				
N-Nitroso-N-ethylurea.				
N-Nitroso-N-ethylurea	759-73-9	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U177				
N-Nitroso-N-methylurea.				
N-Nitroso-N-methylurea	684-93-5	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U178				
N-Nitroso-N-methylurethane.				
N-Nitroso-N-methylurethane	615-53-2	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U179				
N-Nitrosopiperidine.				
N-Nitrosopiperidine	100-75-4	0.013		35
U180				
N-Nitrosopyrrolidine.				
N-Nitrosopyrrolidine	930-55-2	0.013		35
U181				
5-Nitro-o-toluidine.				
5-Nitro-o-toluidine	99-55-8	0.32		28
U182				
Paraldehyde.				
Paraldehyde	123-63-7	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST

U183 Pentachlorobenzene. Pentachlorobenzene	608-93-5	0.055	10
U184 Pentachloroethane. Pentachloroethane	76-01-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
Pentachloroethane; alternate ⁶ standards for both wastewaters and nonwastewaters	76-01-7	0.055	6.0
U185 Pentachloronitrobenzene. Pentachloronitrobenzene	82-68-8	0.055	4.8
U186 1,3-Pentadiene. 1,3-Pentadiene	504-60-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U187 Phenacetin. Phenacetin	62-44-2	0.081	16
U188 Phenol. Phenol	108-95-2	0.039	6.2
U189 Phosphorus sulfide. Phosphorus sulfide	1314-80-3	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
U190 Phthalic anhydride. Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28

Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28
U191 2-Picoline. 2-Picoline	109-06-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U192 Pronamide. Pronamide	23950-58-5	0.093	1.5
U193 1,3-Propane sultone. 1,3-Propane sultone	1120-71-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U194 n-Propylamine. n-Propylamine	107-10-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U196 Pyridine. Pyridine	110-86-1	0.014	16
U197 p-Benzoquinone. p-Benzoquinone	106-51-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

U200 Reserpine. Reserpine	50-55-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U201 Resorcinol. Resorcinol-	108-46-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U203 Safrole. Safrole	94-59-7	0.081	22
U204 Selenium dioxide. Selenium	7782-49-2	0.82	5.7 mg/ℓ TCLP
U205 Selenium sulfide. Selenium	7782-49-2	0.82	5.7 mg/ℓ TCLP
U206 Streptozotocin. Streptozotocin	18883-66-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U207 1,2,4,5-Tetrachlorobenzene. 1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
U208 1,1,1,2-Tetrachloroethane. 1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
U209 1,1,2,2-Tetrachloroethane. 1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0

U210 Tetrachloroethylene. Tetrachloroethylene	127-18-4	0.056	6.0
U211 Carbon tetrachloride. Carbon tetrachloride	56-23-5	0.057	6.0
U213 Tetrahydrofuran. Tetrahydrofuran	109-99-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U214 Thallium (I) acetate. Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U215 Thallium (I) carbonate. Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U216 Thallium (I) chloride. Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U217 Thallium (I) nitrate. Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U218 Thioacetamide. Thioacetamide	62-55-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

U219 Thiourea. Thiourea	62-56-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U220 Toluene. Toluene	108-88-3	0.080	10
U221 Toluenediamine. Toluenediamine	25376-45-8	CARBN; or CMBST	CMBST
U222 o-Toluidine hydrochloride. o-Toluidine hydrochloride	636-21-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U223 Toluene diisocyanate. Toluene diisocyanate	26471-62-5	CARBN; or CMBST	CMBST
U225 Bromoform (Tribromomethane). Bromoform (Tribromomethane)	75-25-2	0.63	15
U226 1,1,1-Trichloroethane. 1,1,1-Trichloroethane	71-55-6	0.054	6.0
U227 1,1,2-Trichloroethane. 1,1,2-Trichloroethane	79-00-5	0.054	6.0
U228 Trichloroethylene. Trichloroethylene	79-01-6	0.054	6.0

U234				
1,3,5-Trinitrobenzene.				
1,3,5-Trinitrobenzene	99-35-4	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U235				
tris-(2,3-Dibromopropyl)-phosphate.				
tris-(2,3-Dibromopropyl)- phosphate	126-72-7	0.11		0.10
U236				
Trypan Blue.				
Trypan Blue	72-57-1	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U237				
Uracil mustard.				
Uracil mustard	66-75-1	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U238				
Urethane (Ethyl carbamate).				
Urethane (Ethyl carbamate)	51-79-6	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
U239				
Xylenes.				
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32		30
U240				
2,4-D (2,4-Dichlorophenoxyacetic acid).				
2,4-D (2,4-Dichloro- phenoxyacetic acid)	94-75-7	0.72		10

2,4-D (2,4-Dichloro- phenoxyacetic acid) salts and esters	NA	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U243 Hexachloropropylene. Hexachloropropylene	1888-71-7	0.035	30
U244 Thiram. Thiram	137-26-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U246 Cyanogen bromide. Cyanogen bromide	506-68-3	CHOXD; WETOX; or CMBST	CHOXD; WETOX; or CMBST
U247 Methoxychlor. Methoxychlor	72-43-5	0.25	0.18
U248 Warfarin, & salts, when present at concentrations of 0.3 percent or less. Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U249 Zinc phosphide, Zn_3P_2 , when present at concentrations of 10 percent or less. Zinc Phosphide	1314-84-7	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
U271 Benomyl. ¹⁰ Benomyl	17804-35-2	0.056; or <u>CMBST,</u> <u>CHOXD, BIODG</u> <u>or CARBN</u>	1.4; or <u>CMBST</u>

U278 Bendiocarb. ¹⁰ Bendiocarb	22781-23-3	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
U279 Carbaryl. ¹⁰ Carbaryl	63-25-2	0.006; or <u>CMBST, CHOXD, BIODG or CARBN</u>	0.14; or <u>CMBST</u>
U280 Barban. ¹⁰ Barban	101-27-9	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
U328 o-Toluidine. o-Toluidine	95-53-4	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN	CMBST
U353 p-Toluidine. p-Toluidine	106-49-0	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN	CMBST
U359 2-Ethoxyethanol. 2-Ethoxyethanol	110-80-5	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN	CMBST

U364 Bendiocarb phenol. ¹⁰ Bendiocarb phenol	22961-82-6	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
U367 Carbofuran phenol. ¹⁰ Carbofuran phenol	1563-38-8	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
U372 Carbendazim. ¹⁰ Carbendazim	10605-21-7	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
U373 Propham. ¹⁰ Propham	122-42-9	0.056; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
U387 Prosulfocarb. ¹⁰ Prosulfocarb	52888-80-9	0.042; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
U389 Triallate. ¹⁰ Triallate	2303-17-5	0.042; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>
U394 A2213. ¹⁰ A2213	30558-43-1	0.042; or <u>CMBST, CHOXD, BIODG or CARBN</u>	1.4; or <u>CMBST</u>

U395 Diethylene glycol, dicarbamate. ¹⁰ Diethylene glycol, dicarbamate	5952-26-1	0.056; or <u>CMBST, CHOXD, BIODG</u> or <u>CARBN</u>	1.4; or <u>CMBST</u>
U404 Triethylamine. ¹⁰ Triethylamine	101-44-8	0.081; or <u>CMBST, CHOXD, BIODG</u> or <u>CARBN</u>	1.5; or <u>CMBST</u>
U409 Thiophanate-methyl. ¹⁰ Thiophanate-methyl	23564-05-8	0.056; or <u>CMBST, CHOXD, BIODG</u> or <u>CARBN</u>	1.4; or <u>CMBST</u>
U410 Thiodicarb. ¹⁰ Thiodicarb	59669-26-0	0.019; or <u>CMBST, CHOXD, BIODG</u> or <u>CARBN</u>	1.4; or <u>CMBST</u>
U411 Propoxur. ¹⁰ Propoxur	114-26-1	0.056; or <u>CMBST, CHOXD, BIODG</u> or <u>CARBN</u>	1.4; or <u>CMBST</u>

Notes:

- 1 The waste descriptions provided in this table do not replace waste descriptions in 35 Ill. Adm. Code 721. Descriptions of Treatment or Regulatory Subcategories are provided, as needed, to distinguish between applicability of different standards.
- 2 CAS means Chemical Abstract Services. When the waste code or regulated constituents are described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.
- 3 Concentration standards for wastewaters are expressed in mg/ℓ and are based on analysis of composite samples.
- 4 All treatment standards expressed as a Technology Code or combination of Technology Codes are explained in detail in Table C of this Part, "Technology Codes and

Descriptions of Technology-Based Standards.” “fb” inserted between waste codes denotes “followed by,” so that the first-listed treatment is followed by the second-listed treatment. A semicolon (;) separates alternative treatment schemes.

- 5 Except for Metals (EP or TCLP) and Cyanides (Total and Amenable), the nonwastewater treatment standards expressed as a concentration were established, in part, based on incineration in units operated in accordance with the technical requirements of Subpart O of 35 Ill. Adm. Code 724 or Subpart O of 35 Ill. Adm. Code 725 or based on combustion in fuel substitution units operating in accordance with applicable technical requirements. A facility may comply with these treatment standards according to provisions in Section 728.140(d). All concentration standards for nonwastewaters are based on analysis of grab samples.
- 6 Where an alternate treatment standard or set of alternate standards has been indicated, a facility may comply with this alternate standard, but only for the Treatment or Regulatory Subcategory or physical form (i.e., wastewater or nonwastewater) specified for that alternate standard.
- 7 Both Cyanides (Total) and Cyanides (Amenable) for nonwastewaters are to be analyzed using Method 9010C or 9012B, in “Test Methods for Evaluating Solid Waste, Physical or Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a), with a sample size of 10 grams and a distillation time of one hour and 15 minutes.
- 8 These wastes, when rendered non-hazardous and then subsequently managed in CWA or CWA-equivalent systems, are not subject to treatment standards. (See Section 728.101(c)(3) and (c)(4).)
- 9 These wastes, when rendered non-hazardous and then subsequently injected in a Class I SDWA well, are not subject to treatment standards. (See 35 Ill. Adm. Code 738.101(d).)
- 10 The treatment standard for this waste may be satisfied by either meeting the constituent concentrations in the table in this Section or by treating the waste by the specified technologies: combustion, as defined by the technology code CMBST at Table C₇ for nonwastewaters; and biodegradation, as defined by the technology code BIODG; carbon adsorption, as defined by the technology code CARBN; chemical oxidation, as defined by the technology code CHOXD; or combustion, as defined as technology code CMBST, at Table C, for wastewaters.
- 11 For these wastes, the definition of CMBST is limited to any of the following that have obtained a determination of equivalent treatment under Section 728.142(b): (1) combustion units operating under 35 Ill. Adm. Code 726, (2) combustion units permitted under Subpart O of 35 Ill. Adm. Code 724, or (3) combustion units operating under Subpart O of 35 Ill. Adm. Code 725.

12 Disposal of USEPA hazardous waste number K175 waste that has complied with all applicable Section 728.140 treatment standards must also be macroencapsulated in accordance with Table F of this Part, unless the waste is placed in either of the following types of facilities:

- a) A RCRA Subtitle C monofill containing only K175 wastes that meet all applicable 40 CFR 268.40 treatment standards; or
- b) A dedicated RCRA Subtitle C landfill cell in which all other wastes being co-disposed are at $\text{pH} \leq 6.0$.

BOARD NOTE: Derived from table to 40 CFR 268.40-(2010) (2011).

NA means not applicable.

(Source: Amended at 36 Ill. Reg. _____, effective _____)

Section ~~728~~ 728.TABLE U Universal Treatment Standards (UTS)

Regulated Constituent- Common Name	CAS ¹ No.	Wastewater Standard Concentration ² (in mg/ℓ)	Nonwastewater Standard Concentration ³ (in mg/kg unless noted as “mg/ℓ TCLP”)
Acenaphthylene	208-96-8	0.059	3.4
Acenaphthene	83-32-9	0.059	3.4
Acetone	67-64-1	0.28	160
Acetonitrile	75-05-8	5.6	38
Acetophenone	96-86-2	0.010	9.7
2-Acetylaminofluorene	53-96-3	0.059	140
Acrolein	107-02-8	0.29	NA
Acrylamide	79-06-1	19	23
Acrylonitrile	107-13-1	0.24	84
Aldicarb sulfone⁶	1646-88-4	0.056	0.28
Aldrin	309-00-2	0.021	0.066
4-Aminobiphenyl	92-67-1	0.13	NA
Aniline	62-53-3	0.81	14
o-Anisidine (2-methoxy-aniline)	90-04-0	0.010	0.66
Anthracene	120-12-7	0.059	3.4
Aramite	140-57-8	0.36	NA
α-BHC	319-84-6	0.00014	0.066
β-BHC	319-85-7	0.00014	0.066
δ-BHC	319-86-8	0.023	0.066
γ-BHC	58-89-9	0.0017	0.066

Barban ⁶	101-27-9	0.056	1.4
Bendiocarb ⁶	22781-23-3	0.056	1.4
Benomy ⁶	17804-35-2	0.056	1.4
Benz(a)anthracene	56-55-3	0.059	3.4
Benzal chloride	98-87-3	0.055	6.0
Benzene	71-43-2	0.14	10
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
Benzo(a)pyrene	50-32-8	0.061	3.4
Bromodichloromethane	75-27-4	0.35	15
Methyl bromide (Bromo- methane)	74-83-9	0.11	15
4-Bromophenyl phenyl ether	101-55-3	0.055	15
n-Butyl alcohol	71-36-3	5.6	2.6
Butylate ⁶	2008-41-5	0.042	1.4
Butyl benzyl phthalate	85-68-7	0.017	28
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	88-85-7	0.066	2.5
Carbaryl ⁶	63-25-2	0.006	0.14
Carbenzadim ⁶	10605-21-7	0.056	1.4
Carbofuran ⁶	1563-66-2	0.006	0.14
Carbofuran phenol ⁶	1563-38-8	0.056	1.4
Carbon disulfide	75-15-0	3.8	4.8 mg/ℓ TCLP
Carbon tetrachloride	56-23-5	0.057	6.0
Carbosulfan ⁶	55285-14-8	0.028	1.4
Chlordane (α and γ isomers)	57-74-9	0.0033	0.26
p-Chloroaniline	106-47-8	0.46	16
Chlorobenzene	108-90-7	0.057	6.0
Chlorobenzilate	510-15-6	0.10	NA
2-Chloro-1,3-butadiene	126-99-8	0.057	0.28
p-Chloro-m-cresol	59-50-7	0.018	14
Chlorodibromomethane	124-48-1	0.057	15
Chloroethane	75-00-3	0.27	6.0
bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2
bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
2-Chloroethyl vinyl ether	110-75-8	0.062	NA
Chloroform	67-66-3	0.046	6.0
bis(2-Chloroisopropyl)ether	39638-32-9	0.055	7.2
Chloromethane (Methyl chloride)	74-87-3	0.19	30

2-Chloronaphthalene	91-58-7	0.055	5.6
2-Chlorophenol	95-57-8	0.044	5.7
3-Chloropropylene	107-05-1	0.036	30
Chrysene	218-01-9	0.059	3.4
p-Cresidine	120-71-8	0.010	0.66
o-Cresol	95-48-7	0.11	5.6
m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
m-Cumenyl methyl-carbamate⁶	64-00-6	0.056	1.4
Cyclohexanone	108-94-1	0.36	0.75 mg/ℓ TCLP
o,p'-DDD	53-19-0	0.023	0.087
p,p'-DDD	72-54-8	0.023	0.087
o,p'-DDE	3424-82-6	0.031	0.087
p,p'-DDE	72-55-9	0.031	0.087
o,p'-DDT	789-02-6	0.0039	0.087
p,p'-DDT	50-29-3	0.0039	0.087
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Dibenz(a,e)pyrene	192-65-4	0.061	NA
1,2-Dibromo-3-chloro-propane	96-12-8	0.11	15
1,2-Dibromoethane/Ethylene dibromide	106-93-4	0.028	15
Dibromomethane	74-95-3	0.11	15
m-Dichlorobenzene	541-73-1	0.036	6.0
o-Dichlorobenzene	95-50-1	0.088	6.0
p-Dichlorobenzene	106-46-7	0.090	6.0
Dichlorodifluoromethane	75-71-8	0.23	7.2
1,1-Dichloroethane	75-34-3	0.059	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
1,1-Dichloroethylene	75-35-4	0.025	6.0
trans-1,2-Dichloroethylene	156-60-5	0.054	30
2,4-Dichlorophenol	120-83-2	0.044	14
2,6-Dichlorophenol	87-65-0	0.044	14
2,4-Dichlorophenoxyacetic acid/2,4-D	94-75-7	0.72	10
1,2-Dichloropropane	78-87-5	0.85	18
cis-1,3-Dichloropropylene	10061-01-5	0.036	18
trans-1,3-Dichloropropylene	10061-02-6	0.036	18
Dieldrin	60-57-1	0.017	0.13
Diethyl phthalate	84-66-2	0.20	28
p-Dimethylaminoazobenzene	60-11-7	0.13	NA

2,4-Dimethylaniline (2,4-xylidine)	95-68-1	0.010	0.66
2,4-Dimethyl phenol	105-67-9	0.036	14
Dimethyl phthalate	131-11-3	0.047	28
Di-n-butyl phthalate	84-74-2	0.057	28
1,4-Dinitrobenzene	100-25-4	0.32	2.3
4,6-Dinitro-o-cresol	534-52-1	0.28	160
2,4-Dinitrophenol	51-28-5	0.12	160
2,4-Dinitrotoluene	121-14-2	0.32	140
2,6-Dinitrotoluene	606-20-2	0.55	28
Di-n-octyl phthalate	117-84-0	0.017	28
Di-n-propyl nitrosamine	621-64-7	0.40	14
1,4-Dioxane	123-91-1	12.0	170
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
1,2-Diphenylhydrazine	122-66-7	0.087	NA
Disulfoton	298-04-4	0.017	6.2
Dithiocarbamates (total)⁶	137-30-4	0.028	28
Endosulfan I	959-98-8	0.023	0.066
Endosulfan II	33213-65-9	0.029	0.13
Endosulfan sulfate	1031-07-8	0.029	0.13
Endrin	72-20-8	0.0028	0.13
Endrin aldehyde	7421-93-4	0.025	0.13
EPTC⁶	759-94-4	0.042	1.4
Ethyl acetate	141-78-6	0.34	33
Ethyl benzene	100-41-4	0.057	10
Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360
Ethylene oxide	75-21-8	0.12	NA
Ethyl ether	60-29-7	0.12	160
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
Ethyl methacrylate	97-63-2	0.14	160
Famphur	52-85-7	0.017	15
Fluoranthene	206-44-0	0.068	3.4
Fluorene	86-73-7	0.059	3.4
Formetanate hydrochloride⁶	23422-53-9	0.056	1.4
Heptachlor	76-44-8	0.0012	0.066
1,2,3,4,6,7,8-Heptachloro-dibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)	35822-46-9	0.000035	0.0025

1,2,3,4,6,7,8-Heptachloro-dibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035	0.0025
1,2,3,4,7,8,9-Heptachloro-dibenzofuran (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035	0.0025
Heptachlor epoxide	1024-57-3	0.016	0.066
Hexachlorobenzene	118-74-1	0.055	10
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachlorocyclopentadiene	77-47-4	0.057	2.4
HxCDDs (All Hexachloro-dibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachloro-dibenzofurans)	55684-94-1	0.000063	0.001
Hexachloroethane	67-72-1	0.055	30
Hexachloropropylene	1888-71-7	0.035	30
Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4
Iodomethane	74-88-4	0.19	65
Isobutyl alcohol	78-83-1	5.6	170
Isodrin	465-73-6	0.021	0.066
Isosafrole	120-58-1	0.081	2.6
Kepone	143-50-0	0.0011	0.13
Methacrylonitrile	126-98-7	0.24	84
Methanol	67-56-1	5.6	0.75 mg/ℓ TCLP
Methapyrilene	91-80-5	0.081	1.5
Methiocarb⁶	2032-65-7	0.056	1.4
Methomyl⁶	16752-77-5	0.028	0.14
Methoxychlor	72-43-5	0.25	0.18
3-Methylcholanthrene	56-49-5	0.0055	15
4,4-Methylene bis(2-chloro-aniline)	101-14-4	0.50	30
Methylene chloride	75-09-2	0.089	30
Methyl ethyl ketone	78-93-3	0.28	36
Methyl isobutyl ketone	108-10-1	0.14	33
Methyl methacrylate	80-62-6	0.14	160
Methyl methansulfonate	66-27-3	0.018	NA
Methyl parathion	298-00-0	0.014	4.6
Metolcarb⁶	1129-41-5	0.056	1.4
Mexacarbate⁶	315-18-4	0.056	1.4
Molinate⁶	2212-67-1	0.042	1.4
Naphthalene	91-20-3	0.059	5.6
2-Naphthylamine	91-59-8	0.52	NA
o-Nitroaniline	88-74-4	0.27	14
p-Nitroaniline	100-01-6	0.028	28
Nitrobenzene	98-95-3	0.068	14

5-Nitro-o-toluidine	99-55-8	0.32	28
o-Nitrophenol	88-75-5	0.028	13
p-Nitrophenol	100-02-7	0.12	29
N-Nitrosodiethylamine	55-18-5	0.40	28
N-Nitrosodimethylamine	62-75-9	0.40	2.3
N-Nitroso-di-n-butylamine	924-16-3	0.40	17
N-Nitrosomethylethylamine	10595-95-6	0.40	2.3
N-Nitrosomorpholine	59-89-2	0.40	2.3
N-Nitrosopiperidine	100-75-4	0.013	35
N-Nitrosopyrrolidine	930-55-2	0.013	35
1,2,3,4,6,7,8,9-Octachloro-dibenzo-p-dioxin (1,2,3,4,6,7,8,9-OCDD)	3268-87-9	0.000063	0.005
1,2,3,4,6,7,8,9-Octachloro-dibenzofuran (1,2,3,4,6,7,8,9-OCDF)	39001-02-0	0.000063	0.005
Oxamyl⁶	23135-22-0	0.056	0.28
Parathion	56-38-2	0.014	4.6
Total PCBs (sum of all PCB isomers, or all Aroclors) ⁸	1336-36-3	0.10	10
Pebulate⁶	4114-71-2	0.042	1.4
Pentachlorobenzene	608-93-5	0.055	10
PeCDDs (All Pentachloro-dibenzo-p-dioxins)	36088-22-9	0.000063	0.001
PeCDFs (All Pentachloro-dibenzofurans)	30402-15-4	0.000035	0.001
Pentachloroethane	76-01-7	0.055	6.0
Pentachloronitrobenzene	82-68-8	0.055	4.8
Pentachlorophenol	87-86-5	0.089	7.4
Phenacetin	62-44-2	0.081	16
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
1,3-Phenylenediamine	108-45-2	0.010	0.66
Phorate	298-02-2	0.021	4.6
Phthalic acid	100-21-0	0.055	28
Phthalic anhydride	85-44-9	0.055	28
Physostigmine⁶	57-47-6	0.056	1.4
Physostigmine salicylate⁶	57-64-7	0.056	1.4
Promecarb⁶	2631-37-0	0.056	1.4
Pronamide	23950-58-5	0.093	1.5
Propham⁶	422-42-9	0.056	1.4
Propoxur⁶	114-26-1	0.056	1.4
Prosulfocarb⁶	52888-80-9	0.042	1.4
Pyrene	129-00-0	0.067	8.2
Pyridine	110-86-1	0.014	16

Safrole	94-59-7	0.081	22
Silvex (2,4,5-TP)	93-72-1	0.72	7.9
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
TCDDs (All Tetrachloro-dibenzo-p-dioxins)	41903-57-5	0.000063	0.001
TCDFs (All Tetrachloro-dibenzofurans)	55722-27-5	0.000063	0.001
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
Thiodicarb⁶	59669-26-0	0.019	1.4
Thiophanate methyl⁶	23564-05-8	0.056	1.4
Toluene	108-88-3	0.080	10
Toxaphene	8001-35-2	0.0095	2.6
Triallate⁶	2303-17-5	0.042	1.4
Tribromomethane (Bromoform)	75-25-2	0.63	15
1,2,4-Trichlorobenzene	120-82-1	0.055	19
1,1,1-Trichloroethane	71-55-6	0.054	6.0
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0
Trichloromonofluoromethane	75-69-4	0.020	30
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
2,4,5-Trichlorophenoxyacetic acid/2,4,5-T	93-76-5	0.72	7.9
1,2,3-Trichloropropane	96-18-4	0.85	30
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30
Triethylamine⁶	101-44-8	0.081	1.5
tris-(2,3-Dibromopropyl) phosphate	126-72-7	0.11	0.10
Vernolate⁶	1929-77-7	0.042	1.4
Vinyl chloride	75-01-4	0.27	6.0
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
Antimony	7440-36-0	1.9	1.15 mg/l TCLP
Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
Barium	7440-39-3	1.2	21 mg/l TCLP
Beryllium	7440-41-7	0.82	1.22 mg/l TCLP
Cadmium	7440-43-9	0.69	0.11 mg/l TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/l TCLP
Cyanides (Total) ⁴	57-12-5	1.2	590

Cyanides (Amenable) ⁴	57-12-5	0.86	30
Fluoride ⁵	16984-48-8	35	NA
Lead	7439-92-1	0.69	0.75 mg/ℓ TCLP
Mercury-Nonwastewater from Retort	7439-97-6	NA	0.20 mg/ℓ TCLP
Mercury-All Others	7439-97-6	0.15	0.025 mg/ℓ TCLP
Nickel	7440-02-0	3.98	11 mg/ℓ TCLP
Selenium ⁷	7782-49-2	0.82	5.7 mg/ℓ TCLP
Silver	7440-22-4	0.43	0.14 mg/ℓ TCLP
Sulfide	18496-25-8	14	NA
Thallium	7440-28-0	1.4	0.20 mg/ℓ TCLP
Vanadium ⁵	7440-62-2	4.3	1.6 mg/ℓ TCLP
Zinc ⁵	7440-66-6	2.61	4.3 mg/ℓ TCLP

¹ CAS means Chemical Abstract Services. When the waste code or regulated constituents are described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

² Concentration standards for wastewaters are expressed in mg/ℓ are based on analysis of composite samples.

³ Except for metals (EP or TCLP) and cyanides (total and amenable), the nonwastewater treatment standards expressed as a concentration were established, in part, based on incineration in units operated in accordance with the technical requirements of Subpart O of 35 Ill. Adm. Code 724 or Subpart O of 35 Ill. Adm. Code 725 or on combustion in fuel substitution units operating in accordance with applicable technical requirements. A facility may comply with these treatment standards according to provisions in Section 728.140(d). All concentration standards for nonwastewaters are based on analysis of grab samples.

⁴ Both Cyanides (Total) and Cyanides (Amenable) for nonwastewaters are to be analyzed using Method 9010C or 9012B, in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods,” USEPA publication number EPA-530/SW-846, incorporated by reference in 35 Ill. Adm. Code 720.111(a), with a sample size of 10 grams and a distillation time of one hour and 15 minutes.

⁵ These constituents are not “underlying hazardous constituents” in characteristic wastes, according to the definition at Section 728.102(i).

⁶ This footnote corresponds with footnote 6 to the table to 40 CFR 268.48(a), which ~~USEPA has already expired by its own terms removed and marked “reserved.”~~ This statement maintains structural consistency with the corresponding federal regulations.

⁷ This constituent is not an underlying hazardous constituent, as defined at Section 728.102(i), because its UTS level is greater than its TC level. Thus, a treated selenium

waste would always be characteristically hazardous unless it is treated to below its characteristic level.

- ⁸ This standard is temporarily deferred for soil exhibiting a hazardous characteristic due to USEPA hazardous waste numbers D004 through D011 only.

Note: NA means not applicable.

BOARD NOTE: Derived from table to 40 CFR 268.48(a) ~~(2010)~~ (2011).

(Source: Amended at 36 Ill. Reg. _____, effective _____)

IT IS SO ORDERED.

I, John T. Therriault, Assistant Clerk of the Illinois Pollution Control Board, certify that the Board adopted the above opinion on April 19, 2012, by a vote of 5-0.



John T. Therriault, Assistant Clerk
Illinois Pollution Control Board