

---

# Environmental Register

April 2015 - Number 730

The Environmental Register is a Publication of the Illinois Pollution Control Board

---

Dr. Deanna Glosser, Chairman

Board Members:

Jennifer A. Burke, Gerald M. Keenan, Jerome D. O'Leary, and Carrie Zalewski

Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph, Suite 11-500  
Chicago, Illinois 60601  
(312) 814-3620  
(312) 814-6032 TDD

Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
(217) 524-8500

Web Site: <http://www.ipcb.state.il.us>

## Letter from the Chairman

In April, the Board took action on rulemakings that generated public interest and comment. Below, these recent rulemakings are summarized.

On April 16, 2015, the Board adopted an order in Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System [CAWS] and Lower Des Plaines River [LDPR]: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303, and 304, R08-9(E). Subdocket E is the portion of the CAWS/LDPR docket that deals with water quality standards for Bubbly Creek. This docket was opened in order to defer a decision on Bubbly Creek while the U.S. Army Corp of Engineers (USACE) completes an ecosystem restoration study. The Board took official notice of the USACE website, which, as of the date of the order, indicated that a draft feasibility study had been completed and the report released to the public. After the close of the comment period on the completed report, the report will be finalized and potential congressional authorization may be sought. Since the Board retained water quality standards for Bubbly Creek in Subdocket D and given the status of the USACE project, the Board asked for comment on closing this docket at this time.



On April 16, 2015, the Board dismissed the rulemaking entitled Emergency Rulemaking Regarding Regulation of Coke/Coal Bulk Terminals; 35 Ill. Adm. Code Part 213, R14-20. On January 16, 2014, the Illinois Environmental Protection Agency (IEPA) filed a motion and proposal for emergency rulemaking applicable statewide to govern the handling of coal and coke, including petroleum coke (or “petcoke”), at bulk terminals and other specified facilities. The Board declined to proceed with an emergency rule on January 23, 2015, however, the Board kept the docket open for potential rulemaking. On April 10, 2015, the IEPA filed a status report indicating that IEPA updated the new administration and considered the effect of the City of Chicago’s ordinance addressing petcoke operations in the City. Based on those considerations, IEPA did not intend to proceed with a rule and supported dismissal of the docket.

On April 16, 2015, the Board adopted a first notice in a rule entitled Proposal of Clifford-Jacobs Forging Co. for an Amendment to the Site-Specific Rule at 35 Ill. Adm. Code 901-119, R14-22. On June 2, 2014, Clifford-Jacobs Forging Company (Clifford-Jacobs) filed a rulemaking proposal to amend the site-specific noise rule to extend the allowable operational levels for Clifford-Jacobs’ forging facility located in unincorporated Champaign County. The facility currently is allowed to operate up to all 14 of its forging hammers at any one time from 6:00 a.m. to 11:00 p.m., Monday through Saturday. Clifford-Jacobs’ proposed amendments would allow the facility to operate up to 14 hammers at any one time 24 hours a day, Monday through Saturday. At first notice the Board added a condition limiting noise emissions from the facility to 65 dB (A-weighted Leq) from 11 p.m. to 6 a.m. The Board will accept public comment until June 30, 2015 and will require periodic investigation into new technologies and sound abatement measures.

Please visit the Board website at [www.ipcb.state.il.us](http://www.ipcb.state.il.us) for information on the rulemakings listed above as well as other Board rulemaking dockets and contested cases.

Sincerely,

A handwritten signature in black ink that reads "Deanna Glosser". The signature is written in a cursive, flowing style.

Deanna Glosser, Ph.D.  
Chairman

## Inside This Issue:

---

RULEMAKING UPDATE	P. 1
BOARD ACTIONS	P. 5
NEW CASES	P. 9
BOARD CALENDAR	P. 10
RESTRICTED STATUS/CRITICAL REVIEW	P. 13

### Rulemaking Update

---

#### **Board Solicits Public Comment on Proposed Closing of Subdocket E for Bubbly Creek, R08-9(E)**

On April 16, 2015, the Board issued an order allowing participants until May 15, 2015, to file public comments on the Board's proposed closing of subdocket E, which concerns Bubbly Creek (the South Fork of the South Branch Chicago River). The rulemaking is captioned Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System (CAWS) and Lower Des Plaines River (LDPR): Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303, and 304, docket R08-9(E).

The Board opened subdocket E in February 2013 as jointly requested by the Metropolitan Water Reclamation District of Greater Chicago (District) and by Environmental Law and Policy Center, Friends of the Chicago River, Sierra Club Illinois Chapter, Natural Resources Defense Council, and Openlands (Environmental Groups). The Illinois Environmental Protection Agency supported the District and the Environmental Groups' request for deferring a decision on Bubbly Creek while the U.S. Army Corps of Engineers (USACE) completed an ecosystem restoration study.

In its April 16, 2015 order, the Board took official notice of the USACE website, which provided the status of a "draft Feasibility Report" for restoring Bubbly Creek. The Board observed that the project could take at least several years to complete. The Board also noted that it had proposed retaining water quality standards for Bubbly Creek in subdocket D. Under these circumstances, the Board stated that it anticipated closing subdocket E at its May 21, 2015 meeting. The Board added that when the USACE study is complete, any potential amendments to the Board's rules could be filed in a new docket, at which time the participants could seek to incorporate any relevant portions of the R08-9 record into the record of the new docket. However, before proceeding to close subdocket E, the Board gave participants until May 15, 2015, to comment on the proposed closing.

Public comments should identify this docket number, R08-9(E), and must be filed with the Clerk of the Board. Public comments may be filed at the following address:

Pollution Control Board  
James R. Thompson Center  
100 W. Randolph Street, Suite 11-500  
Chicago, IL 60601

Alternatively, public comments may be filed electronically through the Clerk's Office On-Line (COOL) at [www.ipcb.state.il.us](http://www.ipcb.state.il.us). Any questions about electronic filing through COOL should be directed to the Clerk's Office at (312) 814-3629.

**Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board's website and may be downloaded without charge. Hard copies may be obtained from the Clerk's Office (Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601) upon payment of reproduction fees as prescribed by the Freedom of Information Act.**

For more information, please contact Marie Tipsord at 312-814-4925 or [marie.tipsord@illinois.gov](mailto:marie.tipsord@illinois.gov).

### **Board Dismisses Rulemaking on Coke/Coal Bulk Terminals, R14-20**

On April 16, 2015, the Board issued an order dismissing the rulemaking captioned Emergency Rulemaking Regarding Regulation of Coke/Coal Bulk Terminals: New 35 Ill. Adm. Code 213, docket R14-20.

The proceeding began on January 16, 2014, with a filing by the Illinois Environmental Protection Agency (Agency) of a proposal for emergency rulemaking. The Agency proposed emergency rules that would apply statewide to govern the handling of coal and coke—including petroleum coke or “petcoke”—at bulk terminals and other specified facilities. On January 23, 2014, the Board declined to adopt emergency rules; but, the Board agreed to proceed with the Agency's proposal as a general rulemaking. In turn, the Agency made three motions to stay the proceeding, each of which the Board granted for specified time periods and on the condition that the Agency file status reports. In its April 10, 2015 status report, the Agency stated that it had updated the new administration on this matter and considered the effect of the City of Chicago's new ordinance addressing petcoke operations. Based upon those considerations, the Agency indicated that it did not intend to proceed with a general rulemaking proposal at this time and that it supported dismissal. The Board therefore dismissed the rulemaking and closed the docket.

**Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board's website and may be downloaded without charge. Hard copies may be obtained from the Clerk's Office (Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601) upon payment of reproduction fees as prescribed by the Freedom of Information Act.**

For more information, please contact Marie Tipsord at 312-814-4925 or [marie.tipsord@illinois.gov](mailto:marie.tipsord@illinois.gov).

### **Board Proposes First-Notice Amendments to Site-Specific Noise Rule, R14-22**

On April 16, 2015, the Board proposed amendments to a site-specific noise rule for first-notice publication in the *Illinois Register*. Clifford-Jacobs Forging Company (Clifford-Jacobs) initiated this rulemaking to amend the site-specific noise rule at 35 Ill. Adm. Code 901.119. The rulemaking is captioned Proposal of Clifford-Jacobs Forging Co. for an Amendment to the Site-Specific Rule at 35 Ill. Adm. Code 901.119, docket R14-22.

Clifford-Jacobs has been located at the same site in unincorporated Champaign County since 1923. Pursuant to 35 Ill. Adm. Code 901.105(d), the Board in 1985 adopted the current site-specific noise

rule for Clifford-Jacobs because the company was unable to comply with the generally applicable noise standards of 35 Ill. Adm. Code 901.105(c) for existing impact forging operations. Under the current site-specific rule, Clifford-Jacobs (1) cannot operate more than 14 forging hammers at any one time and (2) can operate its forging hammers only between 6 a.m. and 11 p.m., Monday through Saturday. With this rulemaking proposal, Clifford-Jacobs seeks to extend the 17-hour time period to 24 hours a day, *i.e.*, to operate from 11 p.m. to 6 a.m., Monday through Saturday, in lieu of complying with the nighttime numeric limit under Section 901.105(c).

After considering the rulemaking record, including information on the character of the affected area and the technical and economic feasibility of noise abatement measures, the Board proposed—for public comment—first-notice amendments to the site-specific rule at Section 901.119. The Board’s proposed amendments would allow Clifford-Jacobs to operate its 14 hammers at one time as requested, but also would require that the company limit its forging operations as necessary to meet a standard of 65 decibels (dB) (A-weighted Leq) from 11 p.m. to 6 a.m. The Board also proposed that the site-specific rule require Clifford-Jacobs to investigate new technologies, sound abatement measures, and possible operational changes to mitigate the sound emissions from its forging operations, as well as submit to the Board a report on the company’s findings once every ten years.

Public comments should identify this docket number, R14-22, and must be filed with the Clerk of the Board. Public comments may be filed at the following address:

Pollution Control Board  
James R. Thompson Center  
100 W. Randolph Street, Suite 11-500  
Chicago, IL 60601

Alternatively, public comments may be filed electronically through the Clerk’s Office On-Line (COOL) at [www.ipcb.state.il.us](http://www.ipcb.state.il.us). Any questions about electronic filing through COOL should be directed to the Clerk’s Office at (312) 814-3629.

Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board’s website and may be downloaded without charge. Hard copies may be obtained from the Clerk’s Office (Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601) upon payment of reproduction fees as prescribed by the Freedom of Information Act.

For more information, please contact Mark Powell at 312-814-6887 or [mark.powell@illinois.gov](mailto:mark.powell@illinois.gov).

### **Board Proposes “Identical-In-Substance” Amendments for Wastewater Pretreatment Update, R15-13**

On April 2, 2015, the Board proposed—for public comment—amendments to the Illinois wastewater pretreatment and drinking water regulations that are “identical in substance” to amendments made by the United States Environmental Protection Agency (USEPA) during the second half of calendar year 2014. The Board’s rulemaking is captioned Wastewater Pretreatment Update, USEPA Amendments (July 1, 2014 through December 31, 2014), docket R15-13.

This proposal would update an “incorporation by reference” of the federal provision concerning appropriate analytical methods under the Clean Water Act (42 U.S.C. § 1251 *et seq.* (2013)). On

August 19, 2014, USEPA revised the National Pollutant Discharge Elimination System (NPDES) regulations to require the use of a “sufficiently sensitive” analytical method for completing NPDES permit applications and for analyses of pollutants and pollutant parameters under an NPDES permit. The wastewater pretreatment rules are established to help ensure that NPDES permit holders can comply with their NPDES permits. Though USEPA’s amendments do not directly relate to wastewater pretreatment, they do affect a segment of the NPDES requirements for analytical methods—and that segment is incorporated by reference in the Illinois wastewater pretreatment requirements.

In addition, as a routine matter, the Board proposed to update all incorporations by reference of USEPA regulations and federal statutes to reflect the 2014 editions. Finally, the proposal would add—to the wastewater pretreatment program’s centralized listing of incorporations by reference (35 Ill. Adm. Code 310.107)—an incorporation by reference of a USEPA rule that helps define “toxic pollutant.”

Public comments should identify this docket number, R15-13, and must be filed with the Clerk of the Board. Public comments may be filed at the following address:

Pollution Control Board  
James R. Thompson Center  
100 W. Randolph Street, Suite 11-500  
Chicago, IL 60601

Alternatively, public comments may be filed electronically through the Clerk’s Office On-Line (COOL) at [www.ipcb.state.il.us](http://www.ipcb.state.il.us). Any questions about electronic filing through COOL should be directed to the Clerk’s Office at (312) 814-3629.

**Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board’s website and may be downloaded without charge. Hard copies may be obtained from the Clerk’s Office (Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601) upon payment of reproduction fees as prescribed by the Freedom of Information Act.**

For more information, please contact Michael McCambridge at 312-814-6983 or [michael.mccambridge@illinois.gov](mailto:michael.mccambridge@illinois.gov).

# Board Actions

---

**April 2, 2015**  
**Chicago, Illinois**

## Rulemakings

- R14-22**      In the Matter of: Proposal of Clifford-Jacobs Forging Co. for an Amendment to the Site-Specific Rule at 35 Ill. Adm. Code 901-119 (Noise) – No action taken.
- R15-13**      Wastewater Pretreatment Update (July 1, 2014 through December 31, 2014) (Water) – The Board adopted a proposal for public comment in this “identical-in-substance” rulemaking to amend the Board’s wastewater pretreatment regulations. 5-0

## Adjusted Standards

- AS 13-2**      In the Matter of Petition of Emerald Performance Materials LLC for an Adjusted Standard from 35 Ill. Adm. Code 304.122(b) (Water) – No action taken.

## Administrative Citations

- AC 12-51**      IEPA v. Northern Illinois Service Company – The Board granted respondent’s motion to stay the payment of the civil penalty and hearing costs during respondent’s pending appeal to the Illinois Appellate Court. 5-0
- AC 15-17**      IEPA v. Bernard and Carolyn Carr and Jeffrey Yerk – The Board denied respondents’ motion to dismiss. 5-0
- AC 15-29**      IEPA v. Eric Lane, John Rudd, Bob Whitaker, and American Demolition Corporation – The Board found that these Jefferson County respondents violated Sections 21(p)(1), 21(p)(3), and 21(p)(7) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(3), and (p)(7) (2012)), and ordered respondents to pay a civil penalty of \$4,500. 5-0
- AC 15-31**      IEPA v. George William "Bill" Collins – The Board found that this Franklin County respondent violated Sections 21(p)(1), 21(p)(3), and 21(p)(7) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(3), and (p)(7) (2012)). Of the three violations of Section 21(p): 1) one is a second or subsequent adjudicated violation of Section 21(p)(1) (IEPA v. Bill Collins, AC 05-09 (Sept. 2, 2004)), subject to a \$3,000 penalty; and 2) the other two—one violation each of Sections 21(p)(3) and 21(p)(7)—are subject to a \$1,500 penalty each as a first violation. The Board therefore ordered respondent to pay a civil penalty of \$6,000. 5-0

**AC 15-32**      IEPA v. Jamie and Angela Hollon – The Board found that these Hardin County respondents violated Sections 21(p)(1), (p)(7), and 55(k)(1) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(7), and 55(k)(1) (2012)). The two violations of Section 21(p) are each subject to a \$3,000 penalty as second or subsequent adjudicated violations (IEPA v. Jamie & Angela Hollon, AC 15-03 (August 21, 2014)), and the violation of Section 55(k)(1) is subject to a \$1,500 penalty as a first violation. The Board therefore ordered respondents to pay a civil penalty of \$7,500.      5-0

**Adjudicatory Cases**

**PCB 15-60**      Clinton Landfill, Inc. v. IEPA      5-0  
**PCB 15-76**      Clinton Landfill, Inc. v. IEPA  
**PCB 15-111**      Clinton Landfill, Inc. v. IEPA  
**PCB 15-113**      Clinton Landfill, Inc. v. IEPA  
 (cons.)      (Land - Permit Appeal) – The Board granted the parties’ joint motion to stay these consolidated permit appeals until April 30, 2015.

**PCB 15-93**      James R. Fiser v. James "Henry" Meador      5-0  
 (Noise – Enforcement, Citizen’s) – The Board dismissed this citizen’s enforcement case for complainant’s failure to file an amended complaint correcting deficiencies specified in the Board’s February 2, 2015 opinion and order.

**PCB 15-114**      People of the State of Illinois v. American Steamship Company      5-0  
 (Water -Enforcement) – Upon receipt of a stipulation and proposed settlement agreement and agreed motion to request relief from the hearing requirement in this water enforcement action involving a Cook County facility, the Board ordered publication of the required newspaper notice.

**PCB 15-154**      People of the State of Illinois v. Fitness International, LLC and C. E. Gleeson Constructors, Inc      5-0  
 (Water – Enforcement, NPDES) – In this water enforcement action concerning a DuPage County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2012)), accepted a stipulation and settlement agreement, and ordered Fitness International to pay a \$4,000 civil penalty and C.E. Gleeson to pay a \$6,000 civil penalty, and to cease and desist from further violations.

**PCB 15-166**      Clinton Landfill, Inc. v. IEPA      5-0  
 (Land - Permit Appeal) – The Board granted the parties’ joint motions to consolidate this permit appeal with PCB 15-60, 15-76, 15-111, 15-113, designate the record filed in PCB 15-60, *et al.* as the record in PCB 15-166, and to stay the consolidated permit appeals until April 30, 2015.

**PCB 15-170**      Homegrown Properties, Inc. (Golconda) v. IEPA      5-0  
 (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Pope County facility.

- PCB 15-171**      Knapp Oil Company v. IEPA      5-0  
 (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Saline County facility.
- PCB 15-172**      People of the State of Illinois v. Quality Sand Products, LLC.      5-0  
 (Air, Water -Enforcement) – Upon receipt of a complaint accompanied by a proposed stipulation and settlement agreement, and an agreed motion to request relief from the hearing requirement in this air and water enforcement action involving a LaSalle County facility, the Board ordered publication of the required newspaper notice.
- PCB 15-173**      Chatham BP, LLC v. IEPA      5-0  
 (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Hardin County facility.

**April 16, 2015**  
**Via videoconference**  
**Springfield and Chicago, Illinois**

**Rulemakings**

- R08-9(E)**      In The Matter of: Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System (CAWS) and the Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303 and 304      5-0  
 (Water) – The Board entered an order requesting public comment on the proposed closing of this sub-docket.
- R14-20**      In the Matter of: Emergency Rulemaking Regarding Regulation of Coke/Coal Bulk Terminals; 35 Ill. Adm. Code Part 213      5-0  
 (Air) – In response to the Illinois Environmental Agency’s report that it did not intend to proceed with this rulemaking, the Board closed this rulemaking docket.
- R14-22**      In the Matter of: Proposal of Clifford-Jacobs Forging Co. for an Amendment to the Site-Specific Rule at 35 Ill. Adm. Code 901-119      5-0  
 (Noise) – The Board adopted a first notice opinion and order in this rulemaking to amend the Board’s noise regulations. Any person may submit comments or request a hearing on petitioner’s proposal within the public comment period ending on June 30, 2015.

## Adjusted Standards

AS 13-2	<u>In the Matter of Petition of Emerald Performance Materials LLC for an Adjusted Standard from 35 Ill. Adm. Code 304.122(b)</u> (Water) – The Board granted petitioner an adjusted standard with conditions from the ammonia effluent limit at 35 Ill. Adm. Code 304.122(b) at its Marshall County facility.	4-1 Glosser dissented
---------	--	--------------------------

## Administrative Citations

AC 15-30	<u>IEPA v. David E. Beal</u> – The Board found that this Jefferson County respondent violated Sections 21(p)(1) and 55(k)(1) of the Environmental Protection Act (415 ILCS 5/21(p)(1) and 55(k)(1) (2012)), and ordered respondent to pay a civil penalty of \$3,000.	5-0
AC 15-28	<u>IEPA v. Gerald Cain and Eddie Jones</u> – The Board accepted respondent’s petition for review involving a Union County facility. The Board reserved ruling regarding Eddie Jones, as the time for his appeal has not expired.	5-0

## Adjudicatory Cases

PCB 14-111	<u>Sanitary District of Decatur v. IEPA</u> (Water – Variance) – The Board granted petitioner’s motion to continue the stay until June 30, 2015.	5-0
PCB 15-108	<u>People of the State of Illinois v. Gold Standard Baking, Inc.</u> (Air -Enforcement) – In this air enforcement action concerning a Cook County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2012)), accepted a stipulation and settlement agreement, and ordered respondent to pay a \$25,000 civil penalty, and to cease and desist from further violations.	5-0
PCB 14-133	<u>Larry Kelly, d/b/a River Shannon Recycling v. IEPA</u> (Permit Appeal) – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no permit appeal was filed on behalf of this Cook County facility.	5-0
PCB 15-155	<u>People of the State of Illinois v. Illinois American Water Company</u> (Water -Enforcement) – The Board denied respondent’s motion to appear <i>pro hac vice</i> .	5-0
PCB 15-156	<u>People of the State of Illinois v. PolyOne Corporation</u> (Air – Enforcement, CAAPP) – In this air enforcement action concerning a Marshall County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2012)), accepted a stipulation and settlement agreement, and ordered respondent to pay a \$10,000 civil penalty, and to cease and desist from further violations.	5-0

- PCB 15-175**     Estate of Coy Joe Thomas v. IEPA     5-0  
 (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Coles County facility.
- PCB 15-176**     Ahmad Zahdan v. IEPA     5-0  
 (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Logan County facility.

## **New Cases**

---

### **April 2, 2015 Board Meeting**

**AC 15-33** IEPA v. Gerald Cain and Eddie Jones (UST-Permit Appeal) – The Board accepted an administrative citation against these Union County respondents.

**PCB 15-170** Homegrown Properties, Inc. (Golconda) v. IEPA (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Pope County facility.

**PCB 15-171** Knapp Oil Company v. IEPA (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Saline County facility.

**PCB 15-172** People of the State of Illinois v. Quality Sand Products, LLC. (Air, Water -Enforcement) – Upon receipt of a complaint accompanied by a proposed stipulation and settlement agreement, and an agreed motion to request relief from the hearing requirement in this air and water enforcement action involving a LaSalle County facility, the Board ordered publication of the required newspaper notice.

**PCB 15-173** Chatham BP, LLC v. IEPA (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Hardin County facility.

### **April 16, 2015**

**PCB 15-174** Philip and Kelly Diekemper v. IEPA (Property ID No. 03-30-300-003) (Water -Tax Certification) – No action taken.

**PCB 15-174** Estate of Coy Joe Thomas v. IEPA (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Coles County facility.

**PCB 15-175** Ahmad Zahdan v. IEPA (UST-Permit Appeal) – The Board accepted for hearing this underground storage tank appeal on behalf of this Logan County facility.

## Calendar

<p><b>4/2/2015</b> <b>11:00 AM</b></p>	<p><b>Illinois Pollution Control Board Meeting</b></p>		<p><b>Chicago</b> <b>James R. Thompson Center</b> <b>100 W. Randolph Street</b> <b>Chicago</b></p>
<p><b>4/15/2015</b> <b>1:00 PM</b></p>	<p>R15-19</p>	<p><u>In the Matter of: Management of Used and Waste Tires: Proposed Amendments to 35 Ill. Adm. Code 848</u></p>	<p>James R. Thompson Center Room 11-512 100 W. Randolph Chicago</p>
<p><b>4/16/2015</b> <b>11:00 AM</b></p>	<p><b>Illinois Pollution Control Board Meeting</b></p>		<p><b>Videoconference</b> <b>Chicago/Springfield</b> <b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b> <b>And</b> <b>1021 N. Grand Avenue East</b> <b>Oliver Holmes Conference</b> <b>Room 2012 N</b> <b>Springfield</b></p>
<p><b>5/7/2015</b> <b>11:00 AM</b></p>	<p><b>Illinois Pollution Control Board Meeting</b></p>		<p><b>Videoconference</b> <b>Chicago/Springfield</b> <b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b> <b>And</b> <b>1021 N. Grand Avenue East</b> <b>Oliver Holmes Conference</b> <b>Room 2012 N</b> <b>Springfield</b></p>
<p><b>5/21/2015</b> <b>11:00 AM</b></p>	<p><b>Illinois Pollution Control Board Meeting</b></p>		<p><b>Videoconference</b> <b>Chicago/Springfield</b> <b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b> <b>And</b> <b>1021 N. Grand Avenue East</b> <b>Oliver Holmes Conference</b> <b>Room 2012 N</b> <b>Springfield</b></p>
<p><b>5/27/2015</b> <b>10:00 AM</b></p>	<p>PCB 15-173</p>	<p><u>Chatham BP, LLC v. IEPA</u></p>	<p>Illinois Pollution Control Board Hearing Room 1021 N. Grand Avenue East, North Entrance Springfield, IL</p>

<b>6/4/2015 11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Chicago James R. Thompson Center 100 W. Randolph Street Chicago</b>
<b>6/18/2015 11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Chicago James R. Thompson Center 100 W. Randolph Street Chicago</b>
<b>7/2/2015 11:00 AM</b>	R15-22	<u>In the Matter of: Public Water Supplies: Proposed Amendments to 35 Ill. Adm. Code Parts 601, 602, and 603</u>	James R. Thompson Center Room 11-512 100 W. Randolph Chicago
<b>7/8/2015 11:00 AM</b>	R15-21	<u>In the Matter of: Amendments to 35 Ill. Adm. Code Part 214, Sulfur Limitations, Part 217, Nitrogen Oxides Emissions, and Part 225, Control of Emissions from Large Combustion Sources</u>	Illinois Environmental Protection Agency, Sangamo Conference Room, 1021 N. Grand Ave E, (North Entrance) Springfield
<b>7/9/2015 11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Videoconference Chicago/Springfield James R. Thompson Center Hearing Room 11-512 100 W. Randolph Street Chicago And 1021 N. Grand Avenue East Oliver Holmes Conference Room 2012 N Springfield</b>
<b>7/14/2015 10:00 AM</b>	PCB 15-110	<u>Village of Carlock v. IEPA</u>	White Oak Township Community Building 202 North Lincoln Street, Carlock, IL
<b>7/22/2015 10:00 AM</b>	AC 15-17	<u>Bernard and Carolyn Carr and Jeffrey Yerk</u>	Fulton County Courthouse Room 313 100 N. Main Street Lewistown, IL
<b>7/23/2015 11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Chicago James R. Thompson Center 100 W. Randolph Street Chicago</b>

<b>7/29/2015 10:00 AM</b>	R15-21	<u>In the Matter of: Amendments to 35 Ill. Adm. Code Part 214, Sulfur Limitations, Part 217, Nitrogen Oxides Emissions, and Part 225, Control of Emissions from Large Combustion Sources</u>	Will County Executive Office Second Floor County Board Chambers 302 North Chicago Street Joliet Illinois
<b>8/4/2015 10:00 AM</b>	R15-21	<u>In the Matter of: Amendments to 35 Ill. Adm. Code Part 214, Sulfur Limitations, Part 217, Nitrogen Oxides Emissions, and Part 225, Control of Emissions from Large Combustion Sources</u>	Pekin City Hall 111 South Capitol Street, Council Chambers Pekin Illinois
<b>8/6/2015 11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Chicago James R. Thompson Center 100 W. Randolph Street Chicago</b>
<b>8/20/2015 11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Chicago James R. Thompson Center 100 W. Randolph Street Chicago</b>
<b>9/3/2015 11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Chicago James R. Thompson Center 100 W. Randolph Street Chicago</b>
<b>9/17/2015 11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Chicago James R. Thompson Center 100 W. Randolph Street Chicago</b>

**Illinois Environmental Protection Agency**  
**Division of Public Water Supplies**  
**Restricted Status List - Public Water Supplies**

**APRIL 2015**

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
ALTERNATIVE BEHAVIOR TREATMENT CENTER - IL0977189	2	INADEQUATE PRESSURE TANK	50	6/15/1988
ARLINGTON REHABILITATION LIVING CENTER - IL0971110	2	INADEQUATE HYDRO STORAGE	180	12/1/2003
BAHL WATER CORP - IL0855200	1	INADEQUATE PRESSURE TANK	700	12/15/1993
BELMONT WATER INC – IL0755150	4	EXCEEDING MCL FOR ARSENIC	200	6/15/2012
BIGGSVILLE – IL0710050	5	EXCEEDANCES OF GROSS ALPHA AND COMBINED RADIUM MCL'S	350	4/1/2010
BRADLEY HEIGHTS SUBDIVISION - IL2015050	1	INADEQUATE PRESSURE TANK	192	9/13/1985
BUDA – IL0110100	1	EXCEEDING THE MCL FOR COMBINED RADIUM	600	6/15/2012
BUFFALO HOLLOW FARMS WATER ASSOCIATION – IL1430080	5	INADEQUATE PRESSURE STORAGE	44	6/16/2008
*CARLYE-IL0270300	6	EXCEEDING THE MCL FOR HALOACETIC ACIDS	3486	4/1/2015
CARROLL HEIGHTS UTILITIES COMPANY - IL0155200	1	INADEQUATE PRESSURE TANK	96	3/20/1981
CENTURY PINES APARTMENTS - IL0150020	1	INADEQUATE PRESSURE TANK	50	12/14/1990
COOKSVILLE - IL1130400	4	TTHM & HALOACIDIC ACIDS	300	9/15/2005
COYNE CNTR COOP - IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
CROPSEY COMMUNITY WATER – IL1135150	4	INADEQUATE PRESSURE TANK	31	3/20/1981
CUTLER – IL1450050	7	EXCEEDING THE COMBINED MCL FOR RADIUM	676	6/15/2012
DE KALB UNIV DVL CORP - IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
DELAND – IL1470200	4	EXCEEDING THE MAXIMUM CONTAMINANT LEVEL (MCL) FOR ARSENIC	475	3/16/2012
EAST END WATER ASSOCIATION - IL1610140	1	INADEQUATE STORAGE CAPACITY	40	3/15/2002
EAST MORELAND WATER CORPORATION - IL1975640	2	INADEQUATE PRESSURE TANK	135	3/15/1996
EDELSTEIN WATER COOPERATIVE – IL1435150	5	INADEQUATE PRESSURE TANK & NO EMERGENCY POWER	125	01/01/2015
ELIZABETHTOWN – IL0690100	7	UNSAFE SOURCE	348	6/15/2012
EVERGREEN VILLAGE SUBDIVISION - IL1615310	1	INADEQUATE PRESSURE TANK	130	3/20/1981
EXETER-MERRITT WATER COOP – IL1710010	5	INADEQUATE STORAGE CAPACITY	765	9/15/2013
FAIR ACRES SUBDIVISION - IL1975680	2	INADEQUATE PRESSURE TANK	156	10/19/1981
FRWRD-SKYLINE PLANT - IL0895030	2	INADEQUATE PRESSURE TANK	700	9/19/1986
GREAT OAKS AND BEACON HILLS APARTMENTS - IL2015488	1	INADEQUATE PRESSURE TANK	2420	12/17/1982
GREEN MEADOW ESTATES OF ROCKFORD, LLC – IL2015495	1	INADEQUATE GROUND AND HYDRO-PNEUMATIC STORAGE	970	6/15/2012
HETTICK - IL1170500	5	TRICHALOMETHANE	182	6/15/2002

<b>SYSTEM NAME</b>	<b>EPA RGN</b>	<b>NATURE OF PROBLEM</b>	<b>POP SERVED</b>	<b>LISTING DATE</b>
HIGHLAND SUBDIVISION - IL0895530	2	INADEQUATE PRESSURE TANK	60	9/16/1983
HILLVIEW SUBDIVISION - IL1975800	2	INADEQUATE PRESSURE TANK	100	3/15/1985
INGALLS PARK SUBDIVISION - IL1975880	2	INADEQUATE PRESSURE TANK	745	9/16/1983
LAKE LYNWOOD WATER SYSTEM - IL0735330	1	INADEQUATE PRESSURE TANK	75	8/31/1981
LARCHMONT SUBDIVISION - IL2015290	1	INADEQUATE PRESSURE TANK	64	6/17/1983
LARSON COURT APARTMENTS - IL1615728	1	INADEQUATE PRESSURE TANK	58	1/14/1982
*LEBANON – IL1630650	6	EXCEEDING THE COMBINED MCL FOR TRIHALOMETHANES	4418	4/1/2015
LEGEND LAKES WATER ASSOCIATION - IL2015300	1	INADEQUATE PRESSURE TANK	283	3/14/1991
LIBERTY PARK HOMEOWNERS ASSOCIATION - IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	837	9/17/1992
LINDENWOOD WATER ASSOCIATION - IL1415300	1	INADEQUATE PRESSURE TANK	50	1/13/1982
LISBON NORTH, INC. - IL0631000	2	INADEQUATE PRESSURE TANK	30	9/14/1990
LONDON MILLS - IL0574620	5	INADEQUATE PRESSURE TANK	447	12/14/1984
LYNN WATER ASSOCIATION INC - IL0735100	1	INADEQUATE PRESSURE TANK	100	3/15/1995
LYNNWOOD WATER CORPORATION - IL0995336	1	INADEQUATE PRESSURE TANK	110	3/18/1983
M C L W SYSTEM, INC. - IL1315150	1	INADEQUATE SOURCE	98	3/20/1981
MAEYSTOWN – IL1330200	6	EXCEEDING THE MCL FOR NITRATE	230	6/15/2012
MALTA – IL0370350	1	INADEQUATE STORAGE (NO AUTO-START GENERATOR)	1175	6/15/2012

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
METCALF – IL0450250	4	COLIFORM BACTERIA PRESENT IN SOURCE WATER	213	4/1/2013
MOUND PWD - IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
*NEW SALEM PWD – IL1090010	5	EXCEEDING THE COMBINED MCL FOR TRIHALOMETHANES	225	4/1/2015
NORTH HENDERSON – IL1310300	1	INADEQUATE HYDROPNEUMATIC STORAGE	184	7/1/2011
NORTHWEST BELMONT IMPRV ASSN - IL0435900	2	INADEQUATE PRESSURE TANK	78	9/29/1981
*NUNDA UTILITIES COMPANY – IL1115600	2	INADEQUATE HYDROPNEUMATIC STORAGE	570	4/1/2015
OAKLANE SUBDIVISION – IL0995250	1	EXCEEDING THE COMBINED RADIUM MCL	60	6/15/2012
OAK RIDGE SD - IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OSCO MUTUAL WATER SUPPLY COMPANY, INC. - IL0735200	1	INADEQUATE PRESSURE TANK	115	12/15/1989
PANAMA - IL0054720	6	TTHM, DBP, INAD STORAGE	380	1/1/2006
PERCY – IL1570350	6	COLIFORM BACTERIA PRESENT IN SOURCE WATER	925	12/16/2012
PORTS SULLIVAN LAKE OWNERS ASSOCIATION - IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE RIDGE ASSOCIATION - IL1115730	2	INADEQUATE PRESSURE TANK	130	10/1/2004
PRAIRIE ROAD PUMP ASSOCIATION- IL2015100	1	INADEQUATE STORAGE	150	1/1/2006
RANSOM – IL0990900	1	EXCEEDING MCL FOR COMBINED RADIUM INADEQUATE SOURCE CAPACITY AND COMBINED RADIUM	483	6/15/2012

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
*ROCK ISLAND ARSENAL – IL1615387	1	EXCEEDING THE MCL FOR HALOACETIC ACIDS	1800	4/1/2015
SHAWNITA TRC WATER ASSOCIATION - IL1977690	2	INADEQUATE PRESSURE TANK	125	9/17/1992
SILVIS HEIGHTS WATER CORP - IL1615750	1	INADEQUATE HYDRO STORAGE	1600	12/1/2003
* SOUTH SANGAMON WTR CMSN – IL1670080	5	LACK OF ELEVATED STORAGE		4/1/2015
STRATFORD WEST APARTMENTS - IL1095200	5	INADEQUATE PRESSURE TANK	39	12/17/1982
SUBURBAN HEIGHTS SUBDIVISION - IL1615800	1	INADEQUATE PRESSURE TANK	82	12/16/1983
SUNNY HILL ESTATES SUBDIVISION - IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION - IL1977730	2	INADEQUATE PRESSURE TANK	350	9/16/1983
SWEDONA WATER ASSOCIATION - IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION - IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TOWNERS SUBDIVISION - IL0977250	2	INADEQUATE PRESSURE TANK	210	1/14/1982
* TRITOWNSHIP WATER DIST. – IL1190080	5	EXCEEDING THE COMBINED MCL FOR TRIHALOMETHANES	3792	4/1/2015
***UTL INC- LAKE HOLIDAY - IL0995200	1	INADEQUATE SOURCE AND TREATMENT CAPACITY	5460	9/15/1998
UTL INC-WALK-UP WOODS WATER COMPANY - IL1115800	2	INADEQUATE PRESSURE TANK	654	12/17/1982
VALLEY VIEW SUBDIVISION – IL2030010	1	INADEQUATE HYDROPNEUMATIC STORAGE	100	6/15/2012
WIENEN ESTATES - IL0850030	1	INADEQUATE PRESSURE TANK	70	12/15/1997

**WATER SYSTEMS REMOVED FROM PREVIOUS LIST:**

PANAMA – IL0054720

**\* DENOTES ADDED WATER SUPPLIES**

CARLYLE – IL0270300;

LEBANON – IL1630650

FREEBURG – IL1630600

NEW SALEM PWD – IL1090010

NUNDA UTILITIES CO – IL1115600

ROCK ISLAND ARSENAL – IL1615387

SOUTH SANGAMON WATER COMMISSION – IL1670080

TRITOWNSHIP WATER DIST – IL1190080

**\*\* THESE PUBLIC WATER SUPPLIES OBTAIN WATER FROM ANNA-JONESBORO WATER COMMISSION – (IL1815050) WHICH LACKS EXISTING TREATMENT CAPACITY.**

**\*\*\* CHANGE NATURE OF PROBLEM**

UTILITY INC – LAKE HOLIDAY – IL0995200

**Illinois Environmental Protection Agency  
Division of Public Water Supplies  
Critical Review List - Public Water Supplies**

**APRIL 2015**

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
ANDALUSIA - IL1610050	1	INADEQUATE PRESSURE TANK	1050	12/1/2003
ANNA-JONESBORO WATER COMMISSION – IL1815050	7	LACKS EXISTING TREATMENT CAPACITY	36	7/1/2011
ANNA WATER COMMISSION – IL1810050	7	**	5750	7/1/2011
BEASON CHESTNUT PWD - IL1075150	5	INAD PLANT & SOURCE CAP	600	6/15/2004
CANTON – IL0570250	5	INSUFFICIENT TREATMENT CAPACITY	13932	3/15/2007
CEDARVILLE - IL1770050	1	EMERGENCY POWER	800	1/1/2006
COLUMBIA - IL1330050	6	INADEQUATE PUMPING CAPACITY	8365	3/15/1998
ELIZABETH - IL0850150	1	LOW SYSTEM PRESSURE	682	6/15/1999
GRIGGSVILLE – IL1490300	5	INADEQUATE TREATMENT PLANT CAPACITY	1259	10/1/2006
HOLIDAY SHORES SD - IL1195110	6	INADEQUATE STORAGE CAPACITY	3192	1/1/2006
IL AMERICAN-E ST. LOUIS - IL1635040	6	APPROACHING INADEQUATE STORAGE CAPACITY	155382	1/01/2011
JONESBORO PWS – IL1810250	7	**	1853	7/1/2011

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
LA SALLE - IL0990300	1	INAD PLANT & SOURCE CAPACITY	9700	11/1/2004
LACON - IL1230100	1	UNDERSIZED WATERMANS	1979	1/1/2006
LICK CREEK PWD – IL1815100	7	**	1929	7/1/2011
MALDEN - IL0110550	1	UNDERSIZED WATERMANS	370	1/1/2006
MASON CITY - IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MATHERSVILLE - IL1310200	1	INADEQUATE SYSTEM PRESSURE	793	9/13/2000
MC HENRY SHORES WATER COMPANY - IL1115020	2	LOW SYSTEM PRESSURE	1813	9/17/1992
MENDOTA – IL0990550	1	LOW SYSTEM PRESSURE	7272	10/1/2012
MITCHELLSVILLE PWD – IL1655200	7	LOW SYSTEM PRESSURE	1924	10/1/2012
SCALES MOUND - IL0850400	1	LOW SYSTEM PRESSURE	400	9/15/1997
SENECA - IL0991050	1	INADEQUATE PLANT CAPACITY AND UNDERSIZED WATER MAINS	2053	6/15/1999
SHAWNEE VALLEY PWD – IL1815550	7	**	952	7/1/2011
STOCKTON - IL0850450	1	LOW SYSTEM PRESSURE	1871	6/15/1984
SUMNER - IL1010300	7	LOW SYSTEM PRESSURE	1481	12/13/1985
UTL INC-LAKE MARIAN WATER CORPORATION - IL0895200	2	INAD PRES STORAGE & LOW SYS PRES	924	9/14/1984
WALNUT HILL - IL1210600	6	LOW SYSTEM PRESSURE	1470	6/14/1985
WHITE HALL – IL0610400	6	INADEQUATE STORAGE CAPACITY	2950	10/1/2012

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
WITT – IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008

***WATER SYSTEMS REMOVED FROM PREVIOUS LIST***

**\* DENOTES ADDED WATER SUPPLIES**

**\*\*THESE PUBLIC WATER SUPPLIES OBTAIN WATER FROM ANNA-JONESBORO WATER COMMISSION (IL1815050) WHICH LACKS EXISTING TREATMENT CAPACITY.**

**Restricted Status/Critical Review**

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. Restricted Status and Critical Review are presented as a combined list with the status of the water supply denoted as either RS (Restricted Status) or CR (Critical Review). The current list reflects the status as of January 1, 2015. An asterisk, \*, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

**Restricted Status List**

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

**Critical Review List**

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.



This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.



The Illinois Pollution Control Board is an independent five-member board that adopts environmental control standards, rules on enforcement actions, and other environmental disputes for the State of Illinois.

The *Environmental Register* is published monthly by the Board, and contains updates on rulemakings, descriptions of final decisions, the Board's hearing calendar, and other environmental law information.

-----CUT HERE-----



Illinois Pollution Control Board  
Environmental Register Coordinator  
1021 N. Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274