
Environmental Register

October 2013 - Number 712

The Environmental Register is a Publication of the Illinois Pollution Control Board

Deanna Glosser, Chairman

Board Members:

Jennifer A. Burke, Jerome D. O'Leary, and Carrie Zalewski

Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph, Suite 11-500
Chicago, Illinois 60601
(312) 814-3620
(312) 814-6032 TDD

Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
(217) 524-8500

Web Site: <http://www.ipcb.state.il.us>

Letter from the Chairman

The Board took action on several rulemakings, including moving forward with Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System and Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303, and 304 (R08-9 Subdocket C). Below, the recent activity is summarized. As always, information about these proceedings is available through the Clerk's Office Online (COOL) at our Web site at www.ipcb.state.il.us.



On October 3, 2013, the Board adopted a proposed second notice in Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System and Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303, and 304 (R08-9 Subdocket C). The Board allowed participants the opportunity to comment on the Board's second notice before submitting the second notice to the Joint Committee on Administrative Rules. The Board took this action because changes from first notice included the redesignation of the Upper Dresden Island Pool (UDIP) as its own use category rather than as General Use. The Board also amended the definitions of the Aquatic Life Uses. The Board allowed participants until November 4, 2013 to comment on Subdocket C. The Board is also moving forward with Subdocket D and will hold public hearings beginning on December 17 through to December 19 (if necessary). Details on those public hearings can be accessed on the Board's web page.

On October 3, 2013, the Board adopted technical changes in Proposed Amendments to Groundwater Quality Standards (35 Ill. Adm. Code 620), R08-18. The Board solely made technical corrections to Section 620.420(b)(1) (35 Ill. Adm. Code 620.420(b)).

Also on October 3, 2013, the Board accepted a new rulemaking, Amendments to Primary Drinking Water Standards: 35 Ill. Adm. Code 611.490, R14-9. The proposal allows a laboratory certified by a sister state to perform chemical and physical analyses of source water and drinking water for the purposes of demonstrating compliance with National Primary Drinking Water Regulations. Currently, laboratories used must be certified and approved either by the United States Environmental Protection Agency or the Illinois Environmental Protection Agency (IEPA).

On October 17, 2013, the Board added locations for some of its Board meetings beginning on January 9, 2014. At that meeting and the meetings scheduled for February 6, 2014, and March 6, 2014, the Board will hold its meeting by videoconference between the Board's Chicago Office (Room 11-512) and the Board's Springfield Office (Room 1244N, First Floor). The Board encouraged members of the public to take advantage of these dual locations.

Please visit the Board website at www.ipcb.state.il.us for information on the rulemakings listed above as well as other Board rulemaking dockets and contested cases.

Sincerely,

A handwritten signature in cursive script that reads "Deanna Glosser".

Deanna Glosser, Ph.D.
Chairman

Inside This Issue:

RULEMAKING UPDATE	P. 1
BOARD ACTIONS	P. 3
NEW CASES	P. 6
BOARD CALENDAR	P. 6
RESTRICTED STATUS/CRITICAL REVIEW	P. 8

Rulemaking Update

Board Adopts Proposed Second Notice of “Aquatic Life Use” Designations for the Chicago Area Waterways System (CAWS) and Lower Des Plaines River (LDPR)

On October 3, 2013, the Pollution Control Board adopted a *proposed* second-notice opinion and order to solicit comments from participants on the changes made to the first-notice proposal in the rulemaking docketed as Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System and Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303, and 304 (R08-9, Subdocket C). Particularly in light of the changes noted below, the Board believes that participants should be given an opportunity to comment before the Board adopts second-notice amendments for review by the Joint Committee on Administrative Rules. Public comments must be received by the Clerk’s Office on or before November 4, 2013.

The October 3, 2013 opinion states that based upon comments and re-examination, the Board proposes for second notice an Upper Dresden Island Pool (UDIP) “aquatic life use” rather than designating UDIP as General Use. The Board continues to believe that UDIP is not impacted by the Use Attainability Analysis (UAA) Factors, and that the Clean Water Act goal of “fishable” is attainable in the UDIP. UDIP Aquatic Life Use (ALU) Waters are capable of maintaining aquatic-life populations consisting of individuals of tolerant, moderately tolerant, and intolerant types that are adaptive to the unique flow conditions necessary to maintain navigational use and upstream flood control functions of the waterway system. Such aquatic life may include, but is not limited to, largemouth bass, bluntnose minnow, channel catfish, orange-spotted sunfish, smallmouth bass, and spottail shiner.

Additionally, the Board proposes to amend the definitions of ALU A and ALU B in response to concerns raised. Generally, Chicago Area Waterway System (CAWS) ALU A Waters are capable of maintaining aquatic life populations predominated by individuals of tolerant and moderately tolerant types, which include, but is not limited to, fish species, such as channel catfish, largemouth bass, bluegill, black crappie, spotfin shiner, orangespotted sunfish, common carp, and goldfish. The ALU A Waters are Upper North Shore Channel, Lower North Shore Channel, North Branch of the Chicago River, South Branch of the Chicago River, Cal-Sag Channel, Calumet River, Little Calumet River, Grand Calumet River, Lake Calumet, and Lake Calumet Connecting Channel.

CAWS and Brandon Pool ALU B waters are capable of maintaining aquatic life populations predominated by individuals of tolerant fish species, which may include, but is not limited to, fish species such as common carp, golden shiner, bluntnose minnow, yellow bullhead, and green sunfish. The Board proposes as ALU B waters the Chicago Sanitary and Ship Canal and Brandon Pool.

All comments must be received by the Board, in its Chicago office, by November 4, 2013, at the following address: Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601. In addition, public comments may be filed electronically through the Clerk’s Office On-Line (COOL) at www.ipcb.state.il.us. Any questions about electronic filing through COOL should be directed to the Clerk’s Office at (312) 814-3629. Public comments must contain the docket number R08-9(c).

Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board’s web site and may be downloaded without charge. Hard copies may be obtained from the Clerk’s Office upon payment of reproduction fees as prescribed by Section 6 of the Freedom of Information Act (5 ILCS 140/6 (2012)).

For more information, please contact Marie Tipsord at 312-814-4925 or marie.tipsord@illinois.gov.

Board Adopts Final Order Making Technical Corrections to Recently-Adopted Amendments of Groundwater Quality Standards

The Board, on October 3, 2013, issued a final order adopting technical corrections to recent amendments of the Part 620 groundwater quality standards (GQS). On April 18, 2013, the Board opened a subdocket B in this proceeding and proposed first-notice amendments consisting of three technical corrections to the GQS amendments adopted by the Board on October 4, 2012 (Proposed Amendments to Groundwater Quality Standards (35 Ill. Adm. Code 620), R08-18). On August 22, 2013, the Board proposed second-notice amendments, and on September 17, 2013, the Joint Committee on Administrative Rules issued a certification of no objection concerning those amendments. The technical corrections were needed due to scriveners' errors that occurred during the R08-18 rulemaking.

R08-18(B) was opened solely to make several technical corrections to Section 620.420(b)(1) (35 Ill. Adm. Code 620.420(b)(1)), which lists organic chemicals and corresponding concentrations and provides that the concentrations must not be exceeded in Class II general resource groundwater. The amendments adopted in subdocket B remedy the inadvertent (1) deletion of trichloroethylene and its Class II GQS, (2) modification of the 1,1,2-trichloroethane Class II GQS, and (3) failure to place an asterisk next to the dibenzo(a,h)anthracene Class II GQS to reflect that the chemical is carcinogenic.

The Board had already held the public hearings required by the Environmental Protection Act during the R08-18 rulemaking. The Board received no request for an additional hearing in subdocket B. In addition, the Board received no public comment on subdocket B's first-notice amendments, which were unchanged at second notice.

Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board's web site and may be downloaded without charge. Hard copies may be obtained from the Clerk's Office upon payment of reproduction fees as prescribed by Section 6 of the Freedom of Information Act (5 ILCS 140/6 (2012)). The address is Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601.

For more information, please contact Richard McGill at 312-814-6983 or richard.mcgill@illinois.gov.

Board to Hold Hearing on Proposal to Amend Laboratory Certification for Analyzing Water

The Board, on October 3, 2013, accepted for hearing a proposal that would allow a laboratory certified by a sister state to perform chemical and physical analyses of source water and drinking water for the purposes of demonstrating compliance with National Primary Drinking Water Regulations (NPDWR). Currently, laboratories used must be certified and approved either by the United States Environmental Protection Agency (USEPA) or the Illinois Environmental Protection Agency (IEPA). On September 19, 2013, IEPA filed this rulemaking proposal, docketed as Amendments to Primary Drinking Water Standards: 35 Ill. Adm. Code 611.490 (R14-9). IEPA states that its proposed amendment is intended to allow the use of laboratories certified by sister states when the states fulfill specified requirements.

The Board encourages persons to file public comments on these proposed amendments. The docket number for this rulemaking, R14-9, must be indicated on the public comment.

The Board has scheduled two public hearings in this rulemaking. The first hearing will be held November 5, 2013 at 1:00PM at the James R. Thompson Center, Illinois Pollution Control Board Hearing Room, 100 West Randolph Street, Room 11-512, Chicago. The second hearing is scheduled for 1:00PM at the Sangamo Building, Illinois Pollution Control Board Hearing Room, 1021 North Grand Avenue, Springfield.

Public comments must be filed with the Clerk of the Board. Public comments may be filed at the following address: Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601.

In addition, public comments may be filed electronically through COOL at www.ipcb.state.il.us. Any questions about electronic filing through COOL should be directed to the Clerk's Office at (312) 814-3629.

Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board's web site and may be downloaded without charge. Hard copies may be obtained from the Clerk's office upon payment of reproduction fees as prescribed by Section 6 of the Freedom of Information Act (5 ILCS 140/6 (2012)).

For more information, please contact Michael McCambridge at 312-814-6983 or michael.mccambridge@illinois.gov.

Board Actions

October 3, 2013

Chicago, Illinois

Rulemakings

- | | | |
|------------------|---|--------------|
| R08-9 (C) | <u>In The Matter of: Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System (CAWS) and the Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303 and 304</u> – The Board adopted a second notice opinion and order in this rulemaking proposal to amend the Board’s water regulations. | 4-0
Water |
| R08-18(B) | <u>In the Matter of: Technical Corrections to 35 Ill. Adm. Code 620.420</u> – The Board adopted a final opinion and order in this rulemaking to amend the Board’s public water supply pollution regulations. | 4-0
PWS |
| R14-9 | <u>In the Matter of: Technical Corrections to 35 Ill. Adm. Code 620.420</u> – The Board accepted for hearing petitioner’s September 19, 2013 proposal to amend the Board’s public water supply regulations. | 4-0
Water |

Administrative Citations

- | | | |
|-----------------|--|-----|
| AC 11-1 | <u>IEPA v. William A. Cogdill</u> – The Board granted complainant’s motion for withdrawal of this administrative citation and closed the docket. | 4-0 |
| AC 14-3 | <u>IEPA v. Thomas and Heather Farris</u> – The Board granted complainant’s motion for withdrawal of this administrative citation and closed the docket. | 4-0 |
| AC 14-8 | <u>County of Montgomery v. Vernon Weber</u> – The Board found that this Montgomery County respondent violated Sections 21(p)(1) and 55(k)(1) of the Environmental Protection Act (415 ILCS 5/21(p)(1), 55(k)(1) (2012)), and ordered respondent to pay a civil penalty of \$3,000. | 4-0 |
| AC 14-10 | <u>IEPA v. Daniel Dawson</u> – The Board accepted respondent’s petition for review involving a McLean County facility, but directed respondent to file an amended petition to cure deficiencies. | 4-0 |

Adjudicatory Cases

- | | | |
|-------------------|---|----------------------|
| PCB 12-102 | <u>Quick Oil Co. v. IEPA</u> – The Board granted petitioner’s motion for voluntary dismissal of this permit appeal. | 4-0
UST Appeal |
| PCB 13-15 | <u>Sierra Club, Environmental Law and Policy Center, Prairie Rivers Network, and Citizens Against Ruining the Environment v. Midwest Generation</u> – The Board denied Midwest Generation LLC’s (MWG) motion to dismiss the complaint as frivolous or duplicative based merely upon the existence of the compliance commitment agreements. The Board also denied MWG’s motion to dismiss the open dumping counts as insufficiently pled. The Board granted the request to strike counts 1-3 of the complaint to the extent they allege MWG violated federal regulations, and struck portions of paragraphs 43, 46, and 49 of the complaint. | 4-0
W-E, Citizens |

PCB 13-35	<u>People of the State of Illinois v. The Board of Trustees of the University of Illinois (East Campus)</u>	4-0
PCB 13-36 (cons.)	<u>People of the State of Illinois v. The Board of Trustees of the University of Illinois (West Campus)</u> – The Board granted the parties’ joint motion to extend the stay of these consolidated enforcement proceedings; stay will last until October 10, 2013, unless the Board issues an order terminating the stay sooner. On October 9, 2013, the parties must file, separately or jointly, a status report regarding No. 13-CH-162.	A-E
PCB 13-51	<u>People of the State of Illinois v. Midwest Environmental Consulting Services, Inc. and Universal Asbestos Removal, Inc.,</u> – In this air enforcement action concerning a Bureau County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2012)) and accepted two separate stipulation and settlement agreements, ordering the respondents to pay a total civil penalty of \$30,000.00, and to cease and desist from further violations.	4-0 A-E
PCB 13-69	<u>People of the State of Illinois v. R. A. Peterson, Inc., an Illinois corporation</u> – Upon receipt of a complaint accompanied by a proposed stipulation and settlement agreement, and an agreed motion to request relief from the hearing requirement in this water enforcement action involving a Lake County facility, the Board ordered publication of the required newspaper notice.	4-0 W-E
PCB 14-6	<u>Jon Chvalovsky v. Exelon and Commonwealth Edison</u> – The Board granted respondents’ motion to dismiss the complaint as frivolous, but allowed complainant 30 days to file an amended complaint addressing the deficiencies.	3-0 Burke abstained N-E, Citizens
PCB 14-16	<u>People of the State of Illinois v. C & M Contractors of Missouri, LLC</u> – In this water enforcement action concerning a McDonough County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2012)), accepted a stipulation and settlement agreement, and ordered the respondent to pay a total civil penalty of \$10,000.00, and to cease and desist from further violations.	4-0 W-E
PCB 14-23	<u>J & A Investors, LLC v. IEPA</u> – The Board accepted for hearing this permit appeal involving a Champaign County facility. No action was taken on petitioner’s motion for partial stay of specified conditions in the construction permit.	4-0 W-PA
PCB 14-24	<u>SABIC Innovative Plastics US LLC v. IEPA</u> – The Board accepted for hearing this permit appeal involving a LaSalle County facility. No action was taken on petitioner’s motion to allow Andrew S. Hogeland to appear <i>pro hac vice</i> on behalf of SABIC.	4-0 W-PA, NPDES

October 17, 2013
Chicago, Illinois

Administrative Citations

AC 13-55	<u>County of Perry v. Union Pacific Railroad Company</u> – The Board granted the parties’ joint motion for dismissal of this administrative citation and closed the docket.	4-0
AC 14-12	<u>IEPA v. Raben Tire Company, Inc. (IEPA File No. 224-13-AC)</u> – The Board found that this Saline County respondent violated Section 55(k)(1) of the Environmental Protection Act (415 ILCS 5/55(k)(1) (2012)), and ordered respondent to pay a civil penalty of \$1,500.	4-0
AC 14-13	<u>IEPA v. Raben Tire Company, Inc. (IEPA File No. 226-13-AC)</u> – The Board found that this Saline County respondent violated Section 55(k)(1) of the Environmental Protection Act (415 ILCS 5/55(k)(1) (2012)), and ordered respondent to pay a civil penalty of \$1,500.	4-0
AC 14-14	<u>IEPA v. Flossie E. Hayes and Kevin E. Stine</u> – The Board accepted respondents’ petition for review involving a McLean County facility.	4-0
AC 14-18	<u>County of Jackson v. John Kenneth Lewis</u> – The Board found that this Jackson County respondent violated Sections 21(p)(1), (p)(4), and (p)(7) of the Act (415 ILCS 5/21(p)(1), (p)(4), and (p)(7) (2012)), and ordered respondent to pay a civil penalty of \$4,500.	4-0

Adjudicatory Cases

PCB 10-20	<u>People of the State of Illinois v. Montalbano Builders, Inc., MBC XIV, LLC, Cortland I-88, LLC, RB Resolutions Properties, LLC, and Douglas J. Johnson</u> – The Board granted complainant’s motion to dismiss Douglas Johnson as a respondent.	4-0 W-E
PCB 11-79	<u>People of the State of Illinois v. Inverse Investment L.L.C.</u> , – The Board granted respondent’ motion to stay the proceedings, as suggested by complainant, but only until February 18, 2014.	4-0 W-E
PCB 13-19 PCB 13-20 (cons.)	<u>People of the State of Illinois v. Sheridan-Joliet Land Development, LLC</u> <u>People of the State of Illinois v. Sheridan-Joliet Land Development, LLC</u> – The Board denied respondents’ motion to reconsider the Board’s August 8, 2013 Order.	4-0 L-E
PCB 14-19	<u>People of the State of Illinois v. Walsh Construction Company</u> – In this water enforcement action concerning a Madison County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2012)), accepted a stipulation and settlement agreement, and ordered the respondent to pay a total civil penalty of \$15,000.00, and to cease and desist from further violations.	4-0 W-E
PCB 14-24	<u>SABIC Innovative Plastics US LLC v. IEPA</u> – The Board granted petitioner’s motion to allow Andrew S. Hogeland to appear <i>pro hac vice</i> .	4-0 W-PA, NPDES

- PCB 14-25** Will Scarlett Properties, L.L.C. v. IEPA – The Board granted this request for a 60-day extension of time to file an underground storage tank appeal on behalf of this facility located in Saline and Williamson Counties. 4-0
W-PA,
NPDES
- PCB 14-26** Jaswinder Sadhu v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Tazewell County facility. 4-0
UST-
PA,
90-Day Ext.

New Cases

October 3, 2013 Board Meeting

PCB 14-23 J & A Investors, LLC v. IEPA – The Board accepted for hearing this permit appeal involving a Champaign County facility. No action was taken on petitioner’s motion for partial stay of specified conditions in the construction permit.

PCB 14-24 SABIC Innovative Plastics US LLC v. IEPA – The Board accepted for hearing this permit appeal involving a LaSalle County facility. No action was taken on petitioner’s motion to allow Andrew S. Hogeland to appear *pro hac vice* on behalf of SABIC.

October 17, 2013

PCB 14-25 Will Scarlett Properties, L.L.C. v. IEPA – The Board granted this request for a 60-day extension of time to file an underground storage tank appeal on behalf of this facility located in Saline and Williamson Counties.

PCB 14-26 Jaswinder Sadhu v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Tazewell County facility.

Calendar

11/05/2013 1:00 PM	R14-9	<u>In the Matter of: Proposed Amendments to Primary Drinking Water Standards; 35 Ill. Adm. Code 611.490</u>	IPCB Conference Room Suit 11-512 100 W. Randolph Street Chicago
11/7/2013 11:00 AM	Illinois Pollution Control Board Meeting		Videoconference Chicago/Springfield James R. Thompson Center Hearing Room 11-512 100 W. Randolph Street Chicago And 1021 N. Grand Avenue East Room 1244 N Springfield
11/13/2013 1:00 PM	R14-09	<u>In the Matter of: Proposed Amendments to Primary Drinking Water Standards; 35 Ill. 35 Adm. Code 611.490</u>	Board Conference Room 1021 N. Grand Avenue East Springfield
11/21/2013 11:00 AM	Illinois Pollution Control Board Meeting		James R. Thompson Center Hearing Room 11-512 100 W. Randolph Street Chicago

12/5/2013 11:00 AM	Illinois Pollution Control Board Meeting		James R. Thompson Center 100 W. Randolph Street Chicago
12/17/2013 9:00 AM	R08-9(D)	<u>In the Matter of: Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System (CAWS) and the Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303 and 304</u> (Continues until complete or through December 19, 2013)	Michael A. Bilandic Building Room N-505 160 N. LaSalle Chicago
12/19/2013 11:00 AM	Illinois Pollution Control Board Meeting		James R. Thompson Center 100 W. Randolph Street Chicago

**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List - Public Water Supplies**

OCTOBER 2013

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
ALTERNATIVE BEHAVIOR TREATMENT CENTER - IL0977189	2	INADEQUATE PRESSURE TANK	50	6/15/1988
ARLINGTON REHABILITATION LIVING CENTER - IL0971110	2	INADEQUATE HYDRO STORAGE	180	12/1/2003
BAHL WATER CORP - IL0855200	1	INADEQUATE PRESSURE TANK	700	12/15/1993
BELMONT WATER INC - IL0755150	4	EXCEEDING MCL FOR ARSENIC	200	6/15/2012
BIGGSVILLE - IL0710050	5	EXCEEDANCES OF GROSS ALPHA AND COMBINED RADIUM MCL'S	350	4/1/2010
BRADLEY HEIGHTS SUBDIVISION - IL2015050	1	INADEQUATE PRESSURE TANK	192	9/13/1985
BUDA - IL0110100	1	EXCEEDING THE MCL FOR COMBINED RADIUM	600	6/15/2012
BUFFALO HOLLOW FARMS WATER ASSOCIATION - IL1430080	5	INADEQUATE PRESSURE STORAGE	44	6/16S/2008
CARROLL HEIGHTS UTILITIES COMPANY - IL0155200	1	INADEQUATE PRESSURE TANK	96	3/20/1981
CENTURY PINES APARTMENTS - IL0150020	1	INADEQUATE PRESSURE TANK	50	12/14/1990
COOKSVILLE - IL1130400	4	TTHM & HALOACIDIC ACIDS	300	9/15/2005
COYNE CNTR COOP - IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CROPSEY COMMUNITY WATER - IL1135150	4	INADEQUATE PRESSURE TANK	31	3/20/1981
CRYSTAL CLEAR WATER COMPANY - IL1115150	2	INADEQUATE GROUND STORAGE AND PRESSURE TANK	885	9/16/1988
CUTLER - IL1450050	7	EXCEEDING THE COMBINED MCL FOR RADIUM	676	6/15/2012
DE KALB UNIV DVL CORP - IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
DELAND - IL1470200	4	EXCEEDING THE	475	3/16/2012

SYSTEM NAME	EPA RGN	NATURE OF PROBLEM	POP SERVED	LISTING DATE
		MAXIMUM CONTAMINANT LEVEL (MCL) FOR ARSENIC		
EAST END WATER ASSOCIATION - IL1610140	1	INADEQUATE STORAGE CAPACITY	40	3/15/2002
EAST MORELAND WATER CORPORATION - IL1975640	2	INADEQUATE PRESSURE TANK	135	3/15/1996
EDELSTEIN WATER COOPERATIVE - IL1435150	5	EXCEEDING THE MCL's FOR COMBINED RADIUM & GROSS ALPHA PARTICLE ACTIVITY	125	10/1/2010
ELIZABETHTOWN - IL0690100	7	UNSAFE SOURCE	348	6/15/2012
EVERGREEN VILLAGE SUBDIVISION - IL1615310	1	INADEQUATE PRESSURE TANK	130	3/20/1981
*EXETER-MERRITT WATER COOP - IL1710010	5	INADEQUATE STORAGE CAPACITY	765	9/15/2013
FAIR ACRES SUBDIVISION - IL1975680	2	INADEQUATE PRESSURE TANK	156	10/19/1981
FOREST LAKE ADDITION - LAKE CO PW IL0975500	2	INADEQUATE PRESSURE TANK	204	12/16/1983
FRWRD-SKYLINE PLANT - IL0895030	2	INADEQUATE PRESSURE TANK	700	9/19/1986
GREAT OAKS AND BEACON HILLS APARTMENTS - IL2015488	1	INADEQUATE PRESSURE TANK	2420	12/17/1982
GREEN MEADOW ESTATES OF ROCKFORD, LLC - IL2015495	1	INADEQUATE GROUND AND HYDRO- PNEUMATIC STORAGE	970	6/15/2012
HETTICK - IL1170500	5	TRIHALOMETHANE	182	6/15/2002
HIGHLAND SUBDIVISION - IL0895530	2	INADEQUATE PRESSURE TANK	60	9/16/1983
HILLVIEW SUBDIVISION - IL1975800	2	INADEQUATE PRESSURE TANK	100	3/15/1985
INGALLS PARK SUBDIVISION - IL1975880	2	INADEQUATE PRESSURE TANK	745	9/16/1983
LAKE LYNWOOD WATER SYSTEM - IL0735330	1	INADEQUATE PRESSURE TANK	75	8/31/1981
LARCHMONT SUBDIVISION - IL2015290	1	INADEQUATE PRESSURE TANK	64	6/17/1983
LARSON COURT APARTMENTS - IL1615728	1	INADEQUATE PRESSURE TANK	58	1/14/1982
LEGEND LAKES WATER ASSOCIATION - IL2015300	1	INADEQUATE PRESSURE TANK	283	3/14/1991
LIBERTY PARK	2	INADEQUATE GROUND	837	9/17/1992

SYSTEM NAME	EPA RGN	NATURE OF PROBLEM	POP SERVED	LISTING DATE
HOMEOWNERS ASSOCIATION - IL0435600		STORAGE CAPACITY		
LINDENWOOD WATER ASSOCIATION - IL1415300	1	INADEQUATE PRESSURE TANK	50	1/13/1982
LISBON NORTH, INC. - IL0631000	2	INADEQUATE PRESSURE TANK	30	9/14/1990
LONDON MILLS - IL0574620	5	INADEQUATE PRESSURE TANK	447	12/14/1984
LYNN WATER ASSOCIATION INC - IL0735100	1	INADEQUATE PRESSURE TANK	100	3/15/1995
LYNNWOOD WATER CORPORATION - IL0995336	1	INADEQUATE PRESSURE TANK	110	3/18/1983
M C L W SYSTEM, INC. - IL1315150	1	INADEQUATE SOURCE	98	3/20/1981
MAEYSTOWN – IL1330200	6	EXCEEDING THE MCL FOR NITRATE	230	6/15/2012
MALTA – IL0370350	1	INADEQUATE STORAGE (NO AUTO-START GENERATOR)	1175	6/15/2012
METCALF – IL0450250	4	COLIFORM BACTERIA PRESENT IN SOURCE WATER	213	4/1/2013
MOUND PWD - IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
NORTH HENDERSON – IL1310300	1	INADEQUATE HYDROPNEUMATIC STORAGE	184	7/1/2011
NORTHWEST BELMONT IMPRV ASSN - IL0435900	2	INADEQUATE PRESSURE TANK	78	9/29/1981
OAKLANE SUBDIVISION – IL0995250	1	EXCEEDING THE COMBINED RADIUM MCL	60	6/15/2012
OAK RIDGE SD - IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OSCO MUTUAL WATER SUPPLY COMPANY, INC. - IL0735200	1	INADEQUATE PRESSURE TANK	115	12/15/1989
PANAMA - IL0054720	6	TTHM, DBP, INAD STORAGE	380	1/1/2006
PERCY – IL1570350	6	COLIFORM BACTERIA PRESENT IN SOURCE WATER	925	12/16/2012
PORTS SULLIVAN LAKE OWNERS ASSOCIATION - IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE RIDGE ASSOCIATION - IL1115730	2	INADEQUATE PRESSURE TANK	130	10/1/2004
PRAIRIE ROAD PUMP	1	INADEQUATE STORAGE	150	1/1/2006

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
ASSOCIATION- IL2015100				
RANSOM – IL0990900	1	EXCEEDING MCL FOR COMBINED RADIUM	483	6/15/2012
SHAWNITA TRC WATER ASSOCIATION - IL1977690	2	INADEQUATE PRESSURE TANK	125	9/17/1992
SILVIS HEIGHTS WATER CORP - IL1615750	1	INADEQUATE HYDRO STORAGE	1600	12/1/2003
STRATFORD WEST APARTMENTS - IL1095200	5	INADEQUATE PRESSURE TANK	39	12/17/1982
SUBURBAN HEIGHTS SUBDIVISION - IL1615800	1	INADEQUATE PRESSURE TANK	82	12/16/1983
SUNNY HILL ESTATES SUBDIVISION - IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION - IL1977730	2	INADEQUATE PRESSURE TANK	350	9/16/1983
SWEDONA WATER ASSOCIATION - IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION - IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TOWNERS SUBDIVISION - IL0977250	2	INADEQUATE PRESSURE TANK	210	1/14/1982
UTL INC-LAKE HOLIDAY - IL0995200	1	INAD SOURCE & TREATMENT PLT	5460	9/15/1998
UTL INC-NORTHERN HILLS UTILITIES COMPANY - IL1775050	1	INADEQUATE PRESSURE TANK	500	3/15/1996
UTL INC-WALK-UP WOODS WATER COMPANY - IL1115800	2	INADEQUATE PRESSURE TANK	654	12/17/1982
VALLEY VIEW SUBDIVISION – IL2030010	1	INADEQUATE HYDROPNEUMATIC STORAGE	100	6/15/2012
WIENEN ESTATES - IL0850030	1	INADEQUATE PRESSURE TANK	70	12/15/1997
WONDER LAKE WATER COMPANY - IL1115750	2	INADEQUATE PRESSURE TANK	1442	6/16/1994

WATER SYSTEMS REMOVED FROM PREVIOUS LIST:

*** DENOTES ADDED WATER SUPPLIES**

**** THESE PUBLIC WATER SUPPLIES OBTAIN WATER FROM ANNA-JONESBORO WATER COMMISSION – (IL1815050) WHICH LACKS EXISTING TREATMENT CAPACITY.**

****** CHANGE NATURE OF PROBLEM**

Illinois Environmental Protection Agency
Division of Public Water Supplies
Critical Review List - Public Water Supplies

OCTOBER 2013

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
ANDALUSIA - IL1610050	1	INADEQUATE PRESSURE TANK	1050	12/1/2003
ANNA-JONESBORO WATER COMMISSION – IL1815050	7	LACKS EXISTING TREATMENT CAPACITY	36	7/1/2011
ANNA WATER COMMISSION – IL1810050	7	**	5750	7/1/2011
BEASON CHESTNUT PWD - IL1075150	5	INAD PLANT & SOURCE CAP	600	6/15/2004
CANTON – IL0570250	5	INSUFFICIENT TREATMENT CAPACITY	13932	3/15/2007
CEDARVILLE - IL1770050	1	EMERGENCY POWER	800	1/1/2006
COLUMBIA - IL1330050	6	INADEQUATE PUMPING CAPACITY	8365	3/15/1998
EDWARDSVILLE – IL1190250	5	INSUFFICIENT PLANT CAPACITY TO HANDLE PEAK SYSTEM WATER DEMAND	24,900	9/16/2008
ELIZABETH - IL0850150	1	LOW SYSTEM PRESSURE	682	6/15/1999
GALENA - IL0850200	1	LOW SYSTEM PRESSURE	3640	6/15/1999
GRIGGSVILLE – IL1490300	5	INADEQUATE TREATMENT PLANT CAPACITY	1259	10/1/2006
HOLIDAY SHORES SD - IL1195110	6	INADEQUATE STORAGE CAPACITY	3192	1/1/2006
IL AMERICAN-ALTON	6	APPROACHING WATER TREATMENT PLANT CAPACITY	51922	4/1/2009
IL AMERICAN-E ST. LOUIS- IL1635040	6	APPROACHING INADEQUATE STORAGE CAPACITY	155382	1/01/2011
JONESBORO PWS – IL1810250	7	**	1853	7/1/2011
JOY - IL1310100	1	LOW SYSTEM PRESSURE	373	6/15/1999
LA SALLE - IL0990300	1	INAD PLANT & SOURCE CAPACITY	9700	11/1/2004
LACON - IL1230100	1	UNDERSIZED WATERMAINS	1979	1/1/2006
LICK CREEK PWD – IL1815100	7	**	1929	7/1/2011
MALDEN - IL0110550	1	UNDERSIZED WATERMAINS	370	1/1/2006
MASON CITY - IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MATHERSVILLE - IL1310200	1	INADEQUATE SYSTEM PRESSURE	793	9/13/2000

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
MC HENRY SHORES WATER COMPANY - IL1115020	2	LOW SYSTEM PRESSURE	1813	9/17/1992
MENDOTA – IL0990550	1	LOW SYSTEM PRESSURE	7272	10/1/2012
MITCHELLSVILLE PWD – IL1655200	7	LOW SYSTEM PRESSURE	1924	10/1/2012
SCALES MOUND - IL0850400	1	LOW SYSTEM PRESSURE	400	9/15/1997
SENECA - IL0991050	1	INADEQUATE PLANT CAPACITY AND UNDERSIZED WATER MAINS	2053	6/15/1999
SHAWNEE VALLEY PWD – IL1815550	7	**	952	7/1/2011
STOCKTON - IL0850450	1	LOW SYSTEM PRESSURE	1871	6/15/1984
SUMNER - IL1010300	7	LOW SYSTEM PRESSURE	1481	12/13/1985
UTL INC-LAKE MARIAN WATER CORPORATION - IL0895200	2	INAD PRES STORAGE & LOW SYS PRES	924	9/14/1984
WALNUT HILL - IL1210600	6	LOW SYSTEM PRESSURE	1470	6/14/1985
WHITE HALL – IL0610400	6	INADEQUATE STORAGE CAPACITY	2950	10/1/2012
WITT – IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008

WATER SYSTEMS REMOVED FROM PREVIOUS LIST

*** DENOTES ADDED WATER SUPPLIES**

**** THESE PUBLIC WATER SUPPLIES OBTAIN WATER FROM ANNA-JONESBORO WATER COMMISSION (IL1815050) WHICH LACKS EXISTING TREATMENT CAPACITY.**

Restricted Status/Critical Review

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. Restricted Status and Critical Review are presented as a combined list with the status of the water supply denoted as either RS (Restricted Status) or CR (Critical Review). The current list reflects the status as of October 1, 2013. An asterisk, *, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

Restricted Status List

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

Critical Review List

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.



A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

The Illinois Pollution Control Board is an independent five-member board that adopts environmental control standards, rules on enforcement actions, and other environmental disputes for the State of Illinois.

The *Environmental Register* is published monthly by the Board, and contains updates on rulemakings, descriptions of final decisions, the Board's hearing calendar, and other environmental law information.

-----CUT HERE-----



Illinois Pollution Control Board
Environmental Register Coordinator
1021 N. Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274