

OFFICE OF THE SECRETARY OF STATE

JESSE WHITE • Secretary of State

February 18, 2014

STATE OF ILLINOIS and Posital Bosital

POLLUTION CONTROL BOARD JOHN THERRIAULT ASSISTANT CLERK 100 W RANDOLPH ST, STE 11-500 CHICAGO, IL 60601



Dear JOHN THERRIAULT ASSISTANT CLERK

Your rules Listed below met our codification standards and have been published in Volume 38, Issue 8 of the Illinois Register, dated 2/21/2014.

PROPOSED RULES

Hazardous Waste Management System: General 35 Ill. Adm. Code 720 Point of Contact: Mike McCambridge

5016

Identification and Listing of Hazardous Waste
35 Ill. Adm. Code 721
Point of Contact: Mike McCambridge

5077

If you have any questions, you may contact the Administrative Code Division at (217) 782 - 7017.



POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

1) Heading of the Part: Hazardous Waste Management System: General

2) Code citation: 35 Ill. Adm. Code 720

3) <u>Section numbers:</u>

Proposed action:

720.110

 $_{i}^{\prime }$

Amend

720.111

Amend

- 4) <u>Statutory authority:</u> 415 ILCS 5/7.2, 13, 22.4, and 27.
- A Complete description of the subjects and issues involved: The following briefly describes the subjects and issues involved in the docket R14-13 rulemaking of which the amendments to Part 720 are a single segment. Also affected is 35 Ill. Adm. Code 721, which is covered by a separate notice in this issue of the Illinois Register. A comprehensive description is contained in the Board's opinion and order of February 6, 2014, proposing amendments in docket R14-13, which opinion and order is available from the address below.

This proceeding updates the Illinois Resource Conservation and Recovery Act (RCRA) Subtitle C hazardous waste rules to correspond with amendments adopted by the United States Environmental Protection Agency (USEPA) that appeared in the Federal Register during a single update period. The docket and time period that is involved in this proceeding is the following:

R14-13 Federal RCRA Subtitle C hazardous waste amendments that occurred during the period July 1, 2013 through December 31, 2013.

The R14-13 docket amends rules in Parts 720 and 721. The amendments to the various Parts are inter-related. The following briefly summarizes the federal action in the update period:

July 31, 2013 (78 Fed. Reg. 46448)

Conditional exclusions of solvent-contaminated wipes from the definitions of solid waste and hazardous waste.

In addition to the federal actions that fall within the timeframe of this docket, the Board included one additional federal action that occurred later. This additional action directly impacted one of the actions that USEPA took within the timeframe that is involved.

RECEIVED

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

January 3, 2014 (79 Fed. Reg. 350)

Conditional exclusion from regulation as hazardous waste for carbon dioxide streams injected into a Class VI carbon sequestration well.

Specifically, the amendments to Part 720 implement segments of the federal amendments of July 31, 2013 and January 3, 2014. The amendments add definitions and one incorporation by reference that support the exclusions. The Board has included a limited number of corrections and clarifying amendments that are not directly derived from the instant federal amendments. The Board has also included amendments proposed in the pending consolidated update docket, <u>UIC Update, USEPA Amendments (January 1, 2013 through June 30, 2013)</u>, R14-1, <u>RCRA Subtitle D (Municipal Solid Waste Landfill) Update, USEPA Amendments (January 1, 2013 through June 30, 2013)</u>, R14-2, and <u>RCRA Subtitle C (Hazardous Waste) Update, USEPA Amendments (January 1, 2013 through June 30, 2013)</u>, R14-3 (Dec. 5, 2013), which the Board is voted to adopt on February 6, 2014, but which will not be filed until after publication of the present amendments. A table in the Board's opinion and order in docket R14-13 itemizes the amendments from consolidated docket R14-1/R14-2/R14-3.

Tables appear in the Board's opinion and order of February 6, 2014 in docket R14-13 that list numerous corrections and amendments that are not based on current federal amendments. The tables contain deviations from the literal text of the federal amendments underlying these amendments, as well as corrections and clarifications that the Board made in the base text involved. Persons interested in the details of those corrections and amendments should refer to the February 6, 2014 opinion and order in docket R14-13.

Section 22.4 of the Environmental Protection Act [415 ILCS 5/22.4] provides that Section 5-35 of the Administrative Procedure Act [5 ILCS 100/5-35] does not apply to this rulemaking. Because this rulemaking is not subject to Section 5-35 of the APA, it is not subject to First Notice or to Second Notice review by the Joint Committee on Administrative Rules (JCAR).

- 6) Published studies or reports, and sources of underlying data, used to compose this rulemaking: None
- 7) <u>Will these proposed amendments replace emergency amendments currently in effect?</u> No.
- 8) Does this rulemaking contain an automatic repeal date? No.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- 9) Do these proposed amendments contain incorporations by reference? Yes.
- 10) Statement of statewide policy objectives: These proposed amendments do not create or enlarge a state mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- 11) Are there any other amendments pending on this Part? Yes.

Section number

Proposed action

Illinois Register citation

720.111

Amend

37 Ill. Reg. 20003, December 20, 2013

12) Time, Place and manner in which interested persons may comment on this proposed rulemaking: The Board will accept written public comment on this proposal for a period of 45 days after the date of this publication. Comments should reference docket R14-13 and be addressed to:

> John T. Therriault, Clerk Illinois Pollution Control Board State of Illinois Center, Suite 11-500 100 W. Randolph St. Chicago, IL 60601

Please direct inquiries to the following person and reference docket R14-13:

Michael J. McCambridge Staff Attorney Illinois Pollution Control Board 100 W. Randolph 11-500 Chicago, IL 60601

Phone: 312-814-6924

E-mail: mccambm@ipcb.state.il.us

Request copies of the Board's opinion and order at 312-814-3620, or download a copy from the Board's Website at http://www.ipcb.state.il.us.

- 13) Initial regulatory flexibility analysis:
 - Types of small businesses, small municipalities, and not-for-profit corporations A) affected: This rulemaking may affect those small businesses, small municipalities, and not-for-profit corporations that generate, transport, treat, store,

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

or dispose of hazardous waste. These proposed amendments do not create or enlarge a state mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].

- B) Reporting, bookkeeping or other procedures required for compliance: The existing rules and proposed amendments require extensive reporting, bookkeeping and other procedures, including the preparation of manifests and annual reports, waste analyses and maintenance of operating records. These proposed amendments do not create or enlarge a state mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- C) Types of professional skills necessary for compliance: Compliance with the existing rules and proposed amendments may require the services of an attorney, certified public accountant, chemist, and registered professional engineer. These proposed amendments do not create or enlarge a state mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- 14) Regulatory agenda on which this rulemaking was summarized: January 2014: published at 37 Ill. Reg. 20463, 20501 (December 20, 2013)

The full text of the proposed amendments begins on the next page:

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE G: WASTE DISPOSAL CHAPTER I: POLLUTION CONTROL BOARD SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 720 HAZARDOUS WASTE MANAGEMENT SYSTEM: GENERAL

SUBPART A: GENERAL PROVISIONS

Section			
720.101	Purpose, Scope, and Applicability		
720.102	Availability of Information; Confidentiality of Information		
720.103	Use of Number and Gender		
720.104	Electronic Reporting		
	SUBPART B: DEFINITIONS AND REFERENCES		
Section			
720.110	Definitions		
720.111	References		
	SUBPART C: RULEMAKING PETITIONS AND OTHER PROCEDURES		
Section			
720.120	Rulemaking		
720.121	Alternative Equivalent Testing Methods		
720.122	Waste Delisting		
720.123	Petitions for Regulation as Universal Waste		
720.130	Procedures for Solid Waste Determinations and Non-Waste Determinations		
720.131	Solid Waste Determinations		
720.132	Boiler Determinations		
720.133	Procedures for Determinations		
720.134	Non-Waste Determinations		
720.140	Additional Regulation of Certain Hazardous Waste Recycling Activities on a		
	Case-by-Case Basis		
720.141	Procedures for Case-by-Case Regulation of Hazardous Waste Recycling		
	Activities		
720.142	Notification Requirement for Hazardous Secondary Materials		
720.143	Legitimate Recycling of Hazardous Secondary Materials		
720.APP	ENDIX A Overview of Federal RCRA Subtitle C (Hazardous Waste) Regulations (Repealed)		

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

AUTHORITY: Implementing Sections 7.2, 13, and 22.4 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 13, 22.4, and 27].

SOURCE: Adopted in R81-22 at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22 at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-19 at 7 Ill. Reg. 14015, effective October 12, 1983; amended in R84-9 at 9 Ill. Reg. 11819, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 968, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 13998, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20630, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6017, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13435, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19280, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2450, effective January 15, 1988; amended in R87-39 at 12 III. Reg. 12999, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 362, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18278, effective November 13, 1989; amended in R89-2 at 14 Ill. Reg. 3075, effective February 20, 1990; amended in R89-9 at 14 Ill. Reg. 6225, effective April 16, 1990; amended in R90-10 at 14 Ill. Reg. 16450, effective September 25, 1990; amended in R90-17 at 15 Ill. Reg. 7934, effective May 9, 1991; amended in R90-11 at 15 Ill. Reg. 9323, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14446, effective September 30, 1991; amended in R91-13 at 16 Ill. Reg. 9489, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17636, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5625, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20545, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6720, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12160, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17480, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9508, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 10929, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 256, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7590, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17496, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 1704, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9094, effective July 26, 1999; amended in R00-5 at 24 Ill. Reg. 1063, effective January 6, 2000; amended in R00-13 at 24 Ill. Reg. 9443, effective June 20, 2000; amended in R01-3 at 25 Ill. Reg. 1266, effective January 11, 2001; amended in R01-21/R01-23 at 25 Ill. Reg. 9168, effective July 9. 2001; amended in R02-1/R02-12/R02-17 at 26 Ill. Reg. 6550, effective April 22, 2002; amended in R03-7 at 27 Ill. Reg. 3712, effective February 14, 2003; amended in R03-18 at 27 Ill. Reg. 12713, effective July 17, 2003; amended in R05-8 at 29 Ill. Reg. 5974, effective April 13, 2005; amended in R05-2 at 29 Ill. Reg. 6290, effective April 22, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 2930, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 730, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 11726. effective July 14, 2008; amended in R09-3 at 33 Ill. Reg. 922, effective December 30, 2008; amended in R09-16/R10-4 at 34 Ill. Reg. 18535, effective November 12, 2010; amended in R11-2/R11-16 at 35 Ill. Reg. 17672, effective October 14, 2011; amended in R12-7 at 36 Ill. Reg.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

8740, effective June 4, 2012;	amended in R13-5 at 37 Ill. Reg. 3180, effective March 4, 2013;
amended in R13-15 at 37 Ill.	Reg. 17726, effective October 24, 2013; amended in R14-13 at 38
Ill. Reg, effective	·

SUBPART B: DEFINITIONS AND REFERENCES

Section 720.110 Definitions

When used in 35 III. Adm. Code 720 through 728, 733, 738, and 739 only, the following terms have the meanings given below:

- "Aboveground tank" means a device meeting the definition of tank that is situated in such a way that the entire surface area of the tank is completely above the plane of the adjacent surrounding surface and the entire surface area of the tank (including the tank bottom) is able to be visually inspected.
- "Active life" of a facility means the period from the initial receipt of hazardous waste at the facility until the Agency receives certification of final closure.
- "Active portion" means that portion of a facility where treatment, storage, or disposal operations are being or have been conducted after May 19, 1980, and which is not a closed portion. (See also "closed portion" and "inactive portion.")
- "Administrator" means the Administrator of the United States Environmental Protection Agency or the Administrator's designee.
- "Agency" means the Illinois Environmental Protection Agency.
- "Ancillary equipment" means any device, including, but not limited to, such devices as piping, fittings, flanges, valves, and pumps, that is used to distribute, meter, or control the flow of hazardous waste from its point of generation to storage or treatment tanks, between hazardous waste storage and treatment tanks to a point of disposal onsite, or to a point of shipment for disposal off-site.
- "Aquifer" means a geologic formation, group of formations, or part of a formation capable of yielding a significant amount of groundwater to wells or springs.
- "Authorized representative" means the person responsible for the overall operation of a facility or an operational unit (i.e., part of a facility), e.g., the plant manager, superintendent, or person of equivalent responsibility.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Battery" means a device that consists of one or more electrically connected electrochemical cells that is designed to receive, store, and deliver electric energy. An electrochemical cell is a system consisting of an anode, cathode, and an electrolyte, plus such connections (electrical and mechanical) as may be needed to allow the cell to deliver or receive electrical energy. The term battery also includes an intact, unbroken battery from which the electrolyte has been removed.

"Board" means the Illinois Pollution Control Board.

"Boiler" means an enclosed device using controlled flame combustion and having the following characteristics:

Boiler by physical characteristics:

The unit must have physical provisions for recovering and exporting thermal energy in the form of steam, heated fluids, or heated gases; and the unit's combustion chamber and primary energy recovery sections must be of integral design. To be of integral design, the combustion chamber and the primary energy recovery sections (such as waterwalls and superheaters) must be physically formed into one manufactured or assembled unit. A unit in which the combustion chamber and the primary energy recovery sections are joined only by ducts or connections carrying flue gas is not integrally designed; however, secondary energy recovery equipment (such as economizers or air preheaters) need not be physically formed into the same unit as the combustion chamber and the primary energy recovery section. The following units are not precluded from being boilers solely because they are not of integral design: process heaters (units that transfer energy directly to a process stream) and fluidized bed combustion units; and

While in operation, the unit must maintain a thermal energy recovery efficiency of at least 60 percent, calculated in terms of the recovered energy compared with the thermal value of the fuel; and

The unit must export and utilize at least 75 percent of the recovered energy, calculated on an annual basis. In this calculation, no credit may be given for recovered heat used internally in the same unit. (Examples of internal use are the preheating of fuel or combustion air, and the driving of induced or forced draft fans or feedwater pumps.); or

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Boiler by designation. The unit is one that the Board has determined, on a case-by-case basis, to be a boiler, after considering the standards in Section 720.132.

"Carbon dioxide stream" means carbon dioxide that has been captured from an emission source (e.g., a power plant), plus incidental associated substances derived from the source materials and the capture process, and any substances added to the stream to enable or improve the injection process.

"Carbon regeneration unit" means any enclosed thermal treatment device used to regenerate spent activated carbon.

"Cathode ray tube" or "CRT" means a vacuum tube, composed primarily of glass, which is the visual or video display component of an electronic device. A "used, intact CRT" means a CRT whose vacuum has not been released. A "used, broken CRT" means glass removed from its housing or casing whose vacuum has been released.

"Certification" means a statement of professional opinion based upon knowledge and belief.

"Closed portion" means that portion of a facility that an owner or operator has closed in accordance with the approved facility closure plan and all applicable closure requirements. (See also "active portion" and "inactive portion.")

"Component" means either the tank or ancillary equipment of a tank system.

"Confined aquifer" means an aquifer bounded above and below by impermeable beds or by beds of distinctly lower permeability than that of the aquifer itself; an aquifer containing confined groundwater.

"Container" means any portable device in which a material is stored, transported, treated, disposed of, or otherwise handled.

"Containment building" means a hazardous waste management unit that is used to store or treat hazardous waste pursuant to the provisions of Subpart DD of 35 Ill. Adm. Code 724 and Subpart DD of 35 Ill. Adm. Code 725.

"Contingency plan" means a document setting out an organized, planned and coordinated course of action to be followed in case of a fire, explosion, or release

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

of hazardous waste or hazardous waste constituents that could threaten human health or the environment.

"Corrosion expert" means a person who, by reason of knowledge of the physical sciences and the principles of engineering and mathematics, acquired by a professional education and related practical experience, is qualified to engage in the practice of corrosion control on buried or submerged metal piping systems and metal tanks. Such a person must be certified as being qualified by the National Association of Corrosion Engineers (NACE) or be a registered professional engineer who has certification or licensing that includes education and experience in corrosion control on buried or submerged metal piping systems and metal tanks.

"CRT collector" means a person who receives used, intact CRTs for recycling, repair, resale, or donation.

"CRT glass manufacturer" means an operation or part of an operation that uses a furnace to manufacture CRT glass.

"CRT processing" means conducting all of the following activities:

Receiving broken or intact CRTs;

Intentionally breaking intact CRTs or further breaking or separating broken CRTs; and

Sorting or otherwise managing glass removed from CRT monitors.

"Designated facility" means either of the following entities:

A hazardous waste treatment, storage, or disposal facility that has been designated on the manifest by the generator, pursuant to 35 Ill. Adm. Code 722.120, of which any of the following is true:

The facility has received a RCRA permit (or interim status) pursuant to 35 Ill. Adm. Code 702, 703, and 705;

The facility has received a RCRA permit from USEPA pursuant to 40 CFR 124 and 270 (2010);

The facility has received a RCRA permit from a state authorized by USEPA pursuant to 40 CFR 271-(2010); or

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

The facility is regulated pursuant to 35 Ill. Adm. Code 721.106(c)(2) or Subpart F of 35 Ill. Adm. Code 266; or

A generator site designated by the hazardous waste generator on the manifest to receive back its own waste as a return shipment from a designated hazardous waste treatment, storage, or disposal facility that has rejected the waste in accordance with 35 Ill. Adm. Code 724.172(f) or 725.172(f).

If a waste is destined to a facility in a state other than Illinois that has been authorized by USEPA pursuant to 40 CFR 271, but which has not yet obtained authorization to regulate that waste as hazardous, then the designated facility must be a facility allowed by the receiving state to accept such waste.

"Destination facility" means a facility that treats, disposes of, or recycles a particular category of universal waste, except those management activities described in 35 Ill. Adm. Code 733.113(a) and (c) and 733.133(a) and (c). A facility at which a particular category of universal waste is only accumulated is not a destination facility for the purposes of managing that category of universal waste.

"Dike" means an embankment or ridge of either natural or manmade materials used to prevent the movement of liquids, sludges, solids, or other materials.

"Dioxins and furans" or "D/F" means tetra, penta-, hexa-, hepta-, and octachlorinated dibenzo dioxins and furans.

"Director" means the Director of the Illinois Environmental Protection Agency.

"Discharge" or "hazardous waste discharge" means the accidental or intentional spilling, leaking, pumping, pouring, emitting, emptying, or dumping of hazardous waste into or on any land or water.

"Disposal" means the discharge, deposit, injection, dumping, spilling, leaking, or placing of any solid waste or hazardous waste into or on any land or water so that such solid waste or hazardous waste or any constituent thereof may enter the environment or be emitted into the air or discharged into any waters, including groundwaters.

"Disposal facility" means a facility or part of a facility at which hazardous waste is intentionally placed into or on any land or water and at which waste will remain after

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

closure. The term disposal facility does not include a corrective action management unit (CAMU) into which remediation wastes are placed.

"Drip pad" means an engineered structure consisting of a curbed, free-draining base, constructed of non-earthen materials and designed to convey preservative kick-back or drippage from treated wood, precipitation and surface water runon to an associated collection system at wood preserving plants.

"Elementary neutralization unit" means a device of which the following is true:

It is used for neutralizing wastes that are hazardous only because they exhibit the corrosivity characteristic defined in 35 Ill. Adm. Code 721.122 or which are listed in Subpart D of 35 Ill. Adm. Code 721 only for this reason; and

It meets the definition of tank, tank system, container, transport vehicle, or vessel in this Section.

"EPA hazardous waste number" or "USEPA hazardous waste number" means the number assigned by USEPA to each hazardous waste listed in Subpart D of 35 Ill. Adm. Code 721 and to each characteristic identified in Subpart C of 35 Ill. Adm. Code 721.

"EPA identification number" or "USEPA identification number" means the number assigned by USEPA pursuant to 35 Ill. Adm. Code 722 through 725 to each generator; transporter; and treatment, storage, or disposal facility.

"EPA region" or "USEPA region" means the states and territories found in any one of the following ten regions:

Region I: Maine, Vermont, New Hampshire, Massachusetts, Connecticut, and Rhode Island.

Region II: New York, New Jersey, Commonwealth of Puerto Rico, and the U.S. Virgin Islands.

Region III: Pennsylvania, Delaware, Maryland, West Virginia, Virginia, and the District of Columbia.

Region IV: Kentucky, Tennessee, North Carolina, Mississippi, Alabama, Georgia, South Carolina, and Florida.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Region V: Minnesota, Wisconsin, Illinois, Michigan, Indiana, and Ohio.

Region VI: New Mexico, Oklahoma, Arkansas, Louisiana, and Texas.

Region VII: Nebraska, Kansas, Missouri, and Iowa.

Region VIII: Montana, Wyoming, North Dakota, South Dakota, Utah, and Colorado.

Region IX: California, Nevada, Arizona, Hawaii, Guam, American Samoa, and Commonwealth of the Northern Mariana Islands.

Region X: Washington, Oregon, Idaho, and Alaska.

"Equivalent method" means any testing or analytical method approved by the Board pursuant to Section 720.120.

"Existing hazardous waste management (HWM) facility" or "existing facility" means a facility that was in operation or for which construction commenced on or before November 19, 1980. A facility had commenced construction if the owner or operator had obtained the federal, State, and local approvals or permits necessary to begin physical construction and either of the following had occurred:

A continuous on-site, physical construction program had begun; or

The owner or operator had entered into contractual obligations that could not be canceled or modified without substantial loss for physical construction of the facility to be completed within a reasonable time.

"Existing portion" means that land surface area of an existing waste management unit, included in the original Part A permit application, on which wastes have been placed prior to the issuance of a permit.

"Existing tank system" or "existing component" means a tank system or component that is used for the storage or treatment of hazardous waste and which was in operation, or for which installation was commenced, on or prior to July 14, 1986. Installation will be considered to have commenced if the owner or operator has obtained all federal, State, and local approvals or permits necessary to begin physical construction of the site or installation of the tank system and if either of the following is true:

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

A continuous on-site physical construction or installation program has begun; or

The owner or operator has entered into contractual obligations that cannot be canceled or modified without substantial loss for physical construction of the site or installation of the tank system to be completed within a reasonable time.

"Explosives or munitions emergency" means a situation involving the suspected or detected presence of unexploded ordnance (UXO), damaged or deteriorated explosives or munitions, an improvised explosive device (IED), other potentially explosive material or device, or other potentially harmful military chemical munitions or device, that creates an actual or potential imminent threat to human health, including safety, or the environment, including property, as determined by an explosives or munitions emergency response specialist. Such situations may require immediate and expeditious action by an explosives or munitions emergency response specialist to control, mitigate, or eliminate the threat.

"Explosives or munitions emergency response" means all immediate response activities by an explosives and munitions emergency response specialist to control, mitigate, or eliminate the actual or potential threat encountered during an explosives or munitions emergency. An explosives or munitions emergency response may include in-place render-safe procedures, treatment, or destruction of the explosives or munitions or transporting those items to another location to be rendered safe, treated, or destroyed. Any reasonable delay in the completion of an explosives or munitions emergency response caused by a necessary, unforeseen, or uncontrollable circumstance will not terminate the explosives or munitions emergency. Explosives and munitions emergency responses can occur on either public or private lands and are not limited to responses at RCRA facilities.

"Explosives or munitions emergency response specialist" means an individual trained in chemical or conventional munitions or explosives handling, transportation, render-safe procedures, or destruction techniques. Explosives or munitions emergency response specialists include United States Department of Defense (USDOD) emergency explosive ordnance disposal (EOD), technical escort unit (TEU), and USDOD-certified civilian or contractor personnel and other federal, State, or local government or civilian personnel who are similarly trained in explosives or munitions emergency responses.

"Facility" means the following:

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

All contiguous land and structures, other appurtenances, and improvements on the land used for treating, storing, or disposing of hazardous waste or for managing hazardous secondary materials prior to reclamation. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).

For the purpose of implementing corrective action pursuant to 35 Ill. Adm. Code 724.201 or 35 Ill. Adm. Code 727.201, all contiguous property under the control of the owner or operator seeking a permit under Subtitle C of RCRA. This definition also applies to facilities implementing corrective action pursuant to RCRA section 3008(h).

Notwithstanding the immediately-preceding paragraph of this definition, a remediation waste management site is not a facility that is subject to 35 Ill. Adm. Code 724.201, but a facility that is subject to corrective action requirements if the site is located within such a facility.

"Federal agency" means any department, agency, or other instrumentality of the federal government, any independent agency or establishment of the federal government, including any government corporation and the Government Printing Office.

"Federal, State, and local approvals or permits necessary to begin physical construction" means permits and approvals required under federal, State, or local hazardous waste control statutes, regulations, or ordinances.

"Final closure" means the closure of all hazardous waste management units at the facility in accordance with all applicable closure requirements so that hazardous waste management activities pursuant to 35 Ill. Adm. Code 724 and 725 are no longer conducted at the facility unless subject to the provisions of 35 Ill. Adm. Code 722.134.

"Food-chain crops" means tobacco, crops grown for human consumption, and crops grown for feed for animals whose products are consumed by humans.

"Freeboard" means the vertical distance between the top of a tank or surface impoundment dike and the surface of the waste contained therein.

"Free liquids" means liquids that readily separate from the solid portion of a waste under ambient temperature and pressure.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Gasification" means, for the purpose of complying with 35 Ill. Adm. Code 721.104(a)(12)(A), a process conducted in an enclosed device or system that is designed and operated to process petroleum feedstock, including oil-bearing hazardous secondary materials, through a series of highly controlled steps utilizing thermal decomposition, limited oxidation, and gas cleaning to yield a synthesis gas composed primarily of hydrogen and carbon monoxide gas.

"Generator" means any person, by site, whose act or process produces hazardous waste identified or listed in 35 Ill. Adm. Code 721 or whose act first causes a hazardous waste to become subject to regulation.

"Groundwater" means water below the land surface in a zone of saturation.

"Hazardous secondary material" means a secondary material (e.g., spent material, by-product, or sludge) that, when discarded, would be identified as hazardous waste pursuant to 35 Ill. Adm. Code 721.

"Hazardous secondary material generated and reclaimed under the control of the generator" means one of the following materials:

A material that is both generated and reclaimed at the generating facility (for purposes of this definition, generating facility means all contiguous property owned, leased, or otherwise controlled by the hazardous secondary material generator);

A material that is generated and reclaimed at different facilities, if both of the following conditions are fulfilled:

> Either the reclaiming facility is controlled by the generator, or both the generating facility and the reclaiming facility are controlled by the same person, as "person" is defined in this Section; and

The generator provides either of the following certifications:

"On behalf of [insert generator facility name], I certify that this facility will send the indicated hazardous secondary material to [insert reclaimer facility name], which is controlled by [insert generator facility name] and that [insert the name of either facility] has acknowledged full responsibility for the safe management of the hazardous secondary material."

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

or

"On behalf of [insert generator facility name] I certify that this facility will send the indicated hazardous secondary material to [insert reclaimer facility name], that both facilities are under common control, and that [insert name of either facility] has acknowledged full responsibility for the safe management of the hazardous secondary material."

For purposes of this definition, "control" means the power to direct the policies of the facility, whether by the ownership of stock, voting rights, or otherwise, except that contractors who operate facilities on behalf of a different person, as "person" is defined in this Section, shall not be deemed to "control" such facilities; or

A material that is generated pursuant to a written contract between a tolling contractor and a toll manufacturer and which is reclaimed by the tolling contractor, if the tolling contractor certifies the following:

"On behalf of [insert tolling contractor name], I certify that [insert tolling contractor name], has a written contract with [insert toll manufacturer name] to manufacture [insert name of product or intermediate] which is made from specified unused materials, and that [insert tolling contractor name] will reclaim the hazardous secondary materials generated during this manufacture. On behalf of [insert tolling contractor name], I also certify that [insert tolling contractor name] retains ownership of, and responsibility for, the hazardous secondary materials that are generated during the course of the manufacture, including any releases of hazardous secondary materials that occur during the manufacturing process."

For purposes of this definition, "tolling contractor" means a person who arranges for the production of a product or intermediate made from specified unused materials through a written contract with a toll manufacturer. "Toll manufacturer" means a person who produces a product or intermediate made from specified unused materials pursuant to a written contract with a tolling contractor.

"Hazardous secondary material generator" means any person whose act or process produces hazardous secondary materials at the generating facility. For purposes of this definition, "generating facility" means all contiguous property owned,

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

leased, or otherwise controlled by the hazardous secondary material generator. For the purposes of Sections 721.102(a)(2)(B) and 721.104(a)(23), a facility that collects hazardous secondary materials from other persons is not the hazardous secondary material generator.

"Hazardous waste" means a hazardous waste as defined in 35 Ill. Adm. Code 721.103.

"Hazardous waste constituent" means a constituent that caused the hazardous waste to be listed in Subpart D of 35 Ill. Adm. Code 721, or a constituent listed in 35 Ill. Adm. Code 721.124.

"Hazardous waste management unit" is a contiguous area of land on or in which hazardous waste is placed, or the largest area in which there is significant likelihood of mixing hazardous waste constituents in the same area. Examples of hazardous waste management units include a surface impoundment, a waste pile, a land treatment area, a landfill cell, an incinerator, a tank and its associated piping and underlying containment system, and a container storage area. A container alone does not constitute a unit; the unit includes containers, and the land or pad upon which they are placed.

"Inactive portion" means that portion of a facility that is was not operated after November 19, 1980. (See also "active portion" and "closed portion.")

"Incinerator" means any enclosed device of which the following is true:

The facility uses controlled flame combustion, and both of the following are true of the facility:

The facility does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor

The facility is not listed as an industrial furnace; or

The facility meets the definition of infrared incinerator or plasma arc incinerator.

"Incompatible waste" means a hazardous waste that is unsuitable for the following:

Placement in a particular device or facility because it may cause corrosion or decay of containment materials (e.g., container inner liners or tank walls); or

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Commingling with another waste or material under uncontrolled conditions because the commingling might produce heat or pressure, fire, or explosion, violent reaction, toxic dusts, mists, fumes or gases, or flammable fumes or gases.

(See Appendix E to 35 Ill. Adm. Code 724 and Appendix E to 35 Ill. Adm. Code 725 for references that list examples.)

"Industrial furnace" means any of the following enclosed devices that are integral components of manufacturing processes and that use thermal treatment to accomplish recovery of materials or energy:

Cement kilns;
Lime kilns;

Aggregate kilns;

Phosphate kilns;

Coke ovens;

Blast furnaces;

Smelting, melting, and refining furnaces (including pyrometallurgical devices such as cupolas, reverberator furnaces, sintering machines, roasters, and foundry furnaces);

Titanium dioxide chloride process oxidation reactors;

Methane reforming furnaces;

Pulping liquor recovery furnaces;

Combustion devices used in the recovery of sulfur values from spent sulfuric acid;

Halogen acid furnaces (HAFs) for the production of acid from halogenated hazardous waste generated by chemical production facilities where the furnace is located on the site of a chemical production facility, the acid product has a halogen acid content of at least three percent, the acid product is used in a manufacturing process, and, except for hazardous waste burned

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

as fuel, hazardous waste fed to the furnace has a minimum halogen content of 20 percent, as generated; and

Any other such device as the Agency determines to be an industrial furnace on the basis of one or more of the following factors:

The design and use of the device primarily to accomplish recovery of material products;

The use of the device to burn or reduce raw materials to make a material product;

The use of the device to burn or reduce secondary materials as effective substitutes for raw materials, in processes using raw materials as principal feedstocks;

The use of the device to burn or reduce secondary materials as ingredients in an industrial process to make a material product;

The use of the device in common industrial practice to produce a material product; and

Other relevant factors.

"Individual generation site" means the contiguous site at or on which one or more hazardous wastes are generated. An individual generation site, such as a large manufacturing plant, may have one or more sources of hazardous waste but is considered a single or individual generation site if the site or property is contiguous.

"Infrared incinerator" means any enclosed device that uses electric powered resistance heaters as a source of radiant heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

"Inground tank" means a device meeting the definition of tank whereby a portion of the tank wall is situated to any degree within the ground, thereby preventing visual inspection of that external surface area of the tank that is in the ground.

"In operation" refers to a facility that is treating, storing, or disposing of hazardous waste.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- "Injection well" means a well into which fluids are being injected. (See also "underground injection.")
- "Inner liner" means a continuous layer of material placed inside a tank or container that protects the construction materials of the tank or container from the contained waste or reagents used to treat the waste.
- "Installation inspector" means a person who, by reason of knowledge of the physical sciences and the principles of engineering, acquired by a professional education and related practical experience, is qualified to supervise the installation of tank systems.
- "Intermediate facility" means any facility that stores hazardous secondary materials for more than 10 days and which is neither a hazardous secondary material generator nor a reclaimer of hazardous secondary material.
- "International shipment" means the transportation of hazardous waste into or out of the jurisdiction of the United States.
- "Lamp" or "universal waste lamp" means the bulb or tube portion of an electric lighting device. A lamp is specifically designed to produce radiant energy, most often in the ultraviolet, visible, or infrared regions of the electromagnetic spectrum. Examples of common universal waste lamps include, but are not limited to, fluorescent, high intensity discharge, neon, mercury vapor, high-pressure sodium, and metal halide lamps.
- "Land-based unit" means an area where hazardous secondary materials are placed in or on the land before recycling. This definition does not include land-based production units.
- "Land treatment facility" means a facility or part of a facility at which hazardous waste is applied onto or incorporated into the soil surface; such facilities are disposal facilities if the waste will remain after closure.
- "Landfill" means a disposal facility or part of a facility where hazardous waste is placed in or on land and which is not a pile, a land treatment facility, a surface impoundment, an underground injection well, a salt dome formation, a salt bed formation, an underground mine, a cave, or a corrective action management unit (CAMU).

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Landfill cell" means a discrete volume of a hazardous waste landfill that uses a liner to provide isolation of wastes from adjacent cells or wastes. Examples of landfill cells are trenches and pits.

"LDS" means leak detection system.

"Leachate" means any liquid, including any suspended components in the liquid, that has percolated through or drained from hazardous waste.

"Liner" means a continuous layer of natural or manmade materials beneath or on the sides of a surface impoundment, landfill, or landfill cell that restricts the downward or lateral escape of hazardous waste, hazardous waste constituents, or leachate.

"Leak-detection system" means a system capable of detecting the failure of either the primary or secondary containment structure or the presence of a release of hazardous waste or accumulated liquid in the secondary containment structure. Such a system must employ operational controls (e.g., daily visual inspections for releases into the secondary containment system of aboveground tanks) or consist of an interstitial monitoring device designed to detect continuously and automatically the failure of the primary or secondary containment structure or the presence of a release of hazardous waste into the secondary containment structure.

"Management" or "hazardous waste management" means the systematic control of the collection, source separation, storage, transportation, processing, treatment, recovery, and disposal of hazardous waste.

"Manifest" means the shipping document USEPA Form 8700-22 (including, if necessary, USEPA Form 8700-22A) originated and signed by the generator or offeror that contains the information required by Subpart B of 35 Ill. Adm. Code 722 and the applicable requirements of 35 Ill. Adm. Code 722 through 727.

"Manifest tracking number" means the alphanumeric identification number (i.e., a unique three letter suffix preceded by nine numerical digits) that is pre-printed in Item 4 of the manifest by a registered source.

"Mercury-containing equipment" means a device or part of a device (including thermostats, but excluding batteries and lamps) that contains elemental mercury integral to its function.

"Military munitions" means all ammunition products and components produced or used by or for the United States Department of Defense or the United States

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Armed Services for national defense and security, including military munitions under the control of the United States Department of Defense (USDOD), the United States Coast Guard, the United States Department of Energy (USDOE), and National Guard personnel. The term military munitions includes: confined gaseous, liquid, and solid propellants, explosives, pyrotechnics, chemical and riot control agents, smokes, and incendiaries used by USDOD components, including bulk explosives and chemical warfare agents, chemical munitions, rockets, guided and ballistic missiles, bombs, warheads, mortar rounds, artillery ammunition, small arms ammunition, grenades, mines, torpedoes, depth charges, cluster munitions and dispensers, demolition charges, and devices and components of these items and devices. Military munitions do not include wholly inert items, improvised explosive devices, and nuclear weapons, nuclear devices, and nuclear components of these items and devices. However, the term does include nonnuclear components of nuclear devices, managed under USDOE's nuclear weapons program after all sanitization operations required under the Atomic Energy Act of 1954 (42 USC 2014 et seq.), as amended, have been completed.

"Mining overburden returned to the mine site" means any material overlying an economic mineral deposit that is removed to gain access to that deposit and is then used for reclamation of a surface mine.

"Miscellaneous unit" means a hazardous waste management unit where hazardous waste is treated, stored, or disposed of and that is not a container; tank; surface impoundment; pile; land treatment unit; landfill; incinerator; boiler; industrial furnace; underground injection well with appropriate technical standards pursuant to 35 Ill. Adm. Code 730; containment building; corrective action management unit (CAMU); unit eligible for a research, development, and demonstration permit pursuant to 35 Ill. Adm. Code 703.231; or staging pile.

"Movement" means hazardous waste that is transported to a facility in an individual vehicle.

"NAICS Code" means the code number assigned a facility using the "North American Industry Classification System," incorporated by reference in Section 720.111.

"New hazardous waste management facility" or "new facility" means a facility that began operation, or for which construction commenced after November 19, 1980. (See also "Existing hazardous waste management facility.")

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"New tank system" or "new tank component" means a tank system or component that will be used for the storage or treatment of hazardous waste and for which installation commenced after July 14, 1986; except, however, for purposes of 35 Ill. Adm. Code 724.293(g)(2) and 725.293(g)(2), a new tank system is one for which construction commenced after July 14, 1986. (See also "existing tank system.")

"No free liquids," as used in 35 Ill. Adm. Code 721.104(a)(26) and (b)(18), means that solvent-contaminated wipes may not contain free liquids, as determined by Method 9095B (Paint Filter Liquids Test), included in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," incorporated by reference in Section 720.111, and that there is no free liquid in the container holding the wipes. No free liquids may also be determined using another standard or test method that the Agency has determined by permit condition is equivalent to Method 9095B.

"Onground tank" means a device meeting the definition of tank that is situated in such a way that the bottom of the tank is on the same level as the adjacent surrounding surfaces so that the external tank bottom cannot be visually inspected.

"On-site" means the same or geographically contiguous property that may be divided by public or private right-of-way, provided the entrance and exit between the properties is at a crossroads intersection and access is by crossing as opposed to going along the right-of-way. Noncontiguous Non-contiguous properties owned by the same person but connected by a right-of-way that the owner controls and to which the public does not have access is also considered on-site property.

"Open burning" means the combustion of any material without the following characteristics:

Control of combustion air to maintain adequate temperature for efficient combustion;

Containment of the combustion reaction in an enclosed device to provide sufficient residence time and mixing for complete combustion; and

Control of emission of the gaseous combustion products.

(See also "incineration" and "thermal treatment.")

"Operator" means the person responsible for the overall operation of a facility.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Owner" means the person that owns a facility or part of a facility.

"Partial closure" means the closure of a hazardous waste management unit in accordance with the applicable closure requirements of 35 Ill. Adm. Code 724 or 725 at a facility that contains other active hazardous waste management units. For example, partial closure may include the closure of a tank (including its associated piping and underlying containment systems), landfill cell, surface impoundment, waste pile, or other hazardous waste management unit, while other units of the same facility continue to operate.

"Person" means an individual, trust, firm, joint stock company, federal agency, corporation (including a government corporation), partnership, association, state, municipality, commission, political subdivision of a state, or any interstate body.

"Personnel" or "facility personnel" means all persons who work at or oversee the operations of a hazardous waste facility and whose actions or failure to act may result in noncompliance with 35 Ill. Adm. Code 724 or 725.

"Pesticide" means any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest or intended for use as a plant regulator, defoliant, or desiccant, other than any article that fulfills one of the following descriptions:

It is a new animal drug under section 201(v) of the Federal Food, Drug and Cosmetic Act (FFDCA; 21 USC 321(v)), incorporated by reference in Section 720.111(c);

It is an animal drug that has been determined by regulation of the federal Secretary of Health and Human Services pursuant to FFDCA section 512 (21 USC 360b), incorporated by reference in Section 720.111(c), to be an exempted new animal drug; or

It is an animal feed under FFDCA section 201(w) (21 USC 321(w)), incorporated by reference in Section 720.111(c), that bears or contains any substances described in either of the two preceding paragraphs of this definition.

BOARD NOTE: The second exception of corresponding 40 CFR 260.10 reads as follows: "Is an animal drug that has been determined by regulation of the Secretary of Health and Human Services not to be a new animal drug." This is very similar to the language of section 2(u) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA; 7 USC 136(u)). The

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

three exceptions, taken together, appear intended not to include as pesticide any material within the scope of federal Food and Drug Administration regulation. The Board codified this provision with the intent of retaining the same meaning as its federal counterpart while adding the definiteness required under Illinois law.

"Pile" means any noncontainerized non-containerized accumulation of solid, nonflowing hazardous waste that is used for treatment or storage, and that is not a containment building.

"Plasma arc incinerator" means any enclosed device that uses a high intensity electrical discharge or arc as a source of heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

"Point source" means any discernible, confined, and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.

"Publicly owned treatment works" or "POTW" is as defined in 35 Ill. Adm. Code 310.110.

"Qualified groundwater scientist" means a scientist or engineer who has received a baccalaureate or postgraduate degree in the natural sciences or engineering, and has sufficient training and experience in groundwater hydrology and related fields, as demonstrated by state registration, professional certifications, or completion of accredited university courses that enable the individual to make sound professional judgments regarding groundwater monitoring and contaminant rate and transport. BOARD NOTE: State registration includes, but is not limited to, registration as a professional engineer with the Department of Professional Regulation, pursuant to 225 ILCS 325 and 68 Ill. Adm. Code 1380. Professional certification includes, but is not limited to, certification under the certified groundwater professional program of the National Ground Water Association.

"RCRA" means the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, as amended (42 USC 6901 et seq.).

"RCRA standardized permit" means a RCRA permit issued pursuant to Subpart J of 35 Ill. Adm. Code 703 and Subpart G of 35 Ill. Adm. Code 702 that authorizes management of hazardous waste. The RCRA standardized permit may have two

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

parts: a uniform portion issued in all cases and a supplemental portion issued at the discretion of the Agency.

"Regional Administrator" means the Regional Administrator for the USEPA region in which the facility is located or the Regional Administrator's designee.

"Remediation waste" means all solid and hazardous wastes, and all media (including groundwater, surface water, soils, and sediments) and debris that are managed for implementing cleanup.

"Remediation waste management site" means a facility where an owner or operator is or will be treating, storing, or disposing of hazardous remediation wastes. A remediation waste management site is not a facility that is subject to corrective action pursuant to 35 III. Adm. Code 724.201, but a remediation waste management site is subject to corrective action requirements if the site is located in such a facility.

"Replacement unit" means a landfill, surface impoundment, or waste pile unit from which all or substantially all of the waste is removed, and which is subsequently reused to treat, store, or dispose of hazardous waste. Replacement unit does not include a unit from which waste is removed during closure, if the subsequent reuse solely involves the disposal of waste from that unit and other closing units or corrective action areas at the facility, in accordance with a closure or corrective action plan approved by USEPA or the Agency.

"Representative sample" means a sample of a universe or whole (e.g., waste pile, lagoon, groundwater) that can be expected to exhibit the average properties of the universe or whole.

"Runoff" means any rainwater, leachate, or other liquid that drains over land from any part of a facility.

"Runon" means any rainwater, leachate, or other liquid that drains over land onto any part of a facility.

"Saturated zone" or "zone of saturation" means that part of the earth's crust in which all voids are filled with water.

"SIC code" means "Standard Industrial Classification code," as assigned to a site by the United States Department of Transportation, Federal Highway Administration, based on the particular activities that occur on the site, as set forth

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

in its publication "Standard Industrial Classification Manual," incorporated by reference in Section 720.111(a).

"Sludge" means any solid, semi-solid, or liquid waste generated from a municipal, commercial, or industrial wastewater treatment plant, water supply treatment plant, or air pollution control facility, exclusive of the treated effluent from a wastewater treatment plant.

"Sludge dryer" means any enclosed thermal treatment device that is used to dehydrate sludge and which has a total thermal input, excluding the heating value of the sludge itself, of 2,500 Btu/lb or less of sludge treated on a wet-weight basis.

"Small quantity generator" means a generator that generates less than 1,000 kg of hazardous waste in a calendar month.

"Solid waste" means a solid waste as defined in 35 Ill. Adm. Code 721.102.

"Solvent-contaminated wipe" means the following:

A wipe that, after use or after cleaning up a spill, fulfills one or more of the following conditions:

The wipe contains one or more of the F001 through F005 solvents listed in 35 Ill. Adm. Code 721.131 or the corresponding P- or U-listed solvents found in 35 Ill. Adm. Code 721.133;

The wipe exhibits a hazardous characteristic found in Subpart C of 35 Ill. Adm. Code 721 when that characteristic results from a solvent listed in 35 Ill. Adm. Code 721; or

The wipe exhibits only the hazardous waste characteristic of ignitability found in 35 Ill. Adm. Code 721.121 due to the presence of one or more solvents that are not listed in 35 Ill. Adm. Code 721; and

Solvent-contaminated wipes that contain listed hazardous waste other than solvents, or exhibit the characteristic of toxicity, corrosivity, or reactivity due to contaminants other than solvents, are not eligible for the exclusions at 35 Ill. Adm. Code 721.104(a)(26) and (b)(18).

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Sorbent" means a material that is used to soak up free liquids by either adsorption or absorption, or both. "Sorb" means to either adsorb or absorb, or both.

"Staging pile" means an accumulation of solid, non-flowing "remediation waste" (as defined in this Section) that is not a containment building and that is used only during remedial operations for temporary storage at a facility. Staging piles must be designated by the Agency according to 35 Ill. Adm. Code 724.654.

"State" means any of the several states, the District of Columbia, the Commonwealth of Puerto Rico, the Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands.

"Storage" means the holding of hazardous waste for a temporary period, at the end of which the hazardous waste is treated, disposed of, or stored elsewhere.

"Sump" means any pit or reservoir that meets the definition of tank and those troughs or trenches connected to it that serve to collect hazardous waste for transport to hazardous waste storage, treatment, or disposal facilities; except that, as used in the landfill, surface impoundment, and waste pile rules, sump means any lined pit or reservoir that serves to collect liquids drained from a leachate collection and removal system or leak detection system for subsequent removal from the system.

"Surface impoundment" or "impoundment" means a facility or part of a facility that is a natural topographic depression, manmade excavation, or diked area formed primarily of earthen materials (although it may be lined with manmade materials) that is designed to hold an accumulation of liquid wastes or wastes containing free liquids and which is not an injection well. Examples of surface impoundments are holding, storage, settling and aeration pits, ponds, and lagoons.

"Tank" means a stationary device, designed to contain an accumulation of hazardous waste that is constructed primarily of nonearthen non-earthen materials (e.g., wood, concrete, steel, plastic) that provide structural support.

"Tank system" means a hazardous waste storage or treatment tank and its associated ancillary equipment and containment system.

"TEQ" means toxicity equivalence, the international method of relating the toxicity of various dioxin and furan congeners to the toxicity of 2,3,7,8-tetra-chlorodibenzo-p-dioxin.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Thermal treatment" means the treatment of hazardous waste in a device that uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the hazardous waste. Examples of thermal treatment processes are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.")

"Thermostat" means a temperature control device that contains metallic mercury in an ampule attached to a bimetal sensing element and mercury-containing ampules that have been removed from such a temperature control device in compliance with 35 Ill. Adm. Code 733.113(c)(2) or 733.133(c)(2).

"Totally enclosed treatment facility" means a facility for the treatment of hazardous waste that is directly connected to an industrial production process and which is constructed and operated in a manner that prevents the release of any hazardous waste or any constituent thereof into the environment during treatment. An example is a pipe in which waste acid is neutralized.

"Transfer facility" means any transportation-related facility, including loading docks, parking areas, storage areas, and other similar areas where shipments of hazardous waste or hazardous secondary materials are held during the normal course of transportation.

"Transport vehicle" means a motor vehicle or rail car used for the transportation of cargo by any mode. Each cargo-carrying body (trailer, railroad freight car, etc.) is a separate transport vehicle.

"Transportation" means the movement of hazardous waste by air, rail, highway, or water.

"Transporter" means a person engaged in the off-site transportation of hazardous waste by air, rail, highway, or water.

"Treatability study" means the following:

A study in which a hazardous waste is subjected to a treatment process to determine the following:

Whether the waste is amenable to the treatment process;

What pretreatment (if any) is required;

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

The optimal process conditions needed to achieve the desired treatment;

The efficiency of a treatment process for a specific waste or wastes; and

The characteristics and volumes of residuals from a particular treatment process;

Also included in this definition for the purpose of 35 Ill. Adm. Code 721.104(e) and (f) exemptions are liner compatibility, corrosion and other material compatibility studies, and toxicological and health effects studies. A treatability study is not a means to commercially treat or dispose of hazardous waste.

"Treatment" means any method, technique, or process, including neutralization, designed to change the physical, chemical, or biological character or composition of any hazardous waste so as to neutralize the waste, recover energy or material resources from the waste, or render the waste non-hazardous or less hazardous; safer to transport, store, or dispose of; or amenable for recovery, amenable for storage, or reduced in volume.

"Treatment zone" means a soil area of the unsaturated zone of a land treatment unit within which hazardous constituents are degraded, transformed, or immobilized.

"Underground injection" means the subsurface emplacement of fluids through a bored, drilled, or driven well or through a dug well, where the depth of the dug well is greater than the largest surface dimension. (See also "injection well.")

"Underground tank" means a device meeting the definition of tank whose entire surface area is totally below the surface of and covered by the ground.

"Unfit-for-use tank system" means a tank system that has been determined, through an integrity assessment or other inspection, to be no longer capable of storing or treating hazardous waste without posing a threat of release of hazardous waste to the environment.

"United States" means the 50 states, the District of Columbia, the Commonwealth of Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Universal waste" means any of the following hazardous wastes that are managed pursuant to the universal waste requirements of 35 Ill. Adm. Code 733:

Batteries, as described in 35 Ill. Adm. Code 733.102;

Pesticides, as described in 35 Ill. Adm. Code 733.103;

Mercury-containing equipment, as described in 35 Ill. Adm. Code 733.104; and

Lamps, as described in 35 Ill. Adm. Code 733.105.

"Universal waste handler" means either of the following:

A generator (as defined in this Section) of universal waste; or

The owner or operator of a facility, including all contiguous property, that receives universal waste from other universal waste handlers, accumulates the universal waste, and sends that universal waste to another universal waste handler, to a destination facility, or to a foreign destination.

"Universal waste handler" does not mean either of the following:

A person that treats (except under the provisions of Section 733.113(a) or (c) or 733.133(a) or (c)), disposes of, or recycles universal waste; or

A person engaged in the off-site transportation of universal waste by air, rail, highway, or water, including a universal waste transfer facility.

"Universal waste transporter" means a person engaged in the off-site transportation of universal waste by air, rail, highway, or water.

"Unsaturated zone" or "zone of aeration" means the zone between the land surface and the water table.

"Uppermost aquifer" means the geologic formation nearest the natural ground surface that is an aquifer, as well as lower aquifers that are hydraulically interconnected with this aquifer within the facility's property boundary.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"USDOT" or "Department of Transportation" means the United States Department of Transportation.

"Used oil" means any oil that has been refined from crude oil, or any synthetic oil, that has been used and as a result of such use is contaminated by physical or chemical impurities.

"USEPA" or "EPA" means the United States Environmental Protection Agency.

"USPS" means the United States Postal Service.

"Vessel" includes every description of watercraft used or capable of being used as a means of transportation on the water.

"Wastewater treatment unit" means a device of which the following is true:

It is part of a wastewater treatment facility that has an NPDES permit pursuant to 35 Ill. Adm. Code 309 or a pretreatment permit or authorization to discharge pursuant to 35 Ill. Adm. Code 310;

It receives and treats or stores an influent wastewater that is a hazardous waste as defined in 35 Ill. Adm. Code 721.103, or generates and accumulates a wastewater treatment sludge that is a hazardous waste as defined in 35 Ill. Adm. Code 721.103, or treats or stores a wastewater treatment sludge that is a hazardous waste as defined in 35 Ill. Adm. Code 721.103; and

It meets the definition of tank or tank system in this Section.

"Water (bulk shipment)" means the bulk transportation of hazardous waste that is loaded or carried on board a vessel without containers or labels.

"Well" means any shaft or pit dug or bored into the earth, generally of a cylindrical form, and often walled with bricks or tubing to prevent the earth from caving in.

"Well injection" (See "underground injection.")

"Wipe" means a woven or non-woven shop towel, rag, pad, or swab made of wood pulp, fabric, cotton, polyester blends, or other material.

"Zone of engineering control" means an area under the control of the owner or operator that, upon detection of a hazardous waste release, can be readily cleaned up

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

prior to the release of hazardous waste or hazardous constituents to groundwater or surface water.

(Source:	Amended at 38 Ill. Reg.	, effective	
(Someo.	minimud at 50 m. Rog.	, criccuve	

Section 720.111 References

The following documents are incorporated by reference for the purposes of this Part and 35 Ill. Adm. Code 702 through 705, 721 through 728, 730, 733, 738, and 739:

a) Non-Regulatory Government Publications and Publications of Recognized Organizations and Associations:

ACGME. Available from the Accreditation Council for Graduate Medical Education, 515 North State Street, Suite 2000, Chicago, IL 60654, 312-755-5000:

"Accreditation Council for Graduate Medical Education: Glossary of Terms," March 19, 2009, referenced in 35 Ill. Adm. Code 722.300.

BOARD NOTE: Also available on the Internet for download and viewing as a PDF file at the following Internet address: http://www.acgme.org/acWebsite/about/ab_ACGMEglossary.pdf.

ACI. Available from the American Concrete Institute, Box 19150, Redford Station, Detroit, Michigan 48219:

ACI 318-83: "Building Code Requirements for Reinforced Concrete," adopted November 1983, referenced in 35 Ill. Adm. Code 724.673 and 725.543.

ANSI. Available from the American National Standards Institute, 1430 Broadway, New York, New York 10018, 212-354-3300:

See ASME/ANSI B31.3 and B31.4 and supplements below in this subsection (a) under ASME.

API. Available from the American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005, 202-682-8000:

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Cathodic Protection of Underground Petroleum Storage Tanks and Piping Systems," API Recommended Practice 1632, Second Edition, December 1987, referenced in 35 Ill. Adm. Code 724.292, 724.295, 725.292, and 725.295.

"Evaporative Loss from External Floating-Roof Tanks," API publication 2517, Third Edition, February 1989, USEPA-approved for 35 Ill. Adm. Code 725.984.

"Guide for Inspection of Refinery Equipment," Chapter XIII, "Atmospheric and Low Pressure Storage Tanks," 4th Edition, 1981, reaffirmed December 1987, referenced in 35 Ill. Adm. Code 724.291, 724.293, 725.291, and 725.292.

"Installation of Underground Petroleum Storage Systems," API Recommended Practice 1615, Fourth Edition, November 1987, referenced in 35 Ill. Adm. Code 724.292.

ASME. Available from the American Society of Mechanical Engineers, 345 East 47th Street, New York, NY 10017, 212-705-7722:

"Chemical Plant and Petroleum Refinery Piping," ASME/ANSI B31.3-1987, as supplemented by B31.3a-1988 and B31.3b-1988, referenced in 35 Ill. Adm. Code 724.292 and 725.292. Also available from ANSI.

"Liquid Transportation Systems for Hydrocarbons, Liquid Petroleum Gas, Anhydrous Ammonia, and Alcohols," ASME/ANSI B31.4-1986, as supplemented by B31.4a-1987, referenced in 35 Ill. Adm. Code 724.292 and 725.292. Also available from ANSI.

ASTM. Available from American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, 610-832-9585:

ASTM C 94-90, "Standard Specification for Ready-Mixed Concrete," approved March 30, 1990, referenced in 35 Ill. Adm. Code 724.673 and 725.543.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

ASTM D 88-87, "Standard Test Method for Saybolt Viscosity," approved April 24, 1981, reapproved January 1987, referenced in 35 Ill. Adm. Code 726.200.

ASTM D 93-85, "Standard Test Methods for Flash Point by Pensky-Martens Closed Tester," approved October 25, 1985, USEPA-approved for 35 Ill. Adm. Code 721.121.

ASTM D 140-70, "Standard Practice for Sampling Bituminous Materials," approved 1970, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 346-75, "Standard Practice for Collection and Preparation of Coke Samples for Laboratory Analysis," approved 1975, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 420–69, "Guide to Site Characterization for Engineering, Design, and Construction Purposes," approved 1969, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 1452–65, "Standard Practice for Soil Investigation and Sampling by Auger Borings," approved 1965, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 1946-90, "Standard Practice for Analysis of Reformed Gas by Gas Chromatography," approved March 30, 1990, USEPA-approved for 35 Ill. Adm. Code 724.933 and 725.933.

ASTM D 2161-87, "Standard Practice for Conversion of Kinematic Viscosity to Saybolt Universal or to Saybolt Furol Viscosity," March 27, 1987, referenced in 35 Ill. Adm. Code 726.200.

ASTM D 2234-76, "Standard Practice for Collection of a Gross Sample of Coal," approved 1976, referenced in Appendix A to 35 Ill. Adm. Code 721.

ASTM D 2267-88, "Standard Test Method for Aromatics in Light Naphthas and Aviation Gasolines by Gas Chromatography," approved November 17, 1988, USEPA-approved for 35 Ill. Adm. Code 724.963.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

ASTM D 2382-88, "Standard Test Method for Heat of Combustion of Hydrocarbon Fuels by Bomb Calorimeter (High Precision Method)," approved October 31, 1988, USEPA-approved for 35 Ill. Adm. Code 724.933 and 725.933.

ASTM D 2879-92, "Standard Test Method for Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope," approved 1992, USEPA-approved for 35 Ill. Adm. Code 725.984, referenced in 35 Ill. Adm. Code 724.963 and 725.963.

ASTM D 3828-87, "Standard Test Methods for Flash Point of Liquids by Setaflash Closed Tester," approved December 14, 1988, USEPA-approved for 35 Ill. Adm. Code 721.121(a).

ASTM E 168-88, "Standard Practices for General Techniques of Infrared Quantitative Analysis," approved May 27, 1988, USEPA-approved for 35 Ill. Adm. Code 724.963.

ASTM E 169-87, "Standard Practices for General Techniques of Ultraviolet-Visible Quantitative Analysis," approved February 1, 1987, USEPA-approved for 35 Ill. Adm. Code 724.963.

ASTM E 260-85, "Standard Practice for Packed Column Gas Chromatography," approved June 28, 1985, USEPA-approved for 35 Ill. Adm. Code 724.963.

ASTM G 21-70 (1984a), "Standard Practice for Determining Resistance of Synthetic Polymer Materials to Fungi," referenced in 35 Ill. Adm. Code 724.414 and 725.414.

ASTM G 22-76 (1984b), "Standard Practice for Determining Resistance of Plastics to Bacteria," referenced in 35 Ill. Adm. Code 724.414 and 725.414.

GPO. Available from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402, 202-512-1800:

Standard Industrial Classification Manual (1972), and 1977 Supplement, republished in 1983, referenced in 35 Ill. Adm. Code 702.110 and Section 720.110.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846 (Third Edition, November 1986), as amended by Updates I (July 1992), II (November 1994), IIA (August, 1993), IIB (January 1995), III (December 1996), IIIA (April 1998), and IIIB (November 2004) (document number 955-001-00000-1). See below in this subsection (a) under NTIS.

NACE. Available from the National Association of Corrosion Engineers, 1400 South Creek Dr., Houston, TX 77084, 713-492-0535:

"Control of External Corrosion on Metallic Buried, Partially Buried, or Submerged Liquid Storage Systems," NACE Recommended Practice RP0285-85, approved March 1985, referenced in 35 Ill. Adm. Code 724.292, 724.295, 725.292, and 725.295.

NFPA. Available from the National Fire Protection Association, 1 Batterymarch Park, Boston, MA 02269, 617-770-3000 or 800-344-3555:

"Flammable and Combustible Liquids Code," NFPA 30, issued July 18, 2003, as supplemented by TIA 03-1, issued July 15, 2004, and corrected by Errata 30-03-01, issued August 13, 2004, USEPA-approved for 35 Ill. Adm. Code 724.298, 725.298, and 727.290, referenced in 35 Ill. Adm. Code 725.301 and 726.211.

NTIS. Available from the U.S. Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161, 703-605-6000 or 800-553-6847 (Internet address: www.ntis.gov):

"APTI Course 415: Control of Gaseous Emissions," December 1981, USEPA publication number EPA-450/2-81-005, NTIS document number PB80-208895, USEPA-approved for 35 Ill. Adm. Code 703.210, 703.211, 703.352, 724.935, and 725.935.

BOARD NOTE: "APTI" denotes USEPA's "Air Pollution Training Institute" (Internet address: www.epa.gov/air/oaqps/eog/).

"Generic Quality Assurance Project Plan for Land Disposal Restrictions Program," USEPA publication number EPA-530/SW-

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

87-011, March 15, 1987, NTIS document number PB88-170766, referenced in 35 Ill. Adm. Code 728.106.

"Method 1664, n-Hexane Extractable Material (HEM; Oil and Grease) and Silica Gel Treated n-Hexane Extractable Material (SGT-HEM; Nonpolar Material) by Extraction and Gravimetry," Revision A, February 1999, USEPA publication number EPA-821/R-98-002, NTIS document number PB99-121949, or Revision B, February 2010, USEPA publication number EPA-821/R-10-001, NTIS document number PB2011-100735, USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

BOARD NOTE: Also available on the Internet for free download as a PDF document from the USEPA website at: water.epa.gov/scitech/methods/cwa/methods_index.cfm. Revision A is also from the USEPA, National Service Center for Environmental Publications (NSCEP) website at www.epa.gov/nscep/index.html.

"Methods for Chemical Analysis of Water and Wastes," Third Edition, March 1983, USEPA document number EPA-600/4-79-020, NTIS document number PB84-128677, referenced in 35 Ill. Adm. Code 725.192.

BOARD NOTE: Also available on the Internet as a viewable/printable HTML document from the USEPA website at: www.epa.gov/clariton/clhtml/pubtitleORD.html as document 600479002.

"North American Industry Classification System," July 2007, U.S. Department of Commerce, Bureau of the Census, document number PB2007-100002 (hardcover printed volume) or PB2007-500023, referenced in Section 720.110 (definition of "NAICS Code") for the purposes of Section 720.142.

BOARD NOTE: Also available on the Internet from the Bureau of Census: www.census.gov/naics/2007/naicod07.htm.

"Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Facilities," August 1977, EPA-530/SW-611, NTIS

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

document number PB84-174820, referenced in 35 Ill. Adm. Code 725.192.

"Screening Procedures for Estimating the Air Quality Impact of Stationary Sources," October 1992, USEPA publication number EPA-454/R-92-019, NTIS document number 93-219095, referenced in 35 Ill. Adm. Code 726,204 and 726,206.

BOARD NOTE: Also available on the Internet for free download as a WordPerfect document from the USEPA website at the following Internet address:

www.epa.gov/scram001/guidance/guide/scrng.wpd.

"Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," USEPA publication number EPA-530/SW-846 (Third Edition, November 1986; Revision 6, January 2005), as amended by Updates I (July 1992), II (November 1994), IIA (August 1993), IIB (January 1995), III (December 1996), IIIA (April 1998), and IIIB (November 2004) (document number 955-001-00000-1), generally referenced in Appendices A and I to 35 Ill. Adm. Code 721 and 35 Ill. Adm. Code 726.200, 726.206, 726.212, and 728.106 (in addition to the references cited below for specific methods):

Method 0010 (November 1986) (Modified Method 5 Sampling Train), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0011 (December 1996) (Sampling for Selected Aldehyde and Ketone Emissions from Stationary Sources), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and for Appendix I to 35 Ill. Adm. Code 726.

Method 0020 (November 1986) (Source Assessment Sampling System), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0023A (December 1996) (Sampling Method for Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofuran Emissions from Stationary Sources), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721,

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Appendix I to 35 Ill. Adm. Code 726, and 35 Ill. Adm. Code 726.204.

Method 0030 (November 1986) (Volatile Organic Sampling Train), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0031 (December 1996) (Sampling Method for Volatile Organic Compounds (SMVOC)), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0040 (December 1996) (Sampling of Principal Organic Hazardous Constituents from Combustion Sources Using Tedlar® Bags), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 0050 (December 1996) (Isokinetic HCl/Cl2 Emission Sampling Train), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, Appendix I to 35 Ill. Adm. Code 726, and 35 Ill. Adm. Code 726.207.

Method 0051 (December 1996) (Midget Impinger HCl/Cl2 Emission Sampling Train), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, Appendix I to 35 Ill. Adm. Code 726, and 35 Ill. Adm. Code 726.207.

Method 0060 (December 1996) (Determination of Metals in Stack Emissions), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, Appendix I to 35 Ill. Adm. Code 726, and 35 Ill. Adm. Code 726.206.

Method 0061 (December 1996) (Determination of Hexavalent Chromium Emissions from Stationary Sources), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721, 35 Ill. Adm. Code 726.206, and Appendix I to 35 Ill. Adm. Code 726.

Method 1010A (November 2004) (Test Methods for Flash Point by Pensky-Martens Closed Cup Tester), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Method 1020B (November 2004) (Standard Test Methods for Flash Point by Setaflash (Small Scale) Closed-cup Apparatus), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 1110A (November 2004) (Corrosivity Toward Steel), USEPA-approved for 35 Ill. Adm. Code 721.122 and Appendix I to 35 Ill. Adm. Code 721.

Method 1310B (November 2004) (Extraction Procedure (EP) Toxicity Test Method and Structural Integrity Test), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and referenced in Appendix I to 35 Ill. Adm. Code 728.

Method 1311 (November 1992) (Toxicity Characteristic Leaching Procedure), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721; for 35 Ill. Adm. Code 721.124, 728.107, and 728.140; and for Table T to 35 Ill. Adm. Code 728.

Method 1312 (November 1994) (Synthetic Precipitation Leaching Procedure), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 1320 (November 1986) (Multiple Extraction Procedure), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 1330A (November 1992) (Extraction Procedure for Oily Wastes), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 9010C (November 2004) (Total and Amenable Cyanide: Distillation), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and 35 Ill. Adm. Code 728.140, 728.144, and 728.148, referenced in Table H to 35 Ill. Adm. Code 728.

Method 9012B (November 2004) (Total and Amenable Cyanide (Automated Colorimetric, with Off-Line Distillation)), USEPA-approved for Appendix I to 35 Ill.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Adm. Code 721 and 35 Ill. Adm. Code 728.140, 728.144, and 728.148, referenced in Table H to 35 Ill. Adm. Code 728.

Method 9040C (November 2004) (pH Electrometric Measurement), USEPA-approved for 35 Ill. Adm. Code 721.122 and Appendix I to 35 Ill. Adm. Code 721.

Method 9045D (November 2004) (Soil and Waste pH), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 9060A (November 2004) (Total Organic Carbon), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721 and 35 Ill. Adm. Code 724.934, 724.963, 725.934, and 725.963.

Method 9070A (November 2004) (n-Hexane Extractable Material (HEM) for Aqueous Samples), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 9071B (April 1998) (n-Hexane Extractable Material (HEM) for Sludge, Sediment, and Solid Samples), USEPA-approved for Appendix I to 35 Ill. Adm. Code 721.

Method 9095B (November 2004) (Paint Filter Liquids Test), USEPA-approved for 35 Ill. Adm. Code 720.110; Appendix I to 35 Ill. Adm. Code 721; and 35 Ill. Adm. Code 724.290, 724.414, 725.290, 725.414, 725.981, 727.290, and 728.132.

BOARD NOTE: Also available on the Internet for free download in segments in PDF format from the USEPA website at: www.epa.gov/SW-846.

OECD. Organisation for Economic Co-operation and Development, Environment Directorate, 2 rue Andre Pascal, F-75775 Paris Cedex 16, France, +33 (0) 1 45 24 81 67 (www.oecd.org), also OECD Washington Center, 2001 L Street, NW, Suite 650, Washington, DC 20036-4922, 202-785-6323 or 800-456-6323 (www.oecdwash.org):

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

OECD Guidance Manual. "Guidance Manual for the Implementation of Council Decision C(2001)107/FINAL, as Amended, on the Control of Transboundary Movements of Wastes Destined for Recovery Operations," 2009 (also called "Guidance Manual for the Control of Transboundary Movements of Recoverable Materials" in OECD documents), but only the following segments, which set forth the substantive requirements of OECD decision C(2001)107/FINAL (June 14, 2001), as amended by C(2001)107/ADD1 (February 28, 2002), C(2004)20 (March 9, 2004), C(2005)141 (December 2, 2005), and C(2008)156 (December 4, 2008):

"Annex A: OECD Decision C(2001)107/FINAL, as Amended by C(2004)20; C(2005)141 and C(2008)156" (also called "Revision of Council Decision C(92)39/FINAL on the Control of Transboundary Movements of Wastes Destined for Recovery Operations," within the text of Annex A, and "Decision of the Council Concerning the Control of Transboundary Movements of Wastes Destined for Recovery Operations" in the original OECD decision source document, C(2001)107/FINAL (June 14, 2001), as amended by C(2001)107/ADD1 (February 28, 2002), C(2004)20 (March 9, 2004), C(2005)141 (December 2, 2005), and C(2008)156 (December 4, 2008)).

"Annex B: OECD Consolidated List of Wastes Subject to the Green Control Procedure" (individually referred to as "Annex B to OECD Guidance Manual" in 35 Ill. Adm. Code 722), combining Appendix 3 to OECD decision C(2001)107/FINAL, as amended as described above, together with the text of Annex IX ("List B") to the "Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal" ("Basel Convention").

"Annex C: OECD Consolidated List of Wastes Subject to the Amber Control Procedure" (individually referred to as "Annex C to OECD Guidance Manual" in 35 Ill. Adm. Code 722), combining Appendix 4 to OECD decision C(2001)107/FINAL, as amended, together with the text of

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Annexes II ("Categories of Wastes Requiring Special Consideration") and VIII ("List A") to the Basel Convention.

BOARD NOTE: The OECD Guidance Manual is available online from OECD at www.oecd.org/dataoecd/57/1/42262259.pdf. The OECD and the Basel Convention consider the OECD Guidance Manual unofficial text of these documents. Despite this unofficial status, the Board has chosen to follow USEPA's lead and incorporate the OECD Guidance Manual by reference, instead of separately incorporating the OECD decision C(2001)107/FINAL (with its subsequent amendments: OECD decisions C(2001)107/ADD1, C(2004)20, C(2005)141, and C(2008)156) and the Basel Convention by reference. Use of the OECD Guidance Manual eases reference to the documents, increases access to the documents, and facilitates future updates to this incorporation by reference. All references to "OECD C(2001)107/FINAL" in the text of 35 Ill. Adm. Code 722 refer to both the OECD decision and the Basel Convention that the OECD decision references. The OECD Guidance Manual includes as Annex A the full text of OECD document C(2001)107/FINAL, with amendments, and Annexes B and C set forth lists of wastes subject to Green control procedures and wastes subject to Amber control procedures, respectively, which consolidate the wastes from C(2001)107/FINAL together with those from the Basel Convention.

OECD Guideline for Testing of Chemicals, "Ready Biodegradability," Method 301B (July 17, 1992), "CO2-CO2 Evolution (Modified Sturm Test)," referenced in 35 Ill. Adm. Code 724.414.

STI. Available from the Steel Tank Institute, 728 Anthony Trail, Northbrook, IL 60062, 708-498-1980:

"Standard for Dual Wall Underground Steel Storage Tanks" (1986), referenced in 35 Ill. Adm. Code 724.293.

USDOD. Available from the United States Department of Defense:

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"DOD Ammunition and Explosives Safety Standards" (DOD 6055.09-STD), as in effect on February 29, 2008, referenced in 35 Ill. Adm. Code 726.305.

"The Motor Vehicle Inspection Report" (DD Form 626), as in effect in March 2007, referenced in 35 Ill. Adm. Code 726.303.

"Requisition Tracking Form" (DD Form 1348), as in effect in July 1991, referenced in 35 Ill. Adm. Code 726.303.

"The Signature and Tally Record" (DD Form 1907), as in effect in November 2006, referenced in 35 Ill. Adm. Code 726.303.

"Dangerous Goods Shipping Paper/Declaration and Emergency Response Information for Hazardous Materials Transported by Government Vehicles" (DD Form 836), as in effect in December 2007, referenced in 35 Ill. Adm. Code 726.303.

BOARD NOTE: DOD 6055.09-STD is available on-line for download in pdf format from http://www.ddesb.pentagon.mil. DD Form 1348, DD Form 1907, DD Form 836, and DOD 6055.09-STD are available on-line for download in pdf format from http://www.dtic.mil/whs/directives/infomgt/forms/formsprogram.htm.

USEPA, Office of Ground Water and Drinking Water. Available from United States Environmental Protection Agency, Office of Drinking Water, State Programs Division, WH 550 E, Washington, D.C. 20460:

"Inventory of Injection Wells," USEPA Form 7520-16 (Revised 8-01), referenced in 35 Ill. Adm. Code 704.148 and 704.283.

"Technical Assistance Document: Corrosion, Its Detection and Control in Injection Wells," USEPA publication number EPA-570/9-87-002, August 1987, referenced in 35 Ill. Adm. Code 730.165.

USEPA, Receptor Analysis Branch. Available from Receptor Analysis Branch, USEPA (MD-14), Research Triangle Park, NC 27711:

"Screening Procedures for Estimating the Air Quality Impact of Stationary Sources, Revised," October 1992, USEPA publication

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

number EPA-450/R-92-019, USEPA-approved for Appendix I to 35 Ill. Adm. Code 726.

BOARD NOTE: Also available for purchase from NTIS (see above) and on the Internet for free download as a WordPerfect document from the USEPA website at following Internet address: www.epa.gov/scram001/guidance/guide/scrng.wpd.

USEPA Region 6. Available from United States Environmental Protection Agency, Region 6, Multimedia Permitting and Planning Division, 1445 Ross Avenue, Dallas, TX 75202 (phone: 214-665-7430):

"EPA RCRA Delisting Program—Guidance Manual for the Petitioner," March 23, 2000, referenced in Section 720.122.

USGSA. Available from the United States Government Services Administration:

Government Bill of Lading (GBL) (GSA Standard Form 1103, rev 9/2003, supplemented as necessary with GSA Standard Form 1109, rev 09/1998), referenced in Section 726.303.

BOARD NOTE: Available on-line for download in various formats from www.gsa.gov/forms/forms.htm.

b) Code of Federal Regulations. Available from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20401, 202-783-3238:

10 CFR 20.2006 (2013) (Transfer for Disposal and Manifests), referenced in 35 Ill. Adm. Code 726.425 and 726.450.

Table II, column 2 in appendix B to 10 CFR 20 (2013) (Water Effluent Concentrations), referenced in 35 Ill. Adm. Code 702.110, 730.103, and 730.151.

Appendix G to 10 CFR 20 (2013) (Requirements for Transfers of Low-Level Radioactive Waste Intended for Disposal at Licensed Land Disposal Facilities and Manifests), referenced in 35 Ill. Adm. Code 726.440.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

10 CFR 71 (2013), as amended at 77 Fed. Reg. 39899 (July 6, 2012) 78 Fed. Reg. 16922 (Mar. 19, 2013) (Packaging and Transportation of Radioactive Material), referenced generally in 35 Ill. Adm. Code 726.430.

10 CFR 71.5 (2013) (Transportation of Licensed Material), referenced in 35 Ill. Adm. Code 726.425.

33 CFR 153.203 (2013) (Procedure for the Notice of Discharge), referenced in 35 Ill. Adm. Code 723.130 and 739.143.

40 CFR 3.3 (2012) (2013) (What Definitions Are Applicable to This Part?), referenced in Section 720.104.

40 CFR 3.10 (2012) (2013) (What Are the Requirements for Electronic Reporting to EPA?), referenced in Section 720.104.

40 CFR 3.2000 (2012) (2013) (What Are the Requirements Authorized State, Tribe, and Local Programs' Reporting Systems Must Meet?), referenced in Section 720.104.

40 CFR 51.100(ii) (2012) (2013) (Definitions), referenced in 35 Ill. Adm. Code 726.200.

Appendix W to 40 CFR 51-(2012) (2013) (Guideline on Air Quality Models), referenced in 35 Ill. Adm. Code 726.204.

BOARD NOTE: Also available from NTIS (see above for contact information) as "Guideline on Air Quality Models," Revised 1986, USEPA publication number EPA-450/12-78-027R, NTIS document numbers PB86-245248 (Guideline) and PB88-150958 (Supplement).

Appendix B to 40 CFR 52.741 (2012) (2013) (VOM Measurement Techniques for Capture Efficiency), referenced in 35 Ill. Adm. Code 703.213, 703.352, 724.982, 724.984, 724.986, 724.989, 725.983, 725.985, 725.987, and 725.990.

40 CFR 60 (2012), as amended at 77 Fed. Reg. 44488 (July 30, 2012); 77 Fed. Reg. 48433 (Aug. 14, 2012); 77 Fed. Reg. 49489 (Aug. 16, 2012); 77 Fed. Reg. 56421 (Sept. 12, 2012) (2013), as amended at 78 Fed. Reg. 58415 (Sept. 19, 2013) and 78 Fed. Reg. 76753 (Dec. 19, 2013)

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

(Standards of Performance for New Stationary Sources), referenced generally in 35 Ill. Adm. Code 724.964, 724.980, 725.964, and 725.980.

Subpart VV of 40 CFR 60 (2012) (2013) (Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry), referenced in 35 Ill. Adm. Code 724.989 and 725.990.

Appendix A to 40 CFR 60-(2012) (2013) (Test Methods), referenced generally in 35 Ill. Adm. Code 726.205 (in addition to the references cited below for specific methods):

Method 1 (Sample and Velocity Traverses for Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 2 (Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)), referenced in 35 Ill. Adm. Code 724.933, 724.934, 725.933, 725.934, and 726.205.

Method 2A (Direct Measurement of Gas Volume through Pipes and Small Ducts), referenced in 35 Ill. Adm. Code 724.933, 725.933, and 726.205.

Method 2B (Determination of Exhaust Gas Volume Flow Rate from Gasoline Vapor Incinerators), referenced in 35 Ill. Adm. Code 726.205.

Method 2C (Determination of Gas Velocity and Volumetric Flow Rate in Small Stacks or Ducts (Standard Pitot Tube)), referenced in 35 Ill. Adm. Code 724.933, 725.933, and 726.205.

Method 2D (Measurement of Gas Volume Flow Rates in Small Pipes and Ducts), referenced in 35 Ill. Adm. Code 724.933, 725.933, and 726.205.

Method 2E (Determination of Landfill Gas Production Flow Rate), referenced in 35 Ill. Adm. Code 726.205.

Method 2F (Determination of Stack Gas Velocity and Volumetric Flow Rate with Three-Dimensional Probes), referenced in 35 Ill. Adm. Code 726.205.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Method 2G (Determination of Stack Gas Velocity and Volumetric Flow Rate with Two-Dimensional Probes), referenced in 35 Ill. Adm. Code 726.205.

Method 2H (Determination of Stack Gas Velocity Taking into Account Velocity Decay Near the Stack Wall), referenced in 35 Ill. Adm. Code 726,205.

Method 3 (Gas Analysis for the Determination of Dry Molecular Weight), referenced in 35 Ill. Adm. Code 724.443 and 726.205.

Method 3A (Determination of Oxygen and Carbon Dioxide Concentrations in Emissions from Stationary Sources (Instrumental Analyzer Procedure)), referenced in 35 Ill. Adm. Code 726.205.

Method 3B (Gas Analysis for the Determination of Emission Rate Correction Factor or Excess Air), referenced in 35 Ill. Adm. Code 726.205.

Method 3C (Determination of Carbon Dioxide, Methane, Nitrogen, and Oxygen from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 4 (Determination of Moisture Content in Stack Gases), referenced in 35 Ill. Adm. Code 726.205.

Method 5 (Determination of Particulate Matter Emissions from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 5A (Determination of Particulate Matter Emissions from the Asphalt Processing and Asphalt Roofing Industry), referenced in 35 Ill. Adm. Code 726.205.

Method 5B (Determination of Nonsulfuric Acid Particulate Matter Emissions from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 5D (Determination of Particulate Matter Emissions from Positive Pressure Fabric Filters), referenced in 35 Ill. Adm. Code 726.205.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Method 5E (Determination of Particulate Matter Emissions from the Wool Fiberglass Insulation Manufacturing Industry), referenced in 35 Ill. Adm. Code 726.205.

Method 5F (Determination of Nonsulfate Particulate Matter Emissions from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 5G (Determination of Particulate Matter Emissions from Wood Heaters (Dilution Tunnel Sampling Location)), referenced in 35 Ill. Adm. Code 726.205.

Method 5H (Determination of Particulate Emissions from Wood Heaters from a Stack Location), referenced in 35 Ill. Adm. Code 726.205.

Method 5I (Determination of Low Level Particulate Matter Emissions from Stationary Sources), referenced in 35 Ill. Adm. Code 726.205.

Method 18 (Measurement of Gaseous Organic Compound Emissions by Gas Chromatography), referenced in 35 Ill. Adm. Code 724.933, 724.934, 725.933, and 725.934.

Method 21 (Determination of Volatile Organic Compound Leaks), referenced in 35 Ill. Adm. Code 703.213, 724.934, 724.935, 724.963, 725.934, 725.935, 725.963, and 725.984.

Method 22 (Visual Determination of Fugitive Emissions from Material Sources and Smoke Emissions from Flares), referenced in 35 Ill. Adm. Code 724.933, 724.1101, 725.933, 725.1101, and 727.900.

Method 25A (Determination of Total Gaseous Organic Concentration Using a Flame Ionization Analyzer), referenced in 35 Ill. Adm. Code 724.934 and 725.985.

Method 25D (Determination of the Volatile Organic Concentration of Waste Samples), referenced in 35 Ill. Adm. Code 724.982, 725.983, and 725.984.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Method 25E (Determination of Vapor Phase Organic Concentration in Waste Samples), referenced in 35 Ill. Adm. Code 725.984.

Method 27 (Determination of Vapor Tightness of Gasoline Delivery Tank Using Pressure-Vacuum Test), referenced in 35 Ill. Adm. Code 724.986 and 725.987.

40 CFR 61-(2012) (2013) (National Emission Standards for Hazardous Air Pollutants), referenced generally in 35 Ill. Adm. Code 724.933, 724.964, 725.933, 725.964, and 725.980.

Subpart V of 40 CFR 61-(2012) (2013) (National Emission Standard for Equipment Leaks (Fugitive Emission Sources)), referenced in 35 Ill. Adm. Code 724.989 and 725.990.

Subpart FF of 40 CFR 61-(2012) (2013) (National Emission Standard for Benzene Waste Operations), referenced in 35 Ill. Adm. Code 724.982 and 725.983.

40 CFR 63 (2012), as amended at 77 Fed. Reg. 41075 (July 12, 2012); 77 Fed. Reg. 49489 (Aug. 16, 2012); 77 Fed. Reg. 55698 (Sept. 11, 2012); 77 Fed. Reg. 58219 (Sept. 19, 2012); 77 Fed. Reg. 65135 (Oct. 25, 2012); 77 Fed. Reg. 75739 (Dec. 21, 2012) (2013), as amended at 78 Fed. Reg. 79317 (Dec. 30, 2013) (National Emission Standards for Hazardous Air Pollutants for Source Categories), referenced generally in 35 Ill. Adm. Code 724.933, 724.964, 724.980, 725.933, 725.964, 725.980, and 726.200.

Subpart RR of 40 CFR 63-(2012) (2013) (National Emission Standards for Individual Drain Systems), referenced in 35 Ill. Adm. Code 724.984, 724.985, 725.985, and 725.986.

Subpart EEE of 40 CFR 63 (2000) (National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors), referenced in 35 Ill. Adm. Code 703.280.

Subpart EEE of 40 CFR 63-(2012) (2013) (National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors) (includes 40 CFR 63.1206 (When and How Must You Comply with the Standards and Operating Requirements?), 63.1215 (What are the Health-

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Based Compliance Alternatives for Total Chlorine?), 63.1216 (What are the Standards for Solid-Fuel Boilers that Burn Hazardous Waste?), 63.1217 (What are the Standards for Liquid-Fuel Boilers that Burn Hazardous Waste?), 63.1218 (What are the Standards for Hydrochloric Acid Production Furnaces that Burn Hazardous Waste?), 63.1219 (What are the Replacement Standards for Hazardous Waste Incinerators?), 63.1220 (What are the Replacement Standards for Hazardous Waste-Burning Cement Kilns?), and 63.1221 (What are the Replacement Standards for Hazardous Waste-Burning Lightweight Aggregate Kilns?)), referenced in Appendix A to 35 Ill. Adm. Code 703 and 35 Ill. Adm. Code 703.155, 703.205, 703.208, 703.221, 703.232, 703.320, 703.280, 724.440, 724.701, 724.950, 725.440, and 726.200.

Method 301 (Field Validation of Pollutant Measurement Methods from Various Waste Media) in appendix A to 40 CFR 63-(2012) (2013) (Test Methods), referenced in 35 Ill. Adm. Code 725.984.

Appendix C to 40 CFR 63 (2012) (2013) (Determination of the Fraction Biodegraded (Fbio) (F_{bio}) in a Biological Treatment Unit), referenced in 35 Ill. Adm. Code 725.984.

Appendix D to 40 CFR 63-(2012) (2013) (Test Methods), referenced in 35 Ill. Adm. Code 725.984.

40 CFR 136.3 (Identification of Test Procedures) (2012) (2013), referenced in 35 Ill. Adm. Code 702.110, 704.150, 704.187, and 730.103.

40 CFR 144.70 (2012) (2013) (Wording of the Instruments), referenced in 35 Ill. Adm. Code 704.240.

40 CFR 232.2-(2012) (2013) (Definitions), referenced in 35 Ill. Adm. Code 721.104.

40 CFR 257-(2012) (2013) (Criteria for Classification of Solid Waste Disposal Facilities and Practices), referenced in 35 Ill. Adm. Code 739.181.

Subpart B of 40 CFR 257 (2013) (Disposal Standards for the Receipt of Conditionally Exempt Small Quantity Generator (CESQG) Wastes at Non-Municipal Non-Hazardous Waste Disposal Units) (40 CFR 257.5 through 257.30), referenced in 35 Ill. Adm. Code 721.105.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

40 CFR 258 (2012) (2013) (Criteria for Municipal Solid Waste Landfills), referenced in 35 Ill. Adm. Code 739.181.

40 CFR 260.21(b) (2012) (2013) (Alternative Equivalent Testing Methods), referenced in Section 720.121.

40 CFR 261.151-(2012) (2013) (Wording of the Instruments), referenced in 35 Ill. Adm. Code 721.251.

Appendix III to 40 CFR 261-(2012) (2013) (Chemical Analysis Test Methods), referenced in 35 Ill. Adm. Code 704.150 and 704.187.

40 CFR 262.53-(2012) (2013) (Notification of Intent to Export), referenced in 35 Ill. Adm. Code 722.153.

40 CFR 262.54 (2012) (2013) (Special Manifest Requirements), referenced in 35 Ill. Adm. Code 722.154.

40 CFR 262.55-(2012) (2013) (Exception Reports), referenced in 35 Ill. Adm. Code 722.155.

40 CFR 262.56-(2012) (2013) (Annual Reports), referenced in 35 Ill. Adm. Code 722.156.

40 CFR 262.57-(2012) (2013) (Recordkeeping), referenced in 35 Ill. Adm. Code 722.157.

Appendix to 40 CFR 262-(2012) (2013) (Uniform Hazardous Waste Manifest and Instructions (EPA Forms 8700-22 and 8700-22A and Their Instructions)), referenced in Appendix A to 35 Ill. Adm. Code 722 and 35 Ill. Adm. Code 724.986 and 725.987.

40 CFR 264.151-(2012) (2013) (Wording of the Instruments), referenced in 35 Ill. Adm. Code 724.251 and 727.240.

Appendix I to 40 CFR 264 (2012) (2013) (Recordkeeping Instructions), referenced in Appendix A to 35 Ill. Adm. Code 724.

Appendix IV to 40 CFR 264 (2012) (2013) (Cochran's Approximation to the Behrens-Fisher Students' T-Test), referenced in Appendix D to 35 Ill. Adm. Code 724.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Appendix V to 40 CFR 264 (2012) (2013) (Examples of Potentially Incompatible Waste), referenced in Appendix E to 35 Ill. Adm. Code 724 and 35 Ill. Adm. Code 727.270.

Appendix VI to 40 CFR 264 (2012) (2013) (Political Jurisdictions in Which Compliance with § 264.18(a) Must Be Demonstrated), referenced in 35 Ill. Adm. Code 703.306, 724.118, and 727.110.

Appendix I to 40 CFR 265-(2012) (2013) (Recordkeeping Instructions), referenced in Appendix A to 35 Ill. Adm. Code 725.

Appendix III to 40 CFR 265-(2012) (2013) (EPA Interim Primary Drinking Water Standards), referenced in Appendix C to 35 Ill. Adm. Code 725.

Appendix IV to 40 CFR 265 (2012) (2013) (Tests for Significance), referenced in Appendix D to 35 Ill. Adm. Code 725.

Appendix V to 40 CFR 265 (2012) (2013) (Examples of Potentially Incompatible Waste), referenced in 35 Ill. Adm. Code 725.277, 725.301, 725.330, 725.357, 725.382, and 725.413 and Appendix E to 35 Ill. Adm. Code 725.

Appendix IX to 40 CFR 266 (2012) (2013) (Methods Manual for Compliance with the BIF Regulations), referenced generally in Appendix I to 35 Ill. Adm. Code 726.

Section 4.0 (Procedures for Estimating the Toxicity Equivalence of Chlorinated Dibenzo-p-Dioxin and Dibenzofuran Congeners), referenced in 35 Ill. Adm. Code 726.200 and 726.204.

Section 5.0 (Hazardous Waste Combustion Air Quality Screening Procedure), referenced in 35 Ill. Adm. Code 726.204 and 726.206.

Section 7.0 (Statistical Methodology for Bevill Residue Determinations), referenced in 35 Ill. Adm. Code 726.212.

BOARD NOTE: Also available from NTIS (see above for contact information) as "Methods Manual for Compliance with BIF Regulations: Burning Hazardous Waste in Boilers and Industrial Furnaces," December

POLLUTION CONTROL BOARD

- 1990, USEPA publication number EPA-530/SW-91-010, NTIS document number PB91-120006.
- 40 CFR 267.151-(2012) (2013) (Wording of the Instruments), referenced in 35 Ill. Adm. Code 727.240.
- 40 CFR 270.5-(2012) (2013) (Noncompliance and Program Reporting by the Director), referenced in 35 Ill. Adm. Code 703.305.
- 40 CFR 761 (2012), as amended at 77 Fed. Reg. 46289 (Aug. 3, 2012); 77 Fed. Reg. 54818 (Sept. 6, 2012) (2013) (Polychlorinated Biphenyls (PCBs) Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions), referenced generally in 35 Ill. Adm. Code 728.145.
- 40 CFR 761.3 (2012), as amended at 77 Fed. Reg. 46289 (Aug. 3, 2012); 77 Fed. Reg. 54818 (Sept. 6, 2012) (2013) (Definitions), referenced in 35 Ill. Adm. Code 728.102 and 739.110.
- 40 CFR 761.60-(2012) (2013) (Disposal Requirements), referenced in 35 Ill. Adm. Code 728.142.
- 40 CFR 761.65-(2012), as amended at 77 Fed. Reg. 46289 (Aug. 3, 2012); 77 Fed. Reg. 54818 (Sept. 6, 2012) (2013) (Storage for Disposal), referenced in 35 Ill. Adm. Code 728.150.
- 40 CFR 761.70 (2012), as amended at 77 Fed. Reg. 46289 (Aug. 3, 2012); 77 Fed. Reg. 54818 (Sept. 6, 2012) (2013) (Incineration), referenced in 35 Ill. Adm. Code 728.142.
- Subpart B of 49 CFR 107-(2012) (2013) (Exemptions), referenced generally in 35 Ill. Adm. Code 724.986 and 725.987.
- 49 CFR 171-(2012), as amended at 77 Fed. Reg. 60935 (Oct. 5, 2012) (2013), as amended at 78 Fed. Reg. 60745 (Oct. 2, 2013) and 78 Fed. Reg. 65454 (Oct. 31, 2013) (General Information, Regulations, and Definitions), referenced generally in 35 Ill. Adm. Code 721.104, 733.118, 733.138, 733.152, and 739.143.
- 49 CFR 171.3-(2012) (2013) (Hazardous Waste), referenced in 35 Ill. Adm. Code 722.133.

POLLUTION CONTROL BOARD

- 49 CFR 171.8 (2012) (2013), as amended at 78 Fed. Reg. 65454 (Oct. 31, 2013) (Definitions and Abbreviations), referenced in 35 Ill. Adm. Code 733.118, 733.138, 733.152, 733.155, and 739.143.
- 49 CFR 171.15-(2012) (2013) (Immediate Notice of Certain Hazardous Materials Incidents), referenced in 35 Ill. Adm. Code 723.130 and 739.143.
- 49 CFR 171.16-(2012) (2013) (Detailed Hazardous Materials Incident Reports), referenced in 35 Ill. Adm. Code 723.130 and 739.143.
- 49 CFR 172-(2012), as amended at 77 Fed. Reg. 60935 (Oct. 5, 2012) (2013), as amended at 78 Fed. Reg. 60745 (Oct. 2, 2013), 78 Fed. Reg. 65454 (Oct. 31, 2013), and 78 Fed. Reg. 69310 (Nov. 19, 2103) (Hazardous Materials Table, Special Provisions, Hazardous Materials Communications, Emergency Response Information, and Training Requirements), referenced generally in 35 Ill. Adm. Code 721.104, 722.131, 722.132, 724.986, 725.987, 733.114, 733.118, 733.134, 733.138, 733.152, 733.155, and 739.143.
- 49 CFR 172.304 (2012) (2013) (Marking Requirements), referenced in 35 Ill. Adm. Code 722.132.
- Subpart F of 49 CFR 172-(2012), as amended at 77 Fed. Reg. 60935 (Oct. 5, 2012) (2013), as amended at 78 Fed. Reg. 60745 (Oct. 2, 2013) (Placarding), referenced in 35 Ill. Adm. Code 722.133.
- 49 CFR 173-(2012), as amended at 77 Fed. Reg. 60935 (Oct. 5, 2012) (2013), as amended at 78 Fed. Reg. 60745 (Oct. 2, 2013) and 78 Fed. Reg. 65454 (Oct. 31, 2013) (Shippers—General Requirements for Shipments and Packages), referenced generally in 35 Ill. Adm. Code 721.104, 722.130, 724.416, 724.986, 725.416, 725.987, 733.118, 733.138, 733.152, and 739.143.
- 49 CFR 173.2-(2012) (2013) (Hazardous Materials Classes and Index to Hazard Class Definitions), referenced in 35 Ill. Adm. Code 733.152.
- 49 CFR 173.12 (2012), as amended at 77 Fed. Reg. 60935 (Oct. 5, 2012) (2013) (Exceptions for Shipments of Waste Materials), referenced in 35 Ill. Adm. Code 724.416, 724.986, 725.416, and 725.987.

POLLUTION CONTROL BOARD

- 49 CFR 173.28-(2012) (2013) (Reuse, Reconditioning, and Remanufacture of Packagings), referenced in 35 Ill. Adm. Code 725.273.
- 49 CFR 173.50 (2012) (2013) (Class 1—Definitions), referenced in 35 Ill. Adm. Code 721.123.
- 49 CFR 173.54 (2012) (2013) (Forbidden Explosives), referenced in 35 Ill. Adm. Code 721.123.
- 49 CFR 173.115-(2012) (2013) (Class 2, Divisions 2.1, 2.2, and 2.3—Definitions), referenced in 35 Ill. Adm. Code 721.121.
- 49 CFR 173.127-(2012) (2013) (Class 2, Divisions 2.1, 2.2, and 2.3—Definitions), referenced in 35 Ill. Adm. Code 721.121.
- 49 CFR 174 (2012) (2013) (Carriage by Rail), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.
- 49 CFR 175 (2012), as amended at 77 Fed. Reg. 60935 (Oct. 5, 2012) (2013), as amended at 78 Fed. Reg. 65454 (Oct. 31, 2013) (Carriage by Aircraft), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.
- 49 CFR 176 (2012) (2013), as amended at 78 Fed. Reg. 65454 (Oct. 31, 2013) (Carriage by Vessel), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.
- 49 CFR 177-(2012) (2013), as amended at 78 Fed. Reg. 60745 (Oct. 2, 2013) (Carriage by Public Highway), referenced generally in 35 Ill. Adm. Code 733.118, 733.138, 733.152, and 739.143.
- 49 CFR 178 (2012), as amended at 77 Fed. Reg. 60935 (Oct. 5, 2012) (2013), as amended at 78 Fed. Reg. 60745 (Oct. 2, 2013) and 78 Fed. Reg. 65454 (Oct. 31, 2013) (Specifications for Packagings), referenced generally in 35 Ill. Adm. Code 721.104, 722.130, 724.416, 724.986, 725.416, 725.987, 733.118, 733.138, 733.152, and 739.143.
- 49 CFR 179 (2012), as amended at 77 Fed. Reg. 60935 (Oct. 5, 2012) (2013) (Specifications for Tank Cars), referenced in 35 Ill. Adm. Code 721.104, 722.130, 724.416, 724.986, 725.416, 725.987, 733.118, 733.138, 733.152, and 739.143.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- 49 CFR 180 (2012) (2013) (Continuing Qualification and Maintenance of Packagings), referenced generally in 35 Ill. Adm. Code 724.986, 725.987, 733.118, 733.138, 733.152, and 739.143.
- 49 CFR 190 (2013) (Pipeline Safety Programs and Rulemaking Procedures), referenced generally in 35 Ill. Adm. Code 721.104.
- 49 CFR 191 (2013) (Transportation of Natural and Other Gas by Pipeline: Annual Reports, Incident Reports, and Safety-Related Condition Reports), referenced generally in 35 Ill. Adm. Code 721.104.
- 49 CFR 192 (2013) (Transportation of Natural and Other Gas by Pipeline: Minimum Federal Safety Standards), referenced generally in 35 Ill. Adm. Code 721.104.
- 49 CFR 193 (2013) (Liquefied Natural Gas Facilities: Federal Safety Standards), referenced generally in 35 Ill. Adm. Code 721.104.
- 49 CFR 194 (2013) (Response Plans for Onshore Oil Pipelines), referenced generally in 35 Ill. Adm. Code 721.104.
- 49 CFR 195 (2013) (Transportation of Hazardous Liquids by Pipeline), referenced generally in 35 Ill. Adm. Code 721.104.
- 49 CFR 198 (2013) (Regulations for Grants to Aid State Pipeline Safety Programs), referenced generally in 35 Ill. Adm. Code 721.104.
- 49 CFR 199 (2013) (Drug and Alcohol Testing), referenced generally in 35 Ill. Adm. Code 721.104.

c) Federal Statutes:

Section 11 of the Atomic Energy Act of 1954 (42 USC 2014) (2011), referenced in 35 Ill. Adm. Code 721.104 and 726.310.

Sections 201(v), 201(w), and 512(j) of the Federal Food, Drug, and Cosmetic Act (FFDCA; 21 USC 321(v), 321(w), and 360b(j)) (2011) (2012), referenced in Section 720.110 and 35 Ill. Adm. Code 733.109.

<u>Chapter 601 of subtitle VIII of 49 USC (49 USC 60101-60140) (2011),</u> referenced in 35 Ill. Adm. <u>Code 721.104.</u>

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Section 1412 of the Department of Defense Authorization Act of 1986 (50 USC 1521(j)(1)) (2011), referenced in 35 Ill. Adm. Code 726.301.

d)	This Section incorporates no	later editions or amendments.	
(Source	e: Amended at 38 Ill. Reg	, effective)	



POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

1) <u>Heading of the Part:</u> Identification and Listing of Hazardous Waste

2) Code citation: 35 Ill. Adm. Code 721

3) <u>Section numbers:</u>

Proposed action:

721.104

Amend

721.105

Amend

4) <u>Statutory authority:</u> 415 ILCS 5/7.2, 22.4, and 27.

5) A Complete description of the subjects and issues involved: The amendments to Part 721 is a single segment of the docket R14-13 rulemaking that also affects 35 Ill. Adm. Code 720, which is covered by a separate notice in this issue of the Illinois Register. To save space, a more detailed description of the subjects and issues involved in the docket R14-13 rulemaking in this issue of the Illinois Register only in the answer to question 5 in the Notice of Proposed Amendments for 35 Ill. Adm. Code 720. A comprehensive description is contained in the Board's opinion and order of February 6, 2014, proposing amendments in docket R14-13, which opinion and order is available from the address below.

Specifically, the amendments to Part 721 implement segments of the federal amendments of July 31, 2013 and January 3, 2014. The amendments add the texts of the conditional exclusions. The Board has included a limited number of corrections and clarifying revisions that are not directly derived from the instant federal amendments.

Tables appear in the Board's opinion and order of February 6, 2014 in docket R14-13 that list numerous corrections and revisions that are not based on current federal amendments. The tables contain deviations from the literal text of the federal amendments underlying these amendments, as well as corrections and clarifications that the Board made in the base text involved. Persons interested in the details of those corrections and revisions should refer to the February 6, 2014 opinion and order in docket R14-13.

Section 22.4 of the Environmental Protection Act [415 ILCS 5/22.4] provides that Section 5-35 of the Administrative Procedure Act [5 ILCS 100/5-35] does not apply to this rulemaking. Because this rulemaking is not subject to Section 5-35 of the APA, it is not subject to First Notice or to Second Notice review by the Joint Committee on Administrative Rules (JCAR).

6) Published studies or reports, and sources of underlying data, used to compose this rulemaking: None

RECEIVED

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- 7) Will these proposed amendments replace emergency amendments currently in effect? No.
- 8) Does this rulemaking contain an automatic repeal date? No.
- 9) Does these proposed amendments contain incorporations by reference? No.
- 10) <u>Statement of statewide policy objectives:</u> These proposed amendments do not create or enlarge a state mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- 11) Are there any other amendments pending on this Part? No.
- 12) <u>Time, Place and manner in which interested persons may comment on this proposed</u> rulemaking: The Board will accept written public comment on this proposal for a period of 45 days after the date of this publication. Comments should reference docket R14-13 and be addressed to:

John T. Therriault, Clerk Illinois Pollution Control Board State of Illinois Center, Suite 11-500 100 W. Randolph St. Chicago, IL 60601

Please direct inquiries to the following person and reference docket <u>R14-13</u>:

Michael J. McCambridge Staff Attorney Illinois Pollution Control Board 100 W. Randolph 11-500 Chicago, IL 60601

Phone: 312-814-6924

E-mail: mccambm@ipcb.state.il.us

Request copies of the Board's opinion and order at 312-814-3620, or download a copy from the Board's Website at http://www.ipcb.state.il.us.

- 13) Initial regulatory flexibility analysis:
 - A) <u>Types of small businesses, small municipalities, and not-for-profit corporations affected:</u> This rulemaking may affect those small businesses, small

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

municipalities, and not-for-profit corporations that generate, transport, treat, store, or dispose of hazardous waste. These proposed amendments do not create or enlarge a state mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].

- B) Reporting, bookkeeping or other procedures required for compliance: The existing rules and the proposed amendments require extensive reporting, bookkeeping and other procedures, including the preparation of manifests and annual reports, waste analyses and maintenance of operating records. These proposed amendments do not create or enlarge a state mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- C) Types of professional skills necessary for compliance: Compliance with the existing rules and the proposed amendments may require the services of an attorney, certified public accountant, chemist, and registered professional engineer. These proposed amendments do not create or enlarge a state mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- 14) Regulatory agenda on which this rulemaking was summarized: January 2014: published at 37 Ill. Reg. 20463, 20501 (December 20, 2013)

The full text of the proposed amendments begins on the next page:

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE G: WASTE DISPOSAL CHAPTER I: POLLUTION CONTROL BOARD SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 721 IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

SUBPART A: GENERAL PROVISIONS

Section		
721.101	Purpose and Scope	
721.102	Definition of Solid Waste	
721.103	Definition of Hazardous Waste	
721.104	Exclusions	
721.105	Special Requirements for Hazardous Waste Generated by Small Quantity Generators	
721.106	Requirements for Recyclable Materials	
721.107	Residues of Hazardous Waste in Empty Containers	
721.108	PCB Wastes Regulated under TSCA	
721.109	Requirements for Universal Waste	
	PART B: CRITERIA FOR IDENTIFYING THE CHARACTERISTICS OF HAZARDOUS WASTE AND FOR LISTING HAZARDOUS WASTES	
721.110	Criteria for Identifying the Characteristics of Hazardous Waste	
721.111	Criteria for Listing Hazardous Waste	
Section	SUBPART C: CHARACTERISTICS OF HAZARDOUS WASTE	
721.120	General	
721.121	Characteristic of Ignitability	
721.122	Characteristic of Corrosivity	
721.123	Characteristic of Reactivity	
721.124	Toxicity Characteristic	
	SUBPART D: LISTS OF HAZARDOUS WASTE	
Section		
721.130	General	
721.131	Hazardous Wastes from Nonspecific Sources	
721.132	Hazardous Waste from Specific Sources	

POLLUTION CONTROL BOARD

721.133	Discarded Commercial Chemical Products, Off-Specification Species, Container Residues, and Spill Residues Thereof	
721.135	Wood Preserving Wastes	
	SUBPART E: EXCLUSIONS AND EXEMPTIONS	
Section		
721.138	Exclusion of Comparable Fuel and Syngas Fuel	
721.139		
	Undergoing Recycling	
721.140	Conditional Exclusion for Used, Intact CRTs Exported for Recycling	
721.141	Notification and Recordkeeping for Used, Intact CRTs Exported for Reuse	
S	UBPART H: FINANCIAL REQUIREMENTS FOR MANAGEMENT OF	
	EXCLUDED HAZARDOUS SECONDARY MATERIALS	
Section		
721.240	Applicability	
721.241	Definitions of Terms as Used in This Subpart	
721.242	Cost Estimate	
721.243	Financial Assurance Condition	
721.247	Liability Requirements	
721.248	Incapacity of Owners or Operators, Guarantors, or Financial Institutions	
721.249	Use of State-Required Mechanisms	
721.250	State Assumption of Responsibility	
721.251	Wording of the Instruments	
721.APPEN	1 0	
721.APPEN	IDIX B Method 1311 Toxicity Characteristic Leaching Procedure (TCLP) (Repealed)	
721.APPEN	IDIX C Chemical Analysis Test Methods (Repealed)	
721.	TABLE A Analytical Characteristics of Organic Chemicals (Repealed)	
	TABLE B Analytical Characteristics of Inorganic Species (Repealed)	
	TABLE C Sample Preparation/Sample Introduction Techniques (Repealed)	
721.APPEN		
721.APPEN	· · · · · · · · · · · · · · · · · · ·	
721.APPEN	IDIX I Wastes Excluded by Administrative Action	
721.	TABLE A Wastes Excluded by USEPA pursuant to 40 CFR 260.20 and 260.22 from Non-Specific Sources	
721	TABLE B Wastes Excluded by USEPA pursuant to 40 CFR 260.20 and 260.22 from	
121.	Specific Sources	

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

721.TABLE C Wastes Excluded by USEPA pursuant to 40 CFR 260.20 and 260.22 from Commercial Chemical Products, Off-Specification Species, Container Residues, and Soil Residues Thereof

721. TABLE D Wastes Excluded by the Board by Adjusted Standard

721.APPENDIX J Method of Analysis for Chlorinated Dibenzo-p-Dioxins and

Dibenzofurans (Repealed)

721.APPENDIX Y Table to Section 721.138: Maximum Contaminant Concentration and

Minimum Detection Limit Values for Comparable Fuel Specification

721.APPENDIX Z Table to Section 721.102: Recycled Materials that Are Solid Waste

AUTHORITY: Implementing Sections 7.2 and 22.4 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4 and 27].

SOURCE: Adopted in R81-22 at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22 at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-18 at 7 Ill. Reg. 2518, effective February 22, 1983; amended in R82-19 at 7 Ill. Reg. 13999, effective October 12, 1983; amended in R84-34, 61 at 8 Ill. Reg. 24562, effective December 11, 1984; amended in R84-9 at 9 Ill. Reg. 11834, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 998, effective January 2, 1986; amended in R85-2 at 10 Ill. Reg. 8112, effective May 2, 1986; amended in R86-1 at 10 Ill. Reg. 14002, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20647, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6035, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13466, effective August 4, 1987; amended in R87-32 at 11 Ill. Reg. 16698, effective September 30, 1987; amended in R87-5 at 11 Ill. Reg. 19303, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2456, effective January 15, 1988; amended in R87-30 at 12 Ill. Reg. 12070, effective July 12, 1988; amended in R87-39 at 12 Ill. Reg. 13006, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 382, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18300, effective November 13, 1989; amended in R90-2 at 14 III. Reg. 14401, effective August 22, 1990; amended in R90-10 at 14 III. Reg. 16472, effective September 25, 1990; amended in R90-17 at 15 Ill. Reg. 7950, effective May 9, 1991; amended in R90-11 at 15 Ill. Reg. 9332, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14473, effective September 30, 1991; amended in R91-12 at 16 Ill. Reg. 2155, effective January 27, 1992; amended in R91-26 at 16 Ill. Reg. 2600, effective February 3, 1992; amended in R91-13 at 16 Ill. Reg. 9519, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17666, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5650, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20568, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6741, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12175. effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17490, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9522, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 10963, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 275, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7615, effective April 15, 1998;

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

SUBPART A: GENERAL PROVISIONS

Section 721.104 Exclusions

- a) Materials that are not solid wastes. The following materials are not solid wastes for the purpose of this Part:
 - 1) Sewage.
 - A) Domestic sewage (untreated sanitary wastes that pass through a sewer system); and
 - B) Any mixture of domestic sewage and other waste that passes through a sewer system to publicly-owned treatment works for treatment.
 - 2) Industrial wastewater discharges that are point source discharges with National Pollutant Discharge Elimination System (NPDES) permits issued by the Agency pursuant to Section 12(f) of the Environmental Protection Act [415 ILCS 5/12(f)] and 35 Ill. Adm. Code 309.

BOARD NOTE: This exclusion applies only to the actual point source discharge. It does not exclude industrial wastewaters while they are being collected, stored, or treated before discharge, nor does it exclude sludges that are generated by industrial wastewater treatment.

POLLUTION CONTROL BOARD

- 3) Irrigation return flows.
- 4) Source, by-product, or special nuclear material, as defined by section 11 of the Atomic Energy Act of 1954, as amended (42 USC 2014), incorporated by reference in 35 Ill. Adm. Code 720.111(b).
- 5) Materials subjected to in-situ mining techniques that are not removed from the ground as part of the extraction process.
- Pulping liquors (i.e., black liquors) that are reclaimed in a pulping liquor recovery furnace and then reused in the pulping process, unless it is accumulated speculatively, as defined in Section 721.101(c).
- 7) Spent sulfuric acid used to produce virgin sulfuric acid, unless it is accumulated speculatively, as defined in Section 721.101(c).
- 8) Secondary materials that are reclaimed and returned to the original process or processes in which they were generated, where they are reused in the production process, provided that the following is true:
 - A) Only tank storage is involved, and the entire process through completion of reclamation is closed by being entirely connected with pipes or other comparable enclosed means of conveyance;
 - B) Reclamation does not involve controlled flame combustion (such as occurs in boilers, industrial furnaces, or incinerators);
 - C) The secondary materials are never accumulated in such tanks for over 12 months without being reclaimed; and
 - D) The reclaimed material is not used to produce a fuel or used to produce products that are used in a manner constituting disposal.
- 9) Wood preserving wastes.
 - A) Spent wood preserving solutions that have been used and which are reclaimed and reused for their original intended purpose;
 - B) Wastewaters from the wood preserving process that have been reclaimed and which are reused to treat wood; and

POLLUTION CONTROL BOARD

- C) Prior to reuse, the wood preserving wastewaters and spent wood preserving solutions described in subsections (a)(9)(A) and (a)(9)(B) of this Section, so long as they meet all of the following conditions:
 - i) The wood preserving wastewaters and spent wood preserving solutions are reused on-site at water-borne plants in the production process for their original intended purpose;
 - ii) Prior to reuse, the wastewaters and spent wood preserving solutions are managed to prevent release to either land or groundwater or both;
 - iii) Any unit used to manage wastewaters or spent wood preserving solutions prior to reuse can be visually or otherwise determined to prevent such releases;
 - iv) Any drip pad used to manage the wastewaters or spent wood preserving solutions prior to reuse complies with the standards in Subpart W of 35 Ill. Adm. Code 725, regardless of whether the plant generates a total of less than 100 kg/month of hazardous waste; and
 - Prior to operating pursuant to this exclusion, the plant v) owner or operator prepares a one-time notification to the Agency stating that the plant intends to claim the exclusion, giving the date on which the plant intends to begin operating under the exclusion, and containing the following language: "I have read the applicable regulation establishing an exclusion for wood preserving wastewaters and spent wood preserving solutions and understand it requires me to comply at all times with the conditions set out in the regulation." The plant must maintain a copy of that document in its on-site records until closure of the facility. The exclusion applies only so long as the plant meets all of the conditions. If the plant goes out of compliance with any condition, it may apply to the Agency for reinstatement. The Agency must reinstate the exclusion in writing if it finds that the plant has returned to compliance with all conditions and that the violations are

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

not likely to recur. If the Agency denies an application, it must transmit to the applicant specific, detailed statements in writing as to the reasons it denied the application. The applicant under this subsection (a)(9)(C)(v) may appeal the Agency's determination to deny the reinstatement, to grant the reinstatement with conditions, or to terminate a reinstatement before the Board pursuant to Section 40 of the Act [415 ILCS 5/40].

- Hazardous waste numbers K060, K087, K141, K142, K143, K144, K145, K147, and K148, and any wastes from the coke by-products processes that are hazardous only because they exhibit the toxicity characteristic specified in Section 721.124, when subsequent to generation these materials are recycled to coke ovens, to the tar recovery process as a feedstock to produce coal tar, or are mixed with coal tar prior to the tar's sale or refining. This exclusion is conditioned on there being no land disposal of the waste from the point it is generated to the point it is recycled to coke ovens, to tar recovery, to the tar refining processes, or prior to when it is mixed with coal.
- Nonwastewater splash condenser dross residue from the treatment of hazardous waste number K061 in high temperature metals recovery units, provided it is shipped in drums (if shipped) and not land disposed before recovery.
- 12) Certain oil-bearing hazardous secondary materials and recovered oil, as follows:
 - A) Oil-bearing hazardous secondary materials (i.e., sludges, by-products, or spent materials) that are generated at a petroleum refinery (standard industrial classification (SIC) code 2911) and are inserted into the petroleum refining process (SIC code 2911: including, but not limited to, distillation, catalytic cracking, fractionation, gasification (as defined in 35 Ill. Adm. Code 720.110), or thermal cracking units (i.e., cokers)), unless the material is placed on the land, or speculatively accumulated before being so recycled. Materials inserted into thermal cracking units are excluded under this subsection (a)(12), provided that the coke product also does not exhibit a characteristic of hazardous waste. Oil-bearing hazardous secondary materials may be inserted into the

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

same petroleum refinery where they are generated or sent directly to another petroleum refinery and still be excluded under this provision. Except as provided in subsection (a)(12)(B) of this Section, oil-bearing hazardous secondary materials generated elsewhere in the petroleum industry (i.e., from sources other than petroleum refineries) are not excluded under this Section. Residuals generated from processing or recycling materials excluded under this subsection (a)(12)(A), where such materials as generated would have otherwise met a listing under Subpart D of this Part, are designated as USEPA hazardous waste number F037 listed wastes when disposed of or intended for disposal.

- B) Recovered oil that is recycled in the same manner and with the same conditions as described in subsection (a)(12)(A) of this Section. Recovered oil is oil that has been reclaimed from secondary materials (including wastewater) generated from normal petroleum industry practices, including refining, exploration and production, bulk storage, and transportation incident thereto (SIC codes 1311, 1321, 1381, 1382, 1389, 2911, 4612, 4613, 4922, 4923, 4789, 5171, and 5172). Recovered oil does not include oilbearing hazardous wastes listed in Subpart D of this Part; however, oil recovered from such wastes may be considered recovered oil. Recovered oil does not include used oil, as defined in 35 Ill. Adm. Code 739,100.
- Excluded scrap metal (processed scrap metal, unprocessed home scrap metal, and unprocessed prompt scrap metal) being recycled.
- 14) Shredded circuit boards being recycled, provided that they meet the following conditions:
 - A) The circuit boards are stored in containers sufficient to prevent a release to the environment prior to recovery; and
 - B) The circuit boards are free of mercury switches, mercury relays, nickel-cadmium batteries, and lithium batteries.
- 15) Condensates derived from the overhead gases from kraft mill steam strippers that are used to comply with federal Clean Air Act regulation 40 CFR 63.446(e). The exemption applies only to combustion at the mill generating the condensates.

POLLUTION CONTROL BOARD

- 16) Comparable fuels or comparable syngas fuels that meet the requirements of Section 721.138.
- 17) Spent materials (as defined in Section 721.101) (other than hazardous wastes listed in Subpart D of this Part) generated within the primary mineral processing industry from which minerals, acids, cyanide, water, or other values are recovered by mineral processing or by benefication, beneficiation, provided that the following is true:
 - A) The spent material is legitimately recycled to recover minerals, acids, cyanide, water, or other values;
 - B) The spent material is not accumulated speculatively;
 - C) Except as provided in subsection (a)(17)(D) of this Section, the spent material is stored in tanks, containers, or buildings that meet the following minimum integrity standards: a building must be an engineered structure with a floor, walls, and a roof all of which are made of non-earthen materials providing structural support (except that smelter buildings may have partially earthen floors, provided that the spent material is stored on the non-earthen portion), and have a roof suitable for diverting rainwater away from the foundation; a tank must be free standing, not be a surface impoundment (as defined in 35 Ill. Adm. Code 720.110), and be manufactured of a material suitable for containment of its contents: a container must be free standing and be manufactured of a material suitable for containment of its contents. If a tank or container contains any particulate that may be subject to wind dispersal, the owner or operator must operate the unit in a manner that controls fugitive dust. A tank, container, or building must be designed, constructed, and operated to prevent significant releases to the environment of these materials.
 - D) The Agency must allow by permit that solid mineral processing spent materials only may be placed on pads, rather than in tanks, containers, or buildings if the facility owner or operator can demonstrate the following: the solid mineral processing secondary materials do not contain any free liquid; the pads are designed, constructed, and operated to prevent significant releases of the spent material into the environment; and the pads provide the same

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

degree of containment afforded by the non-RCRA tanks, containers, and buildings eligible for exclusion.

- i) The Agency must also consider whether storage on pads poses the potential for significant releases via groundwater, surface water, and air exposure pathways. Factors to be considered for assessing the groundwater, surface water, and air exposure pathways must include the following: the volume and physical and chemical properties of the spent material, including its potential for migration off the pad; the potential for human or environmental exposure to hazardous constituents migrating from the pad via each exposure pathway; and the possibility and extent of harm to human and environmental receptors via each exposure pathway.
- ii) Pads must meet the following minimum standards: they must be designed of non-earthen material that is compatible with the chemical nature of the mineral processing spent material; they must be capable of withstanding physical stresses associated with placement and removal; they must have runon and runoff controls; they must be operated in a manner that controls fugitive dust; and they must have integrity assurance through inspections and maintenance programs.
- iii) Before making a determination under this subsection (a)(17)(D), the Agency must provide notice and the opportunity for comment to all persons potentially interested in the determination. This can be accomplished by placing notice of this action in major local newspapers, or broadcasting notice over local radio stations.

BOARD NOTE: See Subpart D of 35 Ill. Adm. Code 703 for the RCRA Subtitle C permit public notice requirements.

E) The owner or operator provides a notice to the Agency, providing the following information: the types of materials to be recycled, the type and location of the storage units and recycling processes, and the annual quantities expected to be placed in non-land-based units. This notification must be updated when there is a change in

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

the type of materials recycled or the location of the recycling process.

- F) For purposes of subsection (b)(7) of this Section, mineral processing spent materials must be the result of mineral processing and may not include any listed hazardous wastes. Listed hazardous wastes and characteristic hazardous wastes generated by non-mineral processing industries are not eligible for the conditional exclusion from the definition of solid waste.
- Petrochemical recovered oil from an associated organic chemical manufacturing facility, where the oil is to be inserted into the petroleum refining process (SIC code 2911) along with normal petroleum refinery process streams, provided that both of the following conditions are true of the oil:
 - A) The oil is hazardous only because it exhibits the characteristic of ignitability (as defined in Section 721.121) or toxicity for benzene (Section 721.124, USEPA hazardous waste code D018);
 - B) The oil generated by the organic chemical manufacturing facility is not placed on the land, or speculatively accumulated before being recycled into the petroleum refining process. An "associated organic chemical manufacturing facility" is a facility for which all of the following is true: its primary SIC code is 2869, but its operations may also include SIC codes 2821, 2822, and 2865; it is physically co-located with a petroleum refinery; and the petroleum refinery to which the oil being recycled is returned also provides hydrocarbon feedstocks to the organic chemical manufacturing facility. "Petrochemical recovered oil" is oil that has been reclaimed from secondary materials (i.e., sludges, by-products, or spent materials, including wastewater) from normal organic chemical manufacturing operations, as well as oil recovered from organic chemical manufacturing processes.
- 19) Spent caustic solutions from petroleum refining liquid treating processes used as a feedstock to produce cresylic or naphthenic acid, unless the material is placed on the land or accumulated speculatively, as defined in Section 721.101(c).

POLLUTION CONTROL BOARD

- 20) Hazardous secondary materials used to make zinc fertilizers, provided that the following conditions are satisfied:
 - A) Hazardous secondary materials used to make zinc micronutrient fertilizers must not be accumulated speculatively, as defined in Section 721.101(c)(8).
 - B) A generator or intermediate handler of zinc-bearing hazardous secondary materials that are to be incorporated into zinc fertilizers must fulfill the following conditions:
 - i) It must submit a one-time notice to the Agency that contains the name, address, and USEPA identification number of the generator or intermediate handler facility, that provides a brief description of the secondary material that will be subject to the exclusion, and which identifies when the manufacturer intends to begin managing excluded zinc-bearing hazardous secondary materials under the conditions specified in this subsection (a)(20).
 - ii) It must store the excluded secondary material in tanks, containers, or buildings that are constructed and maintained in a way that prevents releases of the secondary materials into the environment. At a minimum, any building used for this purpose must be an engineered structure made of nonearthen materials that provide structural support, and it must have a floor, walls, and a roof that prevent wind dispersal and contact with rainwater. A tank used for this purpose must be structurally sound and, if outdoors, it must have a roof or cover that prevents contact with wind and rain. A container used for this purpose must be kept closed, except when it is necessary to add or remove material, and it must be in sound condition. Containers that are stored outdoors must be managed within storage areas that fulfill the conditions of subsection (a)(20)(F) of this Section:
 - iii) With each off-site shipment of excluded hazardous secondary materials, it must provide written notice to the receiving facility that the material is subject to the conditions of this subsection (a)(20).

POLLUTION CONTROL BOARD

- iv) It must maintain records at the generator's or intermediate handler's facility for no less than three years of all shipments of excluded hazardous secondary materials. For each shipment these records must, at a minimum, contain the information specified in subsection (a)(20)(G) of this Section.
- C) A manufacturer of zinc fertilizers or zinc fertilizer ingredients made from excluded hazardous secondary materials must fulfill the following conditions:
 - i) It must store excluded hazardous secondary materials in accordance with the storage requirements for generators and intermediate handlers, as specified in subsection (a)(20)(B)(ii) of this Section.
 - ii) It must submit a one-time notification to the Agency that, at a minimum, specifies the name, address, and USEPA identification number of the manufacturing facility and which identifies when the manufacturer intends to begin managing excluded zinc-bearing hazardous secondary materials under the conditions specified in this subsection (a)(20).
 - iii) It must maintain for a minimum of three years records of all shipments of excluded hazardous secondary materials received by the manufacturer, which must at a minimum identify for each shipment the name and address of the generating facility, the name of transporter, and the date on which the materials were received, the quantity received, and a brief description of the industrial process that generated the material.
 - iv) It must submit an annual report to the Agency that identifies the total quantities of all excluded hazardous secondary materials that were used to manufacture zinc fertilizers or zinc fertilizer ingredients in the previous year, the name and address of each generating facility, and the industrial processes from which the hazardous secondary materials were generated.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- D) Nothing in this Section preempts, overrides, or otherwise negates the provision in 35 Ill. Adm. Code 722.111 that requires any person who generates a solid waste to determine if that waste is a hazardous waste.
- E) Interim status and permitted storage units that have been used to store only zinc-bearing hazardous wastes prior to the submission of the one-time notice described in subsection (a)(20)(B)(i) of this Section, and that afterward will be used only to store hazardous secondary materials excluded under this subsection (a)(20), are not subject to the closure requirements of 35 Ill. Adm. Code 724 and 725.
- F) A container used to store excluded secondary material must fulfill the following conditions:
 - i) It must have containment structures or systems sufficiently impervious to contain leaks, spills, and accumulated precipitation;
 - ii) It must provide for effective drainage and removal of leaks, spills, and accumulated precipitation; and
 - iii) It must prevent run-on into the containment system.

BOARD NOTE: Subsections (a)(20)(F)(i) through (a)(20)(F)(iii) are derived from 40 CFR 261.4(a)(20)(ii)(B)(1) through (a)(20)(ii)(B)(3). The Board added the preamble to these federal paragraphs as subsection (a)(20)(F) to comport with Illinois Administrative Code codification requirements.

- G) Required records of shipments of excluded hazardous secondary materials must, at a minimum, contain the following information:
 - i) The name of the transporter and date of the shipment;
 - ii) The name and address of the facility that received the excluded material, along with documentation confirming receipt of the shipment; and

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

iii) The type and quantity of excluded secondary material in each shipment.

BOARD NOTE: Subsections (a)(20)(G)(i) through (a)(20)(G)(iii) are derived from 40 CFR 261.4(a)(20)(ii)(D)(1) through (a)(20)(ii)(D)(3). The Board added the preamble to these federal paragraphs as subsection (a)(20)(G) to comport with Illinois Administrative Code codification requirements.

- Zinc fertilizers made from hazardous wastes or hazardous secondary materials that are excluded under subsection (a)(20) of this Section, provided that the following conditions are fulfilled:
 - A) The fertilizers meet the following contaminant limits:
 - i) For metal contaminants:

	Maximum Allowable Total Concentration
Constituent	in Fertilizer, per Unit (1%) of Zinc (ppm)
Arsenic	0.3
Cadmium	1.4
Chromium	0.6
Lead	2.8
Mercury	0.3

- ii) For dioxin contaminants, the fertilizer must contain no more than eight parts per trillion of dioxin, measured as toxic equivalent (TEQ).
- B) The manufacturer performs sampling and analysis of the fertilizer product to determine compliance with the contaminant limits for metals no less frequently than once every six months, and for dioxins no less frequently than once every 12 months. Testing must also be performed whenever changes occur to manufacturing processes or ingredients that could significantly affect the amounts of contaminants in the fertilizer product. The manufacturer may use any reliable analytical method to demonstrate that no constituent of concern is present in the product at concentrations above the applicable limits. It is the responsibility of the manufacturer to ensure that the sampling and analysis are

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

unbiased, precise, and representative of the products introduced into commerce.

- C) The manufacturer maintains for no less than three years records of all sampling and analyses performed for purposes of determining compliance with subsection (a)(21)(B) of this Section. Such records must at a minimum include the following:
 - The dates and times product samples were taken, and the dates the samples were analyzed;
 - ii) The names and qualifications of the persons taking the samples;
 - iii) A description of the methods and equipment used to take the samples;
 - iv) The name and address of the laboratory facility at which analyses of the samples were performed;
 - v) A description of the analytical methods used, including any cleanup and sample preparation methods; and
 - vi) All laboratory analytical results used to determine compliance with the contaminant limits specified in this subsection (a)(21).

22) Used CRTs.

- A) Used, intact CRTs, as defined in 35 Ill. Adm. Code 720.110, are not solid waste within the United States, unless they are disposed of or speculatively accumulated, as defined in Section 721.101(c)(8), by a CRT collector or glass processor.
- B) Used, intact CRTs, as defined in 35 Ill. Adm. Code 720.110, are not solid waste when exported for recycling, provided that they meet the requirements of Section 721.140.
- C) Used, broken CRTs, as defined in 35 Ill. Adm. Code 720.110, are not solid waste, provided that they meet the requirements of Section 721.139.

POLLUTION CONTROL BOARD

- D) Glass removed from CRTs is not a solid waste provided that it meets the requirements of Section 721.139(c).
- Hazardous secondary materials managed in land-based units. Hazardous secondary material generated and reclaimed within the United States or its territories and managed in land-based units, as defined in 35 Ill. Adm. Code 720.110, is not a solid waste if the following conditions are fulfilled with regard to the material:
 - A) The material is contained;
 - B) The material is a hazardous secondary material generated and reclaimed under the control of the generator, as defined in 35 Ill. Adm. Code 720.110;
 - C) The material is not speculatively accumulated, as defined in Section 721.101(c)(8);
 - D) The material is not otherwise subject to material-specific management conditions under subsection (a) of this Section when reclaimed, it is not a spent lead acid battery (see 35 Ill. Adm. Code 726.180 and 733.102), and it does not meet either of the listing descriptions for K171 or K172 waste in Section 721.132;
 - E) The reclamation of the material is legitimate, as determined pursuant to 35 Ill. Adm. Code 720.143; and
 - F) In addition, a person claiming the exclusion under this subsection (a)(23) must provide notification of regulated waste activity, as required by 35 Ill. Adm. Code 720.142. (For hazardous secondary material managed in a non-land-based unit, see Section 721.102(a)(2)(B)).
- Hazardous secondary materials transferred for off-site recycling.
 Hazardous secondary material that is generated and then transferred to another person for the purpose of reclamation is not a solid waste if the management of the material fulfills the conditions of subsections
 (a)(24)(A) through (a)(24)(G) of this Section:
 - A) The hazardous secondary material must not be speculatively accumulated, as defined in Section 721.110).

POLLUTION CONTROL BOARD

- B) No person or facility other than the hazardous secondary material generator, the transporter, an intermediate facility, or a reclaimer manages the material; the material must not be stored for more than 10 days at a transfer facility, as defined in Section 721.110; and the material must be packaged according to applicable USDOT regulations codified as 49 CFR 173, 178, and 179, incorporated by reference in 35 Ill. Adm. Code 720.111, while in transport.
- C) The hazardous secondary material must not otherwise be subject to material-specific management conditions pursuant to other provisions of this subsection (a) when reclaimed; the material must not be a spent lead-acid battery (see 35 Ill. Adm. Code 726.180 and 733.102); and the material must not fulfill either of the listing descriptions for K171 or K172 waste in Section 721.132.
- D) The reclamation of the hazardous secondary material must be legitimate, as determined pursuant to 35 Ill. Adm. Code 720.143.
- E) The hazardous secondary material generator must satisfy each of the following conditions:
 - i) The hazardous secondary material must be contained.
 - ii) This subsection (a)(24)(E)(ii) applies when non-RCRA management of hazardous secondary material will occur at a reclamation facility or transfer facility. For the purposes of this subsection (a)(24), "non-Subtitle C management" is management of the hazardous secondary material that is not addressed under a RCRA Part B permit or under the interim status facility standards (of 35 Ill. Adm. Code 725 or similar regulations authorized by USEPA as equivalent to 40 CFR 265). Prior to arranging for transport of hazardous secondary materials to a reclamation facility where non-Subtitle C management will occur, the hazardous secondary material generator must make reasonable efforts to ensure that the reclaimer intends to properly and legitimately reclaim the hazardous secondary material and not discard it, and that the reclaimer will manage the hazardous secondary material in a manner that is protective of human health and the environment. If the hazardous secondary

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

material will pass through an intermediate facility where non-RCRA management will occur, the hazardous secondary material generator must make contractual arrangements with the intermediate facility to ensure that the hazardous secondary material is sent to the reclamation facility identified by the hazardous secondary material generator, and the hazardous secondary material generator must perform reasonable efforts to ensure that the intermediate facility will manage the hazardous secondary material in a manner that is protective of human health and the environment. Reasonable efforts must be repeated at a minimum of once every three years for the hazardous secondary material generator to claim the exclusion of this subsection (a)(24) and to send the hazardous secondary materials to a reclaimer and any intermediate facility. In making these reasonable efforts, the generator may use any credible evidence available, including information gathered by the hazardous secondary material generator, provided by the reclaimer or intermediate facility, or provided by a third party. The hazardous secondary material generator must make the series of affirmative determinations set forth in subsection (a)(24)(H) of this Section for each reclamation facility and intermediate facility that will manage its waste.

BOARD NOTE: Corresponding 40 CFR 261.4(a)(24)(v)(B) makes it clear that USEPA intends that the generator undertake this determination for each reclaimer that will manage its hazardous secondary material. The Board added a definition of "non-Subtitle C management" and substituted this term for the language "management of the hazardous secondary materials is not addressed under a RCRA Part B permit or interim status standards." Although the Board shifted the language for enhanced readability, the Board intends no shift in meaning. The Board moved the material from 40 CFR 261.4(a)(24)(v)(B)(1) through (a)(24)(v)(B)(5) to appear as 35 Ill. Adm. Code 721.104(a)(24)(H)(i) through (a)(24)(H)(v). This movement allowed compliance with codification requirements relating to the maximum permissible indent level.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

iii) The hazardous secondary material generator must execute a certification statement that includes the following language, together with the printed name and official title of an authorized representative of the hazardous secondary material generator, the authorized representative's signature, and the date signed:

"I hereby certify in good faith and to the best of my knowledge that, prior to arranging for transport of excluded hazardous secondary materials to [insert the name of each reclamation facility and any intermediate facility that will manage the materials], reasonable efforts were made in accordance with 35 Ill. Adm. Code 721.104(a)(24)(E)(ii) (and corresponding 40 CFR 261.4(a)(24)(v)(B)) to ensure that the hazardous secondary materials would be recycled legitimately and would be otherwise managed in a manner that is protective of human health and the environment, and that such efforts were based on current and accurate information."

BOARD NOTE: Corresponding 40 CFR 261.4(a)(24)(v)(C) combines the requirements for records retention and availability for inspection with the requirement for certification. The Board combined the certification requirements from 40 CFR 261.4(a)(24)(v)(C), (a)(24)(v)(C)(1), and (a)(24)(v)(C)(2) in this single subsection (a)(24)(E)(iii). This combination allowed compliance with codification requirements relating to the maximum permissible indent level. The Board moved the records retention and availability for inspection requirements to subsection (a)(24)(E)(iv) of this Section. This forced renumbering 40 CFR 261.4(a)(24)(v)(D) and (a)(24)(v)(E) as subsections (a)(24)(E)(v) and (a)(24)(E)(vi) of this Section. Although the Board shifted the language for enhanced readability, the Board intends no shift in meaning.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

iv) The hazardous secondary material generator must maintain the following records for a minimum of three years: documentation and certification that the generator made reasonable efforts, prior to transferring hazardous secondary material, for each reclamation facility and, if applicable, intermediate facility where non-Subtitle C management of the hazardous secondary materials will occur. Documentation and certification must be made available, within 72 hours, or within any longer period of time specified by the Agency, upon request by the Agency.

BOARD NOTE: The Board moved the records retention and availability for inspection requirements of corresponding 40 CFR 261.4(a)(24)(v)(C) to this subsection (a)(24)(E)(iv).

v) The hazardous secondary material generator must maintain certain records at the generating facility for a minimum of three years that document every off-site shipment of hazardous secondary materials. The documentation for each shipment must, at a minimum, include the following information about the shipment: the name of the transporter and date of the shipment; the name and address of each reclaimer and intermediate facility to which the hazardous secondary material was sent; and the type and quantity of hazardous secondary material in the shipment.

BOARD NOTE: The Board combined and moved the shipping documentation and records retention requirements of corresponding 40 CFR 261.4(a)(24)(v)(D) and (a)(24)(v)(D)(1) through (a)(24)(v)(D)(3) to this single subsection (a)(24)(E)(v). This combination allowed compliance with codification requirements relating to the maximum permissible indent level.

vi) The hazardous secondary material generator must maintain at the generating facility, for a minimum of three years, for every off-site shipment of hazardous secondary materials, confirmations of receipt from each reclaimer and intermediate facility to which its hazardous secondary

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

materials were sent. Each confirmation of receipt must include the name and address of the reclaimer (or intermediate facility), the type and quantity of the hazardous secondary materials received, and the date on which the facility received the hazardous secondary materials. The generator may satisfy this requirement using routine business records (e.g., financial records, bills of lading, copies of DOT shipping papers, or electronic confirmations of receipt).

BOARD NOTE: The Board moved the shipment confirmation documentation and records retention requirements of corresponding 40 CFR 261.4(a)(24)(v)(E) to this subsection (a)(24)(E)(vi).

- F) The reclaimer of hazardous secondary material or any intermediate facility, as defined in 35 Ill. Adm. Code 720.110, that manages material which is excluded from regulation pursuant to this subsection (a)(24) must satisfy all of the following conditions:
 - i) The owner or operator of a reclamation or intermediate facility must maintain at its facility for a minimum of three years records of every shipment of hazardous secondary material that the facility received and, if applicable, for every shipment of hazardous secondary material that the facility received and subsequently sent off-site from the facility for further reclamation. For each shipment, these records must, at a minimum, contain the following information: the name of the transporter and date of the shipment; the name and address of the hazardous secondary material generator and, if applicable, the name and address of the reclaimer or intermediate facility from which the facility received the hazardous secondary materials; the type and quantity of hazardous secondary material in the shipment; and, for hazardous secondary materials that the facility subsequently transferred off-site for further reclamation after receiving it, the name and address of the (subsequent) reclaimer and any intermediate facility to which the facility sent the hazardous secondary material.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

BOARD NOTE: The Board combined the provisions from 40 CFR 261.4(a)(24)(vi)(A) and (a)(24)(vi)(A)(1) through (a)(24)(vi)(A)(3) that enumerate the required information into this single subsection (a)(24)(F)(i). This combination allowed compliance with codification requirements relating to the maximum permissible indent level.

- ii) The intermediate facility must send the hazardous secondary material to the reclaimers designated by the generator of the hazardous secondary materials.
- iii) The reclaimer or intermediate facility that receives a shipment of hazardous secondary material must send a confirmation of receipt to the hazardous secondary material generator for each off-site shipment of hazardous secondary materials. A confirmation of receipt must include the name and address of the reclaimer (or intermediate facility), the type and quantity of the hazardous secondary materials received, and the date on which the facility received the hazardous secondary materials. The reclaimer or intermediate facility may satisfy this requirement using routine business records (e.g., financial records, bills of lading, copies of DOT shipping papers, or electronic confirmations of receipt).
- iv) The reclaimer or intermediate facility must manage the hazardous secondary material in a manner that is at least as protective of human health and the environment as that employed for analogous raw material, and the material must be contained. An "analogous raw material" is a raw material for which the hazardous secondary material substitutes and that serves the same function and has similar physical and chemical properties as the hazardous secondary material.
- v) A reclaimer of hazardous secondary materials must manage any residuals that are generated from its reclamation processes in a manner that is protective of human health and the environment. If any residuals of the reclamation process exhibit a characteristic of hazardous waste, as

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

defined in Subpart C of this Part, or if the residuals themselves are specifically listed as hazardous waste in Subpart D of this Part, those residuals are hazardous waste. The reclaimer and any subsequent persons must manage that hazardous waste in accordance with the applicable requirements of 35 Ill. Adm. Code: Subtitle G or similar regulations authorized by USEPA as equivalent to 40 CFR 260 through 272.

- vi) The reclaimer and intermediate facility must have financial assurance that satisfies the requirements of Subpart H of this Part.
- G) Any person claiming the exclusion for recycled hazardous secondary material pursuant to this subsection (a)(24) must provide notification as required by 35 Ill. Adm. Code 720.142.
- H) For the purposes of subsection (a)(24)(E)(ii) of this Section, the hazardous secondary material generator must affirmatively determine that each of the following conditions is true for each reclamation facility and any intermediate facility that will manage the generator's hazardous secondary material:
 - i) Available information indicates that the reclamation process is legitimate recycling, as determined pursuant to 35 Ill. Adm. Code 720.143. In making this determination, the hazardous secondary material generator may rely on its existing knowledge of the physical and chemical properties of the hazardous secondary material, as well as on information from other sources (e.g., the reclamation facility, audit reports, etc.) about the reclamation process. (By making this determination, the hazardous secondary material generator has also satisfied the requirement in 35 Ill. Adm. Code 720.143(a) that the generator demonstrate that the recycling is legitimate).
 - ii) Publicly available information indicates that each reclamation facility and any intermediate facility that is used by the hazardous secondary material generator has submitted the notification required by 35 Ill. Adm. Code 720.142, and these facilities have submitted the required

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

proofs of financial assurance as required by the applicable of Section 721.243(a)(1), (b)(1), (c)(1), (d)(1), (e)(3), and (g) and notification of financial assurance pursuant to 35 Ill. Adm. Code 720.142(a)(5). In making this dual determination, the hazardous secondary material generator may rely on the available information documenting the reclamation facility's and any intermediate facility's compliance with the notification requirements pursuant to 35 Ill. Adm. Code 720.142, including the requirement in 35 Ill. Adm. Code 720.142(a)(5) to notify the Agency whether the reclaimer or intermediate facility has financial assurance.

iii) Publicly available information indicates that each reclamation facility and any intermediate facility that is used by the hazardous secondary material generator has not had any formal enforcement actions taken against the facility within the previous three years for violations of the RCRA hazardous waste regulations, and the facility has not been classified as a significant non-complier (SNC) with RCRA Subtitle C requirements. In making this determination, the hazardous secondary material generator may rely on the publicly available information from USEPA, the Agency, or the Office of the Attorney General. If the reclamation facility or any intermediate facility that is used by the hazardous secondary material generator has had a formal enforcement action taken against the facility within the previous three years for violations of the RCRA hazardous waste regulations, or if the facility has been classified as a SNC with RCRA Subtitle C requirements. the hazardous secondary material generator must have credible evidence that the facility will manage the hazardous secondary materials properly. In making this determination, the hazardous secondary material generator can obtain additional information from USEPA, the Agency, the Office of the Attorney General, or the facility itself which indicates that the facility has addressed the violations, taken remedial steps to address the violations and prevent future violations, or that the violations are not

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

relevant to the proper management of the generator's hazardous secondary materials.

BOARD NOTE: USEPA or a state may make a formalized determination that a facility is a SNC (pronounced "snick") pursuant to USEPA's "Hazardous Waste Civil Enforcement Response Policy" (most recent version: December 2003, available from USEPA, Envirofacts Data Warehouse (www.epa.gov/compliance/resources/policies/civil/rcra/fina lerp1203.pdf)). USEPA operates the online RCRAInfo database (www.epa.gov/enviro/html/rcris/) from which interested persons can learn whether a facility has significant federal enforcement action against it, or if it is a SNC.

- iv) Available information indicates that the reclamation facility and any intermediate facility used by the hazardous secondary material generator have the equipment and trained personnel to safely recycle the hazardous secondary material. In making this determination, the generator may rely on a description made by the reclamation facility or an independent third party of the equipment and trained personnel that the facility will use to manage and recycle the generator's hazardous secondary material.
- v) If residuals are generated from the reclamation of the excluded hazardous secondary materials, the reclamation facility has the permits required (if any) to manage the residuals. If the reclamation facility does not have required permits, the facility has a contract with an appropriately permitted facility to dispose of the residuals. If the reclamation facility does not have required permits or a contract with a permitted facility, the hazardous secondary material generator has credible evidence that the residuals will be managed in a manner that is protective of human health and the environment. In making these determinations, the hazardous secondary material generator may rely on publicly available information from USEPA or the Agency, or on information provided by the facility itself.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

BOARD NOTE: The Board moved 40 CFR 261.4(a)(24)(v)(B)(1) through (a)(24)(v)(B)(5) to appear as 35 Ill. Adm. Code 721.104(a)(24)(H)(i) through (a)(24)(H)(v), which set forth the determinations mandated for the purposes of subsection (a)(24)(E)(ii). This movement allowed compliance with codification requirements relating to the maximum permissible indent level.

- Hazardous secondary materials exported for recycling. Hazardous secondary material that is exported from the United States and reclaimed at a reclamation facility located in a foreign country is not a solid waste, so long as the hazardous secondary material generator complies with the applicable requirements of subsections (a)(24)(A) through (a)(24)(E) of this Section, except that the requirements of subsection (a)(24)(H)(ii) of this Section (requiring the use of publicly available information to verify that the facility has submitted required notifications) do not apply to foreign reclaimers and intermediate facilities, and the hazardous secondary material generator also complies with the following requirements:
 - A) The generator must notify the Agency and USEPA of an intended export before the hazardous secondary material is scheduled to leave the United States. The generator must submit a complete notification at least 60 days before the initial shipment is intended to be shipped off-site. This notification may cover export activities extending over a period up to 12 months in duration, but not longer. The notification must be in writing and signed by the hazardous secondary material generator, and must include the following information:
 - i) The name, mailing address, telephone number and USEPA identification number (if applicable) of the hazardous secondary material generator;
 - ii) A description of the hazardous secondary material; the USEPA hazardous waste number that would apply were the hazardous secondary material to be managed as hazardous waste; and the USDOT proper shipping name, hazard class, and identification number (UN or NA number) for each hazardous secondary material, as identified in 49 CFR 171

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

through 173, each incorporated by reference in 35 Ill. Adm. Code 720.111;

- iii) The estimated frequency or rate at which the hazardous secondary material is to be exported, and the period of time over which the hazardous secondary material is to be exported;
- iv) The estimated total quantity of hazardous secondary material;
- v) All points of entry to and departure from each foreign country through which the hazardous secondary material will pass;
- vi) A description of the means by which each shipment of the hazardous secondary material will be transported (e.g., mode of transportation vehicle (air, highway, rail, water, etc.), and the types of container (drums, boxes, tanks, etc.));
- vii) A description of the manner in which the hazardous secondary material will be reclaimed in the receiving country;
- viii) The name and address of each reclaimer, any intermediate facility, and any alternative reclaimer and intermediate facilities; and
- ix) The name of any transit countries through which the hazardous secondary material will be sent, together with a description of the approximate length of time the material will remain in each transit country and the nature of the handling of the material while in the country (for purposes of this Section, the meanings of the terms "Acknowledgement of Consent," "receiving country," and "transit country" are as defined in 35 Ill. Adm. Code 722.151, with the exception that the terms in this Section refer to hazardous secondary materials, rather than hazardous waste).

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- B) Submission of notification of intent to export hazardous secondary material. Whether delivered by mail or hand delivery, the following words must prominently appear on the front of the envelope: "Attention: Notification of Intent to Export."
 - i) A notification that is submitted by mail must be sent to the following mailing addresses:

Office of Enforcement and Compliance Assurance Office of Federal Activities International Compliance Assurance Division (Mail Code 2254A) Environmental Protection Agency 1200 Pennsylvania Ave., NW. Washington, DC 20460

Permits Section
Division of Land Pollution Control
Illinois Environmental Protection Agency
P.O. Box 19276
Springfield, Illinois 62794-9276

ii) A notification that is hand-delivered must be delivered to the following addresses:

Office of Enforcement and Compliance Assurance Office of Federal Activities International Compliance Assurance Division Environmental Protection Agency Ariel Rios Bldg., Room 6144 12th St. and Pennsylvania Ave., NW. Washington, DC 20004

Permits Section
Division of Land Pollution Control
Illinois Environmental Protection Agency
1021 North Grand Avenue East
Springfield, Illinois 62794-9276

C) Except for a change in the telephone number submitted pursuant to subsection (a)(25)(A)(i) of this Section or a decrease in the

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

quantity of hazardous secondary material indicated pursuant to subsection (a)(25)(A)(iv) of this Section, when the conditions specified on the original notification change (including any exceedance of the estimate of the quantity of hazardous secondary material specified in the original notification), the hazardous secondary material generator must provide the Agency and USEPA with a written re-notification of the change. The shipment cannot take place until consent of the receiving country to the changes (except for changes to subsection (a)(25)(A)(ix) of this Section and in the ports of entry to and departure from transit countries pursuant to subsection (a)(25)(A)(v) of this Section) has been obtained and the hazardous secondary material generator receives from USEPA an Acknowledgment of Consent reflecting the receiving country's consent to the changes.

- D) Upon request from the Agency or USEPA, the hazardous secondary material generator must furnish to the Agency and USEPA any additional information that a receiving country requests in order to respond to a notification.
- E) USEPA has stated in corresponding 40 CFR 261.4(a)(25)(v) that it will provide a complete notification to the receiving country and any transit countries. A notification is complete when USEPA determines that the notification satisfies the requirements of subsection (a)(25)(A) of this Section. When a claim of confidentiality is asserted with respect to any notification information required by subsection (a)(25)(A) of this Section, USEPA has stated in corresponding 40 CFR 261.4(a)(25)(v) that it may find the notification not complete until any such claim is resolved in accordance with 40 CFR 260.2.
- F) The export of hazardous secondary material pursuant to this subsection (a)(25) is prohibited, unless the receiving country consents to the intended export. When the receiving country consents in writing to the receipt of the hazardous secondary material, USEPA has stated in corresponding 40 CFR 261.4(a)(25)(vi) that it will send an Acknowledgment of Consent to the hazardous secondary material generator. When the receiving country objects to receipt of the hazardous secondary material or withdraws a prior consent, USEPA has stated that it will notify the

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

hazardous secondary material generator in writing. USEPA has stated that it will also notify the hazardous secondary material generator of any responses from transit countries.

- G) For exports to OECD Member countries, the receiving country may respond to the notification using tacit consent. If no objection has been lodged by any receiving country or transit countries to a notification provided pursuant to subsection (a)(25)(A) of this Section within 30 days after the date of issuance of the acknowledgement of receipt of notification by the competent authority of the receiving country, the trans-boundary movement may commence. In such cases, USEPA has stated in corresponding 40 CFR 261.4(a)(25)(vii) that it will send an Acknowledgment of Consent to inform the hazardous secondary material generator that the receiving country and any relevant transit countries have not objected to the shipment, and are thus presumed to have consented tacitly. Tacit consent expires one calendar year after the close of the 30-day period; re-notification and renewal of all consents is required for exports after that date.
- H) A copy of the Acknowledgment of Consent must accompany the shipment. The shipment must conform to the terms of the Acknowledgment of Consent.
- I) If a shipment cannot be delivered for any reason to the reclaimer, intermediate facility or the alternate reclaimer or alternate intermediate facility, the hazardous secondary material generator must re-notify the Agency and USEPA of a change in the conditions of the original notification to allow shipment to a new reclaimer in accordance with subsection (a)(25)(C) of this Section and obtain another Acknowledgment of Consent.
- J) The hazardous secondary material generator must keep a copy of each notification of intent to export and each Acknowledgment of Consent for a period of three years following receipt of the Acknowledgment of Consent.
- K) Annual reporting of hazardous secondary material exports. A hazardous secondary material generator must file with the Agency and USEPA, no later than March 1 of each year, a report that summarizes the types, quantities, frequency, and ultimate

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

destinations of all hazardous secondary materials exported during the previous calendar year. Annual reports must be sent to the addresses listed in subsection (a)(25)(B) of this Section (for mail or hand delivery, as appropriate) for submission notification of intent to export hazardous secondary material. The annual reports must include the following information:

- i) The name, mailing and site addresses, and USEPA identification number (if applicable) of the hazardous secondary material generator;
- ii) The calendar year covered by the report;
- iii) The name and site address of each reclaimer and intermediate facility that received exported hazardous secondary material from the generator;
- iv) By reclaimer and intermediate facility, for each hazardous secondary material exported, a description of the hazardous secondary material and the USEPA hazardous waste number that would apply were the hazardous secondary material to be managed as hazardous waste; the USDOT hazard class for the material, as determined pursuant to 49 CFR 171 through 173, each incorporated by reference in 35 Ill. Adm. Code 720.111; the name and USEPA identification number (where applicable) for each transporter used; the total amount of hazardous secondary material shipped; and the number of shipments pursuant to each notification;
- v) A certification signed by the hazardous secondary material generator that states as follows:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

submitting false information, including the possibility of fine and imprisonment."

- L) Any person that claims an exclusion under this subsection (a)(25) must provide notification as required by 35 Ill. Adm. Code 720.142.
- Solvent-contaminated wipes that are sent for cleaning and reuse are not solid wastes from the point of generation, provided that all of the following conditions are fulfilled:
 - A) The solvent-contaminated wipes, when accumulated, stored, and transported, are contained in non-leaking, closed containers that are labeled "Excluded Solvent-Contaminated Wipes." The containers must be able to contain free liquids, should free liquids occur. During accumulation, a container is considered closed when there is complete contact between the fitted lid and the rim, except when it is necessary to add or remove solvent-contaminated wipes. When the container is full, when the solvent-contaminated wipes are no longer being accumulated, or when the container is being transported, the container must be sealed with all lids properly and securely affixed to the container and all openings tightly bound or closed sufficiently to prevent leaks and emissions;
 - B) The solvent-contaminated wipes may be accumulated by the generator for up to 180 days from the start date of accumulation for each container prior to being sent for cleaning;
 - C) At the point of being sent for cleaning on-site or at the point of being transported off-site for cleaning, the solvent-contaminated wipes must contain no free liquids, as defined in 35 Ill. Adm. Code 720.110;
 - D) Free liquids removed from the solvent-contaminated wipes or from the container holding the wipes must be managed according to the applicable regulations found in this Part and 35 Ill. Adm. Code 720, 722 through 728, and 733;
 - E) Generators must maintain at their site the following documentation:

POLLUTION CONTROL BOARD

- i) The name and address of the laundry or dry cleaner that is receiving the solvent-contaminated wipes;
- ii) The documentation that the 180-day accumulation time limit in 35 Ill. Adm. Code 721.104(a)(26)(B) is being met; and
- iii) A description of the process the generator is using to ensure that the solvent-contaminated wipes contain no free liquids at the point of being laundered or dry cleaned on-site or at the point of being transported off-site for laundering or dry cleaning; and
- F) The solvent-contaminated wipes are sent to a laundry or dry cleaner whose discharge, if any, is regulated under sections 301 and 402 or section 307 of the federal Clean Water Act (33 USC 1311 and 1341 or 33 USC 1317) or equivalent Illinois or sisterstate requirements approved by USEPA pursuant to 33 USC 1311 through 1346 and 1370.
- b) Solid wastes that are not hazardous wastes. The following solid wastes are not hazardous wastes:
 - 1) Household waste, including household waste that has been collected, transported, stored, treated, disposed of, recovered (e.g., refuse-derived fuel), or reused. "Household waste" means any waste material (including garbage, trash, and sanitary wastes in septic tanks) derived from households (including single and multiple residences, hotels, and motels, bunkhouses, ranger stations, crew quarters, campgrounds, picnic grounds, and day-use recreation areas). A resource recovery facility managing municipal solid waste must not be deemed to be treating, storing, disposing of, or otherwise managing hazardous wastes for the purposes of regulation under this Part, if the following describe the facility:
 - A) The facility receives and burns only the following waste:
 - i) Household waste (from single and multiple dwellings, hotels, motels, and other residential sources); or
 - ii) Solid waste from commercial or industrial sources that does not contain hazardous waste; and

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

B) The facility does not accept hazardous waste and the owner or operator of such facility has established contractual requirements or other appropriate notification or inspection procedures to assure that hazardous wastes are not received at or burned in such facility.

BOARD NOTE: The U.S. Supreme Court determined, in City of Chicago v. Environmental Defense Fund, Inc., 511 U.S. 328, 114 S. Ct. 1588, 128 L. Ed. 2d 302 (1994), that this exclusion and RCRA section 3001(i) (42 USC 6921(i)) do not exclude the ash from facilities covered by this subsection (b)(1) from regulation as a hazardous waste. At 59 Fed. Reg. 29372 (June 7, 1994), USEPA granted facilities managing ash from such facilities that is determined a hazardous waste under Subpart C of this Part until December 7, 1994 to file a Part A permit application pursuant to 35 Ill. Adm. Code 703.181. At 60 Fed. Reg. 6666 (Feb. 3, 1995), USEPA stated that it interpreted that the point at which ash becomes subject to RCRA Subtitle C regulation is when that material leaves the combustion building (including connected air pollution control equipment).

- 2) Solid wastes generated by any of the following that are returned to the soil as fertilizers:
 - A) The growing and harvesting of agricultural crops, or
 - B) The raising of animals, including animal manures.
- 3) Mining overburden returned to the mine site.
- 4) Fly ash waste, bottom ash waste, slag waste, and flue gas emission control waste generated primarily from the combustion of coal or other fossil fuels, except as provided in 35 Ill. Adm. Code 726.212 for facilities that burn or process hazardous waste.
- 5) Drilling fluids, produced waters, and other wastes associated with the exploration, development, or production of crude oil, natural gas, or geothermal energy.
- 6) Chromium wastes.
 - A) Wastes that fail the test for the toxicity characteristic (Section 721.124 and Appendix B to this Part) because chromium is present or which are listed in Subpart D of this Part due to the presence of

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

chromium, that do not fail the test for the toxicity characteristic for any other constituent or which are not listed due to the presence of any other constituent, and that do not fail the test for any other characteristic, if the waste generator shows the following:

- i) The chromium in the waste is exclusively (or nearly exclusively) trivalent chromium;
- ii) The waste is generated from an industrial process that uses trivalent chromium exclusively (or nearly exclusively) and the process does not generate hexavalent chromium; and
- iii) The waste is typically and frequently managed in non-oxidizing environments.
- B) The following are specific wastes that meet the standard in subsection (b)(6)(A) of this Section (so long as they do not fail the test for the toxicity characteristic for any other constituent and do not exhibit any other characteristic):
 - i) Chrome (blue) trimmings generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish, hair save/chrome tan/retan/wet finish, retan/wet finish, no beamhouse, through-the-blue, and shearling;
 - ii) Chrome (blue) shavings generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish, hair save/chrome tan/retan/wet finish, retan/wet finish, no beamhouse, through-the-blue, and shearling;
 - iii) Buffing dust generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish, hair save/chrome tan/retan/wet finish, retan/wet finish, no beamhouse, through-the-blue;
 - iv) Sewer screenings generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish, hair save/chrome

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

tan/retan/wet finish, retan/wet finish, no beamhouse, through-the-blue, and shearling;

- v) Wastewater treatment sludges generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish, hair save/chrome tan/retan/wet finish, retan/wet finish, no beamhouse, through-the-blue, and shearling;
- vi) Wastewater treatment sludges generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish, hair save/chrome tan/retan/wet finish, and through-the-blue;
- vii) Waste scrap leather from the leather tanning industry, the shoe manufacturing industry, and other leather product manufacturing industries; and
- viii) Wastewater treatment sludges from the production of titanium dioxide pigment using chromium-bearing ores by the chloride process.
- 7) Solid waste from the extraction, beneficiation, and processing of ores and minerals (including coal, phosphate rock, and overburden from the mining of uranium ore), except as provided by 35 Ill. Adm. Code 726.212 for facilities that burn or process hazardous waste.
 - A) For purposes of this subsection (b)(7), beneficiation of ores and minerals is restricted to the following activities: crushing; grinding; washing; dissolution; crystallization; filtration; sorting; sizing; drying; sintering; pelletizing; briquetting; calcining to remove water or carbon dioxide; roasting; autoclaving or chlorination in preparation for leaching (except where the roasting (or autoclaving or chlorination) and leaching sequence produces a final or intermediate product that does not undergo further beneficiation or processing); gravity concentration; magnetic separation; electrostatic separation; floatation; ion exchange; solvent extraction; electrowinning; precipitation; amalgamation; and heap, dump, vat tank, and in situ leaching.

POLLUTION CONTROL BOARD

- B) For the purposes of this subsection (b)(7), solid waste from the processing of ores and minerals includes only the following wastes as generated:
 - i) Slag from primary copper processing;
 - ii) Slag from primary lead processing;
 - iii) Red and brown muds from bauxite refining;
 - iv) Phosphogypsum from phosphoric acid production;
 - v) Slag from elemental phosphorus production;
 - vi) Gasifier ash from coal gasification;
 - vii) Process wastewater from coal gasification;
 - viii) Calcium sulfate wastewater treatment plant sludge from primary copper processing;
 - ix) Slag tailings from primary copper processing;
 - x) Fluorogypsum from hydrofluoric acid production;
 - xi) Process wastewater from hydrofluoric acid production;
 - xii) Air pollution control dust or sludge from iron blast furnaces;
 - xiii) Iron blast furnace slag;
 - xiv) Treated residue from roasting and leaching of chrome ore;
 - xv) Process wastewater from primary magnesium processing by the anhydrous process;
 - xvi) Process wastewater from phosphoric acid production;
 - xvii) Basic oxygen furnace and open hearth furnace air pollution control dust or sludge from carbon steel production;

POLLUTION CONTROL BOARD

- xviii) Basic oxygen furnace and open hearth furnace slag from carbon steel production;
- xix) Chloride processing waste solids from titanium tetrachloride production; and
- xx) Slag from primary zinc production.
- C) A residue derived from co-processing mineral processing secondary materials with normal beneficiation raw materials or with normal mineral processing raw materials remains excluded under this subsection (b) if the following conditions are fulfilled:
 - i) The owner or operator processes at least 50 percent by weight normal beneficiation raw materials or normal mineral processing raw materials; and
 - ii) The owner or operator legitimately reclaims the secondary mineral processing materials.
- 8) Cement kiln dust waste, except as provided by 35 Ill. Adm. Code 726.212 for facilities that burn or process hazardous waste.
- 9) Solid waste that consists of discarded arsenical-treated wood or wood products that fails the test for the toxicity characteristic for hazardous waste codes D004 through D017 and which is not a hazardous waste for any other reason if the waste is generated by persons that utilize the arsenical-treated wood and wood products for these materials' intended end use.
- 10) Petroleum-contaminated media and debris that fail the test for the toxicity characteristic of Section 721.124 (hazardous waste codes D018 through D043 only) and which are subject to corrective action regulations under 35 Ill. Adm. Code 731.
- 11) This subsection (b)(11) corresponds with 40 CFR 261.4(b)(11), which expired by its own terms on January 25, 1993. This statement maintains structural parity with USEPA regulations.
- 12) Used chlorofluorocarbon refrigerants from totally enclosed heat transfer equipment, including mobile air conditioning systems, mobile

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

refrigeration, and commercial and industrial air conditioning and refrigeration systems, that use chlorofluorocarbons as the heat transfer fluid in a refrigeration cycle, provided the refrigerant is reclaimed for further use.

- Non-terne plated used oil filters that are not mixed with wastes listed in Subpart D of this Part, if these oil filters have been gravity hot-drained using one of the following methods:
 - A) Puncturing the filter anti-drain back valve or the filter dome end and hot-draining;
 - B) Hot-draining and crushing;
 - C) Dismantling and hot-draining; or
 - D) Any other equivalent hot-draining method that will remove used oil.
- 14) Used oil re-refining distillation bottoms that are used as feedstock to manufacture asphalt products.
- Leachate or gas condensate collected from landfills where certain solid wastes have been disposed of, under the following circumstances:
 - A) The following conditions must be fulfilled:
 - i) The solid wastes disposed of would meet one or more of the listing descriptions for the following USEPA hazardous waste numbers that are generated after the effective date listed for the waste:

USEPA Hazardous Waste	Listing Effective
Numbers	Date
K169, K170, K171, and K172	February 8, 1999
K174 and K175	May 7, 2001
K176, K177, and K178	May 20, 2002
K181	August 23, 2005

POLLUTION CONTROL BOARD

- ii) The solid wastes described in subsection (b)(15)(A)(i) of this Section were disposed of prior to the effective date of the listing (as set forth in that subsection);
- iii) The leachate or gas condensate does not exhibit any characteristic of hazardous waste nor is derived from any other listed hazardous waste; and
- iv) Discharge of the leachate or gas condensate, including leachate or gas condensate transferred from the landfill to a POTW by truck, rail, or dedicated pipe, is subject to regulation under section 307(b) or 402 of the federal Clean Water Act (33 USC 1317(b) or 1342).
- B) Leachate or gas condensate derived from K169, K170, K171, K172, K176, K177, or K178, or K181 waste will no longer be exempt if it is stored or managed in a surface impoundment prior to discharge. After February 26, 2007, leachate or gas condensate derived from K181 waste will no longer be exempt if it is stored or managed in a surface impoundment prior to discharge. There is one exception: if the surface impoundment is used to temporarily store leachate or gas condensate in response to an emergency situation (e.g., shutdown of wastewater treatment system), provided the impoundment has a double liner, and provided the leachate or gas condensate is removed from the impoundment and continues to be managed in compliance with the conditions of this subsection (b)(15) after the emergency ends.
- 16) This subsection (b)(16) corresponds with 40 CFR 261.4(b)(16), which USEPA has marked "reserved." This statement maintains structural parity with USEPA regulations.
- This subsection (b)(17) corresponds with 40 CFR 261.4(b)(17), which pertains exclusively to waste generated by a specific facility outside Illinois. This statement maintains structural parity with USEPA regulations.
- 18) Solvent-contaminated wipes, except for wipes that are hazardous waste due to the presence of trichloroethylene, that are sent for disposal are not hazardous wastes from the point of generation provided that all of the following conditions are fulfilled:

POLLUTION CONTROL BOARD

- A) The solvent-contaminated wipes, when accumulated, stored, and transported, are contained in non-leaking, closed containers that are labeled "Excluded Solvent-Contaminated Wipes." The containers must be able to contain free liquids, should free liquids occur. During accumulation, a container is considered closed when there is complete contact between the fitted lid and the rim, except when it is necessary to add or remove solvent-contaminated wipes. When the container is full, when the solvent-contaminated wipes are no longer being accumulated, or when the container is being transported, the container must be sealed with all lids properly and securely affixed to the container and all openings tightly bound or closed sufficiently to prevent leaks and emissions;
- B) The solvent-contaminated wipes may be accumulated by the generator for up to 180 days from the start date of accumulation for each container prior to being sent for disposal;
- C) At the point of being transported for disposal, the solventcontaminated wipes must contain no free liquids, as defined in 35 Ill. Adm. Code 720.110;
- D) Free liquids removed from the solvent-contaminated wipes or from the container holding the wipes must be managed according to the applicable regulations found in this Part and 35 Ill. Adm. Code 720, 722 through 728, and 733;
- E) Generators must maintain at their site the following documentation:
 - i) The name and address of the landfill or combustor that is receiving the solvent-contaminated wipes;
 - ii) The documentation that the 180 day accumulation time limit in 35 Ill. Adm. Code 721.104(b)(18)(B) is being met; and
 - iii) A description of the process the generator is using to ensure that the solvent-contaminated wipes contain no free liquids at the point of being transported for disposal; and

POLLUTION CONTROL BOARD

- F) The solvent-contaminated wipes are sent for disposal at one of the following facilities:
 - i) A municipal solid waste landfill regulated under RCRA
 Subtitle D regulations: 35 Ill. Adm. Code 810 through 815,
 including the landfill design criteria of 35 Ill. Adm. Code
 811.303 through 811.309, 811.315 through 811.317, and
 Subpart E of 35 Ill. Adm. Code 811 or 35 Ill. Adm. Code
 814.302 and 814.402; 40 CFR 258, including the landfill
 design criteria of 40 CFR 258.40; or equivalent regulations
 of a sister state that USEPA has approved pursuant to 42
 USC 6943 and 6947; or
 - ii) A hazardous waste landfill regulated under RCRA Subtitle

 C regulations: 35 Ill. Adm. Code 724 or 725; 40 CFR 264

 or 265; or equivalent regulations of a sister state that

 USEPA has approved pursuant to 42 USC 6926; or
 - iii) A municipal waste combustor or other combustion facility regulated under section 129 of the Clean Air Act" (42 USC 7429) or equivalent Illinois or sister-state regulations approved by USEPA pursuant to 42 USC 7429; or
 - iv) A hazardous waste combustor, boiler, or industrial furnace regulated under RCRA Subtitle C regulations: 35 Ill. Adm. Code 724 or 725 or Subpart H of 726; 40 CFR parts 264 or 265 or subpart H of 49 CFR 266; or equivalent regulations of a sister state that USEPA has approved pursuant to 42 USC 6926.
- c) Hazardous wastes that are exempted from certain regulations. A hazardous waste that is generated in a product or raw material storage tank, a product or raw material transport vehicle or vessel, a product or raw material pipeline, or in a manufacturing process unit, or an associated non-waste-treatment manufacturing unit, is not subject to regulation under 35 Ill. Adm. Code 702, 703, and 722 through 728 or to the notification requirements of section 3010 of RCRA (42 USC 6930) until it exits the unit in which it was generated, unless the unit is a surface impoundment, or unless the hazardous waste remains in the unit more than 90 days after the unit ceases to be operated for manufacturing or for storage or transportation of product or raw materials.

POLLUTION CONTROL BOARD

- d) Samples.
 - Except as provided in subsection (d)(2) of this Section, a sample of solid waste or a sample of water, soil, or air that is collected for the sole purpose of testing to determine its characteristics or composition is not subject to any requirements of this Part or 35 Ill. Adm. Code 702, 703, and 722 through 728. The sample qualifies when it fulfills one of the following conditions:
 - A) The sample is being transported to a laboratory for the purpose of testing;
 - B) The sample is being transported back to the sample collector after testing;
 - C) The sample is being stored by the sample collector before transport to a laboratory for testing;
 - D) The sample is being stored in a laboratory before testing;
 - E) The sample is being stored in a laboratory for testing but before it is returned to the sample collector; or
 - F) The sample is being stored temporarily in the laboratory after testing for a specific purpose (for example, until conclusion of a court case or enforcement action where further testing of the sample may be necessary).
 - 2) In order to qualify for the exemption in subsection (d)(1)(A) or (d)(1)(B) of this Section, a sample collector shipping samples to a laboratory and a laboratory returning samples to a sample collector must do the following:
 - A) Comply with USDOT, U.S. Postal Service (USPS), or any other applicable shipping requirements; or
 - B) Comply with the following requirements if the sample collector determines that USDOT, USPS, or other shipping requirements do not apply to the shipment of the sample:
 - i) Assure that the following information accompanies the sample: The sample collector's name, mailing address, and

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

telephone number; the laboratory's name, mailing address, and telephone number; the quantity of the sample; the date of the shipment; and a description of the sample; and

- ii) Package the sample so that it does not leak, spill, or vaporize from its packaging.
- This exemption does not apply if the laboratory determines that the waste is hazardous but the laboratory is no longer meeting any of the conditions stated in subsection (d)(1) of this Section.
- e) Treatability study samples.
 - Except as is provided in subsection (e)(2) of this Section, a person that generates or collects samples for the purpose of conducting treatability studies, as defined in 35 Ill. Adm. Code 720.110, are not subject to any requirement of 35 Ill. Adm. Code 721 through 723 or to the notification requirements of section 3010 of the Resource Conservation and Recovery Act. Nor are such samples included in the quantity determinations of Section 721.105 and 35 Ill. Adm. Code 722.134(d) when:
 - A) The sample is being collected and prepared for transportation by the generator or sample collector;
 - B) The sample is being accumulated or stored by the generator or sample collector prior to transportation to a laboratory or testing facility; or
 - C) The sample is being transported to the laboratory or testing facility for the purpose of conducting a treatability study.
 - 2) The exemption in subsection (e)(1) of this Section is applicable to samples of hazardous waste being collected and shipped for the purpose of conducting treatability studies provided that the following conditions are fulfilled:
 - A) The generator or sample collector uses (in "treatability studies") no more than 10,000 kg of media contaminated with non-acute hazardous waste, 1,000 kg of non-acute hazardous waste other than contaminated media, 1 kg of acute hazardous waste, or 2,500 kg of

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

media contaminated with acute hazardous waste for each process being evaluated for each generated waste stream;

- B) The mass of each shipment does not exceed 10,000 kg; the 10,000 kg quantity may be all media contaminated with non-acute hazardous waste, or may include 2,500 kg of media contaminated with acute hazardous waste, 1,000 kg of hazardous waste, and 1 kg of acute hazardous waste;
- C) The sample must be packaged so that it does not leak, spill, or vaporize from its packaging during shipment and the requirements of subsection (e)(2)(C)(i) or (e)(2)(C)(ii) of this Section are met.
 - i) The transportation of each sample shipment complies with USDOT, USPS, or any other applicable shipping requirements; or
 - ii) If the USDOT, USPS, or other shipping requirements do not apply to the shipment of the sample, the following information must accompany the sample: The name, mailing address, and telephone number of the originator of the sample; the name, address, and telephone number of the facility that will perform the treatability study; the quantity of the sample; the date of the shipment; and, a description of the sample, including its USEPA hazardous waste number;
- D) The sample is shipped to a laboratory or testing facility that is exempt under subsection (f) of this Section, or has an appropriate RCRA permit or interim status;
- E) The generator or sample collector maintains the following records for a period ending three years after completion of the treatability study:
 - i) Copies of the shipping documents;
 - ii) A copy of the contract with the facility conducting the treatability study; and

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- iii) Documentation showing the following: The amount of waste shipped under this exemption; the name, address, and USEPA identification number of the laboratory or testing facility that received the waste; the date the shipment was made; and whether or not unused samples and residues were returned to the generator; and
- F) The generator reports the information required in subsection (e)(2)(E)(iii) of this Section in its report under 35 Ill. Adm. Code 722.141.
- 3) The Agency may grant requests on a case-by-case basis for up to an additional two years for treatability studies involving bioremediation. The Agency may grant requests, on a case-by-case basis, for quantity limits in excess of those specified in subsections (e)(2)(A), (e)(2)(B), and (f)(4) of this Section, for up to an additional 5,000 kg of media contaminated with non-acute hazardous waste, 500 kg of non-acute hazardous waste, 2,500 kg of media contaminated with acute hazardous waste, and 1 kg of acute hazardous waste under the circumstances set forth in either subsection (e)(3)(A) or (e)(3)(B) of this Section, subject to the limitations of subsection (e)(3)(C) of this Section:
 - A) In response to requests for authorization to ship, store, and conduct further treatability studies on additional quantities in advance of commencing treatability studies. Factors to be considered in reviewing such requests include the nature of the technology, the type of process (e.g., batch versus continuous), the size of the unit undergoing testing (particularly in relation to scale-up considerations), the time or quantity of material required to reach steady-state operating conditions, or test design considerations, such as mass balance calculations.
 - B) In response to requests for authorization to ship, store, and conduct treatability studies on additional quantities after initiation or completion of initial treatability studies when the following occurs: There has been an equipment or mechanical failure during the conduct of the treatability study, there is need to verify the results of a previously-conducted treatability study, there is a need to study and analyze alternative techniques within a previously-evaluated treatment process, or there is a need to do further

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

evaluation of an ongoing treatability study to determine final specifications for treatment.

- C) The additional quantities allowed and timeframes allowed in subsections (e)(3)(A) and (e)(3)(B) of this Section are subject to all the provisions in subsections (e)(1) and (e)(2)(B) through (e)(2)(F) of this Section. The generator or sample collector must apply to the Agency and provide in writing the following information:
 - i) The reason why the generator or sample collector requires additional time or quantity of sample for the treatability study evaluation and the additional time or quantity needed;
 - ii) Documentation accounting for all samples of hazardous waste from the waste stream that have been sent for or undergone treatability studies, including the date each previous sample from the waste stream was shipped, the quantity of each previous shipment, the laboratory or testing facility to which it was shipped, what treatability study processes were conducted on each sample shipped, and the available results of each treatability study;
 - iii) A description of the technical modifications or change in specifications that will be evaluated and the expected results;
 - iv) If such further study is being required due to equipment or mechanical failure, the applicant must include information regarding the reason for the failure or breakdown and also include what procedures or equipment improvements have been made to protect against further breakdowns; and
 - v) Such other information as the Agency determines is necessary.
- 4) Final Agency determinations pursuant to this subsection (e) may be appealed to the Board.
- f) Samples undergoing treatability studies at laboratories or testing facilities. Samples undergoing treatability studies and the laboratory or testing facility conducting such treatability studies (to the extent such facilities are not

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

otherwise subject to RCRA requirements) are not subject to any requirement of this Part, or of 35 Ill. Adm. Code 702, 703, 722 through 726, and 728 or to the notification requirements of Section 3010 of the Resource Conservation and Recovery Act (42 USC 6930), provided that the requirements of subsections (f)(1) through (f)(11) of this Section are met. A mobile treatment unit may qualify as a testing facility subject to subsections (f)(1) through (f)(11) of this Section. Where a group of mobile treatment units are located at the same site, the limitations specified in subsections (f)(1) through (f)(11) of this Section apply to the entire group of mobile treatment units collectively as if the group were one mobile treatment unit.

- 1) No less than 45 days before conducting treatability studies, the facility notifies the Agency in writing that it intends to conduct treatability studies under this subsection (f).
- 2) The laboratory or testing facility conducting the treatability study has a USEPA identification number.
- No more than a total of 10,000 kg of "as received" media contaminated with non-acute hazardous waste, 2,500 kg of media contaminated with acute hazardous waste, or 250 kg of other "as received" hazardous waste is subject to initiation of treatment in all treatability studies in any single day. "As received" waste refers to the waste as received in the shipment from the generator or sample collector.
- The quantity of "as received" hazardous waste stored at the facility for the purpose of evaluation in treatability studies does not exceed 10,000 kg, the total of which can include 10,000 kg of media contaminated with non-acute hazardous waste, 2,500 kg of media contaminated with acute hazardous waste, 1,000 kg of non-acute hazardous wastes other than contaminated media, and 1 kg of acute hazardous waste. This quantity limitation does not include treatment materials (including non-hazardous solid waste) added to "as received" hazardous waste.
- No more than 90 days have elapsed since the treatability study for the sample was completed, or no more than one year (two years for treatability studies involving bioremediation) has elapsed since the generator or sample collector shipped the sample to the laboratory or testing facility, whichever date first occurs. Up to 500 kg of treated material from a particular waste stream from treatability studies may be archived for future evaluation up to five years from the date of initial

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

receipt. Quantities of materials archived are counted against the total storage limit for the facility.

- The treatability study does not involve the placement of hazardous waste on the land or open burning of hazardous waste.
- 7) The facility maintains records for three years following completion of each study that show compliance with the treatment rate limits and the storage time and quantity limits. The following specific information must be included for each treatability study conducted:
 - A) The name, address, and USEPA identification number of the generator or sample collector of each waste sample;
 - B) The date the shipment was received;
 - C) The quantity of waste accepted;
 - D) The quantity of "as received" waste in storage each day;
 - E) The date the treatment study was initiated and the amount of "as received" waste introduced to treatment each day;
 - F) The date the treatability study was concluded;
 - G) The date any unused sample or residues generated from the treatability study were returned to the generator or sample collector or, if sent to a designated facility, the name of the facility and the USEPA identification number.
- 8) The facility keeps, on-site, a copy of the treatability study contract and all shipping papers associated with the transport of treatability study samples to and from the facility for a period ending three years from the completion date of each treatability study.
- 9) The facility prepares and submits a report to the Agency, by March 15 of each year, that includes the following information for the previous calendar year:
 - A) The name, address, and USEPA identification number of the facility conducting the treatability studies;

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- B) The types (by process) of treatability studies conducted;
- C) The names and addresses of persons for whom studies have been conducted (including their USEPA identification numbers);
- D) The total quantity of waste in storage each day;
- E) The quantity and types of waste subjected to treatability studies;
- F) When each treatability study was conducted; and
- G) The final disposition of residues and unused sample from each treatability study.
- 10) The facility determines whether any unused sample or residues generated by the treatability study are hazardous waste under Section 721.103 and, if so, are subject to 35 Ill. Adm. Code 702, 703, and 721 through 728, unless the residues and unused samples are returned to the sample originator under the exemption of subsection (e) of this Section.
- 11) The facility notifies the Agency by letter when the facility is no longer planning to conduct any treatability studies at the site.
- g) Dredged material that is not a hazardous waste. Dredged material that is subject to the requirements of a permit that has been issued under section 404 of the Federal Water Pollution Control Act (33 USC 1344) is not a hazardous waste. For the purposes of this subsection (g), the following definitions apply:

"Dredged material" has the meaning ascribed it in 40 CFR 232.2 (Definitions), incorporated by reference in 35 Ill. Adm. Code 720.111(b).

"Permit" means any of the following:

A permit issued by the U.S. Army Corps of Engineers (Army Corps) under section 404 of the Federal Water Pollution Control Act (33 USC 1344);

A permit issued by the Army Corps under section 103 of the Marine Protection, Research, and Sanctuaries Act of 1972 (33 USC 1413); or

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

In the case of Army Corps civil works projects, the administrative equivalent of the permits referred to in the preceding two paragraphs of this definition, as provided for in Army Corps regulations (for example, see 33 CFR 336.1, 336.2, and 337.6).

- h) Carbon dioxide stream injected for geologic sequestration. Carbon dioxide streams that are captured and transported for purposes of injection into an underground injection well subject to the requirements for Class VI carbon sequestration injection wells, including the requirements in 35 Ill. Adm. Code 704 and 730, are not a hazardous waste, provided the following conditions are met:
 - Transportation of the carbon dioxide stream must be in compliance with U.S. Department of Transportation requirements, including the pipeline safety laws (chapter 601 of subtitle VIII of 49 USC, incorporated by reference in 35 Ill. Adm. Code 720.111) and regulations (49 CFR 190–199, incorporated by reference in 35 Ill. Adm. Code 720.111) of the U.S. Department of Transportation, and pipeline safety regulations adopted and administered by a state authority pursuant to a certification under 49 USC 60105, incorporated by reference in 35 Ill. Adm. Code 720.111, and 49 CFR 171 through 180, incorporated by reference in 35 Ill. Adm. Code 720.111, as applicable.

BOARD NOTE: The parenthetical language relating to pipeline transportation does not preclude transportation by air, water, highway, or rail that complies with U.S. Department of Transportation regulations at 49 CFR 171 through 180. For this reason, the Board has added citations of those regulations.

- 2) Injection of the carbon dioxide stream must be in compliance with the applicable requirements for Class VI carbon sequestration injection wells, including the applicable requirements in 35 Ill. Adm. Code 704 and 730;
- No hazardous wastes shall be mixed with, or otherwise co-injected with, the carbon dioxide stream; and
- 4) Required Certifications.
 - A) Any generator of a carbon dioxide stream, who claims that a carbon dioxide stream is excluded under this subsection (h), must have an authorized representative (as defined in 35 Ill. Adm. Code 720.110) sign a certification statement worded as follows:

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

"I certify under penalty of law that the carbon dioxide stream that I am claiming to be excluded under 35 Ill. Adm. Code 721.104(h) has not been mixed with hazardous wastes, and I have transported the carbon dioxide stream in compliance with (or have contracted with a pipeline operator or transporter to transport the carbon dioxide stream in compliance with) U.S. Department of Transportation requirements, including the pipeline safety laws (49 U.S.C. 60101 et seq.) and regulations (49 CFR Parts 190–199) of the U.S. Department of Transportation, and the pipeline safety regulations adopted and administered by a state authority pursuant to a certification under 49 U.S.C. 60105, as applicable, for injection into a well subject to the requirements for the Class VI Underground Injection Control Program of the federal Safe Drinking Water Act (42 USC 300f et seq.)."

B) Any Class VI carbon sequestration injection well owner or operator, who claims that a carbon dioxide stream is excluded under paragraph (h) of this section, must have an authorized representative (as defined in 35 Ill. Adm. Code 720.110) sign a certification statement worded as follows:

"I certify under penalty of law that the carbon dioxide stream that I am claiming to be excluded under 35 Ill. Adm. Code 721.104(h) has not been mixed with, or otherwise co-injected with, hazardous waste at the UIC Class VI permitted facility, and that injection of the carbon dioxide stream is in compliance with the applicable requirements for UIC Class VI wells, including the applicable requirements in 35 Ill. Adm. Code 704 and 730."

C) The signed certification statement must be kept on-site for no less than three years, and must be made available within 72 hours of a written request from the Agency or USEPA, or their designee. The signed certification statement must be renewed every year that the exclusion is claimed, by having an authorized representative (as defined in 35 Ill. Adm. Code 720.110) annually prepare and sign a new copy of the certification statement within one year after the date of the previous statement. The signed certification statement

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

must also be readily accessible on the facility's publicly-available website (if such website exists) as a public notification with the title of "Carbon Dioxide Stream Certification" at the time the exclusion is claimed.

(Source:	Amended at 38 Ill. Reg.	, effective)

Section 721.105 Special Requirements for Hazardous Waste Generated by Small Quantity Generators

- a) A generator is a conditionally exempt small quantity generator (CESQG) in a calendar month if it generates no more than 100 kilograms of hazardous waste in that month.
- b) Except for those wastes identified in subsections (e), (f), (g), and (j) of this Section, a CESQG's hazardous wastes are not subject to regulation under 35 Ill. Adm. Code 702, 703, and 722 through 728, and the notification requirements of section 3010 of Resource Conservation and Recovery Act (42 USC 6930), provided the generator complies with subsections (f), (g), and (j) of this Section.
- c) When making the quantity determinations of this Part and 35 Ill. Adm. Code 722, the generator must include all hazardous waste that it generates, except the following hazardous waste:
 - Hazardous waste that is exempt from regulation under Section 721.104(c) through (f), 721.106(a)(3), 721.107(a)(1), or 721.108;
 - 2) Hazardous waste that is managed immediately upon generation only in onsite elementary neutralization units, wastewater treatment units, or totally enclosed treatment facilities, as defined in 35 Ill. Adm. Code 720.110;
 - 3) Hazardous waste that is recycled, without prior storage or accumulation, only in an on-site process subject to regulation under Section 721.106(c)(2);
 - 4) Hazardous waste that is used oil managed pursuant to Section 721.106(a)(4) and 35 Ill. Adm. Code 739;
 - 5) Hazardous waste that is spent lead-acid batteries managed pursuant to Subpart G of 35 Ill. Adm. Code 726;

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- 6) Hazardous waste that is universal waste managed pursuant to Section 721.109 and 35 Ill. Adm. Code 733; and
- Hazardous waste that is an unused commercial chemical product (that is listed in Subpart D of 35 Ill. Adm. Code 721 or which exhibits one or more characteristics in Subpart C of 35 Ill. Adm. Code 721) that is generated solely as a result of a laboratory clean-out conducted at an eligible academic entity pursuant to Section 722.313. For purposes of this subsection (c)(7), the term "eligible academic entity" has the meaning given that term in 35 Ill. Adm. Code 722.300.
- d) In determining the quantity of hazardous waste it generates, a generator need not include the following:
 - 1) Hazardous waste when it is removed from on-site storage;
 - 2) Hazardous waste produced by on-site treatment (including reclamation) of its hazardous waste so long as the hazardous waste that is treated was counted once;
 - 3) Spent materials that are generated, reclaimed, and subsequently reused onsite, so long as such spent materials have been counted once.
- e) If a generator generates acute hazardous waste in a calendar month in quantities greater than those set forth in subsections (e)(1) and (e)(2) of this Section, all quantities of that acute hazardous waste are subject to full regulation under 35 Ill. Adm. Code 702, 703, and 722 through 728, and the notification requirements of section 3010 of the Resource Conservation and Recovery Act (42 USC 6930).
 - 1) A total of one kilogram of one or more of the acute hazardous wastes listed in Section 721.131 or 721.133(e); or
 - A total of 100 kilograms of any residue or contaminated soil, waste, or other debris resulting from the clean-up of a spill, into or on any land or water, of any one or more of the acute hazardous wastes listed in Section 721.131 or 721.133(e).

BOARD NOTE: "Full regulation" means those regulations applicable to generators of 1,000 kg or greater of hazardous waste in a calendar month.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- In order for acute hazardous wastes generated by a generator of acute hazardous wastes in quantities equal to or less than those set forth in subsections (e)(1) or (e)(2) of this Section to be excluded from full regulation under this Section, the generator must comply with the following requirements:
 - 1) 35 Ill. Adm. Code 722.111.
 - The generator may accumulate acute hazardous waste on-site. If the generator accumulates at any time acute hazardous wastes in quantities greater than set forth in subsection (e)(1) or (e)(2) of this Section, all of those accumulated wastes are subject to regulation under 35 Ill. Adm. Code 702, 703, and 722 through 728, and the applicable notification requirements of section 3010 of the Resource Conservation and Recovery Act. The time period of 35 Ill. Adm. Code 722.134(a), for accumulation of wastes on-site, begins when the accumulated wastes exceed the applicable exclusion limit.
 - 3) A CESQG may either treat or dispose of its acute hazardous waste in an on-site facility or ensure delivery to an off-site treatment, storage, or disposal facility, any of which, if located in the United States, meets any of the following conditions:
 - A) The facility is permitted under 35 Ill. Adm. Code 702 and 703;
 - B) The facility has interim status under 35 Ill. Adm. Code 702, 703, and 725;
 - C) The facility is authorized to manage hazardous waste by a state with a hazardous waste management program approved by USEPA pursuant to 40 CFR 271;
 - D) The facility is permitted, licensed, or registered by a state to manage municipal solid waste and, if managed in a municipal solid waste landfill facility, the landfill is subject to 35 Ill. Adm. Code 810 through 814 or federal 40 CFR 258;
 - E) The facility is permitted, licensed, or registered by a state to manage non-municipal non-hazardous waste and, if managed in a non-municipal non-hazardous waste disposal unit, the unit is subject to federal 40 CFR 257.5 through 257.30;

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

BOARD NOTE: The Illinois non-hazardous waste landfill regulations, 35 Ill. Adm. Code 810 through 814, do not allow the disposal of hazardous waste in a landfill regulated under those rules. The Board intends that subsections (f)(3)(D) and (f)(3)(E) of this Section impose a federal requirement on the hazardous waste generator. The Board specifically does not intend that these subsections authorize any disposal of conditionally-exempt small quantity generator waste in a landfill not specifically permitted to accept the particular hazardous waste.

- F) The facility is one that fulfills one of the following conditions:
 - i) It beneficially uses or reuses or legitimately recycles or reclaims its waste; or
 - ii) It treats its waste prior to beneficial use or reuse or legitimate recycling or reclamation; or
- G) For universal waste managed under 35 Ill. Adm. Code 733 or federal 40 CFR 273, the facility is a universal waste handler or destination facility subject to 35 Ill. Adm. Code 733 or federal 40 CFR 273.
- g) In order for hazardous waste generated by a CESQG in quantities of 100 kilograms or less kilograms of hazardous waste during a calendar month to be excluded from full regulation under this Section, the generator must comply with the following requirements:
 - 1) <u>The hazardous waste determination requirements of 35 Ill. Adm. Code 722.111;</u>
 - The CESQG may accumulate hazardous waste on-site. If it accumulates at any time 1,000 kilograms or greater of the generator's hazardous waste, all of those accumulated wastes are subject to regulation pursuant to the special provisions of 35 Ill. Adm. Code 722 applicable to generators of greater than 100 kg and less than 1,000 kg of hazardous waste in a calendar month, as well as 35 Ill. Adm. Code 702, 703, and 723 through 728, and the applicable notification requirements of Section 3010 of the Resource Conservation and Recovery Act (42 USC 6930). The time period of 35 Ill. Adm. Code 722.134(d) for accumulation of wastes on-site

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

begins for a small quantity generator when the accumulated wastes equal or exceed 1,000 kilograms;

- 3) A CESQG may either treat or dispose of its hazardous waste in an on-site facility or ensure delivery to an off-site treatment, storage, or disposal facility, any of which, if located in the United States, meets any of the following conditions:
 - A) The facility is permitted under 35 Ill. Adm. Code 702 and 703;
 - B) The facility has interim status under 35 Ill. Adm. Code 702, 703, and 725;
 - C) The facility is authorized to manage hazardous waste by a state with a hazardous waste management program approved by USEPA pursuant to 40 CFR 271;
 - D) The facility is permitted, licensed, or registered by a state to manage municipal solid waste and, if managed in a municipal solid waste landfill facility, the landfill is subject to 35 Ill. Adm. Code 810 through 814 or federal 40 CFR 258;
 - E) The facility is permitted, licensed, or registered by a state to manage non-municipal non-hazardous waste and, if managed in a non-municipal non-hazardous waste disposal unit, the unit is subject to federal CESQG waste landfill disposal standards in 40 CFR 257.5 through 257.30;
 - BOARD NOTE: The Illinois non-hazardous waste landfill regulations, 35 Ill. Adm. Code 810 through 814, do not allow the disposal of hazardous waste in a landfill regulated under those rules. The Board intends that subsections (g)(3)(D) and (g)(3)(E) of this Section impose a federal requirement on the hazardous waste generator. The Board specifically does not intend that these subsections authorize any disposal of conditionally-exempt small quantity generator waste in a landfill not specifically permitted to accept the particular hazardous waste.
 - F) The facility is one that fulfills the following conditions:

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- i) It beneficially uses or re-uses, or legitimately recycles or reclaims the small quantity generator's waste; or
- ii) It treats its waste prior to beneficial use or re-use or legitimate recycling or reclamation; or
- G) For universal waste managed under 35 Ill. Adm. Code 733 or federal 40 CFR 273, the facility is a universal waste handler or destination facility subject to 35 Ill. Adm. Code 733 or federal 40 CFR 273.
- h) Hazardous waste subject to the reduced requirements of this Section may be mixed with non-hazardous waste and remain subject to these reduced requirements even though the resultant mixture exceeds the quantity limitations identified in this Section, unless the mixture meets any of the characteristics of hazardous wastes identified in Subpart C of this Part.
- i) If a small quantity generator mixes a solid waste with a hazardous waste that exceeds a quantity exclusion level of this Section, the mixture is subject to full regulation.
- j) If a CESQG's hazardous wastes are mixed with used oil, the mixture is subject to the used oil standards in 35 Ill. Adm. Code 739. Any material produced from such a mixture by processing, blending, or other treatment is also so regulated.

(Source: Amended at 38 Ill. Reg.	, effective
----------------------------------	-------------