

BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

IMTT Illinois LLC,)	
)	
)	
Petitioner,)	
)	
v.)	PCB No.
)	
ILLINOIS ENVIRONMENTAL PROTECTION)	
AGENCY,)	
)	
Respondent.)	

NOTICE OF FILING

To: See Attached Service List

PLEASE TAKE NOTICE that on July 25, 2018, the IMTT Illinois, LLC electronically filed with the Office of the Clerk of the Illinois Pollution Control Board submittals **in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Water System / Des Plaines River Watershed** for its Lemont and Joliet facilities, and the **Appearance of David L. Rieser**, copies of which are hereby served upon you.

Dated: July 25, 2018

IMTT Illinois, LLC

By: /s/ David L. Rieser
One of Its Attorneys

David L. Rieser
Of Counsel
K&L Gates, LLC
70 West Madison Street
Chicago, IL 60602
312-807-4359
David.rieser@klgates.com

PROOF OF SERVICE

The undersigned attorney certifies, under penalties of perjury pursuant to 735 ILCS 5/1-109, that he caused a copy of the foregoing **in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Water System / Des Plaines River Watershed for its Lemont and Joliet facilities** to be served via First Class Mail, postage paid, from K&L Gates, LLC, 70 West Madison Street, Chicago, IL 60602 on the 25th day of July, 2018 to:

See Attached Service List

/s/ David L. Rieser

One of Its Attorneys

SERVICE LIST

Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center, Suite 11-500
100 W. Randolph Street
Chicago, IL 60601

PCB 2016-014@
Sara Terranova
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2016-014@
Stefanie N. Diers
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2016-015@
Dennis Walsh
Klein, Thorpe & Jenkins
15010 S. Ravinia Avenue
Suite 17
Orland Park, IL 60477

PCB 2016-016@
David J. Freeman
Robbins, Schwartz, Nicholas,
Lifton & Taylor, Ltd
631 E. Boughton Road
Suite 200
Bolingbrook, IL 60440

PCB 2016-017@
Dennis Walsh
Klein, Thorpe & Jenkins
15010 S. Ravinia Avenue
Suite 17
Orland Park, IL 60477

PCB 2016-020@
Dennis Walsh
Tressler, LLP
233 S. Wacker Drive
22nd Floor

PCB 2016-014@
Christopher J. Cummings
Christopher J. Cummings, P.C.
2014 Hickory Road
Suite 205
Homewood, IL 60430

PCB 2016-014@
Albert Ettinger
Law Firm of Albert Ettinger
53 W. Jackson
Suite 1664
Chicago, IL 60604

PCB 2016-015@
E. Kenneth Friker
Klein, Thorpe & Jenkins
15010 S. Ravinia Avenue
Suite 17
Orland Park, IL 60477

PCB 2016-016@
Peter Murphy
11800 S. 75th Avenue
Suite 101
Palos Heights, IL 60463

PCB 2016-018@
Katherine D. Hodge
Heplerbroom, LLC
4340 Acer Grove Drive
Springfield, IL 62711

PCB 2016-021@
Amber M. Samuelson
Rosenthal, Murphey, Coblentz
& Donahue
30 N. LaSalle Street, Suite 1624

Chicago, IL 60606

PCB 2016-021@
Peter D. Coblentz
Rosenthal, Murphey, Coblentz
& Donahue
30 N. LaSalle Street, Suite 1624
Chicago, IL 60602

PCB 2016-023@
Katherine D. Hodge
Heplerbroom, LLC
4340 Acer Grove Drive
Springfield, IL 62711

PCB 2016-025@
David Stoneback, Director
City of Evanston
555 Lincoln St.
Evanston, IL 60201

PCB 2016-025@
Lindsey Ott
City of Evanston
555 Lincoln St.
Evanston, IL 60201

PCB 2016-026@
Melanie Pettway
Village of Skokie
5127 Oakton Street
Skokie, IL 60077

PCB 2016-027@
Matthew D. Dougherty
Special Assistant Attorney General
Illinois Dept. of Transportation
2300 S. Dirksen Parkway
Springfield, IL 62764

PCB 2016-029@
Fredric P. Andes
Barnes & Thornburg
1 N. Wacker Drive
Suite 4400
Chicago, IL 60606

Chicago, IL 60602

PCB 2016-022@
John P. Antonopoulos
Antonopoulos & Virtel, PC
15419 127th Street
Suite 100
Lemont, IL 60439

PCB 2016-023@
Joshua Houser
Heplerbroom, LLC
4340 Acer Grove Drive
Springfield, IL 62711

PCB 2016-025@
Mario Treto
Corporation Counsel
City of Evanston Law Department
2100 Ridge Road
Evanston, IL 60201

PCB 2016-026@
James G. McCarthy
Village of Skokie
5127 Oakton Street
Skokie, IL 60077

PCB 2016-026@
Michael M. Lorge
Village of Skokie
5127 Oakton Street
Skokie, IL 60077

PCB 2016-029@
Margaret T. Conway
Metropolitan Water Reclamation
District
100 E. Erie Street
Chicago, IL 60611

PCB 2016-030@
Amber M. Samuelson
Rosenthal, Murphey, Coblentz
& Donahue
30 N. LaSalle Street, Suite 1624
Chicago, IL 60602

PCB 2016-030@
Peter D. Coblentz
Rosenthal, Murphey Coblentz
& Donahue
30 N. LaSalle Street, Suite 1624
Chicago, IL 60602

PCB 2016-031@
Hart M. Passman
Holland & Knight LLC
131 S. Dearborn Street
30th Floor
Chicago, IL 60603

PCB 2016-033@
Richard Rinchich
Director of Public Works
City of Oak Forest
15440 S. Central Avenue
Oak Forest, IL 60452

PCB 2016-033@
Erin K. Lavery
Klein, Thorpe & Jenkins, Ltd.
20 N. Wacker Drive
Suite 1660
Chicago, IL 60606

PCB 2016-031@
Andrew N. Fiske
Holland & Knight LLC
131 S. Dearborn Street
30th floor
Chicago, IL 60603

PCB 2016-031@
Steven M. Elrod
Holland & Knight LLC
131 S. Dearborn Street
30th Floor
Chicago, IL 60603

PCB 2016-033@
Dennis G. Walsh
Klein, Thorpe & Jenkins, Ltd.
20 N. Wacker Drive
Suite 1660
Chicago, IL 60606

PCB 2016-033@
Scott F. Uhler
Klein, Thorpe & Jenkins, Ltd.
20 N. Wacker Drive
Suite 1660
Chicago, IL 60606

ILLINOIS POLLUTION CONTROL BOARD

Docket Numbers: PCB 2016-14, PCB 2016-15, PCB 2016-16, PCB 2016-17, PCB 2016-18,
PCB 2016-20, PCB 2016-21, PCB 2016-22, PCB 2016-23, PCB 2016-25, PCB 2016-26,
PCB 2016-27, PCB 2016-29, PCB 2016-30, PCB 2016-31, PCB 2016-33
(Time-Limited Water Quality Standard) (Consolidated)

*Watershed, Waterbody, Waterbody Segment Time Limited Water Quality Standard (TLWQS)
Individual Submittal*

This Individual Submittal supplements the Joint Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Waterway System/Des Plaines River Watershed (Joint Submittal), submitted in the above-referenced docket numbers. The Joint Submittal incorporated by reference, together with this Individual Submittal, satisfies the requirements of 35 IAC Part 014, Subpart E for each Facility.

An Individual Submittal must be made for each Facility discharging to either the Chicago Area Waterway System or Lower Des Plaines River that seeks to be covered by the TLWQS in this Docket.

This Individual Submittal must be made no later than July 26, 2018 for continued coverage (or initial coverage for new petitioners) under the current stay of effectiveness of the chlorides standards, found in 35 IAC 302.407(g) (2) and (g) (3).

Individual Discharger Information

1. Facility Name of Individual Discharger: IMTT Illinois LLC, Joliet facility
2. Owner/Operator of Facility: IMTT Illinois LLC
3. Address of Facility: 24420 W Durkee Road, Joliet IL 60410
4. Contact Information for Facility's Responsible Official:
Name: Larry Newton Title: Environmental Manager
Mailing Address: 13589 Main Street, Lemont IL 60439
Phone Number: 630-257-8960 Email: larrynewton@imtt.com
5. Permit Number of Facility (include both NPDES Permits and MS4 Permits that may be affected by the TLWQS): IL0069061
6. Are there any pending permit applications filed with Illinois Environmental Protection Agency that do not appear as part of the Joint Submittal's Appendices 5 and 6?
 Yes No
If Yes, provide the application number for the pending permit(s): _____

7. Facility discharges to the: ___ Chicago Area Waterway System (CAWS)
 Lower Des Plaines River (LDPR)
8. Select Category of Facility:
 ___ POTW ___ Community with CSO Outfalls Industrial Source ___ MS4
 ___ Illinois Department of Transportation/Tollway ___ Salt Storage Facility

Location of Individual Discharger

9. Each Individual Submittal must provide the specific location information for the facility seeking coverage under the TLWQS. Select the location of the discharge from the facility from the list below:

The CAWS includes the following reaches:

- ___ Chicago River, ___ North Branch of the Chicago River,
___ South Branch of the Chicago River, ___ Chicago Sanitary and Ship Canal,
___ Cal-Sag Channel, ___ Grand Calumet River, ___ Lake Calumet,
___ Lake Calumet Connecting Channel, ___ Calumet and Little Calumet Rivers, and
___ North Shore Channel

The LDPR includes the following areas:

- Des Plaines River from the Kankakee River to the Will County Line,
___ Hickory Creek, ___ Union Ditch, ___ Spring Creek, ___ Marley Creek, and
___ East Branch of Marley Creek

10. The specific discharge locations for the Facility are:

- a. Outfall number(s): Outfall -001 & -002
- b. General description of outfall location:
Outfall -001 discharges to the Des Plaines River via an oil/water separator (OWS)
Outfall -002 bypasses OWS directly to Des Plaines only when necessary
- c. Outfall(s) appears on CAWS or LDPR list of Discharge Points (Joint Submittal Appendices 5 and 6): Yes ___ No

TLWQS Requirements

11. Can the Facility achieve compliance with the chlorides standard by the compliance date?
(Only facilities that cannot achieve compliance are eligible for coverage by the TQLWS.)
___ Yes No

12. (*Optional*) As referenced in Chapter 2 of the Joint Submittal, an Individual Discharger may provide supplemental information regarding any circumstances unique to the Facility regarding its inability to comply with the chlorides standard by the compliance date, including the nature and extent of the present or anticipated failure to meet the water quality standards and facts supporting that compliance with the water quality standards regulation cannot be achieved by any required compliance date.

13. Has any prior variance applied to the discharge from this Facility? ___ Yes No

If yes, please identify the variance providing similar relief, including any Illinois Pollution Control Board docket number issued to the Individual Discharger, watershed, water body, waterbody segment, and if known, the Individual Discharger's predecessors.

Facility-Specific TLQWS Requirements

14. The Facility agrees to implement all of the BMPs included for the Industrial Category (from #8, above) for the Facility that are specified for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal.

15. Identify any past or currently in-use Best Management Practice(s) (BMPs) at the Facility for minimizing the discharge of chlorides.

16. Will any additional BMPs, beyond those included for the Category of the Facility for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal, be implemented? ___ Yes No

If Yes, describe any additional BMPs:

17. By six (6) months after the effective date of the TLWQS, each Facility covered by the TLWQS must have a Pollutant Minimization Plan (PMP) that contains specific details as to how the BMPs will be implemented and include measurements and sampling protocols, frequency, and recordkeeping and reporting obligations, including appropriate elements from the documentation procedures identified in Appendix 54 of the Joint Submittal. Chapter 9 of the Joint Submittal describes these requirements in more detail.

Has the Facility already developed a PMP to address its discharge of chlorides?

Yes No

If Yes, what is the date of the Pollutant Minimization Plan (PMP)? _____

If the Facility has not already developed the described PMP, does the Facility agree to develop the described PMP no later than six (6) months after the effective date of the TLWQS? Yes No


Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name & Official Title (*Type or Print*)

Larry Newton Environmental Mgr

Signature



Date Signed

July 24, 2018

ILLINOIS POLLUTION CONTROL BOARD

Docket Numbers: PCB 2016-14, PCB 2016-15, PCB 2016-16, PCB 2016-17, PCB 2016-18,
PCB 2016-20, PCB 2016-21, PCB 2016-22, PCB 2016-23, PCB 2016-25, PCB 2016-26,
PCB 2016-27, PCB 2016-29, PCB 2016-30, PCB 2016-31, PCB 2016-33
(Time-Limited Water Quality Standard) (Consolidated)

Watershed, Waterbody, Waterbody Segment Time Limited Water Quality Standard (TLWQS)
Individual Submittal

This Individual Submittal supplements the Joint Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Waterway System/Des Plaines River Watershed (Joint Submittal), submitted in the above-referenced docket numbers. The Joint Submittal incorporated by reference, together with this Individual Submittal, satisfies the requirements of 35 IAC Part 014, Subpart E for each Facility.

An Individual Submittal must be made for each Facility discharging to either the Chicago Area Waterway System or Lower Des Plaines River that seeks to be covered by the TLWQS in this Docket.

This Individual Submittal must be made no later than July 26, 2018 for continued coverage (or initial coverage for new petitioners) under the current stay of effectiveness of the chlorides standards, found in 35 IAC 302.407(g)(2) and (g)(3).

Individual Discharger Information

1. Facility Name of Individual Discharger: IMTT Illinois LLC, Lemont facility
2. Owner/Operator of Facility: IMTT Illinois LLC
3. Address of Facility: 13589 Main Street, Lemont IL 60439
4. Contact Information for Facility's Responsible Official:
Name: Larry Newton Title: Environmental Manager
Mailing Address: 13589 Main Street, Lemont IL 60439
Phone Number: 630-257-3960 Email: larrynewton@imtt.com
5. Permit Number of Facility (include both NPDES Permits and MS4 Permits that may be affected by the TLWQS): IL0005126, IL 0061182
6. Are there any pending permit applications filed with Illinois Environmental Protection Agency that do not appear as part of the Joint Submittal's Appendices 5 and 6?
 Yes No
If Yes, provide the application number for the pending permit(s): _____

7. Facility discharges to the: Chicago Area Waterway System (CAWS)
 Lower Des Plaines River (LDPR)
8. Select Category of Facility:
 POTW Community with CSO Outfalls Industrial Source MS4
 Illinois Department of Transportation/Tollway Salt Storage Facility

Location of Individual Discharger

9. Each Individual Submittal must provide the specific location information for the facility seeking coverage under the TLWQS. Select the location of the discharge from the facility from the list below:

The CAWS includes the following reaches:

- Chicago River, North Branch of the Chicago River,
 South Branch of the Chicago River, Chicago Sanitary and Ship Canal,
 Cal-Sag Channel, Grand Calumet River, Lake Calumet,
 Lake Calumet Connecting Channel, Calumet and Little Calumet Rivers, and
 North Shore Channel

The LDPR includes the following areas:

- Des Plaines River from the Kankakee River to the Will County Line,
 Hickory Creek, Union Ditch, Spring Creek, Marley Creek, and
 East Branch of Marley Creek

10. The specific discharge locations for the Facility are:

- a. Outfall number(s): Outfall -001, -002 & -003
- b. General description of outfall location:
Outfalls -001 & -002 discharge to Illinois & Michigan Canal with connections to the Ship Canal; Outfall -003 discharges to the Cal-Sag Channel
- c. Outfall(s) appears on CAWS or LDPR list of Discharge Points (Joint Submittal Appendices 5 and 6): Yes No

TLWQS Requirements

11. Can the Facility achieve compliance with the chlorides standard by the compliance date?
(Only facilities that cannot achieve compliance are eligible for coverage by the TQLWS.)
 Yes No

12. (*Optional*) As referenced in Chapter 2 of the Joint Submittal, an Individual Discharger may provide supplemental information regarding any circumstances unique to the Facility regarding its inability to comply with the chlorides standard by the compliance date, including the nature and extent of the present or anticipated failure to meet the water quality standards and facts supporting that compliance with the water quality standards regulation cannot be achieved by any required compliance date.

13. Has any prior variance applied to the discharge from this Facility? ___ Yes No

If yes, please identify the variance providing similar relief, including any Illinois Pollution Control Board docket number issued to the Individual Discharger, watershed, water body, waterbody segment, and if known, the Individual Discharger's predecessors.

Facility-Specific TLQWS Requirements

14. The Facility agrees to implement all of the BMPs included for the Industrial Category (from #8, above) for the Facility that are specified for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal.

15. Identify any past or currently in-use Best Management Practice(s) (BMPs) at the Facility for minimizing the discharge of chlorides.

16. Will any additional BMPs, beyond those included for the Category of the Facility for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal, be implemented? ___ Yes No

If Yes, describe any additional BMPs:

17. By six (6) months after the effective date of the TLWQS, each Facility covered by the TLWQS must have a Pollutant Minimization Plan (PMP) that contains specific details as to how the BMPs will be implemented and include measurements and sampling protocols, frequency, and recordkeeping and reporting obligations, including appropriate elements from the documentation procedures identified in Appendix 54 of the Joint Submittal. Chapter 9 of the Joint Submittal describes these requirements in more detail.

Has the Facility already developed a PMP to address its discharge of chlorides?

Yes No

If Yes, what is the date of the Pollutant Minimization Plan (PMP)? _____

If the Facility has not already developed the described PMP, does the Facility agree to develop the described PMP no later than six (6) months after the effective date of the TLWQS? Yes No


Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name & Official Title (*Type or Print*)

Larry Newton / Environmental Mgr

Signature



Date Signed

July 24, 2018

BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

IMTT Illinois LLC,)	
)	
)	
Petitioner,)	
)	
v.)	PCB No.
)	
ILLINOIS ENVIRONMENTAL PROTECTION)	
AGENCY,)	
)	
Respondent.)	

APPEARANCE

Now comes the undersigned, David L. Rieser, and hereby enters his Appearance on behalf of the Petitioner, IMTT Illinois, LLC.

Dated: July 25, 2018

Respectfully submitted,

IMTT Illinois, LLC

By: /s/ David L. Rieser
One of Its Attorneys

David L. Rieser
K&L Gates LLC
70 West Madison Street
Chicago, IL 60602
(312) 807-4359
David.rieser@klgates.com

