ILLINOIS POLLUTION CONTROL BOARD April 30, 2019

| VEOLIA ES TECHNICAL SOLUTIONS, |) | |
|--------------------------------|---|------------------------|
| L.L.C., |) | |
| |) | |
| Petitioner, |) | |
| |) | |
| V. |) | PCB 10-50 |
| |) | (Permit Appeal - RCRA) |
| ILLINOIS ENVIRONMENTAL |) | |
| PROTECTION AGENCY, |) | |
| |) | |
| Respondent. |) | |

HEARING OFFICER ORDER

On April 29, 2019, respondent reported that it expects to hear from USEPA within the next 3 weeks. The parties are directed to participate in a telephone status conference with the hearing officer at 9:30 a.m. on May 22, 2019. The status conference shall be initiated by the petitioner.

Petitioner has filed an open waiver of the decision deadline.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board

1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

Carol.Webb@illinois.gov

Carol Webb

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed, on April 30, 2019, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on April 30, 2019:

Don Brown Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

SERVICE LIST

@ Consents to Electronic Service

PCB 2010-050 @
Joseph M. Kellmeyer
Thompson Coburn, LLP
One US Bank Plaza
St. Louis, MO 63101-1693

PCB 2010-050 @ Ryan R. Kemper Thompson Coburn, LLP One US Bank Plaza St. Louis, MO 63101-1693 PCB 2010-050 @ Rachel R. Medina Office of the Attorney General Environmental Bureau 500 South Second Street Springfield, IL 62706

PCB 2010-050 @ Jane E. McBride Office of the Attorney General Environmental Bureau 500 South Second Street Springfield, IL 62706