

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

RECEIVED
CLERK'S OFFICE

AUG 28 2015

STATE OF ILLINOIS
Pollution Control Board

PC# 149

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name James E. Towner Address 17758 Mc Carthy Rd
Phone 815 274-0112 Email ch.towner2@comcast.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

150

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jacqueline Stout Address 512 Elsie Ave Chicago
Phone 815-325-6969 Email TINK2454@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

151

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Mary Monczynski Address 14625 Creekview Dr Orland Park
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

152

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Justin Vandenburg Address 14604 Bridle Ct. Homer Glen IL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

153

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Richard Taylor Address 421 TALLMAN AVE Romeoville, Ill.
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

154

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name John Therriault Address 203 MacArthur
Phone 708 557-8255 Email

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

155

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Barbara Teape Address 404 Farmbrook Court
Phone 708-297-6078 Email bjoneswms@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

156

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Cathy Wolff Address 62 Sunhill Ln. Lemont
Phone 708-772-6700 Email cathywolff@aol.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

157

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name JEFF Vandenburg Address 14604 Bridle Ct. Homer Glen
Phone 708-645-0455 Email

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

158

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Maureen J. Babin Address 16756 W 147th PL LOCKPORT ILL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

159

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Michael Haley Address 14149 Chicory Trl.
Phone 708 301 5095 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

160

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Victoria Halley Address 14149 CHICORY TR
Phone 708-301-5095 Email VICTORIAN.HALLEY@ATT.NET

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

161

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Arline Tucker Address 16054 New Ave.
Phone 630/429-5178 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

162

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jill Howard Address 314 Illinois St - Lemont
Phone 630-303-2686 Email jillhoward+j@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

163

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Heidi Ram Address 9150 Frances Ln O. Park, IL
Phone 708-460-5200 Email X

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

164

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Richard Pollock Address 9150 Frances Lane Orland Park
Phone 708-253-3369 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

165

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name W. Wundulich Address 915 Frances Lane, Olmsted Park, Ill 60466
Phone 708-440-4520 Email J

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

166

Re: Case No. R15-21 (Rulemaking - Air)


Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name  Address 17545 High Rd. Ct Jackson
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

167

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Bridget Gordon Address 507 Whelan St
Phone [Signature] Email [Signature]

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

168

Re: Case No. R15-21 (Rulemaking - Air)


Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name  Address 507 Whelan St
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

169

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name: Coathy Veravic Address: 14448 High Rd Lockport Ill.
Phone: 815-838-1894 Email: _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

170

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Penns Verover Address 14448 High Rd Leokport Ill.
Phone 815-838-1894 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Synthia M. Katay Address 15500 RED CEDAR TRAIL IL 60491
Phone 708-301-4724 Email mrkat17@aol.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

172

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Susanna E. Deter Address 13958 Grenade Ln
Homer Glen IL 60491
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

173

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name James O'Keefe Address Lodgeport IL 60444
Phone 815-981-5641 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

174

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Robert Smart Address 16345 Deer Run DR 60441
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

175

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Lynette Smart Address 16345 Deer Run Dr Lockport
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

176

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Maria Cavalls Address 708 Jefferson, Lockport, IL
Phone 815-538-6700 Email Rocell80@Atevo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

177

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Charlotte Verawie Address 1444 8 High Rd. Lockport Ill.
Phone 815-838-1894 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

178

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Bob Rendulick Address 14400 High Rd
Phone 815 347 3009 Email Bob.Rew2@comcast.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

179

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Ellen Rendulick Address 14400 High Rd Lockport
Phone 815 592 5629 Email emrpealty@comcast.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

180

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name SHARON MARKS Address 5650 ABBEY APT 16
Phone 630-737-1208 Email LISLE IL 60532

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

181

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Karen Lass Address 4624 Du Bois Brookfield
Phone 708-387 9110 Email -

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

182

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Mary Burnett Address 5765 S 9th Countryside Il
Phone 708-354-0556 Email -

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

183

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Darren Meeks Address 2731 Freeland Cr. Naperville
Phone 830-664-9325 Email -

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

184

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Marcus Meeks Address 2731 Ireland Ct Naperville
Phone ~~630-444-XXXX~~ Email -
630-904-2198

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

185

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Dwayne Meeks Address 1159 Oaklea Lemont
Phone 630-841-3673 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

186

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Ray White Address 14647 DIXON LN HOMER GLEN
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

187

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Cathleen Rehr Address 16353 Deer Run Dr. Lockport
Phone 708-507-4666 Email Cathymrehr@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

188

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Natasha Posvech. Address 534 E. 17th St. Lockport, IL
Phone 815-325-5522 Email Antsgirl98@gmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

189

Re: Case No. R15-21 (Rulemaking - Air)


Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name  Address 17572 Gilbert Dr Lockport,
Phone 847-452-0010 Email licardfight@hotmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

190

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Suzanne M. Serva Address 7918 W. 99th St., Hickory Hill, 60457
Phone (708) 205-1540 Email ssagwin12@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

191

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name *Donella Kutzko* Address *17213 Como Ave. Lockport, IL*
Phone *815-293-6605* Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

192

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name EDWARD SMITH Address 19247 W. DAWSON AVE.
Phone 815 838-0568 Email ESSTUDIO@COMCAST.NET

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

193

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Cha Mawfney Address 11034 Quail DR. Mokena, IL
Phone 630-290-2459 Email cha_pm@hotmail.com 60408

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

194

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Mark Sheldon Address 16336 S Fieldstone Pl, Loder
Phone 815-546-6399 Email Mr.sheldon@comcast.net 6044

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

195

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Janice Address 11600 W - 137th ST O-P-IL 60467
Phone (815) 210-2255 Email buildingmpinc@yahoo.com