



ENVIRONMENTAL REGISTER

January 9, 2020 – Number 753

A PUBLICATION OF THE ILLINOIS POLLUTION CONTROL BOARD

pcb.illinois.gov

BOARD MEMBERS

- ❖ Barbara Flynn Currie, Chair
- ❖ Cynthia M. Santos
- ❖ Brenda K. Carter
- ❖ Anastasia Palivos

The **Illinois Pollution Control Board** is an independent five-member board that adopts environmental control regulations and decides enforcement actions and other environmental cases for the State of Illinois.

INSIDE THIS ISSUE

- ❖ Chair's Update
- ❖ Rulemaking Update
- ❖ Board Actions
- ❖ Calendar
- ❖ Restricted Status & Critical Review Lists

CHAIR'S UPDATE

I write to highlight Board rulemaking activities from the fourth quarter of 2019. But first, as mentioned in my last update, 2020 will mark the 50th year of the Board and the statute that created it, the Environmental Protection Act. Both turn 50 on July 1, 2020. To commemorate this half-century milestone, the Board is planning a speakers' series for the spring and summer, culminating with the publication of a 50th anniversary report. When it is set, the schedule for the speakers' series will be posted on the Board's website (pcb.illinois.gov), as will the 50th anniversary report. Just look for this special logo:



During the fourth quarter of 2019, the Board proposed four sets of rule amendments for public comment. Summaries of each appear in the Rulemaking Update of this *Environmental Register*. First, on November 7, 2019, the Board proposed substantive amendments to its manifesting rules for transporting non-hazardous, special waste. Amendments to Manifesting Requirements: Special Waste Hauling 35 Ill. Adm. Code 809, docket R19-18 (Nov. 7, 2019). Second, on December 19, 2019, the Board proposed non-substantive amendments to its atomic radiation rules. Amendments to 35 Ill. Adm. Code Subtitle I: Atomic Radiation, docket R18-28 (Dec. 19, 2019). Third, on December 19, 2019, the Board proposed substantive amendments to its definition of “Class 4 etiologic agent” in the rules concerning potentially infectious medical waste. Amendments to Definition of “Class 4 etiologic agent”, 35 Ill. Adm. Code 1420.102, docket R20-17 (Dec. 19, 2019). And, fourth, on December 19, 2019, the Board proposed “identical-in-substance” amendments to its primary drinking water rules. SDWA Update, USEPA Amendments (July 1, 2018 through December 31, 2018), docket R19-16 (Dec. 19, 2019).

Lastly, on December 17, 2019, the Board received a rulemaking proposal from the Illinois Environmental Protection Agency: Proposed New 35 Ill. Adm. Code 250 Ethylene Oxide Ambient Air Monitoring, docket R20-18. The proposal was required by Public Act 101-22, which, effective June 21, 2019, amended the Environmental Protection Act. Stay tuned to the Board's meeting agendas—posted on the website—for upcoming action on this proposal.

Sincerely,

Barbara Flynn Currie
Chair



RULEMAKING UPDATE

Board Proposes First-Notice Amendments to Rules for Non-Hazardous, Special Waste Manifests

On November 7, 2019, the Board proposed rule amendments for first-notice publication in the *Illinois Register*. See 43 Ill. Reg. 13361 (Nov. 22, 2019). The proposal would amend the Board's manifesting requirements for non-hazardous, special waste transportation (35 Ill. Adm. Code 809). The rulemaking was initiated by the Illinois Environmental Protection Agency (IEPA).

For transporting exclusively State-regulated, non-hazardous special waste in Illinois, current Board rules require using the comprehensive and widely-accepted Uniform Hazardous Waste Manifest of the United States Environmental Protection Agency (USEPA). Complying with that requirement, however, is no longer economical or efficient. Under recent federal rule changes, USEPA now requires compliance with its new e-Manifest System whenever a Uniform Hazardous Waste Manifest is used, even if it is used for transporting non-hazardous waste. The Board's rulemaking record established that compliance with the e-Manifest System imposes significant additional costs and administrative burdens. The Board found that these costs and burdens—for non-hazardous, special waste transportation—come with no added environmental benefit.

To alleviate the unintended and unnecessary economic and administrative burdens on transporting non-hazardous special waste in Illinois, the Board's proposed amendments would require a State manifest instead of USEPA's Uniform Hazardous Waste Manifest. However, the State manifest, to be prescribed by IEPA, will be functionally identical to the Uniform Hazardous Waste Manifest and therefore not diminish IEPA oversight of non-hazardous, special waste transportation.

The Board received public comments and held two hearings in this rulemaking. No additional hearings are currently scheduled. The rulemaking is captioned [Amendments to Manifesting Requirements: Special Waste Hauling 35 Ill. Adm. Code 809](#), docket R19-18. Here are links to the Board's [first-notice opinion and order](#) and the Board's [addendum](#) containing the proposed amendments. For more information, please contact Daniel Pauley at 312-814-6931 or daniel.pauley@illinois.gov.

Board Proposes Atomic Radiation Amendments for Public Comment

On December 19, 2019, the Board proposed non-substantive amendments to streamline and update its atomic radiation rules (35 Ill. Adm. Code 1000, 1010). The Board's atomic radiation rules protect against radiological air pollutants and prescribe standards for detecting and reporting unpermitted releases of radionuclides. The proposed amendments are part of the Board's broader review—started in 2016—to ensure that Board rules are current, clear, and concise.



The Board invited public comment on the proposed amendments without submitting them to first-notice publication in the *Illinois Register*. The Board also indicated that it would hold two public hearings on the proposal. The rulemaking is captioned Amendments to 35 Ill. Adm. Code Subtitle I: Atomic Radiation, docket R18-28. Here are links to the Board’s (1) [opinion and order](#) and (2) [addendum](#) containing the proposed rule text. For more information, please contact Chloe Cummings at 312-814-3665 or chloe.cummings@illinois.gov.

For Public Comment, Board Proposes Amendments to “Class 4 Etiologic Agent” Definition

On December 19, 2019, the Board proposed amendments to update the definition of “Class 4 etiologic agent” in its regulations on potentially infectious medical waste or “PIMW.” Under the Environmental Protection Act, the Board must adopt rules that are “identical in substance” to the listing of etiologic agents identified as Class 4 in the Centers for Disease Control’s “Classification of Etiological Agents on the Basis of Hazard, 1974,” as amended. Four Class 4 etiologic agents were recently added to that listing: Guanarito virus; Sabia; Ebola Virus; and Equine Morbillivirus. The Board therefore proposed adding those four agents to the viral agent list within its definition of “Class 4 etiologic agent.”

The Board invited public comment on the proposal and directed the Clerk to cause publication of the proposed amendments in the *Illinois Register*. The Board also indicated that it would hold two public hearings on the proposal. The rulemaking is captioned Amendments to Definition of “Class 4 etiologic agent”, 35 Ill. Adm. Code 1420.102, docket R20-17. Here are links to the Board’s (1) [opinion and order](#) and (2) [addendum](#) containing the proposed rule text. For more information, please contact Chloe Cummings at 312-814-3665 or Chloe.Cummings@Illinois.gov.

Board Proposes “Identical-in-Substance” Amendments to Drinking Water Rules

On December 19, 2019, the Board proposed—for public comment—amendments to Illinois’ primary drinking water regulations at 35 Ill. Adm. Code 611. The proposed amendments are “identical in substance” to rule amendments adopted by the United States Environmental Protection Agency (USEPA) during the second half of 2018. Specifically, on October 12, 2018, USEPA approved new alternative test procedures (ATPs) for demonstrating compliance with the National Primary Drinking Water Regulations. USEPA corrected the ATPs on October 31, 2018.

In addition to the revisions prompted by USEPA’s new ATPs, the Board found more amendments necessary. For example, to aid in understanding the rules and facilitate future amendments, the Board renamed analytical methods and simplified their incorporations by reference. The Board also corrected rules that were revised most recently in Public Water Supplies: Proposed New 35 Ill. Adm. Code 604 and Amendments to 35 Ill. Adm. Code 601, 602, 607, and 611, R18-17 (July 25, 2019). Finally, the Board found that unavoidable delay required extending the deadline for completing the amendments—from October 31, 2019 to March 31, 2020.



The Board's rulemaking is captioned SDWA Update, USEPA Amendments (July 1, 2018 through December 31, 2018), docket R19-16. Here are links to (1) the Board's [opinion and order](#), which includes the proposed rule text, and (2) the Board's [addendum](#), which provides tables of information concerning the rulemaking. For more information, please contact Michael McCambridge at 312-814-6924 or michael.mccambridge@illinois.gov.



BOARD ACTIONS

October 3, 2019 Meeting

By videoconference: IPCB Offices in Chicago and Springfield

ADJUSTED STANDARDS

AS 19-1 Petition of Midwest Generation, LLC for an Adjusted Standard from 35 Ill. Adm. Code 811 and 814 (Land) – The Board granted petitioner’s motion and stayed this proceeding for 60 days to Monday, December 2, 2019. The Board also directed petitioner to file a status report at the close of the stay.

ADJUDICATORY CASES

PCB 19-78 Sierra Club v. Illinois Power Generating Company, Illinois Power Resources Generating, LLC, Electric Energy, Inc., and Vistra Energy Corporation (Water – Enforcement, Citizens) – The Board granted respondents’ motion to bifurcate the hearings and delay any expert discovery on remedy until after the alleged-violations phase of the case.

PCB 20-17 People of the State of Illinois v. Mor-Agra Grain Handling, Inc. (Air – Enforcement) – Upon receiving a stipulation, proposed settlement, and agreed motion for relief from the hearing requirement in this enforcement action involving a facility located in Boone County, the Board ordered publication of the required newspaper notice.

October 17, 2019 Meeting

By videoconference: IPCB Offices in Chicago and Springfield

RULEMAKINGS

R18-32 Amendments to General Use Water Quality Standards for Chloride (Water) – The Board granted the rulemaking proponent’s motion to dismiss.

ADJUDICATORY CASES

PCB 18-83 John D. Warsaw v. IEPA (UST Appeal) – The Board affirmed the Illinois Environmental Protection Agency’s June 12, 2018 determination to deny Underground Storage Tank Fund reimbursement.

PCB 20-18 Landfill 33 v. IEPA (Land – Permit Appeal) – The Board accepted for hearing this permit appeal involving a site in Effingham County.

PCB 20-19 Joe Stead v. IEPA (Water – Tax Certification) – The Board found and certified that Joe Stead’s specified facilities located in Mercer County are pollution control facilities for preferential tax treatment under the Property Tax Code.

PCB 20-20 Dixie Travel Plaza v. IEPA (UST Appeal) – The Board accepted for hearing this underground storage tank appeal involving a site in McLean County.



November 7, 2019 Meeting

By videoconference: IPCB Offices in Chicago and Springfield

RULEMAKINGS

R19-18 Amendments to Manifesting Requirements: Special Waste Hauling 35 Ill. Adm. Code 809 (Land) – The Board adopted a first-notice opinion and order in this rulemaking to amend the Board’s non-hazardous special waste hauling regulations.

ADJUDICATORY CASES

PCB 06-63 Dynegy Midwest Generation, LLC (Baldwin Energy Complex) v. IEPA (Air – Permit Appeal, CAAPP) – The Board granted petitioner’s motion for voluntary dismissal of this Clean Air Act Permit Program (CAAPP) permit appeal.

PCB 16-14, et al. (Consol.) Caterpillar Inc. v. IEPA (Time-Limited WQS) – The Board granted petitioner’s motion to withdraw its petition for a chloride time-limited water quality standard (TLWQS).

PCB 06-67 AmerenEnergy Resources Generating Company (Edwards Power Station) v. IEPA (Air – Permit Appeal, CAAPP) – The Board granted petitioner’s motion for voluntary dismissal of this Clean Air Act Permit Program (CAAPP) permit appeal.

PCB 06-126 AmerenEnergy Resources Generating Company (Edwards Power Station) v. IEPA (Air – Permit Appeal, CAAPP) – The Board granted petitioner’s motion for voluntary dismissal of this Clean Air Act Permit Program (CAAPP) permit appeal.

PCB 16-61 People of the State of Illinois v. Amsted Rail Company, Inc. (Air – Enforcement) – Upon receiving a stipulation, proposed settlement, and agreed motion for relief from the hearing requirement in this enforcement action involving a facility located in Madison County, the Board ordered publication of the required newspaper notice.

PCB 18-58 Midwest Generation, LLC v. IEPA (Water – Thermal Demonstration) – The Board granted alternative thermal effluent limitations (ATEL) to petitioner.

PCB 19-51 People of the State of Illinois v. SE Transport, Inc. (Land – Enforcement, RCRA) – In this enforcement action concerning a Monroe County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2018)), accepted a stipulation and proposed settlement, and ordered respondent to pay a total civil penalty of \$400 and to cease and desist from future violations.



- PCB 20-8** People of the State of Illinois v. William Mucci and Debra Mucci, d/b/a B&M Properties; John Kirby; and Polly Kirby (Land, Air – Enforcement) – Upon receiving a stipulation, proposed settlement, and agreed motion for relief from the hearing requirement (as to William Mucci and Debra Mucci only) in this enforcement action involving a facility located in LaSalle County, the Board ordered publication of the required newspaper notice.
- PCB 20-10** Marek Kruk v. New Trier High School (Noise – Enforcement, Citizens) – The Board accepted for hearing this enforcement action involving a site in Cook County.
- PCB 20-14** People of the State of Illinois v. Clifford-Jacobs Forging Company (Air – Enforcement) – In this enforcement action concerning a Champaign County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2018)), accepted a stipulation and proposed settlement, and ordered respondent to pay a total civil penalty of \$5,000 and to cease and desist from future violations
- PCB 20-16** People of the State of Illinois v. Ironhustler Excavating, Inc., River City Construction, LLC, and Venovich Construction Co. (Land – Enforcement) – In this enforcement action concerning a Tazewell County facility, the Board granted the People and Venovich Construction relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2018)), accepted a stipulation and proposed settlement between the People and Venovich Construction, and ordered Venovich Construction to pay a total civil penalty of \$2,500 and to cease and desist from future violations.
- PCB 20-17** People of the State of Illinois v. Mor-Agra Grain Handling, Inc. (Air – Enforcement) – In this enforcement action concerning a Boone County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2018)), accepted a stipulation and proposed settlement, and ordered respondent to pay a total civil penalty of \$500 and to cease and desist from future violations.
- PCB 20-21** Forman Creek Farm-Oneida v. IEPA (Water – Tax Certification) – Petitioner has 35 days from service of the Illinois Environmental Protection Agency (IEPA) recommendation to contest IEPA’s recommended partial denial of “pollution control facility” certification.
- PCB 20-22** Rooth Farms-Joy v. IEPA (Water – Tax Certification) – The Board found and certified that Rooth Farms’ specified facilities located in Mercer County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).



[PCB 20-23](#) DFI Finisher v. IEPA (Water – Tax Certification) – The Board found and certified that DFI Finisher’s specified facilities located in Mercer County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 20-24](#) Sheffey Farms, Inc. v. IEPA (Water – Tax Certification) – The Board found and certified that Sheffey Farms’ specified facilities located in Stephenson County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 20-25](#) Vos Farms-Chadwick v. IEPA (Water – Tax Certification) – The Board found and certified that Vos Farms’ specified facilities located in Carroll County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 20-26](#) Bane Family Pork Farm v. IEPA (Water – Tax Certification) – The Board found and certified that Bane Family Pork Farm’s specified facilities located in McLean County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

November 21, 2019 Meeting

By videoconference: IPCB Offices in Chicago and Springfield

ADMINISTRATIVE CITATIONS

[AC 20-1](#) IEPA v. Sammy J. Shafer, Tammy J. Shafer, and S. Shafer Excavating, Inc. (Land) – The Board directed the Illinois Environmental Protection Agency to file proof that it properly served the citation on all three respondents.

ADJUDICATORY CASES

[PCB 12-14](#) Enable Mississippi River Transmission, LLC, f/k/a Centerpoint Energy – Mississippi River Transmission, LLC v. IEPA (Air – Permit Appeal, CAAPP) – The Board granted petitioner’s motion for voluntary dismissal of this Clean Air Act Permit Program (CAAPP) permit appeal.

[PCB 18-58](#) Midwest Generation, LLC v. IEPA (Water – Thermal Demonstration) – The Board granted petitioner’s motion for modification and amended the November 7, 2019 order *nunc pro tunc*, i.e., effective retroactively to November 7, 2019.

[PCB 20-27](#) Layers, Inc. v. IEPA (Water – Tax Certification) – The Board granted petitioner’s motion to correct respondent’s name. The Board also found and certified that Layers, Inc.’s specified facilities located in Marion County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).



[PCB 20-28](#) People of the State of Illinois v. Jane Cooney and Jane Cooney, D.D.S., P.C. (Air – Enforcement) – Upon receiving a complaint, stipulation, proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving two sites located in Vermillion County, the Board ordered publication of the required newspaper notice.

[PCB 20-29](#) Brent Probst v. IEPA (Water – Tax Certification) – The Board found and certified that Brent Probst’s specified facilities located in Effingham County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 20-30](#) Prime Pork, Inc. v. IEPA (Water – Tax Certification) – The Board found and certified that Prime Pork, Inc.’s specified facilities located in DeKalb County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

December 5, 2019 Meeting

By videoconference: IPCB Offices in Chicago and Springfield

ADJUSTED STANDARDS

[AS 19-1](#) Petition of Midwest Generation, LLC for an Adjusted Standard from 35 Ill. Adm. Code 811 and 814 (Land) – The Board granted Midwest Generation’s motion to extend the stay and stayed this proceeding for an additional 60 days to Monday, February 3, 2020. The Board also directed Midwest Generation to file a status report at the close of the extended stay.

ADJUDICATORY CASES

[PCB 16-19](#) Midwest Generation, LLC v. IEPA

[PCB 16-24](#)
[Consol.](#) INEOS Joliet, LLC v. IEPA (Time-Limited WQS) – The Board granted the joint motion—of Midwest Generation, INEOS, and the Illinois Environmental Protection Agency (IEPA)—and stayed these consolidated time-limited water quality standards (TLWQS) proceedings until the Board reaches a final decision on Midwest Generation’s petition for alternative thermal effluent limitations (ATEL) for the Joliet Stations. The Board also directed Midwest Generation to file a status report by January 31, 2020, if it has not filed its ATEL petition by that date.

[PCB 20-6](#) General Mills Operations, LLC v. IEPA (UST Appeal) – Having previously granted a request for a 90-day extension of the appeal period, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this DuPage County facility.



- [PCB 20-21](#) Forman Creek Farm-Oneida v. IEPA (Water – Tax Certification) – Under the Property Tax Code (35 ILCS 200/11-5 *et seq.* (2018)), the Board partially granted and partially denied “pollution control facility” certification for Forman Creek Farm’s specified facilities located in Knox County.
- [PCB 20-31](#) Martin Rod v. IEPA (Water – Tax Certification) – The Board found and certified that Martin Rod’s specified facilities located in Lee County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- [PCB 20-32](#) People of the State of Illinois v. Landfill 33, LTD and Wendt Family Trust (Land, Water, NPDES – Enforcement) – The Board accepted for hearing this enforcement action involving a site in Effingham County.
- [PCB 20-33](#) S & S Infinite Group, Inc. v. IEPA (UST Appeal) – The Board accepted for hearing this underground storage tank appeal involving a site in Peoria County.

December 19, 2019 Meeting

By videoconference: IPCB Offices in Chicago and Springfield

RULEMAKING

- [R18-28](#) Amendments to 35 Ill. Adm. Code Subtitle I: Atomic Radiation (Atomic Radiation) – The Board adopted a proposal for public comment in this rulemaking to amend the Board’s atomic radiation rules.
- [R18-29\(B\)](#) Amendments to Definition of “Class 4 etiologic agent”, 35 Ill. Adm. Code 1420.102 (Biological Materials) – The Board dismissed this docket. By separate December 19, 2019 order in docket R20-17, the Board proposed—for public comment—amendments to the definition of “Class 4 etiologic agent.”
- [R19-16](#) SDWA Update, USEPA Amendments (July 1, 2018 through December 31, 2018) (Public Water Supply) – The Board adopted a proposal for public comment in this “identical-in-substance” rulemaking to amend the Board’s drinking water regulations.
- [R20-17](#) Amendments to Definition of “Class 4 etiologic agent”, 35 Ill. Adm. Code 1420.102 (Biological Materials) – The Board adopted a proposal for public comment in this “identical-in-substance” rulemaking to amend the Board’s definition of “Class 4 etiologic agent.”



ADJUDICATORY CASES

- PCB 09-96** Holland Energy, LLC v. IEPA (Air – Permit Appeal, CAAPP) – The Board granted the parties’ joint motion and therefore lifted a stay of uncontested conditions in a Clean Air Act Permit Program (CAAPP) permit and remanded the permit to the Illinois Environmental Protection Agency.
- PCB 16-61** People of the State of Illinois v. Amsted Rail Company, Inc. (Air – Enforcement) – In this enforcement action concerning a Madison County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2018)), accepted a stipulation and proposed settlement, and ordered respondent to pay a total civil penalty of \$100,000 and to cease and desist from future violations.
- PCB 20-8** People of the State of Illinois v. William Mucci and Debra Mucci, d/b/a B&M Properties; John Kirby; and Polly Kirby (Land, Air – Enforcement) – In this enforcement action concerning a LaSalle County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2018)), accepted a stipulation and proposed settlement, and ordered respondents Muccis to pay a total civil penalty of \$6,000 and to cease and desist from future violations. The case against respondents Kirbys continues.
- PCB 20-34** People of the State of Illinois v. GDB International, Inc. (Land – Enforcement) – Upon receiving a complaint, stipulation, proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a site located in Perry County, the Board accepted the complaint and ordered publication of the required newspaper notice.
- PCB 20-35** Frankenreider Beef Facility-Annawan v. IEPA (Water – Tax Certification) – Petitioner has 35 days from service of the Illinois Environmental Protection Agency (IEPA) recommendation to contest IEPA’s recommended partial denial of “pollution control facility” certification.



CALENDAR

Tuesday, January 14, 2020 9:00AM

Hearing: Petition of Emerald Polymer Additives, LLC for an Adjusted Standard from 35 Ill. Adm. Code 304.122(b), AS 19-2
Lacon City Hall
406 5th Street - Council Chambers
Lacon, Illinois

Wednesday, January 15, 2020 8:30AM

Hearing: Petition of Emerald Polymer Additives, LLC for an Adjusted Standard from 35 Ill. Adm. Code 304.122(b), AS 19-2
Lacon City Hall
406 5th Street - Council Chambers
Lacon, Illinois

Thursday, January 16, 2020 11:00 AM

Board Meeting
IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois
- and -
IPCB Office
James R. Thompson Center
100 W Randolph - Room 11-512
Chicago, Illinois

Thursday, January 16, 2020 12:00 PM

Brown Bag Lunch
IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois
- and -
IPCB Office
James R. Thompson Center
100 W Randolph - Room 11-512
Chicago, Illinois

Thursday, February 6, 2020 11:00AM

Board Meeting
IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois
- and -



IPCB Office
James R. Thompson Center
100 W Randolph - Room 11-512
Chicago, Illinois

Tuesday, February 18, 2020 8:30AM

Hearing: Village of Homewood, Homewood, Illinois v. IEPA, PCB 16-14, 16-15, 16-16, 16-17, 16-18, 16-20, 16-21, 16-22, 16-23, 16-25, 16-26, 16-27, 16-29, 16-30, 16-31, 16-33, 19-7, 19-8, 19-9, 19-10, 19-12, 19-13, 19-14, 19-15, 19-16, 19-17, 19-18, 19-19, 19-20, 19-21, 19-22, 19-23, 19-24, 19-25, 19-26, 19-27, 19-28, 19-29, 19-30, 19-31, 19-33, 19-34, 19-35, 19-36, 19-37, 19-38, 19-40, and 19-48 (consolidated) (Time-Limited Water Quality Standards—

Chlorides)

Michael A. Bilandic Building
160 North LaSalle Street, Room C-500
Chicago, Illinois

Wednesday, February 19, 2020 8:30AM

Hearing: Village of Homewood, Homewood, Illinois v. IEPA, PCB 16-14, 16-15, 16-16, 16-17, 16-18, 16-20, 16-21, 16-22, 16-23, 16-25, 16-26, 16-27, 16-29, 16-30, 16-31, 16-33, 19-7, 19-8, 19-9, 19-10, 19-12, 19-13, 19-14, 19-15, 19-16, 19-17, 19-18, 19-19, 19-20, 19-21, 19-22, 19-23, 19-24, 19-25, 19-26, 19-27, 19-28, 19-29, 19-30, 19-31, 19-33, 19-34, 19-35, 19-36, 19-37, 19-38, 19-40, and 19-48 (consolidated) (Time-Limited Water Quality Standards—

Chlorides)

Michael A. Bilandic Building
160 North LaSalle Street, Room C-500
Chicago, Illinois

Thursday, February 20, 2020 8:30AM

Hearing: Village of Homewood, Homewood, Illinois v. IEPA, PCB 16-14, 16-15, 16-16, 16-17, 16-18, 16-20, 16-21, 16-22, 16-23, 16-25, 16-26, 16-27, 16-29, 16-30, 16-31, 16-33, 19-7, 19-8, 19-9, 19-10, 19-12, 19-13, 19-14, 19-15, 19-16, 19-17, 19-18, 19-19, 19-20, 19-21, 19-22, 19-23, 19-24, 19-25, 19-26, 19-27, 19-28, 19-29, 19-30, 19-31, 19-33, 19-34, 19-35, 19-36, 19-37, 19-38, 19-40, and 19-48 (consolidated) (Time-Limited Water Quality Standards—

Chlorides)

Michael A. Bilandic Building
160 North LaSalle Street, Room C-500
Chicago, Illinois



Thursday, February 20, 2020 11:00AM

Board Meeting

IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois

- and -

IPCB Office
James R. Thompson Center
100 W Randolph - Room 11-512
Chicago, Illinois

Thursday, March 5, 2020 11:00AM

Board Meeting

IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois

- and -

IPCB Office
James R. Thompson Center
100 W Randolph - Room 11-512
Chicago, Illinois

Thursday, March 19, 2020 11:00AM

Board Meeting

IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois

- and -

IPCB Office
James R. Thompson Center
100 W Randolph - Room 11-512
Chicago, Illinois

* The events listed above are subject to change, and more events may be added.
Here is a link to the [Board's current calendar](#)



RESTRICTED STATUS / CRITICAL REVIEW LISTS

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

Division of Public Water Supplies

<http://www.epa.illinois.gov>



Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

November 2019

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
ANDALUSIA (upper elevation area)	IL1610050	1	LOW SYSTEM PRESSURE	1050	10/1/2003
ANDOVER	IL0730100	1	NO BACKUP SOURCE NO EMERGENCY POWER & NO PRESSURE TANK	600	3/24/2016
AQUA ILLINOIS - CRYSTAL CLEAR WATER CO.	IL1115150	2		855	9/16/1988
AQUA ILLINOIS - NUNDA	IL1115600	2	INADEQUATE PRESSURE TANK	570	4/1/2015
AVANTARA LONG GROVE	IL0971110	2	INADEQUATE PRESSURE TANK NO ELEVATED OR GROUND STORAGE	200	12/1/2003
BAHL WATER CORP	IL0855200	1		700	12/15/1993
BARBERRY ACRES MHP	IL0915145	2	NO CHLORINE FEED SYSTEM; INADEQUATE PRESSURE TANK	61	10/31/2018
BEVERLY HILLSDALE ESTATES, LLC	IL1615530	1	INADEQUATE PRESSURE TANK	63	3/18/1983
BILL-MAR HEIGHTS MHP	IL2015345	1	INADEQUATE PRESSURE TANK	160	3/18/1983
BISHOP HILL	IL0730250	1	NO BACKUP SOURCE INADEQUATE ELEVATED STORAGE CAPACITY	137	11/14/2017
BONNIE	IL0810150	7		527	7/20/2018
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	INADEQUATE PRESSURE TANK	45	6/16/2008
CAPRON MHP	IL0075105	1	INADEQUATE PRESSURE TANK MINIMUM CHLORINE RESIDUAL VIOLATION	98	3/18/1983
CENTRAL MACOUPIN RURAL WATER DISTRICT	IL1170040	5		1825	8/29/2018
CENTURY PINES APARTMENTS	IL0150020	1	INADEQUATE PRESSURE TANK	50	12/14/1990
CHAIN-O-LAKES MHP	IL0975165	2	INADEQUATE PRESSURE TANK MINIMUM CHLORINE RESIDUAL VIOLATION	81	12/15/1989
CHESTERFIELD	IL1170200	5		180	8/29/2018
CHRISMAN	IL0450100	4	ARSENIC MCL VIOLATION & NITRITE MCL VIOLATION	1,200	1/31/2018
CLARKS MHP	IL2015425	1	INADEQUATE PRESSURE TANK HALOACETIC ACID MCL VIOLATION	80	12/16/1991
COFFEEN	IL1350150	5		685	7/16/2019
COLONIAL MEADOWS	IL1135100	6	ARSENIC MCL VIOLATION & MINIMUM CHLORINE RESIDUAL VIOLATION	190	9/19/2018



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies**

November 2019

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
COOKSVILLE*	IL1130400	4	TOTAL TRIHALOMETHANES MCL VIOLATION	213	4/24/2019
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	MINIMUM CHLORINE RESIDUAL VIOLATION	120	12/12/2018
COYNE CENTER COOP	IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CRISWELL COURT MHP	IL1975105	2	INADEQUATE PRESSURE TANK	136	12/15/1989
DANFORTH	IL0750350	4	TOTAL TRIHALOMETHANE MCL VIOLATION	550	8/9/2019
DAYSRING BIBLE COLLEGE	IL0977189	2	INADEQUATE PRESSURE TANK	60	6/15/1988
DES PLAINES MHP	IL0317775	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	580	3/16/1984
DONNELLSON	IL0054360	6	TOTAL TRIHALOMETHANES MCL VIOLATION AND HALOACETIC ACID MCL VIOLATION	210	7/25/2019
EAST END WATER ASSOCIATION	IL1610140	1	INADEQUATE PRESSURE TANK	40	3/15/2002
EAST MORELAND WATER ASSOCIATION	IL1975600	2	NO ELEVATED OR GROUND STORAGE	1055	9/9/2016
EDELSTEIN WATER COOPERATIVE	IL1435150	5	INADEQUATE GROUND STORAGE & NO EMERGENCY POWER	125	1/1/2015
EHLERS MHP	IL0195645	4	INADEQUATE PRESSURE TANK	112	12/17/1982
ELIZABETH (upper elevation area)	IL0850150	1	LOW SYSTEM PRESSURE	675	6/15/1999
ELM OAK MUTUAL WATER SYSTEM*	IL0975736	2	RADIUM MCL VIOLATION	50	10/24/2019
EXETER - MERRITT WATER COOP	IL1710010	5	INADEQUATE STORAGE CAPACITY	765	10/1/2013
FALCON FARMS*	IL1617635	1	NO ELEVATED OR GROUND STORAGE	475	10/31/2019
FAMILY MANUFACTURED HOME COMMUNITY, LLC	IL2015125	1	INADEQUATE PRESSURE TANK	240	12/17/1982
FAYETTE WATER COMPANY (area served by Gateway Water Co.)	IL0510010	6	TOTAL TRIHALOMETHANES MCL VIOLATION	5025	12/28/2018
FOUNTAIN VALLEY MHP	IL0195945	4	ARSENIC MCL VIOLATION	375	8/2/2016
FOUR STAR CAMPGROUND	IL0990060	1	INADEQUATE PRESSURE TANK	150	6/15/1999
FRANKLIN*	IL1370150	5	TOTAL TRIHALOMETHANES MCL VIOLATION	800	10/1/2019
GRANDVIEW MHP	IL1795365	5	INADEQUATE PRESSURE TANK	300	3/18/1983
GREAT OAKS AND BEACON HILLS APARTMENTS	IL2015488	1	NO ELEVATED OR GROUND STORAGE & A RADIUM MCL VIOLATION	1816	12/17/1982
GREEN MEADOWS ESTATES OF ROCKFORD LLC	IL2015495	1	INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	970	6/15/2012
GREENFIELD*	IL0610150	6	HALOACETIC ACIDS MCL VIOLATION	1200	10/2/2019
HARVEST ESTATES	IL0915165	2	INADEQUATE PRESSURE TANK	54	4/18/2019



**Division of Public Water Supplies
Restricted Status List – Community Water Supplies**

November 2019

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
HILLCREST	IL1410250	1	INADEQUATE SOURCE CAPACITY	1400	2/13/2018
HILLSDALE PROPERTIES	IL1615728	1	INADEQUATE PRESSURE TANK	58	1/14/1982
HILLVIEW SUBDIVISION	IL1975800	2	INADEQUATE PRESSURE TANK	100	3/15/1985
HOLLY HOCK HILL MHP	IL0975245	2	INADEQUATE PRESSURE TANK	52	12/16/1983
HONEYCUTT HILL MHP LLC	IL1955225	1	INADEQUATE PRESSURE TANK	75	9/17/1982
INGALLS PARK SUBDIVISION	IL1975880	2	NO ELEVATED OR GROUND STORAGE	744	9/16/1983
LIBERTY PARK HOMEOWNERS ASSOCIATION	IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	837	9/17/1992
LIMA	IL0010400	5	INADEQUATE SOURCE CAPACITY & NITRATE MCL VIOLATION	163	5/4/2016
LINDENWOOD WATER ASSOCIATION	IL1415300	1	INADEQUATE PRESSURE TANK	50	1/13/1982
LINWAY ESTATES MHP	IL0315935	2	NO ELEVATED OR GROUND STORAGE	450	2/28/2017
LISBON NORTH, INC.	IL0631000	2	INADEQUATE PRESSURE TANK	30	9/14/1990
LYNNWOOD WATER CORPORATION	IL0995336	1	INADEQUATE PRESSURE TANK	110	3/18/1983
MALTA	IL0370350	1	NO AUTO-START GENERATOR & INADEQUATE HIGH SERVICE PUMP CAPACITY	1175	6/15/2012
MANCUSO VILLAGE PARK MHP	IL2015545	1	INADEQUATE PRESSURE TANK	500	6/18/1982
MANTENO MHP	IL0915385	2	INADEQUATE PRESSURE TANK	144	12/14/1990
MAPLE ACRES MHP*	IL0115135	1	ARSENIC MCL VIOLATION	250	5/22/2019
MCNABB*	IL1550150	1	ARSENIC MCL VIOLATION	310	4/24/2019
MITCHELLSVILLE PWD	IL1655200	7	LOW SYSTEM PRESSURE	1989	10/1/2012
MORNINGSIDE MOBILE ESTATES MHP	IL1075145	5	NITRATE MCL VIOLATION	75	8/11/2016
MOULTRIE COUNTY RURAL WATER DISTRICT (area supplied by Mattoon)	IL1395150	4	TOTAL TRIHALOMETHANES MCL VIOLATION	2500	12/28/2018
NEPONSET*	IL0110700	1	MINIMUM CHLORINE RESIDUAL VIOLATION	374	4/17/2019
OAK RIDGE SD	IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OSCO MUTUAL WATER SUPPLY COMPANY, INC.	IL0735200	1	INADEQUATE PUMP CAPACITY	115	12/15/1989
OTTAWA ESTATES MHP	IL0995225	1	INADEQUATE PRESSURE TANK	115	3/18/1983
PARADISE MANOR MHP	IL1617665	1	INADEQUATE PRESSURE TANK	193	2/19/1982
PARK MEADOWLAND WEST MHP	IL0075235	1	INADEQUATE PRESSURE TANK	100	3/18/1982
PAULS MHP	IL0975485	2	INADEQUATE PRESSURE TANK	38	12/16/1983
PINCKNEYVILLE	IL1450150	7	TOTAL TRIHALOMETHANES MCL VIOLATION	6362	10/18/2018
PORTS SULLIVAN LAKE OWNERS ASSOCIATION	IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE ROAD PUMP ASSOCIATION	IL2015100	1	INADEQUATE PRESSURE TANK	150	1/1/2006



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies**

November 2019

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
RAINBOW LANE MHP	IL2015645	1	INADEQUATE PRESSURE TANK & NITRATE MCL VIOLATION	85	6/17/1983
ROCKLAND MHP	IL0975585	2	INADEQUATE PRESSURE TANK	165	12/16/1983
ROLLING GREEN ESTATES MHP	IL1415245	1	INADEQUATE PRESSURE TANK	191	6/14/1985
ROYAL OAKS MHP	IL1115145	2	INADEQUATE PRESSURE TANK	114	6/17/1983
SCALES MOUND	IL0850400	1	LOW SYSTEM PRESSURE (at elev. above 990 ft. MSL)	401	9/15/1997
SHANGRI-LA MHP	IL1415285	1	INADEQUATE PRESSURE TANK	444	9/16/1983
SHANNON	IL0150300	1	RADIUM & GROSS ALPHA MCL VIOLATIONS	758	8/4/2016
SHAWNITA TRC WATER ASSOCIATION	IL1977690	2	INADEQUATE PRESSURE TANK	135	9/17/1992
SILVIS HEIGHTS WATER CORP	IL1615750	1	NO EMERGENCY GENERATOR	1600	12/1/2003
SIX OAKS MHP	IL2015685	1	INADEQUATE PRESSURE TANK	48	6/18/1982
STEPHENSON MOBILE ESTATES	IL1775235	1	INADEQUATE PRESSURE TANK AND INADEQUATE CHLORINE RESIDUAL	223	6/17/1983
STEWARD	IL1030450	1	ARSENIC MCL VIOLATION	256	4/25/2018
SUBURBAN APARTMENTS (DE KALB UNIV DVL)	IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
SUMNER	IL1010300	7	LOW SYSTEM PRESSURE (areas served by undersized water mains)	1108	12/13/1985
SUNNY HILLS ESTATES SUBDIVISION	IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION	IL1977730	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	300	6/12/2018
SWEDONA WATER ASSOCIATION	IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION	IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TIMBER RIDGE MOBILE ESTATES	IL1775255	1	INADEQUATE PRESSURE TANK & RADIUM MCL VIOLATION	150	6/17/1996
TOWNERS SUBDIVISION	IL0977250	2	INADEQUATE PRESSURE TANK	204	1/14/1982
TRIANGLE MHP	IL0195925	4	ARSENIC MCL VIOLATION	90	6/15/2012
UTL INC - LAKE HOLIDAY	IL0995200	1	INADEQUATE TREATMENT CAPACITY	6479	4/1/2015
UTL INC - LAKE WILDWOOD UTILITIES CORP	IL1235200	1	INADEQUATE GROUND STORAGE & HIGH SERVICE PUMP CAPACITY	950	10/22/2015
UTL INC - WALK-UP WOODS WATER COMPANY	IL1115800	2	NO ELEVATED OR GROUND STORAGE	781	12/17/1982
VALLEY VIEW SUBDIVISION (WOODFORD COUNTY)	IL2030010	1	INADEQUATE PRESSURE TANK	100	6/15/2012



**Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Restricted Status List – Community Water Supplies**

August 2019

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
VIETZEN MHP	IL0437245	2	INADEQUATE PRESSURE TANK	150	6/17/1983
WILDLIFE MHP	IL0995425	1	INADEQUATE PRESSURE TANK	73	9/17/1982
WILLOWAY TERRACE MHP	IL0317595	2	NO ELEVATED OR GROUND STORAGE & INADEQUATE SOURCE CAPACITY	900	6/15/1984
WOODLAND*	IL0751000	4	NITRITE MCL VIOLATION	319	5/1/2019



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Critical Review List – Community Water Supplies**

November 2019

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
CANTON	IL0570250	5	INADEQUATE TREATMENT CAPACITY	13932	3/15/2007
CARBON HILL	IL0630100	2	INADEQUATE TREATMENT CAPACITY	392	12/14/2016
CHATHAM	IL1670300	5	INADEQUATE TREATMENT CAPACITY	14,820	8/31/2017
COAL CITY	IL0630200	2	INADEQUATE TREATMENT CAPACITY	5587	12/14/2016
E J WATER - SANGCHRIS SERVICE AREA	IL1670230	5	INADEQUATE TREATMENT CAPACITY	416	8/31/2017
HILLCREST	IL1410250	1	INADEQUATE STORAGE CAPACITY	1400	11/2/2017
LASALLE	IL0990300	1	INADEQUATE SOURCE CAPACITY & INADEQUATE TREATMENT CAPACITY	9700	11/1/2004
MACOMB	IL1090350	5	INADEQUATE CLARIFIER CAPACITY	11309	12/14/2016
MASON CITY	IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MOUND PWD	IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
QUINCY	IL0010650	5	INADEQUATE CLARIFIER CAPACITY	45000	8/3/2016
SOUTH SANGAMON WATER COMMISSION	IL1670080	5	INADEQUATE TREATMENT CAPACITY	104	8/31/2017
TISKILWA	IL0111050	1	INADEQUATE STORAGE CAPACITY	830	9/20/2017
WHITE HALL	IL0610400	6	INADEQUATE STORAGE CAPACITY	2900	10/1/2012
WITT	IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status and Critical Review Lists – Community Water Supplies**

November 2019

WATER SYSTEMS REMOVED FROM PREVIOUS LIST

ABINGDON
ALEXANDER WATER DISTRICT
GRAND RIDGE
MORNINGSIDE MOBILE ESTATES MHP
MOULTRIE COUNTY RURAL WATER DISTRICT
PINCKNEYVILLE
STEWARD

***WATER SYSTEMS ADDED**

ELM OAK MUTUAL WATER SYSTEM
FALCON FARMS
FRANKLIN
GREENFIELD
HIDE-A-WAY LAKES
HILLSBORO
HOLIDAY SHORES SANITARY DISTRICT
MONTGOMERY COUNTY WATER COMPANY
SMG WATER COOP

****WATER SYSTEM UPDATES**

COAL CITY (removed from restricted status, stays on critical review)
SHANNON
VIETZEN MHP



Restricted Status/Critical Review

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. Restricted Status and Critical Review are presented as a combined list with the status of the water supply denoted as either RS (Restricted Status) or CR (Critical Review). The current list reflects the status as of January 2, 2018. An asterisk, *, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

Restricted Status List

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.


Critical Review List

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.





**A PUBLICATION OF
THE ILLINOIS POLLUTION CONTROL BOARD**

JANUARY 2020

Issues of the *Environmental Register* dating back to 1990 are available electronically at
pcb.illinois.gov