

ILLINOIS POLLUTION CONTROL BOARD
June 9, 2020

UNITED STATES STEEL CORPORATION,)
a Delaware corporation)
)
Petitioner,)
)
v.)
)
ILLINOIS ENVIRONMENTAL) PCB 13-53
PROTECTION AGENCY,) (CAAPP Permit Appeal – Air)
)
Respondent,)
)
AMERICAN BOTTOM CONSERVANCY,)
)
Intervenor.)

HEARING OFFICER ORDER

On June 9, 2020, the parties participated in a telephone status conference with the hearing officer. The Agency has started reviewing the PSD permit application.

The parties are directed to participate in a telephone status conference with the hearing officer at 9:30 a.m. on July 27, 2020. The petitioner will circulate a conference call-in number.

The decision deadline is December 17, 2020.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on June 9, 2020, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on June 9, 2020:

Don Brown
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9276
217/524-8509
Carol.Webb@illinois.gov

SERVICE LIST@Consents to Electronic Service

PCB 2013-053@
N. LaDonna Driver
Heplerbroom, LLC
4340 Acer Grove Drive
Springfield, IL 62711

PCB 2013-053@
Rebecca A. Burlington
Office of the Attorney General
69 W. Washington Street, Suite 1800
Chicago, IL 60602

PCB 2013-053@
Tara Rocque
Assistant Professor of Practice
Assistant Director, Interdisciplinary
Environmental Clinic
Washington University School of Law
Campus Box 1120
St. Louis, MO 63130

PCB 2013-053@
Molly H. Snitter
Office of the Attorney General
69 W. Washington Street, Suite 1800
Chicago, IL 60602