



ENVIRONMENTAL REGISTER

JULY 20, 2021 – Number 758

A PUBLICATION OF THE ILLINOIS POLLUTION CONTROL BOARD

<https://pcb.illinois.gov/>

BOARD MEMBERS

- ❖ Barbara Flynn Currie, Chair
- ❖ Cynthia M. Santos
- ❖ Anastasia Palivos
- ❖ Jennifer Van Wie

The **Illinois Pollution Control Board** is an independent, five-member board that adopts environmental control regulations and decides enforcement actions and other environmental cases for the State of Illinois.

INSIDE THIS ISSUE

- ❖ Chair's Update
- ❖ Rulemaking Update
- ❖ Board Actions
- ❖ Calendar
- ❖ Restricted Status & Critical Review Lists
- ❖ Health Advisory Summary List

CHAIR'S UPDATE

In our last issue of the *Environmental Register*, I wrote about the Board's adoption of Illinois' first Statewide standards for managing coal combustion residuals (CCR) in surface impoundments. As discussed, these new rules (35 Ill. Adm. Code 845) establish a comprehensive permitting program to govern CCR surface impoundments, also known as "coal ash ponds." See [Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments: Proposed New 35 Ill. Adm. Code 845](#), [docket R20-19](#); see also [docket R20-19PC](#).

Since the CCR surface impoundment rules took effect on April 21, 2021, fourteen petitions have been filed either seeking relief from or challenging specified provisions of the new rules. In all, three variance petitions and eight adjusted standard petitions were filed with the Board, while three petitions for review were filed with the Illinois Appellate Court. Below, I list these cases and provide links to the Board's Clerk's Office On-Line (COOL).

Midwest Generation, LLC filed two variance petitions with the Board: one for Will County Station ([docket PCB 21-108](#)); and the other for Powerton Station ([docket PCB 21-109](#)). The Board has scheduled public hearings which will be held this month on each of these requests. CTI Development, LLC also filed a variance petition ([docket PCB 21-110](#)). A public hearing had been scheduled for July 7, 2021, in that case but it was cancelled at the request of CTI Development, LLC, which plans to file an amended petition.

In addition, five companies filed a total of eight petitions seeking adjusted standard relief from the Board. Specifically, Midwest Generation, LLC filed three adjusted standard petitions: one for Joliet 29 Station ([docket AS 21-1](#)); one Powerton Station ([docket AS 21-2](#)); and one for Waukegan Station ([docket AS 21-3](#)). Illinois Power Resources Generating, LLC ([docket AS 21-4](#)), Electric Energy, Inc. ([docket AS 21-5](#)), and Southern Illinois Power Cooperative ([docket AS 21-6](#)) each filed an adjusted standard petition. And Ameren Energy Medina Valley Cogen, LLC filed two adjusted standard petitions: one for Hutsonville D ([docket AS 21-7](#)); and the other for Old Meredosia ([docket AS 21-8](#)). Public hearings have not yet been scheduled in these adjusted standard proceedings.

Finally, three appeals were brought seeking review by the Fourth District Appellate Court. One appeal was brought by Midwest Generation, LLC (No. 4-21-0304); one by Dynegy Midwest Generation, LLC, Illinois Power Generating Company, Illinois Power Resources Generating, LLC, Electric Energy, Inc., and Kincaid Generation, LLC (No. 4-21-0309); and one by Ameren Energy Medina Valley Cogen, LLC, and Union Electric Company, d/b/a Ameren Missouri (No. 4-21-0310). The Fourth District has since consolidated these three appeals. The three petitions for review may be viewed at [docket R20-19](#).

Sincerely,



Barbara Flynn Currie
Chair



RULEMAKING UPDATE

Board Announces Public Comment Period in CCR Sub-docket

In its rulemaking addressing coal combustion residual (CCR) surface impoundments, the Board, on February 4, 2021, opened a sub-docket to further develop the record on four issues:

1. Historic, unconsolidated coal ash fill in Illinois.
2. The use of temporary storage piles of coal ash, including time and volume limits.
3. Fugitive dust monitoring plans for areas neighboring CCR surface impoundments.
4. The use of environmental justice screening tools.

To solicit public comment on these four issues, the hearing officer issued an order on May 6, 2021, opening a 90-day public comment period that will end on August 6, 2021. The order seeks comment, information, and proposed rule language on the four issues and includes specific additional requests concerning each issue. Anyone may file comments with the Clerk of the Board.

The rulemaking sub-docket is captioned Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments: Proposed New 35 Ill. Adm. Code 845, R20-19(A). Here is a link to [docket R20-19](#), the original rulemaking in which the Board adopted new Part 845 on CCR surface impoundments (35 Ill. Adm. Code 845, eff. April 21, 2021). *See also* [docket R20-19PC](#). The Board incorporated the materials from that docket into this sub-docket. Here is a link to [sub-docket R20-19\(A\)](#), where you can view the May 6, 2021 hearing officer order. For more information, please contact Vanessa Horton at vanessa.horton@illinois.gov.

Board Adopts “Identical-in-Substance” Amendments to Wastewater Pretreatment Rules

On June 17, 2021, the Board adopted amendments to Illinois’ wastewater pretreatment rules. The amendments keep these rules “identical in substance” to those of the United States Environmental Protection Agency (USEPA). The Board’s rulemaking responded to amendments adopted by USEPA during the second half of 2020, as detailed below. In addition, the Board included a few non-substantive corrections to base text that were not derived from USEPA actions.

During the second half of 2020, USEPA adopted the Steam Electric Reconsideration Rule, which revised the standards applicable to discharges of flue gas desulfurization (FGD) wastewater and bottom ash (BA) transport water. The Reconsideration Rule relaxed the former zero-discharge rule for BA transport water, extended compliance dates by two years, and created subcategories of dischargers for both waste streams.

Also during the second half of 2020, USEPA extended the compliance date for Phase 2 of its National Pollutant Discharge Elimination System (NPDES) Electronic Reporting Rule. The



deadline for Phase 1 (basic facility and permit information) was December 21, 2016. For Phase 2 (all other reporting), it was December 21, 2020. USEPA extended the Phase 2 deadline to December 21, 2025.

The Board's rulemaking is captioned Wastewater Pretreatment Update, USEPA Amendments (July 1, 2020 through December 31, 2020), docket R21-15. Here are links to (1) the Board's [opinion and order](#), which includes the text of the adopted amendments, and (2) the Board's [addendum](#), which provides tables of information concerning the rulemaking. For more information, please contact Michael McCambridge at michael.mccambridge@illinois.gov.

Board Proposes Non-Substantive Amendments to Public Water Supply Rules

On June 17, 2021, the Board proposed—for public comment—amendments to Illinois' public water supply rules. These non-substantive amendments are part of a larger undertaking by the Board to update its rules across multiple media and subject areas. The proposed amendments will remove unnecessary language, replace outdated language, update statutory references, and reorganize provisions for clarity. The amendments include proposed changes from the Illinois Environmental Protection Agency to delete outdated provisions, appropriately match incorporations by reference, eliminate redundancies, and correct citations.

The Board's rulemaking is captioned Amendments to 35 Ill. Adm. Code Subtitle F: Public Water Supply, docket R18-26. Here are links to (1) the Board's [opinion and order](#) and (2) the Board's [addendum](#), which provides the text of the proposed amendments. For more information, please contact Vanessa Horton at vanessa.horton@illinois.gov.



BOARD ACTIONS

May 6, 2021 Regular Meeting
By teleconference:

ADJUDICATORY CASES

- [PCB 19-93](#) Prairie Rivers Network v. Dynegy Midwest Generation, LLC (Citizens Enforcement – Water) – The Board denied Dynegy’s motions to stay and dismiss and accepted the complaint for hearing.
- [PCB 21-49](#) Metropolitan Water Reclamation District of Greater Chicago v. Illinois Environmental Protection Agency (Water, NPDES – Permit Appeal) – Having previously extended the period to appeal IEPA’s determination concerning Metropolitan Water Reclamation District of Greater Chicago’s Cook County site, the Board dismissed the case because the District failed to file an appeal.
- [PCB 21-90](#) James McCune (M3 Farm) v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that James McCune’s specified facilities located in Bureau County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- [PCB 21-91](#) James McCune (Anderson 2) v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that James McCune’s specified facilities located in Bureau County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- [PCB 21-92](#) James McCune (Mom’s Trust Site) v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that James McCune’s specified facilities located in Bureau County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- [PCB 21-93](#) James McCune (M4 West Site) v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that James McCune’s specified facilities located in Bureau County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).



- PCB 21-94** James McCune (M7 Pond Farm) v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that James McCune’s specified facilities located in Bureau County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- PCB 21-95** James McCune (Boar Power) v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that James McCune’s specified facilities located in Bureau County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- PCB 21-96** James McCune (M4 East Site) v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that James McCune’s specified facilities located in Bureau County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- PCB 21-97** James McCune (M5 Truck Wash) v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that James McCune’s specified facilities located in Bureau County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- PCB 21-98** TIGER Drylac USA, Inc. v. Illinois Environmental Protection Agency (Air – Permit Appeal) – The Board granted a joint request for a 90-day extension to file a permit appeal on behalf of this Kane County facility.
- PCB 21-99** West Central FS, Inc. v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that West Central’s specified facilities located in Hancock County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- PCB 21-100** Graham Enterprise, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted a joint request for a 90-day extension to file an underground storage tank (UST) appeal on behalf of this Lake County facility.
- PCB 21-101** Mills Farms v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Mills Farms’ specified facilities located in Mercer County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).



[PCB 21-102](#) Colwell Pork Farms, LLC – Franklin v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Colwell Pork Farms’ specified facilities located in Morgan County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 21-103](#) Koppers Inc. v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Koppers’ specified facilities located in Cook County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 21-104](#) Plymouth Pork v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Plymouth Pork’s specified facilities located in Hancock County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 21-105](#) Special K Hog Farm – Leroy v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Special K Hog Farm’s specified facilities located in McClean County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 21-106](#) People of the State of Illinois v. Kness Trucking, Inc. (Water, NPDES – Enforcement) – Held

May 20, 2021 Regular Meeting
By teleconference

ADMINISTRATIVE CITATIONS

[AC 21-4](#) County of LaSalle v. William Wilburn (Land) – The Board accepted Wilburn’s petition for hearing. Wilburn must serve a copy of the petition on LaSalle County and file proof of that service with the Board by June 21, 2021.

[AC 21-6](#) Illinois Environmental Protection Agency v. Barry D. Ward (Land) – The Board directed that Ward file an amended petition by June 21, 2021.

ADJUDICATORY CASES

[PCB 19-78](#) Sierra Club v. Illinois Power Generating Company, Illinois Power Resources Generating, LLC, Electric Energy, Inc., and Vistra Energy Corporation (Water – Enforcement, Citizens) – The Board granted Sierra Club’s motion for voluntary dismissal.



- [PCB 21-39](#) People of the State of Illinois v. Buening Implement, Inc. (Land – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a site in Effingham County, the Board ordered publication of the required newspaper notice.
- [PCB 21-106](#) People of the State of Illinois v. Kness Trucking, Inc. (Land – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a site in Carroll County, the Board accepted the complaint and ordered publication of the required newspaper notice.
- [PCB 21-107](#) People of the State of Illinois v. Village of Swansea (Land – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a site in St. Clair County, the Board accepted the complaint and ordered publication of the required newspaper notice.
- [PCB 21-108](#) Midwest Generation, LLC (Will County Station) v. Illinois Environmental Protection Agency (Land – Variance) – The Board granted Midwest Generation’s motion for expedited review of its petition. The Board will determine whether to accept the petition for hearing after it receives the required certification of publication.
- [PCB 21-109](#) Midwest Generation, LLC (Powerton Station) v. Illinois Environmental Protection Agency (Land – Variance) – The Board accepted Midwest Generation’s petition for hearing and granted its motion for expedited review.
- [PCB 21-110](#) CTI Development, LLC v. Illinois Environmental Protection Agency (Land – Variance) – Held.

June 3, 2021 Regular Meeting
By teleconference

ADJUSTED STANDARDS

- [AS 21-1](#) Petition of Midwest Generation, LLC for an Adjusted Standard and a Finding of Inapplicability (Joliet 29 Station) (Land) – The Board found that Midwest Generation met the requirements for providing notice of its petition. The Board therefore accepted the petition but did so without ruling on its informational sufficiency. In addition, the Board granted IEPA’s motion to extend to September 23, 2021, IEPA’s deadline for filing its response to the petition.



[AS 21-2](#) Petition of Midwest Generation, LLC for an Adjusted Standard and a Finding of Inapplicability (Powerton Station) (Land) – The Board found that Midwest Generation met the requirements for providing notice of its petition. The Board therefore accepted the petition but did so without ruling on its informational sufficiency. In addition, the Board granted IEPA’s motion to extend to August 24, 2021, IEPA’s deadline for filing its response to the petition.

[AS 21-3](#) Petition of Midwest Generation, LLC for an Adjusted Standard and a Finding of Inapplicability (Waukegan Station) (Land) – The Board found that Midwest Generation met the requirements for providing notice of its petition. The Board therefore accepted the petition but did so without ruling on its informational sufficiency. In addition, the Board granted IEPA’s motion to extend to August 24, 2021, IEPA’s deadline for filing its response to the petition.

[AS 21-4](#) Petition of Illinois Power Resources Generating, LLC for an Adjusted Standard from 35 Ill. Adm. Code Part 845 or, in the Alternative, a Finding of Inapplicability (Land) – The Board found that Illinois Power met the requirements for providing notice of its petition. The Board therefore accepted the petition but did so without ruling on its informational sufficiency. In addition, the Board granted IEPA’s motion to extend to September 23, 2021, IEPA’s deadline for filing its response to the petition.

[AS 21-5](#) Petition of Electric Energy, Inc. for a Finding of Inapplicability or, in the Alternative, an Adjusted Standard from 35 Ill. Adm. Code Part 845 (Land) – Held.

[AS 21-6](#) Petition of Southern Illinois Power Cooperative for an Adjusted Standard from 35 Ill. Adm. Code Part 845 or, in the Alternative, a Finding of Inapplicability (Land) – The Board found that SIPC met the requirements for providing notice of its petition. The Board therefore accepted the petition but did so without ruling on its informational sufficiency. In addition, the Board granted IEPA’s motion to extend to September 23, 2021, IEPA’s deadline for filing its response to the petition.

[AS 21-7](#) Petition of Ameren Energy Medina Valley Cogen, LLC for Adjusted Standards from 35 Ill. Adm. Code Part 845 (Hutsonville D) (Land) – The Board found that Ameren met the requirements for providing notice of its petition. The Board therefore accepted the petition but did so without ruling on its informational sufficiency. In addition, the Board granted IEPA’s motion to extend to September 23, 2021, IEPA’s deadline for filing its response to the petition.



AS 21-8

Petition of Ameren Energy Medina Valley Cogen, LLC for Adjusted Standards from 35 Ill. Adm. Code Part 845 (Old Meredosia) (Land) – The Board found that Ameren met the requirements for providing notice of its petition. The Board therefore accepted the petition but did so without ruling on its informational sufficiency. In addition, the Board granted IEPA’s motion to extend to September 23, 2021, IEPA’s deadline for filing its response to the petition.

ADMINISTRATIVE CITATIONS

AC 21-5

County of LaSalle v. Robert Durbin (Land) – After Durbin failed to timely file a petition to contest the County of LaSalle’s administrative citation, the Board found that Durbin violated Section 21(p)(1), (p)(2), (p)(3), and (p)(7) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(2), (p)(3), (p)(7) (2018)), as alleged. And because there were four violations of Section 21(p), the Board ordered Durbin to pay a total civil penalty of \$6,000, reflecting the statutory penalty of \$1,500 per violation.

ADJUDICATORY CASES

PCB 20-62

Michael J. Korman v. Illinois Department of Transportation (Water, NPDES – Enforcement) – The Board dismissed this enforcement action because Korman did not file an amended complaint to correct his original complaint’s previously identified deficiencies.

PCB 21-43

People of the State of Illinois v. Denis Munie d/b/a Munie Trucking & Gravel (Water, NPDES – Enforcement) – In this enforcement action concerning a Madison County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2018)), accepted a stipulation and proposed settlement, and ordered Munie to pay a \$7,250 civil penalty and to cease and desist from further violations.

PCB 21-62

ABP Properties, LLC v. Illinois Environmental Protection Agency (UST Appeal) – Having previously extended the period to appeal IEPA’s determination concerning ABP Properties’ underground storage tank (UST) site located in Williamson County, the Board dismissed the case because ABP Properties failed to file an appeal.

PCB 21-77

Michael J. Korman v. Medline Industries, Inc. (Water, NPDES – Enforcement) – The Board granted Medline’s motion to dismiss Korman’s complaint, but the dismissal was without prejudice.

PCB 21-85

Raccoon Creek Farm, LLC v. Illinois Environmental Protection Agency (Water – Tax Certification) – Under the Property Tax Code (35 ILCS 200/11-10 (2018)), the Board denied pollution control facility certification for Raccoon Creek Farm’s specified facilities located in Lawrence County.



[PCB 21-111](#) Ray Flood v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Ray Flood’s specified facilities located in Cumberland County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).

[PCB 21-112](#) Brandis Aircraft v. Illinois Environmental Protection Agency (Land, RCRA – Permit Appeal) – The Board accepted for hearing this permit appeal involving a facility in Christian County.

June 17, 2021 Regular Meeting
By teleconference

RULEMAKINGS

[R18-25](#) Amendments to 35 Ill. Adm. Code Subtitle E (Water) – Held.

[R18-26](#) Amendments to 35 Ill. Adm. Code Subtitle F (Public Water Supplies) – The Board adopted a proposal for public comment in this rulemaking to amend the Board’s public water supply regulations.

[R21-13](#) RCRA Subtitle C Update, USEPA Amendments (July 1, 2020 through December 31, 2020) (Land) – The Board adopted an order to extend the due date for final action until November 1, 2021.

[R21-15](#) Wastewater Pretreatment Update, USEPA Amendments (July 1, 2020 through December 31, 2020) (Water) – The Board adopted a final opinion and order in this identical-in-substance rulemaking to amend the Board’s wastewater pretreatment regulations.

ADJUSTED STANDARDS

[AS 13-2](#) Petition of Emerald Performance Materials, LLC for an Adjusted Standard from 35 Ill. Adm. Code 304.122(b) (Water) – Held.

[AS 19-2](#) Petition of Emerald Polymer Additives, LLC for an Adjusted Standard from 35 Ill. Adm. Code 304.122(b) (Water) – Held.

[AS 21-3](#) Petition of Midwest Generation, LLC for an Adjusted Standard and a Finding of Inapplicability (Waukegan Station) (Land) – The Board directed the hearing officer to include the attorneys for the Environmental Organizations in discussions regarding setting the hearing date.



[AS 21-5](#) Petition of Electric Energy, Inc. for a Finding of Inapplicability or, in the Alternative, an Adjusted Standard from 35 Ill. Adm. Code Part 845 (Land) – The Board found that Electric Energy met the requirements for providing notice of its petition. The Board therefore accepted the petition but did so without ruling on its informational sufficiency. In addition, the Board granted IEPA’s motion to extend to September 23, 2021, IEPA’s deadline for filing its response to the petition.

[AS 21-6](#) Petition of Southern Illinois Power Cooperative for an Adjusted Standard from 35 Ill. Adm. Code Part 845 or, in the Alternative, a Finding of Inapplicability (Land) – The Board directed the hearing officer to include the attorneys for the Environmental Organizations in discussions regarding setting the hearing date.

ADMINISTRATIVE CITATION

[AC 21-4](#) County of LaSalle v. William Wilburn (Land) – The Board granted the County of LaSalle’s motion for voluntary dismissal.

ADJUDICATORY CASES

[PCB 17-3](#) Dersch Energies, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted Dersch’s request that the Board take official notice of eight exhibits submitted with its motion for summary judgment. The Board granted Dersch’s December 24, 2020 motion for leave to reply. The Board granted IEPA’s February 18, 2021 motion for leave to reply. The Board granted Dersch’s motion for summary judgment on the issue of a measuring wheel but otherwise denied Dersch’s motion for summary judgment. The Board denied IEPA’s motion for summary judgment. The Board directed the hearing officer to proceed expeditiously to hearing on the disputed budget modifications.

[PCB 18-11](#) Sierra Club; Prairie Rivers Network; National Association for the Advancement of Colored People v. City of Springfield, Office of Public Utilities d/b/a City Water, Light and Power (Water – Enforcement, Citizens) – The Board denied both Citizen Groups’ and City Water, Light and Power’s motions for partial summary judgment. The Board directed the hearing officer and the parties to proceed expeditiously to hearing on the alleged violations.

[PCB 18-82](#) Illinois Power Generating Company (Coffeen Power Station) v. Illinois Environmental Protection Agency (Water, NPDES – Permit Appeal) – The Board granted Illinois Power’s motion to voluntarily dismiss this permit appeal concerning its Montgomery County facility.

[PCB 19-53](#) Evelyn M. Page Trust, Wayne A. Page and Kennard Page, Successor Trustees v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted petitioners’ motion for voluntary dismissal.



- PCB 20-41** Dare Farms LLP v. Illinois Environmental Protection Agency (Water – Tax Certification) – Based on IEPA’s amended recommendation, the Board certified specified facilities as pollution control facilities under the Property Tax Code (35 ILCS 200/11-10 (2018)) and denied certification of the remaining specified facilities as pollution control facilities.
- PCB 21-108** Midwest Generation, LLC (Will County Station) v. Illinois Environmental Protection Agency (Land – Variance) – The Board found that Midwest Generation met the requirements for providing notice of its petition. The Board therefore accepted the petition for hearing but did so without ruling on its informational sufficiency.
- PCB 21-110** CTI Development, LLC v. Illinois Environmental Protection Agency (Land – Variance) – The Board found that CTI Development met the requirements for providing notice of its petition. The Board therefore accepted the petition for hearing but did so without ruling on its informational sufficiency.
- PCB 21-113** Brandon Rothzen v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Rothzen’s specified facilities located in Henderson County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2018)).
- PCB 21-114** People of the State of Illinois v. Bview Corporation d/b/a Evergreen Park Citgo (Air– Enforcement) – The Board accepted the People’s complaint for hearing concerning Evergreen Park Citgo’s Cook County facility.
- PCB 21-115** People of the State of Illinois v. SMR Oil Company d/b/a Sam’s Mobil (Air– Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a site in Lake County, the Board accepted the complaint and ordered publication of the required newspaper notice.



CALENDAR

Wednesday, July 21, 2021 (9:30AM)

Hearing: Midwest Generation LLC (Powerton Station) v. Illinois Environmental Protection Agency, PCB 21-109

City Hall, Council Chambers
111 S. Capitol St.
Pekin, Illinois

Tuesday, July 27, 2021 (9:30AM)

Hearing: Midwest Generation LLC (Will County Station) v. Illinois Environmental Protection Agency, PCB 21-108

Will County Office Building
County Board Room, 2nd floor
302 N. Chicago St.
Joliet Illinois

Thursday, July 29, 2021 (11:00 AM)

Board Meeting

Thursday, August 12, 2021 (11:00 AM)

Board Meeting

Thursday, August 26, 2021 (11:00 AM)

Board Meeting

Thursday, September 9, 2021 (10:00AM)

Hearing: Drycleaner Environmental Response Trust Fund Act Proposal to Add 35 Ill. Adm. Code Part 1501, Repeal 35 Ill. Adm. Code Part 1500, and Repeal 2 Ill. Adm. Code Part 3100, R21-19

Illinois Environmental Protection Agency
Sangamon Room
1021 N. Grand Ave. East
Springfield, Illinois

Thursday, September 9, 2021 (11:00 AM)

Board Meeting

Thursday, September 23, 2021 (11:00 AM)

Board Meeting



Thursday, October 7, 2021 (10:00AM)

Hearing: Drycleaner Environmental Response Trust Fund Act Proposal to Add 35 Ill. Adm. Code Part 1501, Repeal 35 Ill. Adm. Code Part 1500, and Repeal 2 Ill. Adm. Code Part 3100, R21-19

Michael A. Bilandic Building
160 N. LaSalle Street, Room N-505
Chicago, Illinois

Thursday, October 7, 2021 (11:00 AM)

Board Meeting

Thursday, October 21, 2021 (11:00 AM)

Board Meeting

The events listed above are subject to change, and more events may be added. Here is a link to the [Board's current calendar](#).

Due to the COVID-19 pandemic, there may be different ways than are customary for participating in Board hearings and meetings. Please check the Board's website (<https://pcb.illinois.gov/>) for information on how to participate in a specific hearing or meeting.



RESTRICTED STATUS / CRITICAL REVIEW LISTS

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Division of Public Water Supplies



Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

June 2021

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
ANDOVER	IL0730100	1	NO BACKUP SOURCE NO EMERGENCY POWER & NO PRESSURE TANK	644	3/24/2016
AQUA ILLINOIS - CRYSTAL CLEAR WATER CO.	IL1115150	2	INADEQUATE PRESSURE TANK	855	9/16/1988
AQUA ILLINOIS - NUNDA	IL1115600	2	PRESSURE TANK NO CORROSION CONTROL TREATMENT	570	4/1/2015
ARCADIA CARE*	IL0755389	4	INADEQUATE PRESSURE TANK	55	5/21/2021
AVANTARA LONG GROVE	IL0971110	2	NO ELEVATED OR GROUND STORAGE NO CHLORINE FEED SYSTEM;	700	12/15/1993
BAHL WATER CORP	IL0855200	1	INADEQUATE PRESSURE TANK	61	10/31/2018
BARBERRY ACRES MHP	IL0915145	2	INADEQUATE PRESSURE TANK	63	3/18/1983
BEVERLY HILLSDALE ESTATES, LLC	IL1615530	1	INADEQUATE PRESSURE TANK	160	3/18/1983
BILL-MAR HEIGHTS MHP	IL2015345	1	NO BACKUP SOURCE	137	11/14/2017
BISHOP HILL	IL0730250	1	INADEQUATE ELEVATED STORAGE CAPACITY	527	7/20/2018
BONNIE	IL0810150	7	INADEQUATE PRESSURE TANK	300	3/18/1983
BROADVIEW ESTATES EAST PEORIA	IL1795365	5	INADEQUATE PRESSURE TANK	45	6/16/2008
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	TOTAL TRIHALOMETHANES MCL VIOLATION	4515	9/4/2020
CALHOUN COUNTY RURAL WATER DISTRICT	IL0130010	6	INADEQUATE PRESSURE TANK	98	3/18/1983
CAPRON MHP	IL0075105	1	RADIUM MCL VIOLATION	2000	1/28/2020
CARBON CLIFF	IL1610100	1	NO CORROSION CONTROL TREATMENT	3700	5/21/2021
CASEY*	IL0230050	4	MINIMUM CHLORINE RESIDUAL VIOLATION	1825	8/29/2018
CENTRAL MACOUPIN RURAL WATER DISTRICT	IL1170040	5	INADEQUATE PRESSURE TANK	25	12/14/1990
CENTURY PINES APARTMENTS	IL0150020	1			



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
CHAIN-O-LAKES MHP	IL0975165	2	INADEQUATE PRESSURE TANK MINIMUM CHLORINE RESIDUAL VIOLATION	81	12/15/1989
CHESTERFIELD	IL1170200	5	ARSENIC MCL VIOLATION & NITRITE MCL VIOLATION	180	8/29/2018
CHRISMAN	IL0450100	4	ARSENIC MCL VIOLATION	1,200	1/31/2018
CISCO*	IL1470150	4	INADEQUATE PRESSURE TANK COMBINED RADIUM MCL VIOLATION	300	4/21/2021
CLARKS MHP	IL2015425	1	MINIMUM CHLORINE RESIDUAL VIOLATION	80	12/16/1991
COAL CITY*	IL0630200	2	TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	5587	5/21/2021
COLONIAL MEADOWS**	IL1135100	6	COMBINED RADIUM AND GROSS ALPHA MCL VIOLATIONS	190	9/19/2018
COMPTON*	IL1030150	1	MINIMUM CHLORINE RESIDUAL VIOLATION	300	4/9/2021
COUNTRY ACRES MHP (LA SALLE COUNTY)*	IL0995365	1	INADEQUATE PRESSURE TANK	192	5/26/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	INADEQUATE PRESSURE TANK	120	2/12/2018
COYNE CENTER COOP	IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CRISWELL COURT MHP	IL1975105	2	INADEQUATE PRESSURE TANK TOTAL	136	12/15/1989
DANFORTH	IL0750350	4	TRIHALOMETHANE MCL VIOLATION	550	8/9/2019
DANVERS	IL1130450	4	NO OPTIMAL CORROSION CONTROL	1183	9/4/2020
DAYSRING BIBLE COLLEGE	IL0977189	2	TREATMENT INADEQUATE	60	6/15/1988
DE LAND	IL1470200	4	PRESSURE TANK ARSENIC MCL VIOLATION	450	5/8/2020
DES PLAINES MHP	IL0317775	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK TOTAL	580	3/16/1984
DONNELLSON	IL0054360	6	TRIHALOMETHANES MCL VIOLATION AND HALOACETIC ACID MCL VIOLATION	210	7/25/2019
EAST END WATER ASSOCIATION	IL1610140	1	INADEQUATE PRESSURE TANK	40	3/15/2002
EAST MORELAND WATER ASSOCIATION	IL1975600	2	NO ELEVATED OR GROUND STORAGE INADEQUATE GROUND STORAGE & NO EMERGENCY POWER	1055	9/9/2016
EDELSTEIN WATER COOPERATIVE	IL1435150	5	INADEQUATE PRESSURE TANK	125	1/1/2015
EHLERS MHP	IL0195645	4	LOW SYSTEM PRESSURE	112	12/17/1982
ELIZABETH (upper elevation area)	IL0850150	1	RADIUM MCL VIOLATION	675	6/15/1999
ELM OAK MUTUAL WATER SYSTEM	IL0975736	2		50	10/24/2019



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
EXETER - MERRITT WATER COOP	IL1710010	5	INADEQUATE STORAGE CAPACITY	765	10/1/2013
FALCON FARMS	IL1617635	1	NO ELEVATED OR GROUND STORAGE INADEQUATE SOURCE CAPACITY & INADEQUATE	475	10/31/2019
DES PLAINES MHP	IL0317775	2	PRESSURE TANK INADEQUATE	580	3/16/1984
FAMILY MANUFACTURED HOME COMMUNITY, LLC	IL2015125	1	PRESSURE TANK INADEQUATE	240	12/17/1982
FOUR STAR CAMPGROUND	IL0990060	1	PRESSURE TANK	150	6/15/1999
GREAT OAKS AND BEACON HILLS APARTMENTS	IL2015488	1	NO ELEVATED OR GROUND STORAGE & A RADIUM MCL VIOLATION COMBINED RADIUM MCL VIOLATION; INADEQUATE GROUND STORAGE & INADEQUATE	1816	12/17/1982
GREEN MEADOWS ESTATES OF ROCKFORD LLC**	IL2015495	1	PRESSURE TANK HALOACETIC ACIDS	970	6/15/2012
GREENFIELD	IL0610150	6	MCL VIOLATION	1200	10/2/2019
FAMILY MANUFACTURED HOME COMMUNITY, LLC	IL2015125	1	INADEQUATE PRESSURE TANK	240	12/17/1982
FOUR STAR CAMPGROUND	IL0990060	1	INADEQUATE PRESSURE TANK	150	6/15/1999
GREAT OAKS AND BEACON HILLS APARTMENTS	IL2015488	1	NO ELEVATED OR GROUND STORAGE & A RADIUM MCL VIOLATION COMBINED RADIUM MCL VIOLATION	1816	12/17/1982
HARMON*	IL1030300	1	INADEQUATE MCL VIOLATION	149	5/21/2021
HARVEST ESTATES	IL0915165	2	INADEQUATE PRESSURE TANK	54	4/18/2019
HAWTHORN ESTATES SUBDIVISION	IL0630030	2	INADEQUATE PRESSURE TANK	49	4/7/2017
HIDE-A-WAY LAKES*	IL0935300	2	COMBINED RADIUM MCL VIOLATION	50	3/10/2021
HIGHLAND SUBDIVISION	IL0895530	2	INADEQUATE PRESSURE TANK	40	9/16/1983
HILLCREST	IL1410250	1	INADEQUATE SOURCE CAPACITY	1400	2/13/2018
HILLSDALE PROPERTIES	IL1615728	1	INADEQUATE PRESSURE TANK	60	1/14/1982
HILLVIEW	IL0610200	6	NITRATE MCL VIOLATION	150	11/6/2020
HOLLY HOCK HILL MHP	IL0975245	2	INADEQUATE PRESSURE TANK	52	12/16/1983
HONEYCUTT HILL MHP LLC	IL1955225	1	INADEQUATE PRESSURE TANK	75	9/17/1982
HYDE-A-WAY LAKES	IL0935300	2	NO CHLORINE FEED SYSTEM	50	10/31/2019
IL AMERICAN - ANDALUSIA (upper elevation area)	IL1610050	1	LOW SYSTEM PRESSURE	1050	10/1/2003
INGALLS PARK SUBDIVISION	IL1975880	2	NO ELEVATED OR GROUND STORAGE	744	9/16/1983



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
LIBERTY PARK HOMEOWNERS ASSOCIATION	IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	837	9/17/1992
LIMA	IL0010400	5	INADEQUATE SOURCE CAPACITY & NITRATE MCL VIOLATION	163	5/4/2016
LINDENWOOD WATER ASSOCIATION	IL1415300	1	INADEQUATE PRESSURE TANK	35	1/13/1982
LINWAY ESTATES MHP	IL0315935	2	NO ELEVATED OR GROUND STORAGE	450	2/28/2017
LISBON NORTH, INC.	IL0631000	2	INADEQUATE PRESSURE TANK	25	9/14/1990
LYNNWOOD WATER CORPORATION	IL0995336	1	INADEQUATE PRESSURE TANK NO AUTO-START GENERATOR & INADEQUATE HIGH SERVICE PUMP CAPACITY	110	3/18/1983
MALTA	IL0370350	1	INADEQUATE PRESSURE TANK	1175	6/15/2012
MANCUSO VILLAGE PARK MHP	IL2015545	1	INADEQUATE PRESSURE TANK	500	6/18/1982
MANTENO MHP	IL0915385	2	INADEQUATE PRESSURE TANK HALOACETIC ACIDS MCL	144	12/14/1990
MENDOTA	IL0990550	1	INADEQUATE MCL	7273	10/30/2020
MOUNT ERIE*	IL1910350	7	INADEQUATE SOURCE CAPACITY TOTAL	119	5/21/2021
MULBERRY GROVE*	IL0050100	6	TRICHALOMETHANES MCL VIOLATION	725	5/26/2021
NEPONSET	IL0110700	1	MINIMUM CHLORINE RESIDUAL VIOLATION	374	4/17/2019
NORTH TAZEWELL PWD	IL1795780	5	HALOACETIC ACIDS MCL AND TOTAL TRICHALOMETHANES MCL VIOLATIONS	8300	1/9/2020
OAK RIDGE SD	IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OSCO MUTUAL WATER SUPPLY COMPANY, INC.	IL0735200	1	INADEQUATE PUMP CAPACITY	115	12/15/1989
OTTAWA ESTATES MHP	IL0995225	1	INADEQUATE PRESSURE TANK	115	3/18/1983
PARADISE MANOR MHP	IL1617665	1	INADEQUATE PRESSURE TANK	193	2/19/1982
PARK MEADOWLAND WEST MHP	IL0075235	1	INADEQUATE PRESSURE TANK	100	3/18/1982
PAULS MHP	IL0975485	2	INADEQUATE PRESSURE TANK	38	12/16/1983
PENFIELD PUBLIC WATER DISTRICT	IL0195100	4	NO OPTIMAL CORROSION CONTROL TREATMENT	150	9/4/2020
PIERRON*	IL1194760	6	HALOACETIC ACIDS MCL VIOLATION	1928	5/26/2021
PORTS SULLIVAN LAKE OWNERS ASSOCIATION	IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
PRAIRIE ROAD PUMP ASSOCIATION	IL2015100	1	INADEQUATE PRESSURE TANK	150	1/1/2006
RAINBOW LANE MHP	IL2015645	1	INADEQUATE PRESSURE TANK	83	6/17/1983
ROCKLAND MHP	IL0975585	2	INADEQUATE PRESSURE TANK	165	12/16/1983
ROLLING GREEN ESTATES MHP	IL1415245	1	INADEQUATE PRESSURE TANK	215	6/14/1985
ROYAL OAKS MHP	IL1115145	2	INADEQUATE PRESSURE TANK	114	6/17/1983
SCALES MOUND	IL0850400	1	LOW SYSTEM PRESSURE (at elev. above 990 ft. MSL)	401	9/15/1997
SENECA MOBILE HOMES LLC	IL0995425	1	INADEQUATE PRESSURE TANK	73	9/17/1982
SHANGRI-LA MHP	IL1415285	1	INADEQUATE PRESSURE TANK	444	9/16/1983
SHAWNITA TRC WATER ASSOCIATION	IL1977690	2	INADEQUATE PRESSURE TANK	135	9/17/1992
SILVIS HEIGHTS WATER CORP	IL1615750	1	NO EMERGENCY GENERATOR	1600	12/1/2003
SIX OAKS MHP	IL2015685	1	INADEQUATE PRESSURE TANK	48	6/18/1982
SPARTA (World Shooting Recreational Complex area)	IL1570600	6	HALOACETIC ACIDS MCL VIOLATION	4600	1/8/2021
STEPHENSON MOBILE ESTATES	IL1775235	1	INADEQUATE PRESSURE TANK AND INADEQUATE CHLORINE RESIDUAL	223	6/17/1983
SUBURBAN APARTMENTS (DE KALB UNIV DVL)	IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
SUNNY HILLS ESTATES SUBDIVISION	IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION	IL1977730	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	300	6/12/2018
SWEDONA WATER ASSOCIATION	IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION	IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TABLE GROVE	IL0570900	5	TOTAL TRIHALOMETHANES MCL VIOLATION	416	9/4/2020
TIMBER RIDGE MOBILE ESTATES	IL1775255	1	INADEQUATE PRESSURE TANK	150	6/17/1996
TOLONO	IL0191000	4	TOTAL TRIHALOMETHANE MCL VIOLATION	2700	8/5/2020
TOWNERS SUBDIVISION	IL0977250	2	INADEQUATE PRESSURE TANK	204	1/14/1982



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
TRIANGLE MHP	IL0195925	4	ARSENIC MCL VIOLATION & MINIMUM CHLORINE RESIDUAL VIOLATION	90	6/15/2012
UTL INC - LAKE HOLIDAY	IL0995200	1	INADEQUATE TREATMENT CAPACITY	6479	4/1/2015
UTL INC - LAKE WILDWOOD UTILITIES CORP	IL1235200	1	INADEQUATE GROUND STORAGE & HIGH SERVICE PUMP CAPACITY	950	10/22/2015
UTL INC - WALK-UP WOODS WATER COMPANY VALLEY VIEW SUBDIVISION (WOODFORD COUNTY)	IL1115800	2	NO ELEVATED OR GROUND STORAGE	781	12/17/1982
	IL2030010	1	INADEQUATE PRESSURE TANK	100	6/15/2012
VERMONT	IL0570950	5	TOTAL TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	660	5/27/2020
VIETZEN MHP	IL0437245	2	INADEQUATE PRESSURE TANK & LACK OF A CHLORINE FEED SYSTEM	145	6/17/1983
WILLOWAY TERRACE MHP	IL0317595	2	NO ELEVATED OR GROUND STORAGE & INADEQUATE SOURCE CAPACITY	900	6/15/1984
WINSLOW	IL1770550	1	NO OPTIMAL CORROSION CONTROL TREATMENT	350	9/4/2020



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Critical Review List – Community Water Supplies**

June 2021

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
AIR VIEW MHP	IL1615185	1	NO BACKUP SOURCE	164	8/7/2020
ANCHOR	IL1130050	4	ONLY ONE WELL	155	8/28/2020
AQUA ILLINOIS - HIGHLAND ESTATES	IL0915220	2	ONLY ONE WELL	171	1/13/2021
AQUA ILLINOIS - INDIANOLA	IL1830500	4	ONLY ONE WELL	224	12/11/2020
AQUA ILLINOIS - SKYLINE	IL0915450	2	ONLY ONE WELL	208	1/8/2021
AQUA ILLINOIS - SUN RIVER TERRACE	IL0910720	2	ONLY ONE WELL	495	1/13/2021
BEAVER CREEK VILLAGE MHP	IL0755125	4	ONLY ONE WELL	48	1/6/2021
BEVERLY HILLSDALE ESTATES, LLC	IL1615530	1	ONLY ONE WELL	63	8/14/2020
BROWNING	IL1690050	5	ONLY ONE WELL	175	12/2/2020
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	ONLY ONE WELL	45	7/22/2020
BUSY BEE MHP #1	IL1975195	2	ONLY ONE WELL	25	12/4/2020
CAMP GROVE	IL1235100	1	ONLY ONE WELL	75	6/24/2020
CANTON	IL0570250	5	INADEQUATE TREATMENT	13932	3/15/2007
CAPRON MHP	IL0075105	1	ONLY ONE WELL	98	1/27/2021
CARBON HILL	IL0630100	2	INADEQUATE TREATMENT	392	12/14/2016
CARROLL HEIGHTS UTILITIES COMPANY	IL0155200	1	CAPACITY	80	1/27/2021
CEDAR BROOK ESTATES SUBDIVISION	IL1615170	1	ONLY ONE WELL	200	8/7/2020
CEDAR POINT WATER COMPANY	IL0995040	1	ONLY ONE WELL	300	8/26/2020
CEDAR WATER COMPANY, INC.	IL0955150	5	ONLY ONE WELL	160	1/13/2021
CENTURY PINES APARTMENTS	IL0150020	1	ONLY ONE WELL	25	1/27/2021
CHAIN-O-LAKES MHP	IL0975165	2	ONLY ONE WELL	81	8/28/2020
CHERRYDALE SUBDIVISION	IL1615120	1	ONLY ONE WELL	80	8/5/2020
CHIGAKWA PARK ESTATES	IL1615140	1	ONLY ONE WELL	53	8/7/2020
CLARKS MHP	IL2015425	1	ONLY ONE WELL	80	12/4/2020
COAL CITY	IL0630200	2	INADEQUATE TREATMENT	5587	12/14/2016
COLONIAL MEADOWS	IL1135100	6	CAPACITY	190	9/26/2020
COUNTRY LANE MHP	IL1135385	4	ONLY ONE WELL	35	6/24/2020
COUNTRY TYME ESTATES	IL0195865	4	ONLY ONE WELL	120	1/27/2021
COUNTRY VIEW ESTATES MHP	IL0195625	4	ONLY ONE WELL	97	1/27/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	ONLY ONE WELL	120	7/15/2020
DE WITT	IL0390100	4	ONLY ONE WELL	200	1/27/2021
DIXIE ESTATES SUBDIVISION	IL1975520	2	ONLY ONE WELL	180	12/9/2020
DONNY BROOK ESTATES	IL0375150	1	ONLY ONE WELL	30	1/27/2021
DONOVAN	IL0750400	4	ONLY ONE WELL	306	1/6/2021
EAST END WATER ASSOCIATION	IL1610140	1	ONLY ONE WELL	40	7/31/2020
EAST LAWN WATER ASSOCIATION	IL1615100	1	ONLY ONE WELL	160	8/5/2020
EAST LYNN COMMUNITY WATER SYSTEM	IL1835200	4	ONLY ONE WELL	112	12/11/2020
EAST SIDE MHP	IL0195825	4	ONLY ONE WELL	95	1/27/2021
EBERTS 3RD ADDITION	IL1615330	1	ONLY ONE WELL	99	8/12/2020
EDELSTEIN WATER COOPERATIVE	IL1435150	5	ONLY ONE WELL	125	7/24/2020
EHLERS MHP	IL0195645	4	ONLY ONE WELL	112	1/27/2021
ELM OAK MUTUAL WATER SYSTEM	IL0975736	2	ONLY ONE WELL	50	8/28/2020
ESQUIRE ESTATES MHP	IL1435245	5	ONLY ONE WELL	28	7/29/2020
EVERGREEN VILLAGE SUBDIVISION	IL1615310	1	ONLY ONE WELL	130	8/12/2020
FOUR STAR CAMPGROUND	IL0990060	1	ONLY ONE WELL	150	8/26/2020



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
FOX CREEK FARMS WATER COMPANY	IL1435750	5	ONLY ONE WELL	221	7/29/2020
FOX LAWN HOMEOWNERS WATER ASSOCIATION	IL0935150	2	ONLY ONE WELL	167	1/13/2021
FRENTRESS LAKE	IL0850010	1	ONLY ONE WELL	150	1/8/2021
GARDEN STREET IMPROVEMENT ASSOCIATION	IL1975376	2	ONLY ONE WELL	54	12/9/2020
GREEN ACRES MHP	IL1035165	1	ONLY ONE WELL	200	8/26/2020
HARMON	IL1030300	1	ONLY ONE WELL	149	8/26/2020
HAZELWOOD 4TH ADDITION	IL0735350	1	ONLY ONE WELL	135	1/6/2021
HAZELWOOD WEST SUBDIVISION	IL0735250	1	ONLY ONE WELL	70	1/6/2021
HEATHERFIELD SUBDIVISION	IL0635150	2	ONLY ONE WELL	90	1/29/2021
HICKORY HILLS 2ND ADDITION	IL0730080	1	ONLY ONE WELL	93	8/12/2020
HIDE-A-WAY LAKES	IL0935300	2	ONLY ONE WELL	50	1/13/2021
HIGHLAND LAKE WATER COMPANY	IL0970255	2	ONLY ONE WELL	36	8/26/2020
HIGHLAND SUBDIVISION	IL0895530	2	ONLY ONE WELL	40	1/8/2021
HILLCREST	IL1410250	1	INADEQUATE STORAGE CAPACITY	1400	11/2/2017
HILLSDALE PROPERTIES	IL1615728	1	ONLY ONE WELL	60	6/24/2020
HOLLANDS GROVE COURT SUBDIVISION	IL1795300	5	ONLY ONE WELL	40	12/2/2020
HOLLY HOCK HILL MHP	IL0975245	2	ONLY ONE WELL	52	8/28/2020
HOPEWELL	IL1235150	1	ONLY ONE WELL	420	7/1/2020
IL AMERICAN - LEONORE	IL0990400	1	ONLY ONE WELL	111	8/26/2020
IL AMERICAN - MIDWEST PALOS	IL0317050	2	ONLY ONE WELL	143	1/27/2021
IL AMERICAN - NETTLE CREEK	IL0630040	2	ONLY ONE WELL	285	1/29/2021
IL AMERICAN - RIDGECREST	IL0635100	2	ONLY ONE WELL	219	1/29/2021
IL PRAIRIE ESTATE SBDV WATER ASSN	IL0995300	1	ONLY ONE WELL	112	8/26/2020
INDIAN BLUFFS SUBDIVISION	IL1615520	1	ONLY ONE WELL	150	8/14/2020
INDIAN CREEK HOMEOWNERS AND WATER ASSN	IL1135250	4	ONLY ONE WELL	240	6/17/2020
IROQUOIS MOBILE ESTATES, INC.	IL0755185	4	ONLY ONE WELL	105	1/8/2021
JOHNSBURG 1	IL1110040	2	ONLY ONE WELL	174	8/28/2020
KENNEY	IL0390200	4	ONLY ONE WELL	374	1/29/2021
KNOLLS EDGE SUBDIVISION	IL1415250	1	ONLY ONE WELL	100	7/17/2020
LAFAYETTE	IL1750100	1	ONLY ONE WELL	250	12/2/2020
LAKE LYNWOOD WATER SYSTEM	IL0735330	1	ONLY ONE WELL	75	1/6/2021
LAKE SHANNON	IL0910020	2	ONLY ONE WELL	500	1/13/2021
LAKE WILDWIND LLC	IL2035125	1	ONLY ONE WELL	200	12/4/2020
LAND AND WATER ASSOCIATION	IL0995050	1	ONLY ONE WELL	100	8/26/2020
LASALLE	IL0990300	1	INADEQUATE SOURCE CAPACITY & INADEQUATE TREATMENT CAPACITY	9700	11/1/2004
LINDENWOOD WATER ASSOCIATION	IL1415300	1	ONLY ONE WELL	35	7/22/2020
LISBON NORTH, INC.	IL0631000	2	ONLY ONE WELL	25	1/29/2021
LYNN WATER ASSOCIATION	IL0735100	1	ONLY ONE WELL	42	1/8/2021
LYNNWOOD WATER CORPORATION	IL0995336	1	ONLY ONE WELL	110	8/26/2020
LYNWOOD 3RD ADDITION	IL0735280	1	ONLY ONE WELL	100	1/6/2021
M C L W SYSTEM, INC.	IL1315150	1	ONLY ONE WELL	98	7/10/2020
LASALLE	IL0990300	1	INADEQUATE SOURCE CAPACITY & INADEQUATE TREATMENT CAPACITY	9700	11/1/2004
MACOMB	IL1090350	5	INADEQUATE CLARIFIER CAPACITY	11309	12/14/2016
MAQUON	IL0950350	5	ONLY ONE WELL	284	1/13/2021
MARSEILLES SOUTH	IL0990110	1	ONLY ONE WELL	100	8/26/2020



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
MASON CITY	IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MAYFAIR SUBDIVISION	IL1795750	5	ONLY ONE WELL	90	12/11/2020
MC NABB	IL1550150	1	ONLY ONE WELL	310	6/11/2020
MILL POINT MHP	IL2035165	1	ONLY ONE WELL	160	12/4/2020
MOUND CITY	IL1530100	7	ONLY ONE WELL	588	6/5/2020
MOUND PWD	IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
MOUNT MORRIS ESTATES MHP	IL1415185	1	ONLY ONE WELL	395	7/15/2020
MOUNT VERNON ASSOCIATION INC.	IL0855100	1	ONLY ONE WELL	490	1/8/2021
NORTH HAZELWOOD SUBDIVISION	IL0735850	1	ONLY ONE WELL	100	1/8/2021
NORTH HENDERSON	IL1310300	1	ONLY ONE WELL	187	7/2/2020
OAK GROVE MHP - ROCK ISLAND COUNTY	IL1617785	1	ONLY ONE WELL	100	12/2/2020
OAK LAWN MHP	IL0075275	1	ONLY ONE WELL	460	1/27/2021
OAK VIEW ESTATES	IL0730120	1	ONLY ONE WELL	95	1/29/2021
OAKWOOD WEST SUBDIVISION	IL0730070	1	ONLY ONE WELL	45	1/29/2021
OPHIEM PWS	IL0735150	1	ONLY ONE WELL	100	1/8/2021
OTTAWA ESTATES MHP	IL0995225	1	ONLY ONE WELL	115	8/26/2020
PARADISE MANOR MHP	IL1617665	1	ONLY ONE WELL	200	11/20/2020
PARK MEADOWLAND WEST MHP	IL0075235	1	ONLY ONE WELL	100	1/27/2021
PAULS MHP	IL0975485	2	ONLY ONE WELL	38	8/28/2020
PHIL-AIRE ESTATES MHP	IL2015625	1	ONLY ONE WELL	80	12/4/2020
POLO DR AND SADDLE RD SUBDIVISION	IL0437000	1	ONLY ONE WELL	93	1/29/2021
PORT BARRINGTON SHORES SUBDIVISION	IL0971120	2	ONLY ONE WELL	67	8/26/2020
POWERS WATER CO., INC	IL0895550	2	ONLY ONE WELL	214	1/8/2021
PRAIRIE OAKS ESTATES HOMEOWNERS ASSOCIATION	IL0630060	2	ONLY ONE WELL	107	1/29/2021
PRAIRIE VIEW WATER ASSOCIATION	IL1795900	5	ONLY ONE WELL INADEQUATE CLARIFIER CAPACITY	35	12/11/2020
QUINCY	IL0010650	5	ONLY ONE WELL INADEQUATE CLARIFIER CAPACITY	45000	8/3/2016
RAINBOW LANE MHP	IL2015645	1	ONLY ONE WELL	83	12/4/2020
RAINBOW RIDGE	IL1615580	1	ONLY ONE WELL	46	8/14/2020
REDDICK	IL0914780	2	ONLY ONE WELL	210	1/8/2021
RIDGEWOOD LEDGES WATER ASSOCIATION	IL1615670	1	ONLY ONE WELL	430	6/24/2020
ROLLING GREEN ESTATES MHP	IL1415245	1	ONLY ONE WELL	215	7/17/2020
RUSTIC ACRES WATER ASSOCIATION	IL0735500	1	ONLY ONE WELL	260	1/6/2021
SANTA FE ESTATES WATER ASSOCIATION	IL1435490	5	ONLY ONE WELL	84	7/29/2020
SEATON	IL1310350	1	ONLY ONE WELL	200	7/2/2020
SENECA MOBILE HOMES LLC	IL0995425	1	ONLY ONE WELL	73	8/26/2020
SIX OAKS MHP	IL2015685	1	ONLY ONE WELL	48	12/4/2020
SPIN LAKE HOMEOWNERS ASSOCIATION	IL1135140	4	ONLY ONE WELL	200	6/16/2020
STELLE COMMUNITY ASSOCIATION	IL0535100	4	ONLY ONE WELL	100	1/29/2021
STORYBOOK HIGHLANDS	IL0935250	2	ONLY ONE WELL	100	1/13/2021
STRATFORD WEST APARTMENTS	IL1095200	5	ONLY ONE WELL	44	8/26/2020
STRAWN	IL1050700	4	ONLY ONE WELL	133	8/26/2020
SUBURBAN HEIGHTS SUBDIVISION	IL1615800	1	ONLY ONE WELL	57	11/20/2020
TENNANTS SHADY OAKS SUBDIVISION	IL1615540	1	ONLY ONE WELL	44	8/14/2020
TIMBER BROOK ESTATES	IL0735450	1	ONLY ONE WELL	120	1/6/2021
TIMBER RIDGE SUBDIVISION	IL0735470	1	ONLY ONE WELL INADEQUATE STORAGE CAPACITY	120	1/6/2021
TISKILWA	IL0111050	1	ONLY ONE WELL INADEQUATE STORAGE CAPACITY	830	9/20/2017



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
TOWER RIDGE SUBDIVISION	IL1615780	1	ONLY ONE WELL	70	11/20/2020
UTL INC - CAMELOT	IL1975200	2	ONLY ONE WELL	575	12/9/2020
UTL INC - CHERRY HILL WATER COMPANY	IL1975280	2	ONLY ONE WELL	624	12/9/2020
VAN ORIN WATER COMPANY	IL0115000	1	ONLY ONE WELL	100	1/27/2021
VICTORIA	IL0950550	5	ONLY ONE WELL	316	1/13/2021
WATER WERKS	IL1615130	1	ONLY ONE WELL	90	8/5/2020
WATERMAN	IL0370600	1	ONLY ONE WELL INADEQUATE STORAGE CAPACITY	1506	1/27/2021
WHITE HALL	IL0610400	6	ONLY ONE WELL	2900	10/1/2012
WINDCREST SUBDIVISION	IL0730040	1	ONLY ONE WELL	40	1/29/2021
WINDING CREEK ESTATES	IL1615850	1	ONLY ONE WELL	160	11/20/2020
WINSLOW	IL1770550	1	ONLY ONE WELL INADEQUATE TREATMENT CAPACITY	350	12/2/2020
WITT	IL1350850	5	ONLY ONE WELL	991	3/17/2008
WOODLAND	IL0751000	4	ONLY ONE WELL	319	1/6/2021
YATES CITY	IL0950700	5	ONLY ONE WELL	750	1/13/2021
YOUNGS HILLCREST MHP	IL0190040	4	ONLY ONE WELL	34	1/27/2021

WATER SYSTEMS REMOVED FROM PREVIOUS LIST

BLUFF LAKE LODGES
HICKORY HILLS 2ND ADDITION
HILLVIEW SUBDIVISION
MONTROSE
NORTHERN ILLINOIS UTILITIES

***WATER SYSTEMS ADDED**

ARCADIA CARE
CASEY
CISCO
COAL CITY
COMPTON
COUNTRY ACRES MHP (LA SALLE COUNTY)
HARMON
HIDE-A-WAY LAKES
MOUNT ERIE
MULBERRY GROVE
PIERRON

****WATER SYSTEM UPDATES**

COLONIAL MEADOWS
GREEN MEADOW ESTATES OF ROCKFORD LLC



Restricted Status/Critical Review

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. The current list reflects the status as of December 11, 2020. An asterisk, *, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

Restricted Status List

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 611; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

Critical Review List

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.



HEALTH ADVISORY SUMMARY LIST

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Office of Toxicity Assessment



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-3397

JB PRITZKER, GOVERNOR

JOHN J. KIM, DIRECTOR

HEALTH ADVISORY SUMMARY LIST

Prepared by:
Office of Toxicity Assessment
Illinois Environmental Protection Agency
July 19, 2021

In accordance with 35 Illinois Administrative Code 620.610(b), the Illinois Environmental Protection Agency (Illinois EPA) is issuing a Health Advisory summary list. Section 620.610(b) directs the Illinois EPA to publish and make available to the public, at intervals of not more than 6 months, a comprehensive and up-to-date summary list of all Health Advisories.

The following table provides a summary list of all Illinois EPA Health Advisories currently in effect:

CASRN ¹	Chemical	Health Advisory Guidance Level (ng/L)	Health Advisory Issuance Date
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	140	January 28, 2021
307-24-4	Perfluorohexanoic acid (PFHxA)	560,000	January 28, 2021
335-67-1	Perluorooctanoic acid (PFOA)	2	January 28, 2021
375-73-5	Perfluorobutanesulfonic acid (PFBS)	2,100	April 16, 2021
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	14	April 16, 2021

¹ CASRN = Chemical Abstract Services Registry Number

2125 S. First Street, Champaign, IL 61820 (217) 278-5800
1101 Eastport Plaza Dr., Suite 100, Collinsville, IL 62234 (618) 346-5120
9511 Harrison Street, Des Plaines, IL 60016 (847) 294-4000
595 S. State Street, Elgin, IL 60123 (847) 608-3131

2309 W. Main Street, Suite 116, Marion, IL 62959 (618) 993-7200
412 SW Washington Street, Suite D, Peoria, IL 61602 (309) 671-3022
4302 N. Main Street, Rockford, IL 61103 (815) 987-7760

PLEASE PRINT ON RECYCLED PAPER





A Publication of the Illinois Pollution Control Board

July 2021

Issues of the *Environmental Register* dating back to 1990 are available electronically at
<https://pcb.illinois.gov/>