

Barbara Monier  
2632 N Mozart St  
Chicago, IL 60647-5708  
(847) 791-8777

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Barbara Monier

Pearl Berman  
18611 W Sterling Ct  
Grayslake, IL 60030-4015  
(847) 223-2175

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Pearl Berman

Beth Wegner  
714 N 4th St  
Pekin, IL 61554-3215

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Beth Wegner

Gilbert Singer  
363 S Wright St  
Naperville, IL 60540-5444  
(630) 355-7225

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Gilbert Singer

Joseph Ginger  
1205 Sun Vu Dr  
Freeport, IL 61032-6151  
(815) 233-2154

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Joseph Ginger

Jeffrey Loesing  
18490 W Wood Hollow Ln  
Libertyville, IL 60048-4322  
(847) 812-9251

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jeffrey Loesing

Beverly Davies  
1000 Chamberlain St Apt 907  
Rockford, IL 61107-4144  
(815) 964-4983

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Beverly Davies

James Arneberg  
1400 Westbury Dr  
Hoffman Estates, IL 60192-1347  
(847) 963-0782

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
James Arneberg



Jerry Booker  
16520 N Mendenhall Rd  
Princeville, IL 61559-9359

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jerry Booker

Mary Karpiak  
68 W 64th St  
Westmont, IL 60559-3170

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Mary Karpiak

Bea Goode  
1000 Chamberlain St  
Rockford, IL 61107-4155

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Bea Goode

Nancy & Vernon Wedow  
228 N Middleton Ave  
Palatine, IL 60067-4856  
(847) 359-3077

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Nancy & Vernon Wedow

Elizabeth Larrison  
890 Foxworth Blvd  
Lombard, IL 60148-7039  
(708) 203-2031

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Elizabeth Larrison

Deirdre Winkelhake  
3s064 Sequoia Dr  
Glen Ellyn, IL 60137-7328

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Deirdre Winkelhake

Holly Joachim  
9222 N Picture Ridge Rd  
Peoria, IL 61615-1747

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Holly Joachim

Anamarie Chapman  
96 Foxboro Ln  
Gurnee, IL 60031-4436

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Anamarie Chapman



Steve Adler  
2015 W Berwyn Ave  
Chicago, IL 60625-1197

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Steve Adler

Jeffrey Connolly  
1819 Country Dr Apt 201  
Grayslake, IL 60030-3170  
(847) 986-6691

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jeffrey Connolly

Russell Griffin  
802 County Rd  
Wilmington, IL 60481-1256  
(815) 472-2759

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Russell Griffin

Paul Lubenkov  
713 Mason Dr  
La Grange, IL 60525-2651  
(708) 246-9146

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Paul Lubenkov

Patricia Knol  
0s686 Madison St  
Winfield, IL 60190-1615  
(630) 588-1860

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Patricia Knol

Michelle Novoa  
130 n 16th ace  
Melrose park, IL 60160-3823

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Michelle Novoa

Mary Chatham  
303 Bender Ave  
East Alton, IL 62024-2046

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Mary Chatham

Tom Cordaro  
1450 Green Trails Dr  
Naperville, IL 60540-8359  
(630) 123-4567

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Tom Cordaro



Morris Applebaum  
2800 Golf Rd  
Rolling Meadows, IL 60008-4023

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Morris Applebaum

Helen Seiler  
1500 Chapel Ct  
Northbrook, IL 60062-4650  
(847) 272-1670

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Helen Seiler

Laura Szopinski  
43w579 Coleman Ln  
St Charles, IL 60175-8161  
(630) 387-1043

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Laura Szopinski

Cherie Kraft  
1642 Oak St  
Hanover Park, IL 60133-4855

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Cherie Kraft

Victor Skade  
8420 Greenview Ave  
Brookfield, IL 60513-1711  
(708) 485-6098

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Victor Skade

Linda Gohlke  
2560 Wellington Ct  
Evanston, IL 60201-4975  
(847) 864-3568

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Linda Gohlke

Ben Ogren  
4209 Ravine Dr  
Crystal Lake, IL 60012-3018  
(815) 455-1908

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Ben Ogren

Allan Johnston  
548 Sheridan Rd Apt 1n  
Evanston, IL 60202-4719  
(847) 492-9607

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Allan Johnston



Aleda D'Anza  
2301 Birdsong Ct Apt 102  
Schaumburg, IL 60194-2163  
(702) 245-4201

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Aleda D'Anza

Bob Shields  
8 Poplar Rd  
Yorkville, IL 60560-9519

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Bob Shields

John Petricek  
450 Rosewood Xing  
Lindenhurst, IL 60046-4929  
(847) 265-4752

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
John Petricek

John Petricek  
450 Rosewood Xing  
Lindenhurst, IL 60046-4929  
(847) 265-4752

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
John Petricek

Linda Skisak  
15415 S Douglas Pkwy  
Lockport, IL 60441-6159  
(815) 600-4625

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Linda Skisak

Tom Smith  
4434 Wilson Ave  
Downers Grove, IL 60515-2643

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Tom Smith

Daniel Cohen  
930 Oakwood Ave  
Wilmette, IL 60091-3320  
(847) 853-0491

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Daniel Cohen

Deborah Vaughan  
1200 E Algonquin Rd  
Schaumburg, IL 60173-4045  
(847) 391-1290

Jul 17, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R2015-021 (Rulemaking - Air)

Dear Illinois Pollution Control Board,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Deborah Vaughan