



ENVIRONMENTAL REGISTER



No. 515 ♦ A Publication of the Illinois Pollution Control Board ♦ May, 1997

RULEMAKING UPDATE

Pretreatment Amendments Adopted; R97-7

On April 3, 1997, the Board adopted identical-in-substance amendments to the wastewater pretreatment rules for public comment. Docket R97-7 includes federal amendments that occurred in the period January 1 through June 30, 1996. During that time the United States Environmental Protection Agency (USEPA) undertook a few amendments that affected its pretreatment requirements. In amendments of April 8 (two actions), April 30, and June 28, 1996, USEPA adopted and revised its Phase III hazardous waste land disposal restrictions (LDRs). The federal Phase III LDR amendments included a requirement that a person disposing the covered wastes into a sewage collection system not only treat the waste to remove its corrosivity, but also to remove any other characteristic for which it is considered hazardous waste. On May 14, 1996, USEPA corrected errors in the July 1, 1995 issue of the Code of Federal Regulations (CFR). The Board proposed updating the appropriate incorporations of the federal regulations by reference in response to the Phase III LDRs. *(Cont'd on p.2)*

STAFF UPDATE

Congratulations are in order for two Board employees, Audrey Lozuk-Lawless and John Cross.

Audrey Lozuk -Lawless, attorney assistant to Board Member Ron Flemal, was recently elected Co-Chair of the Environmental Law & Energy Committee of the Chicago Bar Association Young Lawyers Section. Audrey, who has been with the Board since 1994, will serve as Co-Chair for the 1997-1998 bar year.

John Cross, IPCB Legislative Liaison, was recently honored by the Illinois Petroleum Marketers Association (IPMA). Mr. Cross was awarded for his work with the IPMA, particularly with Board rulemakings such as Underground Storage Tanks, Tiered Approach to Corrective Action Objectives, and Brownfields.

Please join the Board and staff in congratulating Ms. Lozuk-Lawless and Mr. Cross. ♦

FEDERAL ACTIONS

Amendments To Emission Requirements For New Gasoline Spark-Ignition Marine Engines

On April 2, 1997 at 62 Fed. Reg. 15805, USEPA amended the regulations applicable to new gasoline spark-ignition marine engines to address an oversight regarding the production line testing program in the final regulations published on October 4, 1996 (61 FR 52087). No air quality impact is expected from the amendment. This amendment will allow spark-ignition marine engine manufacturers to delay the implementation of the production line testing program until model year 1999 for outboard engines and until model year 2000 for personal watercraft engines. ♦

(Cont'd on p.4)

Inside This Issue

♦	Federal Actions (Cont'd)	p4
♦	Final Decisions	p6
♦	New Cases	p7
♦	Calendar of Hearings	p9
♦	IEPA Restricted Status Lists	p11

RULEMAKING UPDATE

(Cont'd from p.1)

No action was necessary based on the CFR correction.

A Notice of Proposed Amendments appeared in the January 24, 1997 issue of the *Illinois Register*, at 21 Ill. Reg. 1147. No public comments were received during the comment period which ended on March 10, 1997.

Direct questions to Diane F. O'Neill at 312-814-6062 (Internet address: doneill@pcb084r1.state.il.us). Request copies of Board orders from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb084r1.state.il.us). Refer to docket R97-7. ♦

Great Lakes Initiative Petition Filed; R97-25

The Illinois Environmental Protection Agency (Agency) filed a proposal for rulemaking amending the water quality standard for the Lake Michigan Basin on March 21, 1997. The Agency also filed a certification pursuant to Section 28.2 of the Environmental Protection Act that the amendments are federally required. On April 3, 1997, the Board found the proposed rule to be federally required and accepted the matter for hearing. The Board also granted the Agency's motion to file a limited number of copies of the proposal.

Direct questions to Marie E. Tipsord, at 312-814-4925 or 618-498-9803 (Internet address: mtipsord@pcb084r1.state.il.us). Request copies of Board orders from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb084r1.state.il.us). Refer to docket R97-25. ♦

Site Remediation Program (Brownfields) Regulations Proposed for Second Notice; R97-11

On April 17, 1997, the Board proposed for second notice review by the Joint Committee on Administrative Rules procedures and standards for the Site Remediation Program (SRP). The SRP was established under Title XVII of the Illinois Environmental Protection Act (415 ILCS 5/58-58.12, as added by P.A. 89-431, effective December 15, 1995). The Act mandates final adoption of these rules on or before June 16, 1997. The Illinois Environmental Protection Agency (Agency) filed a proposal with the Board on September 16, 1996. Hearings were held on November 25-26, 1996 in Chicago, Illinois and on December 17-18, 1996 in Springfield, Illinois. The proposal for first notice of the SRP appeared in the *Illinois Register* on February 21, 1997 at 21 Ill. Reg. 2571. The related amendments to

the groundwater quality standards were printed at 21 Ill. Reg. 2562. The comment period closed on April 7, 1997.

Proposed Part 740, Site Remediation Program, establishes procedures for the investigative and remedial activities at sites where there is a release, threatened release, or suspected release of hazardous substances, pesticides or petroleum and for the review and approval of those activities. The Board is also amending Part 620, Groundwater Quality, to provide consistency in cross-referencing between Part 620 and the new Part 740. The proposal establishes a program which is designed to ensure cleanup of contaminated property in Illinois based on an analysis of risks associated with current and future uses of the site. The proposed SRP provides incentives to cleanup abandoned or under-used property within the State of Illinois.

The proposed SRP is voluntary; any person performing site investigation or remediation may elect to proceed under the SRP. The proposed rule requires the Remediation Applicant (RA) to submit an application and enter a service agreement with the Agency before performing a site investigation. If contamination is discovered, the RA must propose remedial objectives. If remediation is necessary to achieve compliance with the objectives, the RA must propose a remedial action plan. After the plan is approved by the Agency, the RA must submit a remedial action completion report to show that the objectives have been achieved. The Agency will issue a No Further Remediation (NFR) Letter upon approval of the completion report. The NFR Letter is considered to be *prima facie* evidence that the site does not constitute a threat to human health and the environment.

Please direct questions to Amy Hoogasian at 312-814-8917 (internet address: ahoogasi@pcb084r1.state.il.us). Request copies of Board orders from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb084r1.state.il.us). Refer to docket R97-11. ♦

T.A.C.O. Rules Proposed for Second Notice; R97-12(A)

On April 17, 1997, the Board proposed for second notice review by the Joint Committee on Administrative Rules a new Part 742 to the land pollution control regulations (35 Ill. Adm. Code 742). The proposed rules are required by P.A. 89-431 which was signed and became effective on December 15, 1995. The Environmental Protection Act mandates final adoption of these rules on or before June 16, 1997. The proposal was filed by the Illinois Environmental Protection Agency on September 16, 1996. Hearings on the proposal were held on December 2 and 3, 1996 in Chicago, Illinois and

on December 10, 1996, January 15 and 16, 1997 in Springfield, Illinois.

The proposed rules establish a tiered approach to corrective objectives (T.A.C.O.). The intent of the proposal is to 1) establish a risk-based system of remediation based on the protection of human health and the environment relative to present and future uses of the land; 2) assure that the land use for which remedial action was undertaken will not be modified without consideration of the adequacy of such remedial action for the new land use; 3) provide incentives for the private sector to undertake remedial action; 4) establish expeditious alternatives for the review of site investigation and remedial activities, including a privatized review process; and 5) assure that the resources of the Hazardous Waste Fund are used in a manner that is protective of human health and the environment relative to present and future uses of the site and surrounding area.

Direct questions to Amy Muran Felton at 312-814-7011 (internet address: amuranfe@pcb084r1.state.il.us) or Charles Feinen at 312-814-3473 (cfeinen@pcb084r1.state.il.us). Request copies of Board orders from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb084r1.state.il.us). Refer to docket R97-12 (A). ♦

New "Mixture" Rule Proposed as T.A.C.O. R97-12(B)

On April 17, 1997, the Board opened docket R97-12(B) for the purpose of considering the adoption of a "mixture" rule, a rule which requires that an applicant consider the cumulative effect of similar-acting contaminants at a site when developing appropriate remediation objectives. A proposed rule has been developed from a series of filings by the Illinois Environmental Protection Agency in the proceedings in R97-12(A). Due to statutory deadlines for the adoption of the proposed T.A.C.O. rules, the Board determined that it was necessary to bifurcate the R97-12 docket to further consider a "mixture" rule without delaying the final adoption of the T.A.C.O. rules. While the Board had originally proposed the rule for first notice on May 13, the Board issued an order postponing first notice publication until after adoption of the R97-12(A) Taco Rules. Hearings are scheduled for May 21 in Chicago and May 29 in Springfield. (See 'Calendar of Hearings' for further details.)

Direct questions to Amy Muran Felton at 312-814-7011 (internet address: amuranfe@pcb084r1.state.il.us) or Charles Feinen at 312-814-3473 (cfeinen@pcb084r1.state.il.us). Request copies of Board orders from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb084r1.state.il.us). Refer to docket R97-12(B). ♦

VOM Emission Rules for Cold Cleaning Degreasing Proposed for Second Notice; R97-24

On April 17, 1997, the Board proposed for second notice review by the Joint Committee on Administrative Rules amendments to 35 Ill. Adm. Code Parts 211, 218 and 219. The amendments include more stringent requirements for solvents sold and used in cold cleaning degreasing. The proposed amendments were filed by the Illinois Environmental Protection Agency pursuant to Section 28.5, which establishes fast-track procedures and timetables for Board adoption of rules to implement the Clean Air Act Amendments of 1990. The Board adopted the proposal for first notice on January 23, 1997. First notice of the proposal was published in the *Illinois Register* on February 18, 1997 at 21 Ill. Reg. 1754 (Part 211), 21 Ill. Reg. 1768 (Part 218) and 21 Ill. Reg. 1781 (Part 219). Hearing on the proposal was held in Chicago, Illinois on March 4, 1997.

The proposal amends volatile organic material (VOM) emissions control requirements of the air pollution control regulations to institute a federally-required nine percent rate of progress (9% ROP) in the metropolitan Chicago and East St. Louis areas. The proposal would limit the vapor pressure of solvents sold or used in cold cleaning degreasing operations to 2.0 millimeters of mercury at 20°C (68°F) beginning on March 19, 1999 in the Chicago and Metro-East areas. The vapor pressure would be limited to 1.0 millimeters of mercury beginning March 15, 2001. The proposal also provides for recordkeeping provisions which require solvent suppliers and users of solvents to maintain documents for three years indicating the vapor pressures at the prescribed temperatures.

Direct questions to K.C. Poulos at 312-814-3665 (internet address: kpoulos@pcb084r1.state.il.us). Request copies of Board orders from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb084r1.state.il.us). Refer to docket R97-24. ♦

Exemptions from State Air Permit Requirements Proposed for Second Notice; R96-17

On April 17, 1997, the Board proposed for second notice review by the Joint Committee on Administrative Rules amendments to the permit requirements of the air pollution control regulations. The proposal amends the list of emission units and activities that are exempt from the permit requirements. The proposal also amends the rules to enhance consistency between the exemptions and the "insignificant activities" provision under the federally-mandated Clean Air Act Permit Program (CAAP).

The Illinois Environmental Protection Agency filed the proposal on May 10, 1996. Hearings on the proposal

were held on July 23, 1996 in Collinsville, Illinois and on August 16, 1996 in Chicago, Illinois. The proposed amendments were published in the *Illinois Register* on January 3, 1997 at 21 Ill. Reg. 329 (Part 211) and 21 Ill. Reg. 342 (Part 201).

Direct questions to Marie Tipsord at 312-814-4925 or 618-498-5934 (internet address: mtisord@pcb084r1.state.il.us). Request copies of Board orders from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb084r1.state.il.us). Refer to docket R96-17. ♦

SIGNIFICANT FEDERAL ACTIONS

(Cont'd from p. 1)

The following is a brief summary of recent federal actions related to Board proceedings and federal actions that may be of interest to the reader. This does not represent a complete listing or summary of all federal actions by the USEPA or federal actions affecting the environmental laws or regulations of the State of Illinois. To avoid duplication of the various commercial environmental update services while at the same time improving timeliness of this newsletter, we will begin to be more selective and concise in synthesizing information. For additional information on federal actions, the reader may wish to reference the Federal Registers for this time period. Additionally, the Board provides some tips on searching for federal actions on the Internet at http://www.ipcb.state.il.us/fed_reg.htm.

USEPA Approves Marathon Oil Variance (PCB 95-150) for CO

On April 8, 1997 at 62 Fed. Reg. 16704, USEPA, by direct final rule, approved the State Implementation Plan (SIP) for Illinois submitted on August 15, 1996. This SIP included the variance granted in PCB 95-150 (May 16, 1996) to Marathon Oil Company in Robinson, Illinois for carbon monoxide (CO). The SIP approval is effective June 9, 1997 unless expressly withdrawn before that date. ♦

National Emission Standards for Hazardous Air Pollutants for Wool Fiberglass Manufacturing Proposed

On March 31, 1997 at 62 Fed. Reg. 15227, USEPA proposed national emission standards for hazardous air pollutants (NESHAP) for new and existing sources in wool fiberglass manufacturing facilities. The hazardous air pollutants (HAPs) emitted by the facilities covered by this proposed rule include three metals (arsenic, chromium, lead) and three organic HAPs (formaldehyde,

phenol, and methanol). Exposure to these HAPs can cause either reversible or irreversible health effects including carcinogenic, respiratory, nervous system, developmental, reproductive, and/or dermal health effects. The USEPA estimates the proposed NESHAP would reduce nationwide emissions of HAPs from these facilities by 530 megagrams per year (Mg/yr) (580 tons per year [ton/yr]), an approximate 30 percent reduction from the current level of emissions. Emissions of particulate matter (PM) would be reduced by an estimated 760 Mg/yr (840 ton/yr) under the proposed NESHAP. The proposed NESHAP would provide protection to the public by requiring all wool fiberglass plants that are major sources to meet emission standards reflecting the application of the maximum achievable control technology (MACT). Comments on the proposed rule should be submitted to USEPA by May 30, 1997.

If the proposed rule is adopted by the USEPA, it would be enforceable under the Environmental Protection Act, pursuant to Section 9.1(b) of the Act without rulemaking action by the Board. ♦

Regulation of Fuels and Fuel Additives: Modification of the Covered Areas Provision for Reformulated Gasoline

On March 28, 1997 at 62 Fed. Reg. 15073, USEPA proposed modifications to 40 CFR 80.70(k) of the reformulated gasoline (RFG) regulations to allow states to opt into the RFG program for any area classified as marginal, moderate, serious or severe ozone nonattainment as of November 15, 1990, the date of the enactment of the Clean Air Act Amendments of 1990 (1990 Amendments), or any time later. The rules currently provide that any area classified as a marginal, moderate, serious or severe ozone nonattainment area may be included in the RFG program on petition by the Governor of the State in which the area is located. This action will expand this provision to allow states to opt into the RFG program for areas which had been previously classified as marginal, moderate, serious or severe for ozone, but were subsequently redesignated to attainment. This will provide states an additional option that may be used to avoid the air quality problems that can lead to a violation of air quality standards. USEPA believes that allowing states to opt into the RFG program for these previously classified ozone nonattainment areas will help to ensure that these areas continue to achieve and maintain compliance with the ozone standard. Comments on the proposed rule should be submitted to USEPA by April 28, 1997. ♦

New Source Performance Standards for the Phosphate Fertilizer Industry Revised: Affects Granular Triple Superphosphate Storage Facilities

On April 15, 1997, the USEPA, in a direct final rule clarified the coverage of the new source performance standards (NSPS) to limit their applicability to those facilities which store fresh granular triple superphosphate (GTSP) (62 Fed. Reg. 18277). As a result, the NSPS will include a work procedure in which manufacturers will hold fresh GTSP in storage until it has cured prior to shipment to their customers. This limits the testing and recordkeeping requirements of Subpart X to those facilities associated with the manufacture of GTSP and, thereby, removes any recordkeeping burden currently imposed upon downstream distributors and users of this product.

The USEPA promulgated the NSPS to limit emissions of total fluoride compounds from several affected facilities in the phosphate fertilizers industry on August 6, 1975. Among the facilities covered by the NSPS were triple superphosphate plants and GTSP storage facilities. The NSPS for GTSP fertilizer storage facilities in 40 CFR Part 60, Subpart X were promulgated for the purpose of limiting total fluoride emissions resulting from the continuation during storage of the chemical reactions through which GTSP is manufactured. After an initial curing period, the GTSP fertilizers cease to emit appreciable quantities of fluorides. As written, the NSPS cover all GTSP storage facilities and there is no provision to exempt facilities storing only cured fertilizers.

The amendment is effective June 6, 1997 unless notice of an adverse comment is received by the USEPA by May 15, 1997. ♦

Wisconsin Steel Works Settlement Proposed for Cook County Site

Notice of a proposed settlement for the Wisconsin Steel Site was published on April 16, 1997 at 62 Fed. Reg. 18585. The Economic Development Administration (EDA) has agreed to a settlement with Navistar International Transportation Corporation (Navistar) regarding the Wisconsin Steel Works, located in Chicago, Illinois pursuant to Section 122 (i) of the Comprehensive Environmental Response, Compensation and Liability Act (42 U.S.C. 9601 et seq.) (CERCLA).

As part of the settlement, Navistar and the State of Illinois have negotiated a Consent Order under the Illinois pre-notice site cleanup program, which was entered by the circuit court for Cook County, Illinois, on December 30, 1996, in the matter of State of Illinois v. Navistar International Transportation Corporation, Inc., Case No. 96CH0014146 (Circuit Court, Cook County,

Illinois). The Consent Order is enforceable by the Illinois Environmental Protection Agency.

The *Federal Register* notice stated that the deadline for comments on the proposed settlement was May 16, 1997. ♦

USEPA Releases New Report on Greenhouse Gas Emissions From Municipal Solid Wastes : Public Comment Period Begins

On April 28, 1997 at 62 Fed. Reg. 22942, the USEPA released for public review a draft contractor report estimating the greenhouse gas emissions and sinks associated with managing ten materials in municipal solid waste in a variety of ways. The ten materials examined are newspaper, office paper, corrugated cardboard, aluminum, steel, HDPE plastic, LDPE plastic, PET plastic, food scraps, and yard trimmings. Together, these materials constitute roughly 50 percent of the municipal solid waste stream. The municipal solid waste management strategies addressed are source reduction, recycling, composting, combustion, and landfilling.

The report employs a streamlined life cycle inventory methodology to calculate the greenhouse gas emissions and sinks associated with managing these materials in specific ways. This methodology includes assessments of the following: (1) process and transportation greenhouse gas emissions from raw materials acquisition and manufacturing; (2) carbon storage in forests; (3) soil carbon storage; and (4) greenhouse gas emissions and emissions offsets associated with combustion and landfilling. Greenhouse gas emissions estimates are made for each material and management strategy on the basis of metric tons of carbon equivalents per ton of material managed in a specific way.

The USEPA reports that preliminary results indicate that municipal solid waste management strategies to reduce greenhouse gas emissions are generally consistent with the municipal solid waste management hierarchy of preferred waste management methods. That is to say, source reduction yields the greatest reductions in greenhouse gas emissions, followed, in order, by recycling (including composting), and disposal (whether combustion or landfilling results in lower greenhouse gas emissions depends on the specific material).

The USEPA will accept comments on the report for a period of 90 days from the date the notice was published. ♦

FINAL DECISIONS 4/3/97

91-49 LTV Steel Company v. IEPA - The Board granted voluntary withdrawal of this NPDES permit appeal involving a Cook County facility. Board Member K. Hennessey abstained.

95-144 Oscar M. Cohn v. Wesley United Methodist Church - The Board granted voluntary withdrawal of this citizen's noise enforcement action involving a McLean County facility.

96-110 Sara Scarpino and Margaret Scarpino v. Henry Pratt Company - The Board dismissed this citizen's noise enforcement action involving a Kane County facility finding that the noise interference was not unreasonable and that respondent had not violated Section 24 of the Environmental Protection Act or the Board's regulations found at 35 Ill. Adm. Code 900.102.

96-200 People of the State of Illinois v. Pelmore Construction, Inc., a dissolved Illinois corporation, and Eddie L. Pelmore, individually and as President of Pelmore Construction, Inc. - The Board granted voluntary withdrawal of this air enforcement action involving a Champaign County facility.

96-201 People of the State of Illinois v. Coalville Road Enterprises, Inc., an Illinois corporation, d/b/a Coalville Road Landfill, f/k/a Streator Area Landfill #2 - The Board accepted a stipulation and settlement agreement in this land action against a Livingston County facility, ordered the respondent to pay a civil penalty of \$10,000, and ordered the respondent to cease and desist from further violation.

97-99 Shell Oil Company v. IEPA - The Board granted respondent's motion to dismiss in this underground storage tank appeal involving a Cook County facility.

97-122 Shell Oil Company v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Cook County facility.

97-124 Herb Treder (Site Classification Completion Report) v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Lake County facility.

97-125 Herb Treder (Physical Soil Classification) v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Lake County facility.

97-141 People of the State of Illinois v. Mark Meade Excavators, Inc. - The Board accepted a stipulation and settlement agreement in this air action against a Lake County facility, ordered the respondent to pay a civil penalty of \$1,000, and ordered the respondent to cease and desist from further violation.

97-170 Citgo Petroleum Corporation v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Cook County facility a 45-day provisional variance from certain effluent discharge requirements of the water pollution control regulations, as set forth in 35 Ill. Adm. Code 304.141(b), subject to conditions. Board Member K.M. Hennessey abstained.

97-171 City of Kewanee v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Henry County facility a 45-day provisional variance from certain sampling and effluent discharge requirements of the water pollution control regulations, as set forth in 35 Ill. Adm. Code 304.141(b), 305.102(b) and 309.146(a)(4), subject to conditions. Board Member K.M. Hennessey abstained.

97-172 Village of Fayetteville v. IEPA - Upon receipt of an Agency recommendation, the Board granted this St. Clair County facility a 45-day provisional variance from certain effluent discharge requirements of the water pollution control regulations, as set forth in 35 Ill. Adm. Code 304.102(a) and 304.141(a), subject to conditions. Board Member K.M. Hennessey abstained.

R97-7 In the Matter of: Pretreatment Update USEPA Regulation (January 1, 1996 through June 30, 1996) - The Board adopted identical-in-substance amendments to the water pollution control pretreatment regulations. Board Member K.M. Hennessey abstained. - *See Rulemaking Update*

FINAL DECISIONS 4/17/97

94-256 DoALL Company, DoALL Credit Corporation, and The Rams-Head Company v. Skokie Valley Asphalt Company, Inc. - The Board entered an order granting the joint motion to withdraw this citizen's land enforcement action involving a Cook County facility.

94-288 People of the State of Illinois v. Grayslake Gelatin Company, an Illinois corporation, Blidco, Inc., an Illinois corporation, Acme Construction Co., Inc., an Illinois corporation, and Diversified Abatement Contractors, Inc., an Illinois corporation - The Board accepted a stipulation and settlement agreement in this air action against a Lake County facility, ordered the respondents to pay a civil penalty of \$25,000, and ordered the respondents to cease and desist from further violation. Respondent Diversified Abatement Contractors, Inc. was not a party to the settlement agreement and the complaint is still pending against this respondent.

97-22 NPK Storage, Inc. v. IEPA - The Board granted voluntary withdrawal of this underground storage tank appeal involving a Macon County facility.

AC 97-47 Wayne County Health Department v. John Barnes - The Board granted voluntary withdrawal of this administrative citation involving a Wayne County facility.

AC 96-57 County of Jackson v. Southern Illinois Regional Landfill - The Board entered an order requiring the respondent to pay \$121.65 in hearing cost. This order supplements the Board's interim order of December 19, 1996 which found that this Jackson County respondent violated Sections 21(o)(1),(2),(5) and (12) of the Act and ordered the respondent to pay a civil penalty of \$2,000.

AC 96-58 County of Jackson v. Gary Easton - The Board entered an order requiring the respondent to pay \$152.25 in hearing cost. This order supplements the Board's interim order of December 19, 1996 which found that this Jackson County respondent violated Sections 21(p)(1),(2),(5) and (6) of the Act and ordered the respondent to pay a civil penalty of \$2,000.

AS 97-7 In the Matter of: Petition of Southern Illinois Regional Landfill, Inc. (SIRL) for an Adjusted Standard from 35 Ill. Adm. Code 811.309 - The Board dismissed this matter for failure to timely file a certificate of publication.

NEW CASES 4/3/97

97-120 Ingleside Citgo Services, Inc. v. IEPA - The Board accepted this underground storage tank appeal on behalf of a Lake County facility for hearing.

97-154 Monsanto Company (William G. Krummrich Plant) v IEPA - The Board accepted this appeal of a

RCRA land permit involving a St. Clair County facility for hearing.

97-158 Donald & Verna Bryant v. Doug Heil and Harrisburg Truss Company - The Board accepted this citizen's noise enforcement action against a Saline County facility for hearing.

97-159 Central Illinois Public Service Company (Newton Lake) v. IEPA - The Board held this petition for water variance involving a Jasper County facility for the Agency recommendation. Board Member K.M. Hennessey abstained.

97-167 Litchfield-Hillsboro Landfill v. IEPA - The Board accepted this request for 90-day extension of time to file a land permit appeal on behalf of a Montgomery County facility.

97-168 People of the State of Illinois v. Old World Industries, Inc., and Specialty Sealant Tapes, Inc. - The Board received this land enforcement action against a Cook County facility for hearing.

97-169 Maywood/Phillips 66 v. IEPA - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.

97-170 Citgo Petroleum Corporation v. IEPA - *See Final Actions*

97-171 City of Kewanee v. IEPA - *See Final Actions*

97-172 Village of Fayetteville v. IEPA - *See Final Actions*

AC 97-54 County of Will v. Space Available, Corporation - The Board received an administrative citation against this Will County respondent.

AC 97-55 County of Will v. Pioneer Trust & Saving Bank, Trust #17020, Phyllis Sandberg, Phillip Sandberg, Jr., Darryl Sandberg, and Candice Sandberg. - The Board received an administrative citation against this Will County respondent.

R97-25 Great Lakes Water Quality Initiative - The Board accepted the Illinois Environmental Protection Agency Proposal in this matter and set it for hearing. - *See Rulemaking Update*

NEW CASES 4/17/97

97-173 KWP Partnership v. Office of State Fire Marshal
- The Board accepted this underground storage tank appeal on behalf of an Effingham County facility for hearing.

97-174 Bernie Loschen v Grist Mill Confection, Inc. - The Board held this citizen's air enforcement action against a Vermilion County facility for a frivolous and duplicitous determination at a later meeting.

97-175 People of the State of Illinois v. Circuit International, Inc. - The Board received this EPCRA enforcement action against a DuPage County facility for hearing.

97-177 People of the State of Illinois v. ESS L. P. - The Board received this EPCRA enforcement action against a DuPage County facility for hearing.

97-178 People of the State of Illinois v. William C. Bigger, an individual, Joseph G. Bigger, an individual, and Bigger Family Ltd. - The Board received this water enforcement action against a Henderson County facility for hearing.

97-179 People of the State of Illinois v. Midwest Grain Products of Illinois, Inc. - The Board received this air enforcement action against a Tazewell County facility for hearing.

97-180 Atkinson Landfill Company v. IEPA - The Board accepted this request for a 90-day extension of time to file a land permit appeal on behalf of a Henry County facility. Board Member J. Theodore Meyer abstained.

97-181 Sequa Corporation, Precoat Metals Division v. IEPA - The Board accepted this air permit appeal on behalf of a Madison County facility for hearing.

AC 97-56 County of Will v. Alan Beemsterboer, individually and Alan Beemsterboer, d/b/a Dutch Barn Landscaping - The Board received an administrative citation against this Will County respondent.

AC 97-57 County of Vermilion v. Brickyard Disposal and Recycling, Inc. - The Board received an administrative citation against this Vermilion County respondent.

AC 97-58 County of Will v. Daniel Stokes - The Board received an administrative citation against this Will County respondent.

AS 97-8 In the Matter of: Petition of Southern Illinois Regional Landfill, Inc. (SIRL) for an Adjusted Standard

from 35 Ill. Adm. Code 811.309 - The Board acknowledged receipt of this petition for an adjusted standard from certain requirements on behalf of a Jackson County facility and held it pending receipt of a certificate of publication.

CALENDAR OF HEARINGS

All hearings held by the Board are open to the public. Times and locations are subject to cancellation and rescheduling without notice. Confirmation of hearing dates and times is available by calling the Clerk of the Board at 312-814-6931.

Date & Time	Case # & Type	Case Name and Location
5/19/97 10:00 AM	PCB 95-091 RCRA-E	People of the State of Illinois v. Waste Hauling Landfill, Inc. - Office of the Attorney General, Conference Room, 500 South Second Street, Springfield, Illinois
5/19/97 10:00 AM	R97-025 R, Water	In the Matter of: Conforming Amendments for the Great Lakes Initiative: 35 Ill. Adm. Code Part 302.101-443 - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago, Illinois
5/20/97 10:00 AM	PCB 95-091 RCRA-E	People of the State of Illinois v. Waste Hauling Landfill, Inc. - Office of the Attorney General, Conference Room, 500 South Second Street, Springfield, Illinois
5/21/97 8:00 AM	AS 97-005 Air	In the Matter of: Petition of the Louis Berkman Company, d/b/a The Swenson Spreader Company for an Adjusted Standard from 35 Ill. Adm. Code Part 215, Subpart F - Illinois Pollution Control Board, 600 South Second Street, Springfield, Illinois
5/21/97 10:00 AM	PCB 95-091 RCRA-E	People of the State of Illinois v. Waste Hauling Landfill, Inc. - Office of the Attorney General, Conference Room, 500 South Second Street, Springfield, Illinois
5/21/97 10:00 AM	R 97-012(B) R, Land	In the Matter of: Tiered Approach to Corrective Action Objectives: Amendments to 35 Ill. Adm. Code 742.505 and 742.900 - Room 324, Loyola University School of Law, 1 East Pearson Street, Chicago, Illinois
5/22/97 10:00 AM	R 97-012(B) R, Land	In the Matter of: Tiered Approach to Corrective Action Objectives: Amendments to 35 Ill. Adm. Code 742.505 and 742.900 - State of Illinois Building, Auditorium, 160 North La Salle Street, Chicago, Illinois
5/22/97 10:00 AM	PCB 97-111 L&GW-E	People of the State of Illinois v. John Prior and Industrial Salvage, Inc. - Illinois Pollution Control Board, 600 South Second Street, Suite 402, Springfield, Illinois
5/29/97 10:00 AM	R 97-012(B) R, Land	In the Matter of: Tiered Approach to Corrective Action Objectives: Amendments to 35 Ill. Adm. Code 742.505 and 742.900 - Lincoln Room, Howlett Building, Springfield, Illinois
5/30/97 10:00 AM	R 97-012(B) R, Land	In the Matter of: Tiered Approach to Corrective Action Objectives: Amendments to 35 Ill. Adm. Code 742.505 and 742.900 - Lincoln Room, Howlett Building, Springfield, Illinois
6/2/97 10:00 AM	R 97-027 R, Land	In the Matter of: Revision of the Waste Disposal Rules: Amendment to 35 Ill. Adm. Code 817.101 - James R. Thompson Center, Suite 9-040, 100 West Randolph Street, Chicago, Illinois
6/20/97 10:00 AM	R 97-027 R, Land	In the Matter of: Revision of the Waste Disposal Rules: Amendment to 35 Ill. Adm. Code 817.101 - Illinois State Library, Room 403, 300 South Second Street, Springfield, Illinois
6/20/97 10:00 AM	PCB 91-028 P-A, NPDES	Acme Steel Company v. IEPA - (Consolidated with PCB 92-2) James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago, Illinois
6/20/97 10:00 AM	R 97-027 R, Land	In the Matter of: Revision of the Waste Disposal Rules: Amendment to 35 Ill. Adm. Code 817.101 - Illinois State Library, Room 403, 300 South Second Street, Springfield, Illinois

7/16/97 10:00 AM	PCB 97-120 UST-FRD	<u>Ingleside Citgo Services, Inc. v. IEPA</u> - Lake Zurich Village Hall, Council Chambers, Lower Level, 70 East Main Street, Lake Zurich, Illinois
7/28/97 10:00 AM	R97-025 R, Water	<u>In the Matter of: Conforming Amendments for the Great Lakes Initiative: 35 Ill. Adm. Code Part 302.101-443</u> - Waukegan Port District, Conference Room, 555 South Harbor Place, Waukegan, Illinois

Calendar Code

3d P	Third Party Action	A-C	Administrative Citation
A-E	Air Enforcement	A-S	Adjusted Standard
A-V	Air Variance	CSO	Combined Sewer Overflow Exception
GW	Groundwater	HW Delist	RCRA Hazardous Waste Delisting
L-E	Land Enforcement	L-S-R	Landfill Siting Review
L-V	Land Variance	MW	Medical Waste (Biological Materials)
N-E	Noise Enforcement	N-V	Noise Variance
P-A	Permit Appeal	PWS-E	Public Water Supply Enforcement
PWS-V	Public Water Supply Variance	R	Regulatory Proceeding
RCRA	Resource Conservation and Recovery Act proceeding (hazardous waste only)	S0 ₂	S0 ₂ Alternative Standards (35 ILL. ADM. CODE 302.211(f))
SWH-E	Special Waste Hauling Enforcement	SWH-V	Special Waste Hauling Variance
T	Thermal Demonstration Rule	T-C	Tax Certifications
T-S	Trade Secrets	UST-Appeal	Underground Storage Tank Corrective Action Appeal
UST-E	Underground Storage Tank Enforcement	UST-FRD	Underground Storage Tank Fund Reimbursement Determination
W-E	Water Enforcement	W-V	Water Variance
WWS	Water-Well Setback Exception		

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF WATER POLLUTION CONTROL
RESTRICTED STATUS LIST

In order to comply with 35 Illinois Administrative Code Section 306.401 Illinois Pollution Control Board Regulations, the Illinois EPA has prepared the following list of facilities which are on Restricted Status. Restricted Status is defined as the Agency determination that a sewer or lift station has reached hydraulic capacity or that a sewage treatment plant has reached design capacity, such that additional sewer connection permits may no longer be issued without causing a violation of the Act or Regulations. Please note that the list is continually being revised to reflect the current situation. Therefore, if you have any questions on the capability of a treatment facility or transport system, please contact this Agency for a final determination. This listing reflects the status as of March 31, 1997.

Facility names followed by an asterisk (*) indicates that construction is underway to ultimately alleviate problems which resulted in imposition of Restricted Status. Facilities followed by a double asterisk (**) are additions to the list.

<u>FACILITY NAME</u>	<u>RESPONSIBLE AUTHORITY</u>	<u>COUNTY</u>	<u>REMAINING CAPACITY</u>
Astoria-Washington and Lincoln St. Overflow; Adams & State St. Overflow**	Town of Astoria	Fulton	0
Athens STP	City of Athens	Menard	0
Bourbonnais (Belle Aire Subd.)	Village of Bourbonnais	Kankakee	0
Camelot Utilities - Wastewater Collection System	Camelot Utilities	Will	0
Camp Point (a portion mh 60-68)	Village of Camp Point	Adams	0
Candlewick Lake STP	Consumer Ill. Water Co.	Boone	0
Chapin (North and South Main Terminal L.S.)	Village of Chapin	Morgan	0
Clearview S.D.	Clearview S.D.	McLean	0
East Alton STP	City of East Alton	Madison	0
Farmington	City of Farmington	Fulton	0
Maple Lawn Homes STP	Maple Lawn Homes	Woodford	0
Port Byron STP	Village of Port Byron	Rock Island	0
Riverton (Sewer System-Partial)	Village of Riverton	Sangamon	0
Rosewood Heights S.D. - Ninth Street LS	Rosewood Heights S.D.	Madison	0
Round Lake Beach - Oaktree Subd. Pumping Sta.**	America Today, Inc.	Lake	0
South Palos Twp. S.D.**	South Palos Twp.	Cook	0
Sullivan Lake Development STP	Lake Development	Lake	0
Taylorville Shawnee Ave. Pump Station	City of Taylorville	Christian	0
Utilities Unlimited	Utilities Unlimited	Will	0
Virden (Sewer System-Partial)	Virden S.D.	Macoupin	0
Washington (Devonshire Estates)	City of Washington	Tazewell	0
Washington (Rolling Meadows)	City of Washington	Tazewell	0
Watseka STP	City of Watseka	Iroquois	0

Deletions from previous Quarterly Report: None.

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF WATER POLLUTION CONTROL
CRITICAL REVIEW LIST

In order to comply with 35 Illinois Administrative Code Section 306.401, Illinois Pollution Control Board Regulations, the Illinois Environmental Protection Agency has prepared the following list of facilities which are on Critical Review. Critical Review as defined as the Agency determination that a sewer or lift station is approaching hydraulic capacity or that a sewage treatment plant is approaching design capacity such that additional sewer connection permit applications will require close scrutiny to determine whether issuance would result in a violation of the Act or Regulations. Please note that these lists are continually being revised to reflect the current situation. Therefore, if you have any questions on the capability of a treatment facility or transport system, please contact the Agency for a final determination. This listing reflects the status as of March 31, 1997.

Facility names followed by a double asterisk are additions to the list.

<u>FACILITY NAME</u>	<u>RESPONSIBLE AUTHORITY</u>	<u>COUNTY</u>	<u>REMAINING CAPACITY</u>	<u>PE ADDED SINCE LAST LIST</u>
Beardstown Sanitary Dist.**	City of Beardstown	Cass	1,828	0
Benton-Southeast STP	City of Benton	Franklin	60	0
Bethalto (L.S. #1)	Village of Bethalto	Madison	87	0
Bolingbrook STP 2	Village of Bolingbrook	Will	630	0
Carrier Mills	Village of Carrier Mills	Saline	836	0
Carrollton	City of Carrollton	Greene	140	0
Chester	City of Chester	Randolph	26	0
Citizens Utilities of Ill. Derby Meadows Utility Co. STP	Citizens Utilities of Ill.	Will	0	0
Citizens Utilities of Ill. River Grange**	Citizens Utilities of Ill.	Will	10	0
Creve Coeur	Village of Creve Coeur	Tazewell	2,330	0
Downers Grove Sanitary Dist.	Downers Grove S.D.	DuPage	7,321	213
Earlville	City of Earlville	LaSalle	201	14
East Dundee STP	Village of E. Dundee	Kane	933	50
Elkville	Village of Elkville	Jackson	6	0
Findlay	Village of Findlay	Shelby	60	0
Herrin	City of Herrin	Williamson	0	0
Herscher	Village of Herscher	Kankakee	300	0
Highland STP	City of Highland	Madison	309	3
Hoopeston	City of Hoopeston'	Vermilion	0	0
CLPWD-Deerfield Rd. Interceptor	County of Lake Public Works Department	Lake	***	0
CLPWD-Diamond-Sylvan STP	County of Lake Public Works Department	Lake	248	0
Lake Barrington Homeowners Assn. STP	LBHOA	Lake	80	0
Lake in the Hills S.D.	Village of Lake in the Hills	McHenry	0	40
McHenry - South STP & Green	City of McHenry	McHenry	TBD	0
Moline (North Slope)	City of Moline	Rock Island	1,151	0
Mundelein STP	Village of Mendelein	Lake	0	1,156
O'Fallon	City of O'Fallon	St. Clair	134	193
Paris STP	City of Paris	Edgar	1,909	0
Rock Island (Main)	City of Rock Island	Rock Island	4,886	10
Round Lake-Rosewood Sewage Pumping Station**	Village of Round Lake	Lake	97	0
Thompsonville STP	Village of Thompsonville	Franklin	35	0

Deletetions from previous quarterly report: Braidwood STP; Manhattan; Milan; Orangeville; Pearl City

***Contact IEPA - Permit Section

MM:sp5439c/2-5

Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of April 1, 1997.

* Indicates public water supplies which have been added to the list since the previous publication.

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERV ED</u>	<u>LISTING DATE</u>
Acorn Acres Sbdv (Lake Co - 0975020)	2	Inadequate Pres Tank	250	12/16/83
Alden Long Grove Nursing Center(Lake Co - 0971090)	2	Inadequate Pres Tank	204	06/15/93
Ashley (Washington Co - 1890100)	6	Trihalomethane	825	06/15/92
Bahl Wtr Corp (Jo Daviess Co - 0855200)	1	Inadequate Pres Storage	700	12/15/93
Bardolph (McDonough Co - 1090050)	5	Trihalomethane	299	03/15/95
Bartmann Health Care Center (Logan Co-1075169)	5	Inadequate Pres Tank	93	12/16/83
Belmont-Highwood PWD (DuPage Co - 0435180)	2	Trichloroethylene	498	09/16/93
Benld (Macoupin Co - 1170050)	5	Atrazine & Trihalomethane	1,634	09/16/96
Biggsville (Henderson Co - 0710050)	5	Radium & Radiological	400	03/17/86
Blue & Gold Hmownrs Assn (Winnebago Co - 2015250)	1	Inad Pres Tank & Source of Supply	170	06/17/83
* Blue Mound (Macon Co - 1150100)	4	Nitrate	1,165	03/15/97
Bonnie Lane Water Supply (Kendall Co - 0930010)	2	Inadequate Pres Tank	49	09/16/93
Bradford (Stark Co - 1750050)	1	Radium	920	03/17/86
Bradley Hts Sbdv (Winnebago Co - 2015050)	1	Inadequate Pres Tank	192	09/13/85
Breezeway Sbdv (Tazewell Co - 1795150)	5	Inadequate Pres Tank	175	09/17/82
Briar Garden Apts (Winnebago Co - 2015190)	1	Inadequate Pres Tank	60	12/17/82
Briarcrest Sbdv Hmowners Assn (Lake Co - 0971060)	2	Radium	120	12/16/92
Broadview Acdmty (Kane Co - 0895149)	2	Radium	304	09/19/86
Brookview Sbdv (Peoria Co - 1435100)	5	Nitrate	300	09/16/93
* Brownstown (Fayette Co - 0510100)	6	Atrazine	668	03/15/97
Bryant (Fulton Co - 0570200)	5	Radium & Radiological	310	03/15/95
Buck Lake Ests Sbdv (DeKalb Co - 0375100)	1	Inadequate Pres Tank	200	09/14/84
Buckingham (Kankakee Co - 0910250)	2	Inadequate Pres Tank	330	03/17/89
Byron Woods Sbdv (Rock Island Co - 1610070)	1	Arsenic	75	06/17/96
Campus (Livingston Co - 1050050)	4	Inadequate Pres Tank	230	03/20/81
Carbon Hill (Grundy Co - 0630100)	2	Radium & Radiological	400	08/28/96

Carroll Hts Utl Cmpny (Carroll Co - 0155200)	1	Inadequate Pres Tank	80	03/20/81
Century Pines Apts (Carroll Co - 0150020)	1	Inadequate Pres Tank	50	12/14/90
Channahon East (Will Co - 1970070)	2	Radium	174	12/16/96
Cherry Vale East Apts (Winnebago Co - 2015470)	1	Inadequate Pres Tank	180	01/14/82
Cherry View Apts (Winnebago Co - 2015278)	1	Inadequate Pres Tank	60	06/17/83
Claremont Hls Sbdv (McHenry Co - 1115080)	2	Inadequate Pres Tank	330	03/15/96
Clarendon Wtr Cmpny (DuPage Co - 0435300)	2	Inadequate Pres Tank	1,953	03/20/81
Clearview Sbdv (Will Co - 1975360)	2	Inadequate Pres Tank	420	01/13/82
Coalton (Montgomery Co - 1350100)	5	Low System Pres	325	03/20/81
Coffeen (Montgomery Co - 1350150)	5	Trihalomethane	800	03/17/92
Community Srvc Corp (McHenry Co - 1115350)	2	Inadequate Pres Tank	750	09/16/83
Coulterville (Randolph Co - 1570150)	6	Trihalomethane	1,100	09/16/96
Cropsey Cmnty Wtr (McLean Co - 1135150)	4	Inadequate Pres Tank	60	03/20/81
Crystal Clear Wtr Cmpny (McHenry Co - 1115150)	2	Inadequate Pres Tank	900	09/16/88
Crystal Hts Assn (McHenry Co - 1115100)	2	Inadequate Pres Tank	93	06/17/96
Ctzns Liberty Ridge Dvn (DuPage Co - 0435650)	2	Inadequate Pres Tank	2,510	03/15/94
Ctzns Lombard Heights Dvn (DuPage Co - 0435700)	2	Inadequate Pres Tank	980	12/17/82
Ctzns Marina Village (Kendall Co - 0935100)	2	Inadequate Pres Tank & Inadequate Pres Storage	2,200	03/16/90
D and R Apts (Champaign Co - 0190030)	4	Inadequate Pres Tank	26	09/16/93
Deering Oaks Sbdv (McHenry Co - 1115200)	2	Inadequate Pres Tank	60	12/17/82
DeKalb Univ Dvl Corp (DeKalb Co - 0375148)	1	Inadequate Pres Tank	950	12/16/92
DePue (Bureau Co - 0110300)	1	Radium	1,725	09/16/94
DeWitt Cnty NH (DeWitt Co - 0395129)	4	Inadequate Pres Tank	80	06/17/83
Dieterich (Effingham Co - 0490150)	4	Nitrite	568	12/16/96
DL Well Owners Assn (Lake Co - 0975380)	2	Inadequate Pres Tank	125	03/18/83
Dorchester (Macoupin Co - 1170250)	5	Atrazine & Trihalomethane	480	09/16/96
Dover (Bureau Co - 0110350)	1	Inadequate Pres Tank	200	05/25/81
Eagerville (Macoupin Co - 1170300)	5	Atrazine & Trihalomethane	187	09/16/96
East Moreland Wtr Assn (Will Co - 1975600)	2	Inadequate Pres Tank	753	03/20/81
East Moreland Wtr Corp (Will Co - 1975640)	2	Inadequate Pres Tank	135	03/15/96
Echo Lake Block IV Wtr Assn (Lake Co - 0970130)	2	Inadequate Pres Tank	50	06/15/88
Echo Lake Wtr Sys Block 7 (Lake Co - 0975820)	2	Inadequate Pres Tank	48	09/16/83
Ellis Grove (Randolph Co - 1570200)	6	Trihalomethane	720	12/16/96
Elm Oak Mutual Wtr Syst (Lake Co - 0975736)	2	Inad Pres Tank & Radium	45	06/13/86
Emmett Utl Inc (McDonough Co - 1095200)	5	Inadequate Pres Tank	39	12/17/82
Evergreen Vlg Sbdv (Rock Island Co - 1615310)	1	Inadequate Pres Tank	250	03/20/81
Fahnstock Court Sbdv (Peoria Co - 1435200)	5	Inadequate Pres Tank	30	05/25/81
Fair Acres Sbdv (Will Co - 1975680)	2	Inadequate Pres Tank	185	10/19/81
Fairview (Fulton Co - 0570450)	5	Radiological, Radium & Inad Pres Tank	620	03/20/81
Farm Colony Sbdv (Kendall Co - 0935140)	2	Radium	25	03/17/86
Fields Hill Impvmt Assn (LaSalle Co - 0995150)	1	Radium	312	12/16/96
* Fields of Long Grove (Lake Co - 0971050)	2	Radium	153	03/15/97
Forest Lake Addn (Lake Co - 0975500)	2	Inadequate Pres Tank	180	12/16/83
Fox Lawn Utl Cmpny Inc (Kendall Co - 0935150)	2	Radium	240	03/17/86
Frwr-Skyline Cpy (Kane Co - 0895030)	2	Inadequate Pres Tank	1,300	09/19/86
Galena Knolls Sbdv (Peoria Co - 1435300)	5	Nitrate	180	06/15/88
Garden Street Imprv Assn (Will Co - 1975376)	2	Inadequate Pres Tank	62	09/15/89
Gillespie (Macoupin co - 1170400)	5	Atrazine	3,900	09/16/96
Glenkirk Campus North (Lake Co - 0977189)	2	Inadequate Pres Tank	64	06/15/88
Glenkirk Campus South (Lake Co - 0977199)	2	Inadequate Pres Tank	36	06/15/88

Good Shepherd Mnr (Kankakee Co - 0915189)	2	Inadequate Pres Tank	140	03/17/89
Great Oaks&Beacon Hls Apts(Winnebago Co-2015488)	1	Inadequate Pres Tank	943	12/17/82
Hawthorn Woods (Lake Co - 0970450)	2	Inadequate Pres Tank	800	03/15/95
Hazelwood 1st Addn Well 2 (Henry Co - 0735446)	1	Inadequate Pres Tank	32	09/17/82
Hazelwood 2nd Addn Well 2 (Henry Co - 0735666)	1	Inadequate Pres Tank	32	09/17/82
Hazelwood 2nd Addn Well 3 (Henry Co - 0735686)	1	Inadequate Pres Tank	32	09/17/82
Heatherfield Sbdv (Grundy Co - 0635150)	2	Inadequate Pres Tank	91	09/17/82
Hettick (Macoupin Co - 1170500)	5	Atrazine	250	03/15/95
Highland Lake Sbdv (Lake Co - 0975750)	2	Inadequate Pres Tank	294	03/20/81
Highland Sbdv (Kane Co - 0895530)	2	Inadequate Pres Tank	50	09/16/83
Hillview Sbdv (Will Co - 1975800)	2	Inadequate Pres Tank	99	03/15/85
Hmownrs Assn of Four Lks Sbdv (LaSalle Co-0995110)	1	Radium	5	09/19/86
Hopewell (Marshall Co - 1235150)	1	Radiological	350	09/15/95
* Hull (Pike Co - 1490350)	5	Tetrachloroethylene	529	03/15/97
Huntley Cmnty Sbdv (Will Co - 1975840)	2	Inadequate Pres Tank	48	03/16/84
Il Prairie Est Sbdv (LaSalle Co - 0995300)	1	Radium	45	06/15/88
* Ill City Waterworks (Rock Island Co - 1610110)	1	Inadequate Pres Storage	43	03/15/97
Ingalls Pk Sbdv (Will Co - 1975880)	2	Inadequate Pres Tank	690	09/16/83
Island Lake Wtr Cmpny (Lake Co - 0975080)	2	Iron	2,250	06/15/90
* Joliet (Will Co - 1970450)	2	Radium & Radiological	78,000	02/28/97
Joy (Mercer County - 1310100)	1	Inadequate Source	495	09/16/96
Kaho (Macoupin Co - 1170030)	5	Atrazine	847	09/16/96
Kangley (LaSalle Co - 0990250)	1	Radium	300	09/16/96
* Kewanee (Henry Co - 0730650)	1	Radium & Radiological	12,969	03/26/97
Kingston Mines (Peoria Co - 1430450)	5	Radium & Radiological	350	03/17/86
Kinsman (Grundy Co - 0630450)	2	Radium	150	03/17/86
Kirkwood (Warren Co - 1870050)	5	Radium & Radiological	1,008	03/17/86
* Knoxville (Knox Co - 0950300)	5	Radium & Radiological	3,243	01/08/97
Ladd (Bureau Co - 0110450)	1	Radium	1,350	10/04/85
Lake Lynwood Wtr Sys (Henry Co - 0735330)	1	Inadequate Pres Tank	98	08/31/81
Lakeview Sbdv (Whiteside Co - 1955150)	1	Inadequate Pres Tank	146	03/20/81
Lakewood Shores Imprv Assn (Will Co - 1975930)	2	Radium	93	03/17/86
Lakewood Wtr Sys (Lake Co - 0975400)	2	Inadequate Pres Tank	49	12/16/83
Larchmont Sbdv (Winnebago Co - 2015290)	1	Inadequate Pres Tank	106	06/17/83
Larson Court Rentals (Rock Island Co - 1615728)	1	Inadequate Pres Tank	48	01/14/82
Legend Lakes Wtr Assn (Winnebago Co - 2015300)	1	Inadequate Pres Tank	225	03/14/91
Lemon Street Wl Cmpny Inc (Rock Island Co-1615550)	1	Inadequate Pres Tank	470	03/20/81
Liberty Park Homeowners Assn (DuPage Co - 0435600)	2	Inadequate Pres Tank	1,092	09/17/92
Lindenwood Wtr Assn (Ogle Co - 1415300)	1	Inadequate Pres Tank	50	01/13/82
Lisbon North Inc (Grundy Co - 0631000)	2	Inadequate Pres Tank	30	09/14/90
Little York (Warren Co - 1870100)	5	Radium & Radiological	356	12/16/91
London Mills (Fulton Co - 0574620)	5	Inadequate Pres Tank	670	12/14/84
Lostant (LaSalle Co - 0990450)	1	Radium	550	03/17/86
Lynn Cntr (Henry Co - 0735100)	1	Inadequate Pres Tank	147	03/15/95
Lynnwood Water Corp (LaSalle Co - 0995336)	1	Inadequate Pres Tank	114	03/18/83
M C L W Sys Inc (Mercer Co - 1315150)	1	Inadequate Source	100	03/20/81
Maple Hill Imprv Assn (DuPage Co - 0435800)	2	Inad Pres Tank & Trichloroethylene	234	08/31/81
Maple Leaf Ests Wtr Corp (Monroe Co - 1335100)	6	Inadequate Pres Tank	39	03/20/81
Marseilles (LaSalle Co - 0990500)	1	Radium	4,700	12/16/96
Mayfair Sbdv (Tazewell Co - 1795750)	5	Inadequate Pres Tank	150	03/16/90
Mound PWD (St Clair Co - 1635050)	6	Inadequate Plant Capacity	1,800	06/17/96
Mount Clare (Macoupin Co - 1170650)	5	Atrazine & Trihalomethane	297	09/16/96
Mount Gilead Shlcrhm (Greene Co - 0615129)	6	Inadequate Pres Tank	28	09/16/83

Naplate (LaSalle Co - 0990600)	1	Radium	560	03/15/96
Nauvoo (Hancock Co - 0670500)	5	Trihalomethane	1,200	08/13/93
Neponset (Bureau Co - 0110700)	1	Radium & Radiological	640	09/14/90
Northside Peterson Wlfnd (DuPage Co - 0435866)	2	Inadequate Pres Tank	30	12/15/89
Northwest Belmont Imprv Assn (DuPage Co - 0435900)	2	Inadequate Pres Tank	115	09/29/81
Oak Ridge Sndst (Woodford Co - 2035300)	1	Inadequate Pres Tank	240	03/20/81
Oakview Avenue Wtrwks Inc (Will Co - 1977210)	2	Inadequate Pres Tank	350	03/20/81
Odell (Livingston Co - 1050550)	4	Radium	1,100	03/17/86
Olivet Nazarene College (Kankakee Co - 0915279)	2	Inadequate Pres Tank	1,450	03/15/94
Opheim PWS (Henry Co - 0735150)	1	Inadequate Pres Tank	150	06/18/82
Osc Mutual Wtr Supply Cpy Inc (Henry Co-0735200)	1	Inadequate Pres Tank	115	12/15/89
Park Crest Wtr Cmpny (Stephenson Co - 1775100)	1	Inadequate Pres Tank	1,200	09/14/84
Park Road Wtr Assn (Will Co - 1977330)	2	Inadequate Pres Tank	60	12/17/82
Park View Wtr Corp (Kane Co - 0895500)	2	Inadequate Pres Tank	150	12/17/82
* Patoka (Marion Co - 1210400)	6	Inadequate Plant Capacity	731	03/15/97
Plum Creek Cndos (Cook Co - 0317080)	2	Radium	570	03/17/86
Polo Dr & Saddle Rd Sbdv (DuPage Co - 0437000)	2	Inadequate Pres Tank	95	12/17/82
Prairie Ridge Assn (McHenry Co - 1115730)	2	Inadequate Pres Tank	140	03/16/90
Prairie View Wtr Assn (Tazewell Co - 1795900)	5	Inadequate Pres Tank	55	03/20/81
Ransom (LaSalle Co - 0990900)	1	Radium	450	03/17/86
Reddick (Kankakee Co - 0914780)	2	Radium	208	09/16/93
Retz Addn Impv Assn (LaSalle Co - 0995400)	1	Radium	220	12/16/96
Ridgecrest North Sbdv (Grundy Co - 0635250)	2	Inadequate Pres Tank	85	09/16/93
Ridgewood Ledges Wtr Assoc(Rock Island Co-1615670)	1	Inadequate Pres Tank	475	03/20/81
Ridgewood Sbdv (Will Co - 1977650)	2	Inadequate Pres Tank	315	06/18/82
Rome Farms #9 (Peoria Co - 1435500)	5	Nitrate	200	09/15/95
Salem Childrens Hm (Livingston Co - 1055229)	4	Inadequate Pres Tank	66	03/18/83
Save Site (St Clair Co - 1635289)	6	Trihalomethane	375	06/15/92
Sawyerille (Macoupin Co - 1170850)	5	Atrazine	570	09/16/96
Sbdv Wtr Trust No 1 (Kane Co - 0895300)	2	Inadequate Pres Tank	1,120	03/20/81
Scribner Street Sbdv (Will Co - 1977660)	2	Inadequate Pres Tank	50	03/18/83
Shawnita Trc Wtr Assn (Will Co - 1977690)	2	Inadequate Pres Tank	125	09/17/92
Shipman (Macoupin Co - 1170950)	5	Atrazine	& 675	12/16/96
		Trihalomethane		
Silvis Heights Wtr Corp (Rock Island Co - 1615750)	1	Inadequate Pres Tank	1,680	03/20/82
Skyview Estates (Kankakee Co - 0915526)	2	Inadequate Pres Tank	65	09/14/84
Sorento (Bond Co - 0050300)	6	Trihalomethane	750	09/16/96
South Wilmington (Grundy Co - 0630650)	2	Radium	750	03/15/93
Spring Creek Wtr Assn (Macoupin Co - 1175450)	5	Atrazine	& 60	09/16/96
		Trihalomethane		
St Charles Cmsn Wlfnd 3 (DuPage Co - 0437040)	2	Inadequate Pres Tank	30	12/15/89
* St Elmo (Fayette Co - 0510250)	6	Atrazine	1,513	03/15/97
* St Peter (Fayette Co - 0510300)	6	Atrazine	493	03/15/97
Standard (Putnam Co - 1550300)	1	Radium & Radiological	280	09/16/91
Staunton Res Rd Wtr (Macoupin Co - 1175250)	5	Trihalomethane	70	12/16/96
Steeleville (Randolph Co - 1570650)	6	Radium	2,305	03/17/86
Sturm Sbdv (Lake Co - 0977010)	2	Inadequate Pres Tank	63	03/16/84
Suburban Heights Sbdv (Rock Island Co - 1615800)	1	Inadequate Pres Tank	114	12/16/83
Summit Homeowners Assn (Lake Co - 0975280)	2	Inadequate Pres Tank	48	03/16/84
Sunnyland Sbdv (Will Co - 1977730)	2	Inadequate Pres Tank	350	09/16/83
Swedona Wtr Assn (Mercer Co - 1315200)	1	Inadequate Pres Tank	100	06/15/90
Sylvan Lake 1st Sbdv (Lake Co - 0977100)	2	Inadequate Pres Tank	210	06/14/91
The Mill (Winnebago Co - 2010040)	1	Inadequate Pres Tank	90	12/16/94
Tindalls 3rd & 6th Addn (Rock Island Co - 1617376)	1	Inadequate Pres Tank	28	06/18/82
Townners Sbdv (Lake Co - 0977250)	2	Inadequate Pres Tank	238	01/14/82

Trivoli PWD (Peoria Co - 1435510)	5	Inadequate Pres Tank	350	06/17/83
Turkey Hollow Well Corp (Rock Island Co - 1615686)	1	Inadequate Pres Tank	32	06/18/82
Utl Inc Northern Hls Utl Co(Stephenson Co-1775050)	1	Inadequate Pres Tank	290	03/15/96
Utl Inc Walk-Up Woods Wtr Co(McHenry Co - 1115800)	2	Inadequate Pres Tank	763	12/17/82
Vet's Place Sbdv (Peoria Co - 1435650)	5	Nitrate & Inadequate Pressure Tank	85	09/16/94
Wadsworth Oaks Sbdv (Lake Co - 0977320)	2	Radium	80	09/19/86
Warsaw (Hancock Co - 0670650)	5	Trihalomethane	1,882	12/16/96
Wermes Sbdv (Kane Co - 0895750)	2	Inadequate Pres Tank	150	12/16/88
West Shoreland Sbdv (Lake Co - 0977050)	2	Inadequate Pres Tank	220	06/14/91
Westfield (Clark Co - 0230200)	4	Inadequate Water Source	700	06/15/93
White City (Macoupin Co - 1171150)	5	Trihalomethane	280	12/16/96
* White Hall (Greene Co - 0610400)	6	Atrazine & Trihalomethane	2,950	03/15/97
Wilsonville (Macoupin Co - 1171200)	5	Atrazine & Trihalomethane	609	09/16/96
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Pres Tank	1,161	06/16/94
Woodland Hts Ests Sbdv (Peoria Co - 1435760)	5	Inadequate Pres Tank	245	03/20/81
Woodsmoke Ranch Assn (LaSalle Co - 0990030)	1	Inad Pres Tank & Radium	350	06/15/90
Yates City (Knox Co - 0950700)	5	Radium & Radiological	900	03/20/81
York Cntr Coop (DuPage Co - 0437550)	2	Inadequate Pres Tank	240	06/15/88
2nd Street Wtr Assn (Lake Co - 0971140)	2	Indaquate Pres Tank	33	12/15/95

PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST

Mount Carroll (Carroll Co - 0150200)

Illinois Environmental Protection Agency
Division of Public Water Supplies
Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of April 1, 1997.

*Indicates public water supplies which have been added to the list since the previous publication.

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Albers (Clinton Co - 0270050)	6	Inadequate Plant Capacity	850	03/15/96
Baylis (Pike Co - 1490100)	5	Source Capacity	300	09/13/85
Bluford (Jefferson Co - 0810100)	7	Low System Pressure	465	03/20/81
Ctzns Chickasaw Hills Div (Will Co - 1975320)	2	Low System Pressure	7,700	09/17/92
Clinton (DeWitt Co - 0390050)	4	Inad Plant Capacity	7,437	06/14/91
DePue (Bureau Co - 0110300)	1	Inad Treatment Plant	1,930	12/15/93
Dieterich (Effingham Co - 0490150)	4	Inadequate Source	568	03/15/94
Edwardsville (Madison Co - 1190250)	6	Inad Treatment Plant	30,581	12/15/93
Evansville (Randolph Co - 1570250)	6	Low System Pressure	1,838	05/25/81
Georgetown (Vermilion Co - 1830350)	4	Inadequate Water Plant	3,678	06/15/93
Hardin (Calhoun Co - 0130200)	6	Low System Pressure	1,175	11/25/81
Highland Hills Sndst (DuPage Co - 0435560)	2	Inadequate Pres Tank	1,100	09/17/92
Homer (Champaign Co - 0190300)	4	Inadequate Source	1,300	03/15/94
Kincaid (Christian Co - 0210250)	5	Plant Capacity	2,640	06/14/85
McHenry Shores Wtr Cmpny (McHenry Co - 1115020)	2	Low System Pressure	1,170	09/17/92
Pearl (Pike Co - 1490650)	5	Inadequate Pres Tank	322	09/17/82
Pecatonica (Winnebago Co - 2010250)	1	Low System Pressure	1,830	06/15/90
South Highway PWD (Jackson Co - 0775400)	7	Low System Pressure	8,189	06/15/92
Stockton (Jo Daviess Co - 0850450)	1	Low System Pressure	1,900	06/15/84
Sumner (Lawrence Co - 1010300)	7	Low System Pressure	1,553	12/13/85
Taylor Springs (Montgomery Co - 1350650)	5	Low System Pressure	650	02/20/81
Tower Ridge Sbdv (Rock Island Co - 1615780)	1	Inadequate Pres Tank	70	03/15/94
Utl Inc Lake Marian Wtr Corp (Kane Co - 0895200)	2	Low Sys Pres & Inad Pres Storage	800	09/14/84
Walnut Hill (Marion Co - 1210600)	6	Low System Pressure	1,200	06/14/85
West Liberty-Dundas Wtr Dst (Richland Co-1595050)	7	Low System Pressure & Inadequate Source	693	12/14/84
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Storage	1,080	12/14/90

PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST
Patoka (Marion Co - 1210400)