



ENVIRONMENTAL REGISTER

January 20, 2022 – Number 760

A PUBLICATION OF THE ILLINOIS POLLUTION CONTROL BOARD

<https://pcb.illinois.gov/>

BOARD MEMBERS

- ❖ Barbara Flynn Currie, Chair
- ❖ Cynthia M. Santos
- ❖ Anastasia Palivos
- ❖ Jennifer Van Wie
- ❖ Michelle Gibson

The **Illinois Pollution Control Board** is an independent, five-member board that adopts environmental control regulations and decides enforcement actions and other environmental cases for the State of Illinois.

INSIDE THIS ISSUE

- ❖ Chair's Update
- ❖ Rulemaking Update
- ❖ Time-Limited WQS Update
- ❖ Board Actions
- ❖ Calendar
- ❖ Health Advisory Summary List
- ❖ Restricted Status & Critical Review Lists

CHAIR'S UPDATE

In this issue of the *Environmental Register*, I write to both welcome the newest Board Member and commemorate the passing of a former Board Member.

I am delighted to announce that Governor JB Pritzker appointed Michelle Gibson to the Board in November 2021. Board Member Gibson brings a wealth of relevant experience to the Board. She is a Registered Environmental Health Specialist who has spent more than 15 years in environmental consulting, waste diversion, resource management, and environmental public health. I warmly welcome her on behalf of everyone at the Board.

Sadly, last November, former Board Member Gary Blankenship died at age 75. He served on the Board from 2008 to 2011. I did not have the pleasure of working with Member Blankenship but all who did fondly remember him for his practical insights into complex issues, his kind smile, and his readiness to help in any situation. Board proceedings he successfully led include rulemakings to improve our State's regulations on financial assurance for landfill cleanups and controls for nitrogen oxides emissions.

Mr. Blankenship was a U.S. Army veteran, serving in Vietnam from 1966-1967. He became an apprentice in the Plumbers & Pipefitters Local 422 in 1971 and a Journeyman Pipefitter in 1976. He was elected Local 422's Business Manager in 1981 and served in that capacity until joining the Board. From this background, Mr. Blankenship came to the Board with experience in constructing and maintaining pollution control systems at a wide variety of facilities, including coal-fired power plants, wastewater treatment plants, refineries, chemical plants, incinerators, and landfills.



We are very grateful for Mr. Blankenship's many contributions to protecting Illinois' environment and send our deepest sympathies to his family.

Sincerely,

Barbara Lynn Cruise

Chair



RULEMAKING UPDATE

Board Proposes Non-Substantive Amendments to Water Pollution Rules

On November 4, 2021, the Board issued an order proposing, for public comment, non-substantive amendments to Illinois' water pollution rules. These rules include water quality standards, water use designations, effluent standards, and provisions for monitoring, reporting, and permitting. The proposed amendments are part of a larger undertaking by the Board to update its rules across multiple media and subject areas. The proposal will remove unnecessary language, replace outdated language, update statutory references, and reorganize provisions for clarity. The amendments include proposed changes from the Illinois Environmental Protection Agency to delete outdated provisions, appropriately match incorporations by reference, eliminate redundancies, and correct citations.

In its order, the Board welcomed public comment on all aspects of the proposal and specifically requested public comment on 41 enumerated items. The rulemaking is captioned Amendments to 35 Ill. Adm. Code Subtitle C: Water Pollution, docket R18-23. Here is the link to the Board's November 4, 2021 [order](#), which includes the text of the proposed amendments. For more information, please contact Tim Fox at tim.fox@illinois.gov or Mark Kaminski at mark.kaminski@illinois.gov.

Board to Hold Public Hearings on Groundwater Quality Rulemaking Proposal

On December 7, 2021, the Illinois Environmental Protection Agency (IEPA) filed a rulemaking proposal to update the Board's groundwater quality regulations. IEPA seeks to uphold the policy of the Illinois Groundwater Protection Act "to restore, protect, and enhance the groundwaters of the State, as a natural and public resource." 415 ILCS 55/2(b). Specifically, IEPA states that its proposed rule changes are designed to keep Illinois' standards "current as scientific data and methods supporting the development of groundwater quality standards have evolved." Among other amendments, IEPA proposes location-specific Class III groundwater quality standards for six dedicated nature preserves, as well as groundwater quality standards for six Per- and Polyfluoroalkyl Substances or "PFAS."

By order of January 6, 2022, the Board accepted the proposal for hearing. Currently, the Board has two public hearings scheduled. The first hearing is set for March 9, 2022, and the second for April 4, 2022. Both hearings will be held by videoconference between Springfield and Chicago. Details are in the hearing officer's [notice and order](#) of January 13, 2022.

The rulemaking is captioned Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), docket R22-18. For more information, please contact Vanessa Horton at 312-814-5053 or vanessa.horton@illinois.gov.



TIME-LIMITED WQS UPDATE

Board Adopts Illinois' First "Time-Limited Water Quality Standard"

On November 4, 2021, the Board issued an order adopting the first "time-limited water quality standard" (TLWQS) in Illinois. A TLWQS is a form of temporary relief from a water quality standard. The Board's TLWQS authority was added to the Illinois Environmental Protection Act by Public Act 99-937, effective February 24, 2017. In turn, the Board adopted procedural rules—effective April 27, 2018—for conducting TLWQS proceedings. The Board may issue a TLWQS for a single discharger, multiple dischargers, a watershed, a water body, or a waterbody segment.

In this proceeding, the Board issued a 15-year, watershed TLWQS for chloride to 48 petitioners that discharge into the Lower Des Plaines River (LDPR) watershed and portions of the Chicago Area Waterway System (CAWS) watershed. These watersheds do not meet the current chloride water quality standard during the winter due largely to the necessary use of sodium chloride—also known as "road salt"—for public safety, *i.e.*, keeping sidewalks, streets, and highways free of snow and ice. If dischargers other than the 48 petitioners satisfy the criteria in the Board's order, they may be granted coverage under the TLWQS by the Illinois Environmental Protection Agency (IEPA).

This TLWQS specifies the highest attainable condition (HAC) of the watersheds during the term of the relief. Dischargers subject to the TLWQS must achieve the HAC by complying with the order's requirements, which include:

- Participating in chloride workgroups corresponding to the LDPR or CAWS watershed.
- Implementing best management practices (BMPs) to reduce chloride discharges.
- Submitting annual reports on BMP efficacy to IEPA and making them publicly available.
- Filing with the Board proposed re-evaluations at five-year intervals assessing the HAC.

Before adopting the TLWQS, the Board held a public hearing and reviewed petitioners' demonstrations and IEPA's recommendation, as well as public comments from numerous participants, including the United States Environmental Protection Agency (USEPA). The TLWQS will take effect for federal Clean Water Act purposes after approval by USEPA. The ultimate objective remains compliance with the underlying chloride water quality standard, which remains applicable to dischargers not covered by the TLWQS.

This TLWQS proceeding is captioned [Village of Homewood et al. v. Illinois Environmental Protection Agency, PCB 16-14 et al. \(consol.\)](#). Here is a link to the Board's November 4, 2021 [order](#), as well as a link to the Board's January 6, 2022 [order](#) clarifying its November 4, 2021 order.



Board Grants “Time-Limited Water Quality Standard” to MWRD for Dissolved Oxygen

On December 16, 2021, the Board issued an order granting a “time-limited water quality standard” (TLWQS) to the Metropolitan Water Reclamation District of Greater Chicago (MWRD). A TLWQS is a form of temporary relief from a Board water quality standard. MWRD sought a dissolved oxygen TLWQS to account for discharges into the Chicago Area Waterways System (CAWS) from combined sewer overflow (CSO) outfalls. These CSO outfalls are associated with MWRD’s O’Brien, Calumet, and Stickney water reclamation plants. The TLWQS has a five-year term.

A combined sewer system carries stormwater and wastewater to MWRD’s reclamation plants. However, when heavy rainfalls occur, excess stormwater can overwhelm the capacities of the collection systems and reclamation plants, resulting in discharges from CSO outfalls. These outfalls provide relief from local flooding, but they do so by allowing untreated excess flow from the combined sewer system to be discharged directly into the CAWS. CSO discharges contribute to non-compliance with the Board’s dissolved oxygen water quality standards by lowering dissolved oxygen levels in the CAWS. Portions of the CAWS currently do not meet the dissolved oxygen water quality standards due to CSO discharges. Sufficient levels of dissolved oxygen are necessary for aquatic plant and animal life.

The TLWQS issued by the Board specifies the “highest attainable condition” (HAC) of the designated receiving segments of the CAWS during the term of the relief. The HAC includes requirements related to MWRD’s multi-decade construction project, the Tunnel and Reservoir Plan (TARP). The goal of TARP is to eliminate CSO discharges into the CAWS by constructing large reservoirs that capture untreated excess flow and store it until the reclamation plants can begin treatment. TARP is expected to be completed in 2029. To improve dissolved oxygen levels in the meantime, the HAC includes specified interim pollution minimization measures, among other requirements.

Before adopting the TLWQS, the Board held a public hearing and reviewed MWRD’s demonstration and the Illinois Environmental Protection Agency’s recommendation, as well as public comments from other participants, including the United States Environmental Protection Agency (USEPA). The TLWQS will take effect for federal Clean Water Act purposes after approval by USEPA. The ultimate objective remains compliance with the underlying dissolved oxygen water quality standards, which still apply in the CAWS to all discharges not covered by the TLWQS.

This TLWQS proceeding is captioned Metropolitan Water Reclamation District of Greater Chicago v. Illinois Environmental Protection Agency, docket PCB 16-28. Here is a link to the Board’s December 16, 2021 [order](#).



BOARD ACTIONS

October 7, 2021 Regular Meeting

By videoconference: IPCB Offices in Chicago and Springfield

ADJUDICATORY CASES

- [PCB 20-16](#) People of the State of Illinois v. IronHustler Excavating, Inc. and River City Construction, LLC (Land – Enforcement) – The Board granted the People’s motion for summary judgment against IronHustler and River City and denied IronHustler’s cross-motion for summary judgment. The Board found that both respondents violated the Environmental Protection Act and the Board’s solid waste disposal regulations. The Board also assessed a civil penalty of \$80,000 against IronHustler and \$35,000 against River City.
- [PCB 21-46](#) People of the State of Illinois v. Western Waterproofing Company, Inc., d/b/a Western Specialty Contractors, and Springfield Branch, LLC (Land, RCRA – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a site in Sangamon County, the Board ordered publication of the required newspaper notice.
- [PCB 22-2](#) People of the State of Illinois v. Wil Son Pallet LLC (Water, NPDES – Enforcement) – In this enforcement action concerning a Moultrie County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Wil Son Pallet to pay a \$12,000 civil penalty and to cease and desist from further violations.
- [PCB 22-5](#) Koppers Inc. v. Illinois Environmental Protection Agency (Air – Permit Appeal) – The Board granted Koppers’ motion for voluntary dismissal, dismissed this permit appeal, and closed the docket.
- [PCB 22-8](#) People of the State of Illinois v. Mohamed Elnatour, d/b/a Faatima Citgo (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Mohamed Elnatour’s gas station located in Cook County.
- [PCB 22-10](#) People of the State of Illinois v. Kash Enterprises Incorporated, d/b/a Marathon (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Kash Enterprises’ gas station located in Cook County.



November 4, 2021 Regular Meeting
By videoconference: IPCB Offices in Chicago and Springfield

RULEMAKING

[R18-23](#)

Petition of Emerald Polymer Additives, LLC for an Adjusted Standard from 35 Ill. Adm. Code 304.122(b) (Water) – The Board denied Emerald Polymer Additives’ petition for an adjusted standard from the Board’s total ammonia nitrogen effluent limit.

ADMINISTRATIVE CITATIONS

[AC 22-1](#)

County of LaSalle v. Jake Cook and Sarah Cook (Land) – After the Cooks failed to timely file a petition to contest the County of LaSalle’s administrative citation, the Board found that the Cooks violated Section 21(p)(1) and (p)(7) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(7) (2018)), as alleged. Because there were two violations of Section 21(p), the Board ordered the Cooks to pay a total civil penalty of \$3,000, reflecting the statutory penalty of \$1,500 per violation

TIME-LIMITED WATER QUALITY STANDARDS

[PCB 14-111](#)

Sanitary District of Decatur v. IEPA (Time-Limited WQS) – The Board granted the District’s motion for voluntary dismissal, dismisses this proceeding, and closes the docket.

[PCB 16-14](#)

Village of Homewood v. IEPA

[PCB 16-15](#)

Village of Orland Park v. IEPA

[PCB 16-16](#)

Village of Midlothian v. IEPA

[PCB 16-17](#)

Village of Tinley Park v. IEPA

[PCB 16-18](#)

ExxonMobil Oil Corporation v. IEPA

[PCB 16-20](#)

Village of Wilmette v. IEPA

[PCB 16-21](#)

City of Country Club Hills v. IEPA

[PCB 16-22](#)

Noramco-Chicago, Inc. v. IEPA

[PCB 16-23](#)

INEOS Joliet, LLC v. IEPA

[PCB 16-25](#)

City of Evanston v. IEPA

[PCB 16-26](#)

Village of Skokie v. IEPA

[PCB 16-27](#)

Illinois Department of Transportation v. IEPA

[PCB 16-29](#)

Metropolitan Water Reclamation District of Greater Chicago v. IEPA

[PCB 16-30](#)

Village of Richton Park v. IEPA

[PCB 16-31](#)

Village of Lincolnwood v. IEPA

[PCB 16-33](#)

City of Oak Forest v. IEPA

[PCB 19-7](#)

Village of Lynwood v. IEPA

[PCB 19-8](#)

Citgo Holdings v. IEPA

[PCB 19-9](#)

Village of New Lenox v. IEPA

[PCB 19-10](#)

City of Lockport v. IEPA

[PCB 19-11](#)

Caterpillar, Inc. v. IEPA



<u>PCB 19-12</u>	<u>City of Crest Hill v. IEPA</u>
<u>PCB 19-13</u>	<u>City of Joliet v. IEPA</u>
<u>PCB 19-14</u>	<u>Morton Salt, Inc. v. IEPA</u>
<u>PCB 19-15</u>	<u>City of Palos Heights v. IEPA</u>
<u>PCB 19-16</u>	<u>Village of Romeoville v. IEPA</u>
<u>PCB 19-17</u>	<u>IMTT Illinois, LLC v. IEPA</u>
<u>PCB 19-18</u>	<u>Stepan Company v. IEPA</u>
<u>PCB 19-19</u>	<u>Village of Park Forest v. IEPA</u>
<u>PCB 19-20</u>	<u>Ozinga Ready Mix Concrete, Inc. v. IEPA</u>
<u>PCB 19-21</u>	<u>Ozinga Materials, Inc. v. IEPA</u>
<u>PCB 19-22</u>	<u>Midwest Marine Terminals, LLC v. IEPA</u>
<u>PCB 19-23</u>	<u>Village of Mokena v. IEPA</u>
<u>PCB 19-24</u>	<u>Village of Oak Lawn v. IEPA</u>
<u>PCB 19-25</u>	<u>Village of Dolton v. IEPA</u>
<u>PCB 19-26</u>	<u>Village of Glenwood v. IEPA</u>
<u>PCB 19-27</u>	<u>Village of Morton Grove v. IEPA</u>
<u>PCB 19-28</u>	<u>Village of Lansing v. IEPA</u>
<u>PCB 19-29</u>	<u>Village of Frankfort v. IEPA</u>
<u>PCB 19-30</u>	<u>Village of Winnetka v. IEPA</u>
<u>PCB 19-31</u>	<u>Village of La Grange v. IEPA</u>
<u>PCB 19-33</u>	<u>Village of Channahon v. IEPA</u>
<u>PCB 19-34</u>	<u>Cook County Department of Transportation and Highways v. IEPA</u>
<u>PCB 19-35</u>	<u>Village of Niles v. IEPA</u>
<u>PCB 19-36</u>	<u>Skyway Concession Company LLC v. IEPA</u>
<u>PCB 19-37</u>	<u>Village of Elwood v. IEPA</u>
<u>PCB 19-38</u>	<u>City of Chicago v. IEPA</u>
<u>PCB 19-40</u>	<u>Village of Crestwood v. IEPA</u>
<u>PCB 19-48</u>	<u>Village of Riverside v. IEPA</u>
<u>(consol.)</u>	(Time-Limited WQS) The Board granted Petitioners’ request for a chloride time-limited water quality standard in the Lower Des Plaines River watershed and portions of the Chicago Area Waterway System watershed.

ADJUDICATORY CASES

<u>PCB 21-3</u>	<u>Shree Kuber, Inc. v. Illinois Environmental Protection Agency</u>
<u>PCB 21-5</u>	<u>Shree Kuber, Inc. v. Illinois Environmental Protection Agency</u>
<u>(consol.)</u>	(UST Appeal) – The Board denied Kuber’s motion for partial summary judgment.
<u>PCB 21-29</u>	<u>People of the State of Illinois v. Top Metal Buyers, Inc. People of the State of Illinois v. Top Metal Buyers, Inc. (Air, Land, RCRA – Enforcement)</u> – The Board accepted the People’s amended complaint for hearing adding LMS Industries, LLC as an additional respondent.



- [PCB 21-47](#) People of the State of Illinois v. Frontier North, Inc. (Water, NPDES – Enforcement) – In this enforcement action concerning a Williamson County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Frontier North to pay a \$7,000 civil penalty and to cease and desist from further violations.
- [PCB 21-110](#) CTI Development, LLC v. Illinois Environmental Protection Agency (Land – Variance) – The Board denied CTI’s motion for leave to file a reply in support of its motion for leave to file a second amended petition. The Board granted CTI Development, LLC’s motion for leave to file a second amended complaint, accepted the amended complaint, and set a deadline of November 19, 2021 for IEPA to file its recommendation.
- [PCB 21-114](#) People of the State of Illinois v. Bview Corporation, d/b/a Evergreen Park Citgo (Air – Enforcement) – In this enforcement action concerning a Cook County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Frontier North to pay a \$3,850 civil penalty and to cease and desist from further violations.
- [PCB 22-11](#) People of the State of Illinois v. United Ready Mix, Inc. (Water, NPDES – Enforcement) – The Board accepted the People’s complaint for hearing concerning concerns United’s ready-mix concrete manufacturing facilities located in Tazewell and Peoria Counties.
- [PCB 22-13](#) People of the State of Illinois v. Tim Schisler, d/b/a Maple City Construction, and RCM Transport, Inc. (Land, Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning RCM Transport’s property located in Warren County.
- [PCB 22-14](#) People of the State of Illinois v. Simar Gas & Food Mart Inc., d/b/a US Petro Mart Inc.-Citgo (Air – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a site in Cook County, the Board accepted the complaint and ordered publication of the required newspaper notice.
- [PCB 22-15](#) People of the State of Illinois v. Palatine Land, LLC (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Palatine Land’s gas station located in Cook County.
- [PCB 22-16](#) People of the State of Illinois v. Fard One Incorporated, d/b/a Midwest Gas Station (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Midwest’s gas station located in Cook County.



[PCB 22-17](#) People of the State of Illinois v. Combined Real Estate LLC, d/b/a Mobil Mart (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Mobil Mart’s gas station located in Cook County.

December 2, 2021 Regular Meeting

By videoconference: IPCB Offices in Chicago and Springfield

ADJUDICATORY CASES

[PCB 18-6](#) Freedom Oil Company v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted Freedom Oil’s motion for voluntary dismissal, dismissed this underground storage tank appeal, and closed the docket.

[PCB 19-2](#) Reliable Stores, Inc. v. Office of State Fire Marshal (UST Appeal) – The Board denied OSFM’s motion to stay any ruling on Reliable’s legal fees motion. The Board also granted OSFM’s alternative request for the opportunity to file a response to Reliable’s legal fees motion.

[PCB 18-56](#) Gautschy’s Corner v. Illinois Environmental Protection Agency
[PCB 18-60](#) Gautschy’s Corner v. Illinois Environmental Protection Agency
[PCB 19-109](#) Gautschy’s Corner v. Illinois Environmental Protection Agency
[\(consol.\)](#) (UST Appeal) – The Board granted Gautschy’s Corner’s motion for voluntary dismissal, dismissed these underground storage tank appeals, and closed the dockets.

[PCB 21-3](#) Shree Kuber, Inc. v. Illinois Environmental Protection Agency
[PCB 21-5](#) Shree Kuber, Inc. v. Illinois Environmental Protection Agency
[\(consol.\)](#) (UST Appeal) – The Board granted Kuber’s motion for voluntary dismissal, dismissed these underground storage tank appeals, and closed the dockets.

[PCB 21-46](#) People of the State of Illinois v. Western Waterproofing Company, Inc., d/b/a Western Specialty Contractors, and Springfield Branch, LLC (Land, RCRA – Enforcement) – In this enforcement action concerning a Sangamon County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Western Waterproofing and Springfield Branch to pay a \$26,500 civil penalty and to cease and desist from further violations.

[PCB 21-75](#) Freedom Oil Company v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted Freedom Oil’s motion for voluntary dismissal, dismissed this underground storage tank appeal, and closed the docket.

[PCB 22-18](#) People of the State of Illinois v. Nomani Estate LLC, d/b/a Amstar (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Amstar’s gasoline dispensing facility located in Cook County.



[PCB 22-19](#) People of the State of Illinois v. Burbank S & K Realty, Inc. and Star Relax Station, Inc., d/b/a Burbank Gas (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Burbank S&K Realty and Star Relax Station’s gasoline dispensing facility located in Cook County.

[PCB 22-20](#) People of the State of Illinois v. PPRE, LLC (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning PPRE’s gasoline dispensing facility located in Kane County.

[PCB 22-21](#) Assumption Cooperative Grain Company v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to February 17, 2022.

December 16, 2021 Regular Meeting

By videoconference: IPCB Offices in Chicago and Springfield

TIME-LIMITED WATER QUALITY STANDARDS

[PCB 16-28](#) Metropolitan Water Reclamation District of Greater Chicago v. Illinois Environmental Protection Agency (Time-Limited WQS) – The Board granted the District’s request for a five-year, dissolved oxygen (DO) time-limited water quality standard (TLWQS), subject to several conditions. The DO TLWQS concerns discharges into the Chicago Area Waterways System (CAWS) from combined sewer overflow (CSO) outfalls covered under the National Pollutant Discharge Elimination System (NPDES) permits issued to the District’s O’Brien, Calumet, and Stickney water reclamation plants.

ADJUDICATORY CASES

[PCB 18-84](#) James Fiser v. Henry’s Double K, LLC, and James L. Meador (Noise – Enforcement, Citizen) – The Board construed the parties’ agreed order as a joint motion to voluntarily dismiss the case with prejudice, granted the joint motion, and closed the docket.

[PCB 21-76](#) People of the State of Illinois v. Az Spe, LLC, d/b/a Elmwood Park Phillips 66 (Air – Enforcement) – Upon receiving a proposed settlement and agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County site, the Board ordered publication of the required newspaper notice.

[PCB 22-3](#) Mac’s Convenience Stores, LLC v. Illinois Environmental Protection Agency (UST Appeal) – Because Mac’s Convenience Stores failed to file a petition for review during the extended appeal period, the Board dismissed the case and closed the docket.



- PCB 22-4** Mac’s Convenience Stores, LLC v. Illinois Environmental Protection Agency (UST Appeal) – Because Mac’s Convenience Stores failed to file a petition for review during the extended appeal period, the Board dismissed the case and closed the docket.
- PCB 22-6** People of the State of Illinois v. Army Trail Swift Gasoline, Inc. (Air – Enforcement) – Upon receiving a proposed settlement and agreed motion for relief from the hearing requirement in this enforcement action involving a DuPage County site, the Board ordered publication of the required newspaper notice.
- PCB 22-13** People of the State of Illinois v. Tim Schisler, d/b/a Maple City Construction, and RCM Transport, Inc. (Land, Air – Enforcement) – In this enforcement action concerning a Warren County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, imposed a \$2,000 civil penalty on Schisler, imposed a \$6,200 civil penalty on RCM Transport, and ordered respondents to cease and desist from further violations.
- PCB 22-14** People of the State of Illinois v. Simar Gas & Food Mart Inc., d/b/a US Petro Mart Inc.-Citgo (Air – Enforcement) – In this enforcement action concerning a Cook County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered US Petro Mart to pay a \$3,500 civil penalty and to cease and desist from further violations.
- PCB 22-15** People of the State of Illinois v. Palatine Land, LLC (Air – Enforcement) – Upon receiving a proposed settlement and agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County site, the Board ordered publication of the required newspaper notice.
- PCB 22-22** People of the State of Illinois v. Octoplus Group, Inc., d/b/a Hanover Food Mart (Air – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving Cook County site, the Board accepted the complaint and ordered publication of the required newspaper notice.
- PCB 22-23** 7-Eleven, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to March 9, 2022.



- [PCB 22-24](#) People of the State of Illinois v. Khalid Siddiqui, d/b/a Citgo Gas Station (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Siddiqui’s gas station located in Cook County.
- [PCB 22-25](#) People of the State of Illinois v. JJR Real Estate Group, Inc. (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning JJR Real Estate Group’s gas station located in Kane County.
- [PCB 22-26](#) People of the State of Illinois v. CBJS Real Estate Inc. (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning CBJS’ gas station located in Kane County.
- [PCB 22-27](#) J.D. Streett & Company, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board accepted for hearing this underground storage tank appeal involving a Williamson County site.



CALENDAR

Thursday, February 3, 2022 (10:00AM)

Videconference hearing: Amendments to 35 Ill. Adm. Code Subtitle C: Water Pollution, R18-23

IPCB Chicago Office, 100 W. Randolph St., Room 11-512
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, February 3, 2022 (11:00 AM)

Board meeting by videoconference

James R. Thompson Center, 100 W. Randolph St., Room 9-040
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, February 17, 2022 (9:00AM)

Videconference hearing: Amendments to 35 Ill. Adm. Code Part 203: Major Stationary Sources Construction and Modification, 35 Ill. Adm. Code Part 204: Prevention of Significant Deterioration, and Part 232: Toxic Air Contaminants, R22-17

IPCB Chicago Office, 100 W. Randolph St., Room 11-512
IEPA Springfield Office, 1021 N. Grand Ave East, Sangamo Room

Thursday, February 17, 2022 (11:00 AM)

Board meeting by videoconference

James R. Thompson Center, 100 W. Randolph St., Room 2-025
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, March 3, 2022 (11:00 AM)

Board meeting by videoconference

James R. Thompson Center, 100 W. Randolph St., Room 9-040
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Wednesday, March 9, 2022 (9:00 AM)

Videconference hearing: Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), R22-18

IPCB Chicago Office, 100 W. Randolph St., Room 11-512
IEPA Springfield Office, 1021 N. Grand Ave East, Sangamo Room

Thursday, March 10, 2022 (9:00 AM)

Videconference hearing (if necessary after March 9): Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), R22-18

IPCB Chicago Office, 100 W. Randolph St., Room 11-512
IEPA Springfield Office, 1021 N. Grand Ave East, Sangamo Room



Thursday, March 17, 2022 (11:00 AM)

Board meeting by videoconference

James R. Thompson Center, 100 W. Randolph St., Room 2-025
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Wednesday, April 4, 2022 (9:00 AM)

Videoconference hearing: Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), R22-18

James R. Thompson Center, 100 W. Randolph St., Room 9-040
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, April 5, 2022 (9:00 AM)

Videoconference hearing (if necessary after April 4): Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), R22-18

James R. Thompson Center, 100 W. Randolph St., Room 9-040
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, April 7, 2022 (9:00AM)

Videoconference hearing: Amendments to 35 Ill. Adm. Code Part 203: Major Stationary Sources Construction and Modification, 35 Ill. Adm. Code Part 204: Prevention of Significant Deterioration, And Part 232: Toxic Air Contaminants, R22-17

James R. Thompson Center, 100 W. Randolph St., Room 9-040
IEPA Springfield Office, 1021 N. Grand Ave East, Sangamo Room

Thursday, April 7, 2022 (11:00 AM)

Board meeting by videoconference

James R. Thompson Center, 100 W. Randolph St., Room 2-025
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, April 21, 2022 (11:00 AM)

Board meeting by videoconference

James R. Thompson Center, 100 W. Randolph St., Room 2-025
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

The events listed above are subject to change, and more events may be added. Here is a link to the [Board's current calendar](#).

Due to the COVID-19 pandemic, there may be different ways than are customary for participating in Board hearings and meetings. Please check the Board's website (<https://pcb.illinois.gov/>) for information on how to participate in a specific hearing or meeting.



RESTRICTED STATUS / CRITICAL REVIEW LISTS

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Division of Public Water Supplies



Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

December 2021

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
ALTO PASS WATER DISTRICT*	IL1815150	7	INADEQUATE SOURCE CAPACITY	1054	6/30/2021
ANDOVER	IL0730100	1	NO BACKUP SOURCE	644	3/24/2016
AQUA ILLINOIS - CRYSTAL CLEAR WATER CO.	IL1115150	2	NO EMERGENCY POWER & NO PRESSURE TANK	855	9/16/1988
AQUA ILLINOIS - NUNDA	IL1115600	2	INADEQUATE PRESSURE TANK	570	4/1/2015
ARCADIA CARE	IL0755389	4	NO CORROSION CONTROL TREATMENT	55	5/21/2021
AVANTARA LONG GROVE	IL0971110	2	INADEQUATE PRESSURE TANK	200	12/1/2003
BAHL WATER CORP	IL0855200	1	NO ELEVATED OR GROUND STORAGE	700	12/15/1993
BARBERRY ACRES MHP	IL0915145	2	NO CHLORINE FEED SYSTEM; INADEQUATE PRESSURE TANK	61	10/31/2018
BEVERLY HILLSDALE ESTATES, LLC	IL1615530	1	INADEQUATE PRESSURE TANK	63	3/18/1983
BILL-MAR HEIGHTS MHP	IL2015345	1	INADEQUATE PRESSURE TANK	160	3/18/1983
BISHOP HILL	IL0730250	1	NO BACKUP SOURCE	137	11/14/2017
BONNIE	IL0810150	7	INADEQUATE ELEVATED STORAGE CAPACITY	527	7/20/2018
BROADVIEW ESTATES EAST PEORIA	IL1795365	5	INADEQUATE PRESSURE TANK	300	3/18/1983
BRUSSELS*	IL0130100	6	NO CORROSION CONTROL TREATMENT	245	8/4/2021
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	INADEQUATE PRESSURE TANK	45	6/16/2008
CAPRON MHP	IL0075105	1	INADEQUATE PRESSURE TANK	98	3/18/1983
CARLINVILLE*	IL1170150	5	MANGANESE MCL VIOLATION	6112	10/6/2021
CENTRAL MACOUPIN RURAL WATER DISTRICT	IL1170040	5	MINIMUM CHLORINE RESIDUAL VIOLATION	1825	8/29/2018
CENTURY PINES APARTMENTS	IL0150020	1	INADEQUATE PRESSURE TANK	25	12/14/1990
CHAIN-O-LAKES MHP	IL0975165	2	INADEQUATE PRESSURE TANK	81	12/15/1989
CHESTERFIELD	IL1170200	5	MINIMUM CHLORINE RESIDUAL VIOLATION	180	8/29/2018
CISCO	IL1470150	4	ARSENIC MCL VIOLATION	300	4/21/2021
CLARKS MHP	IL2015425	1	INADEQUATE PRESSURE TANK	80	12/16/1991



COAL CITY	IL0630200	2	COMBINED RADIUM MCL VIOLATION	5587	5/21/2021
COBDEN*	IL1810150	7	INADEQUATE SOURCE CAPACITY	1343	6/30/2021
COLONIAL MEADOWS	IL1135100	6	MINIMUM CHLORINE RESIDUAL VIOLATION	190	9/19/2018
COMPTON	IL1030150	1	TOTAL TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	300	4/9/2021
COUNTRY ACRES MHP (LA SALLE COUNTY)	IL0995365	1	COMBINED RADIUM AND GROSS ALPHA MCL VIOLATIONS	192	5/26/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	MINIMUM CHLORINE RESIDUAL VIOLATION	120	12/12/2018
COYNE CENTER COOP	IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CRISWELL COURT MHP	IL1975105	2	INADEQUATE PRESSURE TANK	136	12/15/1989
DANVERS	IL1130450	4	NO OPTIMAL CORROSION CONTROL TREATMENT	1183	9/4/2020
DAYSPRING BIBLE COLLEGE	IL0977189	2	INADEQUATE PRESSURE TANK INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	60	6/15/1988
DES PLAINES MHP	IL0317775	2	PRESSURE TANK	580	3/16/1984
DONNELLSON	IL0054360	6	TOTAL TRIHALOMETHANES MCL VIOLATION AND HALOACETIC ACID MCL VIOLATION	210	7/25/2019
DONOVAN*	IL0750400	4	NO CORROSION CONTROL TREATMENT	306	7/23/2021
EAST END WATER ASSOCIATION	IL1610140	1	INADEQUATE PRESSURE TANK	40	3/15/2002
EAST MORELAND WATER ASSOCIATION	IL1975600	2	NO ELEVATED OR GROUND STORAGE INADEQUATE GROUND STORAGE & NO EMERGENCY POWER	1055	9/9/2016
EDELSTEIN WATER COOPERATIVE	IL1435150	5	POWER	125	1/1/2015
EHLERS MHP	IL0195645	4	INADEQUATE PRESSURE TANK	112	12/17/1982
ELIZABETH (upper elevation area)	IL0850150	1	LOW SYSTEM PRESSURE	675	6/15/1999
ELM OAK MUTUAL WATER SYSTEM	IL0975736	2	RADIUM MCL VIOLATION INADEQUATE STORAGE	50	10/24/2019
EXETER - MERRITT WATER COOP	IL1710010	5	CAPACITY	765	10/1/2013
FALCON FARMS	IL1617635	1	NO ELEVATED OR GROUND STORAGE	475	10/31/2019
FOUR STAR CAMPGROUND	IL0990060	1	INADEQUATE PRESSURE TANK	150	6/15/1999
GERMANTOWN*	IL0270350	6	MINIMUM CHLORINE RESIDUAL VIOLATION	1481	6/30/2021
GREAT OAKS AND BEACON HILLS APARTMENTS	IL2015488	1	NO ELEVATED OR GROUND STORAGE & A RADIUM MCL VIOLATION	1816	12/17/1982
GREEN MEADOWS ESTATES OF ROCKFORD LLC	IL2015495	1	COMBINED RADIUM MCL VIOLATION; INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	970	6/15/2012
GREENFIELD	IL0610150	6	HALOACETIC ACIDS MCL VIOLATION	1200	10/2/2019
HARMON	IL1030300	1	COMBINED RADIUM MCL VIOLATION	149	5/21/2021
HARVEST ESTATES	IL0915165	2	INADEQUATE PRESSURE TANK	54	4/18/2019
HAWTHORN ESTATES SUBDIVISION	IL0630030	2	INADEQUATE PRESSURE TANK	49	4/7/2017
HETTICK*	IL1170500	5	TOTAL TRIHALOMETHANES MCL VIOLATION AND MINIMUM CHLORINE RESIDUAL VIOLATION	182	6/30/2021



HIDE-A-WAY LAKES	IL0935300	2	COMBINED RADIUM MCL VIOLATION	50	3/10/2021
HIGHLAND SUBDIVISON	IL0895530	2	INADEQUATE PRESSURE TANK	40	9/16/1983
HILLCREST	IL1410250	1	INADEQUATE SOURCE CAPACITY	1400	2/13/2018
HILLSDALE PROPERTIES	IL1615728	1	INADEQUATE PRESSURE TANK	60	1/14/1982
HILLVIEW	IL0610200	6	NITRATE MCL VIOLATION	150	11/6/2020
HOLLY HOCK HILL MHP	IL0975245	2	INADEQUATE PRESSURE TANK	52	12/16/1983
HONEYCUTT HILL MHP LLC	IL1955225	1	INADEQUATE PRESSURE TANK	75	9/17/1982
HYDE-A-WAY LAKES	IL0935300	2	NO CHLORINE FEED SYSTEM	50	10/31/2019
IL AMERICAN - ANDALUSIA (upper elevation area)	IL1610050	1	LOW SYSTEM PRESSURE	1050	10/1/2003
INGALLS PARK SUBDIVISION	IL1975880	2	NO ELEVATED OR GROUND STORAGE	744	9/16/1983
LIBERTY PARK HOMEOWNERS ASSOCIATION	IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	837	9/17/1992
LICK CREEK PWD*	IL1815100	7	INADEQUATE SOURCE CAPACITY	1923	6/30/2021
LIMA	IL0010400	5	INADEQUATE SOURCE CAPACITY & NITRATE MCL VIOLATION	163	5/4/2016
LINDENWOOD WATER ASSOCIATION	IL1415300	1	INADEQUATE PRESSURE TANK	35	1/13/1982
LINWAY ESTATES MHP	IL0315935	2	NO ELEVATED OR GROUND STORAGE	450	2/28/2017
LISBON NORTH, INC.	IL0631000	2	INADEQUATE PRESSURE TANK	25	9/14/1990
LYNNWOOD WATER CORPORATION	IL0995336	1	INADEQUATE PRESSURE TANK	110	3/18/1983
MALTA	IL0370350	1	NO AUTO-START GENERATOR & INADEQUATE HIGH SERVICE PUMP CAPACITY	1175	6/15/2012
MANCUSO VILLAGE PARK MHP	IL2015545	1	INADEQUATE PRESSURE TANK	500	6/18/1982
MANTENO MHP	IL0915385	2	INADEQUATE PRESSURE TANK	144	12/14/1990
MAPLE ACRES MHP*	IL0115135	1	ARSENIC MCL VIOLATION	250	7/28/2021
MENARD RURAL WATER COOP (area served by Athens)*	IL1290100	5	TOTAL TRIHALOMETHANES MCL VIOLATION	653	9/1/2021
MENDOTA	IL0990550	1	HALOACETIC ACIDS MCL	7273	10/30/2020
MOUNT ERIE	IL1910350	7	INADEQUATE SOURCE CAPACITY	119	5/21/2021
MULBERRY GROVE	IL0050100	6	TOTAL TRIHALOMETHANES MCL VIOLATION	725	5/26/2021
NEPONSET	IL0110700	1	MINIMUM CHLORINE RESIDUAL VIOLATION	374	4/17/2019
OAK RIDGE SD	IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OPHIEM PWS*	IL0735150	1	NO OPTIMAL CORROSION CONTROL TREATMENT	100	8/4/2021
OSCO MUTUAL WATER SUPPLY COMPANY, INC.	IL0735200	1	INADEQUATE PUMP CAPACITY	115	12/15/1989
OTTAWA ESTATES MHP	IL0995225	1	INADEQUATE PRESSURE TANK	115	3/18/1983
PARADISE MANOR MHP	IL1617665	1	INADEQUATE PRESSURE TANK	193	2/19/1982
PARK MEADOWLAND WEST MHP	IL0075235	1	INADEQUATE PRESSURE TANK	100	3/18/1982
PAULS MHP	IL0975485	2	INADEQUATE PRESSURE TANK	38	12/16/1983
PIERRON	IL1194760	6	HALOACETIC ACIDS MCL VIOLATION	1928	5/26/2021



PORTS SULLIVAN LAKE OWNERS ASSOCIATION	IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE ROAD PUMP ASSOCIATION	IL2015100	1	INADEQUATE PRESSURE TANK	150	1/1/2006
RAINBOW LANE MHP	IL2015645	1	INADEQUATE PRESSURE TANK	83	6/17/1983
ROCKLAND MHP	IL0975585	2	INADEQUATE PRESSURE TANK	165	12/16/1983
ROLLING GREEN ESTATES MHP	IL1415245	1	INADEQUATE PRESSURE TANK	215	6/14/1985
ROYAL OAKS MHP	IL1115145	2	INADEQUATE PRESSURE TANK	114	6/17/1983
SCALES MOUND	IL0850400	1	LOW SYSTEM PRESSURE (at elev. above 990 ft. MSL)	401	9/15/1997
SENECA MOBILE HOMES LLC	IL0995425	1	INADEQUATE PRESSURE TANK	73	9/17/1982
SHANGRI-LA MHP	IL1415285	1	INADEQUATE PRESSURE TANK	444	9/16/1983
SHAWNITA TRC WATER ASSOCIATION	IL1977690	2	INADEQUATE PRESSURE TANK	135	9/17/1992
SILVIS HEIGHTS WATER CORP	IL1615750	1	NO EMERGENCY GENERATOR	1600	12/1/2003
SIX OAKS MHP	IL2015685	1	INADEQUATE PRESSURE TANK	48	6/18/1982
SPARTA (World Shooting Recreational Complex area)	IL1570600	6	HALOACETIC ACIDS MCL VIOLATION	4600	1/8/2021
SPIN LAKE HOMEOWNERS ASSOCIATION*	IL1135140	4	NITRITE MCL VIOLATION INADEQUATE PRESSURE TANK AND INADEQUATE CHLORINE RESIDUAL	200	10/1/2021
STEPHENSON MOBILE ESTATES	IL1775235	1	INADEQUATE PRESSURE TANK	223	6/17/1983
SUBURBAN APARTMENTS (DE KALB UNIV DVL)	IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
SUNNY HILLS ESTATES SUBDIVISION	IL0735300	1	INADEQUATE PRESSURE TANK INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION	IL1977730	2	INADEQUATE PRESSURE TANK	300	6/12/2018
SWEDONA WATER ASSOCIATION	IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION	IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TABLE GROVE	IL0570900	5	TOTAL TRIHALOMETHANES MCL VIOLATION	416	9/4/2020
TIMBER RIDGE MOBILE ESTATES	IL1775255	1	INADEQUATE PRESSURE TANK	150	6/17/1996
TOWNERS SUBDIVISION	IL0977250	2	INADEQUATE PRESSURE TANK	204	1/14/1982
TRIANGLE MHP	IL0195925	4	ARSENIC MCL VIOLATION & MINIMUM CHLORINE RESIDUAL VIOLATION	90	6/15/2012
UTL INC - LAKE HOLIDAY	IL0995200	1	INADEQUATE TREATMENT CAPACITY	6479	4/1/2015
UTL INC - LAKE WILDWOOD UTILITIES CORP	IL1235200	1	INADEQUATE GROUND STORAGE & HIGH SERVICE PUMP CAPACITY	950	10/22/2015
UTL INC - WALK-UP WOODS WATER COMPANY	IL1115800	2	NO ELEVATED OR GROUND STORAGE	781	12/17/1982
VALLEY VIEW SUBDIVISION (WOODFORD COUNTY)	IL2030010	1	INADEQUATE PRESSURE TANK	100	6/15/2012
VERMONT	IL0570950	5	TOTAL TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	660	5/27/2020
VIETZEN MHP	IL0437245	2	INADEQUATE PRESSURE TANK & LACK OF A CHLORINE FEED SYSTEM	145	6/17/1983
WILLOWAY TERRACE MHP	IL0317595	2	NO ELEVATED OR GROUND STORAGE & INADEQUATE SOURCE CAPACITY	900	6/15/1984



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Critical Review List – Community Water Supplies**

December 2021

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
AIR VIEW MHP	IL1615185	1	NO BACKUP SOURCE	164	8/7/2020
ANCHOR	IL1130050	4	ONLY ONE WELL	155	8/28/2020
AQUA ILLINOIS - HIGHLAND ESTATES	IL0915220	2	ONLY ONE WELL	171	1/13/2021
AQUA ILLINOIS - INDIANOLA	IL1830500	4	ONLY ONE WELL	224	12/11/2020
AQUA ILLINOIS - SKYLINE	IL0915450	2	ONLY ONE WELL	208	1/8/2021
AQUA ILLINOIS - SUN RIVER TERRACE	IL0910720	2	ONLY ONE WELL	495	1/13/2021
BEAVER CREEK VILLAGE MHP	IL0755125	4	ONLY ONE WELL	48	1/6/2021
BEVERLY HILLSDALE ESTATES, LLC	IL1615530	1	ONLY ONE WELL	63	8/14/2020
BROWNING	IL1690050	5	ONLY ONE WELL	175	12/2/2020
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	ONLY ONE WELL	45	7/22/2020
BUSY BEE MHP #1	IL1975195	2	ONLY ONE WELL	25	12/4/2020
CAMP GROVE	IL1235100	1	ONLY ONE WELL	75	6/24/2020
CANTON	IL0570250	5	INADEQUATE TREATMENT CAPACITY	13932	3/15/2007
CAPRON MHP	IL0075105	1	ONLY ONE WELL	98	1/27/2021
CARBON HILL	IL0630100	2	INADEQUATE TREATMENT CAPACITY	392	12/14/2016
CARROLL HEIGHTS UTILITIES COMPANY	IL0155200	1	ONLY ONE WELL	80	1/27/2021
CEDAR BROOK ESTATES SUBDIVISION	IL1615170	1	ONLY ONE WELL	200	8/7/2020
CEDAR POINT WATER COMPANY	IL0995040	1	ONLY ONE WELL	300	8/26/2020
CEDAR WATER COMPANY, INC.	IL0955150	5	ONLY ONE WELL	160	1/13/2021
CENTURY PINES APARTMENTS	IL0150020	1	ONLY ONE WELL	25	1/27/2021
CHAIN-O-LAKES MHP	IL0975165	2	ONLY ONE WELL	81	8/28/2020
CHERRYDALE SUBDIVISION	IL1615120	1	ONLY ONE WELL	80	8/5/2020
CHIGAKWA PARK ESTATES	IL1615140	1	ONLY ONE WELL	53	8/7/2020
CLARKS MHP	IL2015425	1	ONLY ONE WELL	80	12/4/2020
COAL CITY	IL0630200	2	INADEQUATE TREATMENT CAPACITY	5587	12/14/2016
COLONIAL MEADOWS	IL1135100	6	ONLY ONE WELL	190	9/26/2020
COUNTRY LANE MHP	IL1135385	4	ONLY ONE WELL	35	6/24/2020
COUNTRY TYME ESTATES	IL0195865	4	ONLY ONE WELL	120	1/27/2021
COUNTRY VIEW ESTATES MHP	IL0195625	4	ONLY ONE WELL	97	1/27/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	ONLY ONE WELL	120	7/15/2020
DE WITT	IL0390100	4	ONLY ONE WELL	200	1/27/2021
DIXIE ESTATES SUBDIVISION	IL1975520	2	ONLY ONE WELL	180	12/9/2020
DONNY BROOK ESTATES	IL0375150	1	ONLY ONE WELL	30	1/27/2021
DONOVAN	IL0750400	4	ONLY ONE WELL	306	1/6/2021
EAST END WATER ASSOCIATION	IL1610140	1	ONLY ONE WELL	40	7/31/2020
EAST LAWN WATER ASSOCIATION	IL1615100	1	ONLY ONE WELL	160	8/5/2020



EAST LYNN COMMUNITY WATER SYSTEM	IL1835200	4	ONLY ONE WELL	112	12/11/2020
EAST SIDE MHP	IL0195825	4	ONLY ONE WELL	95	1/27/2021
EBERTS 3RD ADDITION	IL1615330	1	ONLY ONE WELL	99	8/12/2020
EDELSTEIN WATER COOPERATIVE	IL1435150	5	ONLY ONE WELL	125	7/24/2020
EHLERS MHP	IL0195645	4	ONLY ONE WELL	112	1/27/2021
ELM OAK MUTUAL WATER SYSTEM	IL0975736	2	ONLY ONE WELL	50	8/28/2020
ESQUIRE ESTATES MHP	IL1435245	5	ONLY ONE WELL	28	7/29/2020
EVERGREEN VILLAGE SUBDIVISION	IL1615310	1	ONLY ONE WELL	130	8/12/2020
FOUR STAR CAMPGROUND	IL0990060	1	ONLY ONE WELL	150	8/26/2020
FOX CREEK FARMS WATER COMPANY	IL1435750	5	ONLY ONE WELL	221	7/29/2020
FOX LAWN HOMEOWNERS WATER ASSOCIATION	IL0935150	2	ONLY ONE WELL	167	1/13/2021
FRENTRESS LAKE	IL0850010	1	ONLY ONE WELL	150	1/8/2021
GARDEN STREET IMPROVEMENT ASSOCIATION	IL1975376	2	ONLY ONE WELL	54	12/9/2020
GREEN ACRES MHP	IL1035165	1	ONLY ONE WELL	200	8/26/2020
HARMON	IL1030300	1	ONLY ONE WELL	149	8/26/2020
HAZELWOOD 4TH ADDITION	IL0735350	1	ONLY ONE WELL	135	1/6/2021
HAZELWOOD WEST SUBDIVISION	IL0735250	1	ONLY ONE WELL	70	1/6/2021
HEATHERFIELD SUBDIVISION	IL0635150	2	ONLY ONE WELL	90	1/29/2021
HICKORY HILLS 2ND ADDITION	IL0730080	1	ONLY ONE WELL	93	8/12/2020
HIDE-A-WAY LAKES	IL0935300	2	ONLY ONE WELL	50	1/13/2021
HIGHLAND LAKE WATER COMPANY	IL0970255	2	ONLY ONE WELL	36	8/26/2020
HIGHLAND SUBDIVISION	IL0895530	2	ONLY ONE WELL	40	1/8/2021
HILLCREST	IL1410250	1	INADEQUATE STORAGE CAPACITY	1400	11/2/2017
HILLSDALE PROPERTIES	IL1615728	1	ONLY ONE WELL	60	6/24/2020
HOLLANDS GROVE COURT SUBDIVISION	IL1795300	5	ONLY ONE WELL	40	12/2/2020
HOLLY HOCK HILL MHP	IL0975245	2	ONLY ONE WELL	52	8/28/2020
HOPEWELL	IL1235150	1	ONLY ONE WELL	420	7/1/2020
IL AMERICAN - LEONORE	IL0990400	1	ONLY ONE WELL	111	8/26/2020
IL AMERICAN - MIDWEST PALOS	IL0317050	2	ONLY ONE WELL	143	1/27/2021
IL AMERICAN - NETTLE CREEK	IL0630040	2	ONLY ONE WELL	285	1/29/2021
IL AMERICAN - RIDGECREST	IL0635100	2	ONLY ONE WELL	219	1/29/2021
IL PRAIRIE ESTATE SBDV WATER ASSN	IL0995300	1	ONLY ONE WELL	112	8/26/2020
INDIAN BLUFFS SUBDIVISION	IL1615520	1	ONLY ONE WELL	150	8/14/2020
INDIAN CREEK HOMEOWNERS AND WATER ASSN	IL1135250	4	ONLY ONE WELL	240	6/17/2020
IROQUOIS MOBILE ESTATES, INC.	IL0755185	4	ONLY ONE WELL	105	1/8/2021
JOHNSBURG 1	IL1110040	2	ONLY ONE WELL	174	8/28/2020
KENNEY	IL0390200	4	ONLY ONE WELL	374	1/29/2021



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
KNOLLS EDGE SUBDIVISION	IL1415250	1	ONLY ONE WELL	100	7/17/2020
LAFAYETTE	IL1750100	1	ONLY ONE WELL	250	12/2/2020
LAKE LYNWOOD WATER SYSTEM	IL0735330	1	ONLY ONE WELL	75	1/6/2021
LAKE SHANNON	IL0910020	2	ONLY ONE WELL	500	1/13/2021
LAKE WILDWIND LLC	IL2035125	1	ONLY ONE WELL	200	12/4/2020
LAND AND WATER ASSOCIATION	IL0995050	1	ONLY ONE WELL	100	8/26/2020
LASALLE	IL0990300	1	INADEQUATE SOURCE CAPACITY & INADEQUATE TREATMENT CAPACITY	9700	11/1/2004
LINDENWOOD WATER ASSOCIATION	IL1415300	1	ONLY ONE WELL	35	7/22/2020
LISBON NORTH, INC.	IL0631000	2	ONLY ONE WELL	25	1/29/2021
LYNN WATER ASSOCIATION	IL0735100	1	ONLY ONE WELL	42	1/8/2021
LYNNWOOD WATER CORPORATION	IL0995336	1	ONLY ONE WELL	110	8/26/2020
LYNWOOD 3RD ADDITION	IL0735280	1	ONLY ONE WELL	100	1/6/2021
M C L W SYSTEM, INC.	IL1315150	1	ONLY ONE WELL	98	7/10/2020
MACOMB	IL1090350	5	INADEQUATE CLARIFIER CAPACITY	11309	12/14/2016
MAQUON	IL0950350	5	ONLY ONE WELL	284	1/13/2021
MARSEILLES SOUTH	IL0990110	1	ONLY ONE WELL	100	8/26/2020
MASON CITY	IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MAYFAIR SUBDIVISION	IL1795750	5	ONLY ONE WELL	90	12/11/2020
MC NABB	IL1550150	1	ONLY ONE WELL	310	6/11/2020
MILL POINT MHP	IL2035165	1	ONLY ONE WELL	160	12/4/2020
MOUND CITY	IL1530100	7	ONLY ONE WELL	588	6/5/2020
MOUND PWD	IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
MOUNT MORRIS ESTATES MHP	IL1415185	1	ONLY ONE WELL	395	7/15/2020
MOUNT VERNON ASSOCIATION INC.	IL0855100	1	ONLY ONE WELL	490	1/8/2021
NORTH HAZELWOOD SUBDIVISION	IL0735850	1	ONLY ONE WELL	100	1/8/2021
NORTH HENDERSON	IL1310300	1	ONLY ONE WELL	187	7/2/2020
OAK GROVE MHP - ROCK ISLAND COUNTY	IL1617785	1	ONLY ONE WELL	100	12/2/2020
OAK LAWN MHP	IL0075275	1	ONLY ONE WELL	460	1/27/2021
OAK VIEW ESTATES	IL0730120	1	ONLY ONE WELL	95	1/29/2021
OAKWOOD WEST SUBDIVISION	IL0730070	1	ONLY ONE WELL	45	1/29/2021
OPHIEM PWS	IL0735150	1	ONLY ONE WELL	100	1/8/2021
OTTAWA ESTATES MHP	IL0995225	1	ONLY ONE WELL	115	8/26/2020
PARADISE MANOR MHP	IL1617665	1	ONLY ONE WELL	200	11/20/2020
PARK MEADOWLAND WEST MHP	IL0075235	1	ONLY ONE WELL	100	1/27/2021
PAULS MHP	IL0975485	2	ONLY ONE WELL	38	8/28/2020
PHIL-AIRE ESTATES MHP	IL2015625	1	ONLY ONE WELL	80	12/4/2020
POLO DR AND SADDLE RD SUBDIVISION	IL0437000	1	ONLY ONE WELL	93	1/29/2021



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
PORT BARRINGTON SHORES SUBDIVISION	IL0971120	2	ONLY ONE WELL	67	8/26/2020
POWERS WATER CO., INC	IL0895550	2	ONLY ONE WELL	214	1/8/2021
PRAIRIE OAKS ESTATES HOMEOWNERS ASSOCIATION	IL0630060	2	ONLY ONE WELL	107	1/29/2021
PRAIRIE VIEW WATER ASSOCIATION	IL1795900	5	ONLY ONE WELL	35	12/11/2020
QUINCY	IL0010650	5	INADEQUATE CLARIFIER CAPACITY	45000	8/3/2016
RAINBOW LANE MHP	IL2015645	1	ONLY ONE WELL	83	12/4/2020
RAINBOW RIDGE	IL1615580	1	ONLY ONE WELL	46	8/14/2020
REDDICK	IL0914780	2	ONLY ONE WELL	210	1/8/2021
RIDGEWOOD LEDGES WATER ASSOCIATION	IL1615670	1	ONLY ONE WELL	430	6/24/2020
ROLLING GREEN ESTATES MHP	IL1415245	1	ONLY ONE WELL	215	7/17/2020
RUSTIC ACRES WATER ASSOCIATION	IL0735500	1	ONLY ONE WELL	260	1/6/2021
SANTA FE ESTATES WATER ASSOCIATION	IL1435490	5	ONLY ONE WELL	84	7/29/2020
SEATON	IL1310350	1	ONLY ONE WELL	200	7/2/2020
SENECA MOBILE HOMES LLC	IL0995425	1	ONLY ONE WELL	73	8/26/2020
SIX OAKS MHP	IL2015685	1	ONLY ONE WELL	48	12/4/2020
SPIN LAKE HOMEOWNERS ASSOCIATION	IL1135140	4	ONLY ONE WELL	200	6/16/2020
STELLE COMMUNITY ASSOCIATION	IL0535100	4	ONLY ONE WELL	100	1/29/2021
STORYBOOK HIGHLANDS	IL0935250	2	ONLY ONE WELL	100	1/13/2021
STRATFORD WEST APARTMENTS	IL1095200	5	ONLY ONE WELL	44	8/26/2020
STRAWN	IL1050700	4	ONLY ONE WELL	133	8/26/2020
SUBURBAN HEIGHTS SUBDIVISION	IL1615800	1	ONLY ONE WELL	57	11/20/2020
TENNANTS SHADY OAKS SUBDIVISION	IL1615540	1	ONLY ONE WELL	44	8/14/2020
TIMBER BROOK ESTATES	IL0735450	1	ONLY ONE WELL	120	1/6/2021
TIMBER RIDGE SUBDIVISION	IL0735470	1	ONLY ONE WELL	120	1/6/2021
TISKILWA	IL0111050	1	INADEQUATE STORAGE CAPACITY	830	9/20/2017
TOWER RIDGE SUBDIVISION	IL1615780	1	ONLY ONE WELL	70	11/20/2020
UTL INC - CAMELOT	IL1975200	2	ONLY ONE WELL	575	12/9/2020
UTL INC - CHERRY HILL WATER COMPANY	IL1975280	2	ONLY ONE WELL	624	12/9/2020
VAN ORIN WATER COMPANY	IL0115000	1	ONLY ONE WELL	100	1/27/2021
VICTORIA	IL0950550	5	ONLY ONE WELL	316	1/13/2021
WATER WERKS	IL1615130	1	ONLY ONE WELL	90	8/5/2020
WATERMAN	IL0370600	1	ONLY ONE WELL	1506	1/27/2021
WHITE HALL	IL0610400	6	INADEQUATE STORAGE CAPACITY	2900	10/1/2012
WINDCREST SUBDIVISION	IL0730040	1	ONLY ONE WELL	40	1/29/2021
WINDING CREEK ESTATES	IL1615850	1	ONLY ONE WELL	160	11/20/2020
WINSLOW	IL1770550	1	ONLY ONE WELL	350	12/2/2020
WITT	IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
WOODLAND	IL0751000	4	ONLY ONE WELL	319	1/6/2021
YATES CITY	IL0950700	5	ONLY ONE WELL	750	1/13/2021
YOUNGS HILLCREST MHP	IL0190040	4	ONLY ONE WELL	34	1/27/2021

WATER SYSTEMS REMOVED FROM PREVIOUS LIST

CALHOUN COUNTY RURAL WATER DISTRICT
 CARBON CLIFF
 CASEY
 CHRISMAN
 DANFORTH
 DE LAND
 FAMILY MANUFACTURED HOME COMMUNITY, LLC
 NORTH TAZEWELL PUBLIC WATER DISTRICT
 PENFIELD PUBLIC WATER DISTRICT
 TOLONO
 WINSLOW

***WATER SYSTEMS ADDED**

ALTO PASS WATER DISTRICT
 BRUSSELS
 CARLINVILLE
 COBDEN
 DONOVAN
 GERMANTOWN
 HETTICK
 LICK CREEK PWD
 MAPLE ACRES MHP
 MENARD RURAL WATER COOP (area served by Athens)
 OPHIEM PWS
 SPIN LAKE HOMEOWNERS ASSOCIATION

Restricted Status/Critical Review

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined



carefully to ensure that the proposed construction will not cause a violation. Restricted Status and Critical Review are presented as a combined list with the status of the water supply denoted as either RS (Restricted Status) or CR (Critical Review). The current list reflects the status as of December 11, 2020. An asterisk, *, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

Restricted Status List

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act. This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

Critical Review List

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.



HEALTH ADVISORY SUMMARY LIST

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Office of Toxicity Assessment



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-3397

JB PRITZKER, GOVERNOR

JOHN J. KIM, DIRECTOR

HEALTH ADVISORY SUMMARY LIST

Prepared by:
Office of Toxicity Assessment
Illinois Environmental Protection Agency
October 12, 2021

In accordance with 35 Illinois Administrative Code 620.610(b), the Illinois Environmental Protection Agency (Illinois EPA) is issuing a Health Advisory summary list. Section 620.610(b) directs the Illinois EPA to publish and make available to the public, at intervals of not more than 6 months, a comprehensive and up-to-date summary list of all Health Advisories.

The following table provides a summary list of all Illinois EPA Health Advisories currently in effect:

CASRN ¹	Chemical	Statewide Health Advisory Guidance Level (ng/L)	Health Advisory Issuance Date
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	140	January 28, 2021
307-24-4	Perfluorohexanoic acid (PFHxA)	560,000	January 28, 2021
335-67-1	Perfluorooctanoic acid (PFOA)	2	January 28, 2021
375-73-5	Perfluorobutanesulfonic acid (PFBS)	2,100	April 16, 2021
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	14	April 16, 2021
375-95-1	Perfluorononanoic acid (PFNA)	21	July 27, 2021

¹ CASRN = Chemical Abstract Services Registry Number

For more information regarding Illinois EPA Health Advisories, please refer to the following link:
<https://www2.illinois.gov/epa/topics/water-quality/pfas/Pages/pfas-healthadvisory.aspx>

2125 S. First Street, Champaign, IL 61820 (217) 278-5800
1101 Eastport Plaza Dr., Suite 100, Collinsville, IL 62234 (618) 346-5120
9511 Harrison Street, Des Plaines, IL 60016 (847) 294-4000
595 S. State Street, Elgin, IL 60123 (847) 608-3131

2309 W. Main Street, Suite 116, Marion, IL 62959 (618) 993-7200
412 SW Washington Street, Suite D, Peoria, IL 61602 (309) 671-3022
4302 N. Main Street, Rockford, IL 61103 (815) 987-7760

PLEASE PRINT ON RECYCLED PAPER





A Publication of the Illinois Pollution Control Board

January 2022

Issues of the *Environmental Register* dating back to 1990 are available electronically at

<https://pcb.illinois.gov/>