



ENVIRONMENTAL REGISTER

April 19, 2022 – Number 761

A PUBLICATION OF THE ILLINOIS POLLUTION CONTROL BOARD

<https://pcb.illinois.gov/>

BOARD MEMBERS

- ❖ Barbara Flynn Currie, Chair
- ❖ Cynthia M. Santos
- ❖ Anastasia Palivos
- ❖ Jennifer Van Wie
- ❖ Michelle Gibson

The **Illinois Pollution Control Board** is an independent, five-member board that adopts environmental control regulations and decides enforcement actions and other environmental cases for the State of Illinois.

INSIDE THIS ISSUE

- ❖ Chair's Update
- ❖ Rulemaking Update
- ❖ Board Actions
- ❖ Calendar
- ❖ Restricted Status & Critical Review Lists
- ❖ Health Advisory Summary List

WE'RE MOVING! Effective June 1, 2022, the Board's new Chicago office address will be: 60 E. Van Buren St., Ste. 630, Chicago, IL 60605.

CHAIR'S UPDATE

Over the last few months, the Board held public hearings on two substantive rulemaking proposals. Two of the hearings concerned a proposal filed by the Illinois Environmental Regulatory Group (IERG) to amend the Board's air pollution rules. Another hearing addressed a proposal filed by the Illinois Environmental Protection Agency (IEPA) to amend the Board's groundwater quality rules. I highlight these rulemakings below.

IERG proposes that the Board amend its air pollution regulations at Part 203 (Major Stationary Sources Construction and Modification), Part 204 (Prevention of Significant Deterioration), and Part 232 (Toxic Air Contaminants). *See* 35 Ill. Adm. Code 203, 204, 232. IERG maintains that the proposed amendments are primarily aimed at making the Board's nonattainment new source review (NA NSR) regulations consistent with the text of the federal NA NSR regulations.

IERG's proposal was the subject of Board hearings held on February 17 and April 7, 2022. The deadline for filing post-hearing public comments is May 16, 2022, and no additional hearings are currently scheduled. Participants in this proceeding to date have included IEPA and the Illinois Attorney General's Office. The rulemaking, which has not proceeded to first notice, is captioned Amendments to 35 Ill. Adm. Code Part 203: Major Stationary Sources Construction and Modification, 35 Ill. Adm. Code Part 204: Prevention of Significant Deterioration, and Part 232: Toxic Air Contaminants, [docket R22-17](#).

In the other rulemaking, IEPA proposes that the Board amend its groundwater quality regulations (35 Ill. Adm. Code 620). With this rulemaking proposal, IEPA explains that it seeks to uphold the policy of the Illinois Groundwater Protection Act "to restore, protect, and enhance the groundwaters of the State, as a natural and public resource." 415 ILCS 55/2(b). According to IEPA, the proposed rule changes are designed to keep Illinois' standards "current as scientific data and methods supporting the development of groundwater quality standards have evolved." Among other amendments, IEPA proposes groundwater quality standards for six Per- and Polyfluoroalkyl Substances or "PFAS."

IEPA's proposal was the subject of a Board hearing held on March 9, 2022. A second hearing is scheduled for June 21, 2022, to continue, if necessary, on June 22, 2022. The hearing officer will issue an order scheduling a third hearing. Participants so far in this proceeding have included the Illinois Groundwater Advisory Council and many industry representatives. The rulemaking, which has not gone to first notice, is captioned Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), [docket R22-19](#).

You can find information concerning all the Board's pending rulemakings at <https://pcb.illinois.gov/>.

Sincerely,



Barbara Flynn Currie
Chair



RULEMAKING UPDATE

Board Proposes “Identical-in-Substance” Amendment to Wastewater Pretreatment Rules

On February 17, 2022, the Board proposed—for public comment—an amendment to Illinois’ wastewater pretreatment rules. The amendment will keep these rules “identical in substance” to those of the United States Environmental Protection Agency (USEPA). The Board’s rulemaking responds to a single USEPA action taken during the first half of 2021. On May 19, 2021, USEPA updated the methods for analyzing contaminants in wastewater, including for wastewater pretreatment. USEPA’s analytical methods are incorporated by reference in the Illinois wastewater pretreatment rules, and simply updating that incorporation by reference will complete Board rulemaking on USEPA’s action.

The proposed amendment was published in the *Illinois Register* on March 4, 2022 (46 Ill. Reg. 3497). The Board expects to adopt the final rule in May of this year.

The Board’s rulemaking is captioned Wastewater Pretreatment Update, USEPA Regulations (January 1, 2021 through June 30, 2021), docket R22-7. Here are links to (1) the Board’s [opinion and order](#), which includes the text of the proposed amendment, and (2) the Board’s [addendum](#), which provides tables of information concerning the rulemaking. For more information, please contact Michael McCambridge at michael.mccambridge@illinois.gov.

Board Proposes “Identical-in-Substance” Amendments to Ambient Air Quality Standards

On February 17, 2022, the Board proposed rule amendments to Illinois’ ambient air quality standards. The amendments will keep these standards “identical in substance” to the National Ambient Air Quality Standards (NAAQS).

The Board’s rulemaking primarily responds to two actions taken by the United States Environmental Protection Agency (USEPA) during the first half of 2021. First, on March 4, 2021, USEPA designated a new federal reference method for monitoring sulfur dioxide in ambient air. As USEPA’s methods are incorporated by reference in the Illinois ambient air quality rules, the Board proposes updating that incorporation by reference. Second, on March 26, 2021, USEPA issued its Round 4 area attainment status designations for the 2010 primary NAAQS for sulfur dioxide. Among the several areas across the country, USEPA designated Macon County “attainment/unclassifiable.” That was the final area designation for areas in Illinois. The effect is that the 1971 primary NAAQS for sulfur dioxide will no longer apply in Illinois as of April 30, 2022. The Board therefore proposes removing the 1971 NAAQS from the Illinois rules.

The proposed amendments were published in the *Illinois Register* on March 4, 2022 (46 Ill. Reg. 3485). The Board will hold a public hearing on April 21, 2022, to satisfy federal requirements for the revision to the State Implementation Plan that will result after the Board adopts the amendments. The Board expects to adopt the final rules in May of this year.

The Board’s rulemaking is captioned National Ambient Air Quality Standards Update, USEPA Regulations (January 1, 2021 through June 30, 2021), docket R22-8. Here are links to (1) the Board’s [opinion and order](#), which includes the text of the proposed amendments, and (2) the Board’s [addendum](#), which provides tables of information concerning the rulemaking. For more information, please contact Hearing Officer Michael McCambridge at michael.mccambridge@illinois.gov.



Board Announces Proposed Rules for 90-Day Comment Period in CCR Sub-Docket

In its rulemaking addressing coal combustion residual (CCR) surface impoundments, the Board opened a sub-docket to explore four separate issues in more detail:

- Historic, unconsolidated coal ash fill in the State
- The use of temporary storage piles of coal ash, including time and volume limits
- Fugitive dust monitoring plans for areas neighboring CCR surface impoundments
- The use of environmental justice screening tools

The Board solicited public comment on the four issues and received fourteen comments. One comment provided substantial information and proposed rule text on each of the four sub-docket issues. It was filed jointly by the Environmental Law & Policy Center, Little Village Environmental Justice Organization, Prairie Rivers Network, and Sierra Club (collectively Environmental Groups)

On March 3, 2022, the Board issued an order that presented the Environmental Groups' proposed rule text for a 90-day public comment period, closing June 3, 2022. The Board made no comment on the substance of the Environmental Groups' proposed rules. At the close of the public comment period, the Board will reexamine the issues and determine whether to proceed to hearing.

As of publication of this *Environmental Register*, a pending motion filed by the Environmental Groups asks that the Board allow until August 2, 2022, for all participants to file comments responsive to comments filed by the June 3, 2022 deadline.

The rulemaking sub-docket is captioned Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments: Proposed New 35 Ill. Adm. Code 845, R20-19(A). Here is a link to [docket R20-19](#), the original rulemaking in which the Board adopted new Part 845 on CCR surface impoundments (35 Ill. Adm. Code 845, eff. April 21, 2021). The Board incorporated the materials from that docket into this sub-docket. Here is a link to [sub-docket R20-19\(A\)](#), where you can view the Board's March 3, 2022 order. For more information, please contact Vanessa Horton at 312-814-5053 or vanessa.horton@illinois.gov.

Board Proposes Drycleaning Facility Rules for First Notice and Opens Sub-Docket on Drycleaner Continuing Education

On March 3, 2022, the Board issued an order proposing first-notice rules on licensing drycleaning facilities, overseeing their environmental insurance coverage, and administering State fund reimbursement for the costs of cleaning up drycleaning solvent releases. This rulemaking was initiated by the Illinois Environmental Protection Agency (IEPA) to address amendments to the Drycleaner Environmental Response Trust (DERT) Fund Act. These statutory amendments transferred oversight and implementation of the DERT Fund from the DERT Fund Council to IEPA. After receiving IEPA's rulemaking proposal, the Board held public hearings and received public comment.

For first notice, the Board proposed adopting new Board rules at 35 Ill. Adm. Code Part 1501 and repealing DERT Fund Council rules at both 35 Ill. Adm. Code Part 1500 and 2 Ill. Adm. Code Part 3100. These rule changes are designed to protect the environment and smoothly transition drycleaners to a new regulatory program. On March 18, 2022, the proposal was published in the *Illinois Register* (46 Ill. Reg. 4575, 4621), meaning that anyone may file a public comment with the Board concerning the first-notice proposal until at least May 2, 2022.

This rulemaking is captioned Drycleaner Environmental Response Trust Fund Act Proposal to Add 35 Ill. Adm. Code Part 1501, Repeal 35 Ill. Adm. Code Part 1500, and Repeal 2 Ill. Adm. Code Part 3100, docket



R21-19. Here is a link to the Board's [order](#), which includes the rule changes proposed for first notice. That order also opened sub-docket R21-19(A) to consider minimum continuing education and compliance program requirements. For more information, please contact Mark Kaminski at 312-814-3886 or mark.kaminski@illinois.gov.



BOARD ACTIONS

January 6, 2022 Regular Meeting
By videoconference in Chicago and Springfield

RULEMAKING

[R22-18](#) Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620) (Public Water Supply) – The Board accepted the Illinois Environmental Protection Agency’s proposal to amend Part 620, the Board’s groundwater quality rules, and directed its hearing officer to schedule and proceed to hearings.

TIME-LIMITED WATER QUALITY STANDARDS

[PCB 16-14](#) Village of Homewood v. IEPA
[PCB 16-15](#) Village of Orland Park v. IEPA
[PCB 16-16](#) Village of Midlothian v. IEPA
[PCB 16-17](#) Village of Tinley Park v. IEPA
[PCB 16-18](#) ExxonMobil Oil Corporation v. IEPA
[PCB 16-20](#) Village of Wilmette v. IEPA
[PCB 16-21](#) City of Country Club Hills v. IEPA
[PCB 16-22](#) Noramco-Chicago, Inc. v. IEPA
[PCB 16-23](#) INEOS Joliet, LLC v. IEPA
[PCB 16-25](#) City of Evanston v. IEPA
[PCB 16-26](#) Village of Skokie v. IEPA
[PCB 16-27](#) Illinois Department of Transportation v. IEPA
[PCB 16-29](#) Metropolitan Water Reclamation District of Greater Chicago v. IEPA
[PCB 16-30](#) Village of Richton Park v. IEPA
[PCB 16-31](#) Village of Lincolnwood v. IEPA
[PCB 16-33](#) City of Oak Forest v. IEPA
[PCB 19-7](#) Village of Lynwood v. IEPA
[PCB 19-8](#) Citgo Holdings v. IEPA
[PCB 19-9](#) Village of New Lenox v. IEPA
[PCB 19-10](#) City of Lockport v. IEPA
[PCB 19-11](#) Caterpillar, Inc. v. IEPA
[PCB 19-12](#) Village of Park Forest v. IEPA
[PCB 19-13](#) Ozinga Ready Mix Concrete, Inc. v. IEPA
[PCB 19-14](#) Ozinga Materials, Inc. v. IEPA
[PCB 19-15](#) Midwest Marine Terminals, LLC v. IEPA
[PCB 19-16](#) Village of Mokena v. IEPA
[PCB 19-17](#) Village of Oak Lawn v. IEPA
[PCB 19-18](#) Village of Dolton v. IEPA
[PCB 19-19](#) Village of Glenwood v. IEPA



<u>PCB 19-20</u>	<u>Ozinga Ready Mix Concrete, Inc. v. IEPA</u>
<u>PCB 19-21</u>	<u>Ozinga Materials, Inc. v. IEPA</u>
<u>PCB 19-22</u>	<u>Midwest Marine Terminals, LLC v. IEPA</u>
<u>PCB 19-23</u>	<u>Village of Mokena v. IEPA</u>
<u>PCB 19-24</u>	<u>Village of Oak Lawn v. IEPA</u>
<u>PCB 19-25</u>	<u>Village of Dolton v. IEPA</u>
<u>PCB 19-26</u>	<u>Village of Glenwood v. IEPA</u>
<u>PCB 19-27</u>	<u>Village of Morton Grove v. IEPA</u>
<u>PCB 19-28</u>	<u>Village of Lansing v. IEPA</u>
<u>PCB 19-29</u>	<u>Village of Frankfort v. IEPA</u>
<u>PCB 19-30</u>	<u>Village of Winnetka v. IEPA</u>
<u>PCB 19-31</u>	<u>Village of La Grange v. IEPA</u>
<u>PCB 19-33</u>	<u>Village of Channahon v. IEPA</u>
<u>PCB 19-34</u>	<u>Cook County Department of Transportation and Highways v. IEPA</u>
<u>PCB 19-35</u>	<u>Village of Niles v. IEPA</u>
<u>PCB 19-36</u>	<u>Skyway Concession Company LLC v. IEPA</u>
<u>PCB 19-37</u>	<u>Village of Elwood v. IEPA</u>
<u>PCB 19-38</u>	<u>City of Chicago v. IEPA</u>
<u>PCB 19-40</u>	<u>Village of Crestwood v. IEPA</u>
<u>PCB 19-48</u>	<u>Village of Riverside v. IEPA</u>
<u>(consol.)</u>	(Time-Limited WQS) – The Board clarified its November 4, 2021 opinion and order issuing a time-limited water quality standard (TLWQS) for chloride to 48 petitioners that discharge into the Lower Des Plaines River (LDPR) watershed and portions of the Chicago Area Waterway System (CAWS).

ADJUDICATORY CASES

<u>PCB 05-22</u>	<u>L. Keller Oil Properties v. Illinois Environmental Protection Agency (UST Appeal)</u> – The Board granted L. Keller Oil’s motion to voluntarily dismiss its appeal concerning its Effingham County facility.
<u>PCB 13-4</u>	<u>Scenic Ridge Plaza, Inc. v. Illinois Environmental Protection Agency (UST Appeal)</u> – The Board granted Scenic Ridge Plaza’s motion to voluntarily dismiss its appeal concerning its Johnson County facility.
<u>PCB 17-19</u>	<u>People of the State of Illinois v. Cranbrook Farms, LLC (Water – Enforcement)</u> – Upon receiving the parties’ motion for relief from the hearing requirement and agreed first modification to the stipulation and proposed settlement accepted by the Board on May 21, 2020, for Cranbrook Farms’ Henry County facility, the Board directed the Clerk to publish the required newspaper notice of the parties’ motion and agreed modification.
<u>PCB 21-45</u>	<u>People of the State of Illinois v. Youth Fair Chance, Inc., d/b/a Capitol Reuse Center, and Dale Rowden (Land, RCRA – Enforcement)</u> – Upon receiving a stipulation and proposed settlement between the People and Youth Fair Chance, Inc., doing business as “Capitol Reuse Center” (CRC), and a motion from those two parties for relief from the hearing requirement for CRC’s Sangamon County facility, the Board directed the Clerk to provide the required newspaper notice. Dale Rowden is not a party to the stipulation.



[PCB 22-12](#) Philip Carper v. Topflight Grain Cooperative, Inc. (Noise – Enforcement, Citizen) – The Board accepted for hearing this citizen’s complaint concerning Topflight Grain Cooperative’s grain elevator located in Champaign County.

[PCB 22-28](#) People of the State of Illinois v. Brell, LLC d/b/a Edwards Ready Mix, Hahn Ready Mix Company, and Builder’s Sand and Cement Co., Inc. (Water, NPDES – Enforcement) – Upon receiving a complaint, a stipulation and proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving three sites in Henry and Rock Island Counties, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice.

[PCB 22-29](#) People of the State of Illinois v. Midway Land Management (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Midway Land Management’s gas station in Cook County.

February 17, 2022 Regular Meeting
By videoconference in Chicago and Springfield

RULEMAKING

[R21-13](#) RCRA Subtitle C (Hazardous Waste) Update, USEPA Amendments (July 1, 2020 through December 31, 2020)

[R22-13](#) RCRA Subtitle C (Hazardous Waste) Update, USEPA Amendments (July 1, 2021 through December 31, 2021)

[R22-19](#) Corrections to RCRA Subtitle C and UIC Permit Rules (35 Ill. Adm. Code 702 through 705) (Land) – The Board adopted an order extending the due date for final action until October 1, 2022, and consolidating these three “identical-in-substance” dockets.

[R21-16](#) National Ambient Air Quality Standards, USEPA Regulations (July 1, 2020 through December 31, 2020) (Air) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend the National Ambient Air Quality Standards (NAAQS) during the update period of July 1, 2020 through December 31, 2020.

[R22-7](#) Wastewater Pretreatment Update, USEPA Regulations (January 1, 2021 through June 30, 2021) (Water) – The Board adopted a proposal for public comment in this “identical-in-substance” rulemaking to amend the Board’s wastewater pretreatment regulations.

[R22-8](#) National Ambient Air Quality Standards, USEPA Regulations (January 1, 2021 through June 30, 2021) (Air) – In this “identical-in-substance” rulemaking, the Board adopted an order extending the due date for final action until June 1, 2022, and proposing amendments to Illinois’ ambient air quality standards for public hearing and comment.

[R22-9](#) Definition of VOM Update, USEPA Regulations (July 1, 2021 through December 31, 2021) (Air) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding air pollution control regulations during the update period of July 1, 2021 through December 31, 2021.



- [R22-10](#) SDWA Update, USEPA Regulations (July 1, 2021 through December 31, 2021) (Public Water Supply) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend the National Primary Drinking Water Regulations (NPDWR) during the update period of July 1, 2021 through December 31, 2021.
- [R22-11](#) UIC Update, USEPA Regulations (July 1, 2021 through December 31, 2021) (Land) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding underground injection control (UIC) regulations during the update period of July 1, 2021 through December 31, 2021.
- [R22-12](#) RCRA Subtitle D (Municipal Solid Waste Landfill) Update, USEPA Regulations (July 1, 2021 through December 31, 2021) (Land) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding municipal solid waste landfill (MSWLF) regulations during the update period of July 1, 2021 through December 31, 2021.
- [R22-14](#) UST Update, USEPA Regulations (July 1, 2021 through December 31, 2021) (Land) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding underground storage tank (UST) regulations during the update period of July 1, 2021 through December 31, 2021.
- [R22-15](#) Wastewater Pretreatment Update, USEPA Regulations (July 1, 2021 through December 31, 2021) (Water) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding wastewater pretreatment regulations during the update period of July 1, 2021 through December 31, 2021.
- [R22-16](#) National Ambient Air Quality Standards, USEPA Regulations (July 1, 2021 through December 31, 2021) (Air) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend the National Ambient Air Quality Standards (NAAQS) during the update period of July 1, 2021 through December 31, 2021.

ADJUSTED STANDARDS

- [AS 21-2](#) Petition of Midwest Generation, LLC for an Adjusted Standard and a Finding of Inapplicability (Powerton Station) (Land) – The Board found that the Service Water Basin is not subject to 35 Ill. Adm. Code 845, as long as it is not used in the future for the treatment, storage, or disposal of coal combustion residuals
- [AS 21-4](#) Petition of Illinois Power Resources Generating, LLC for an Adjusted Standard from 35 Ill. Adm. Code Part 845 or, in the Alternative, a Finding of Inapplicability (Land) – The Board found that the Gypsum Management Facility Recycle Pond is not subject to 35 Ill. Adm. Code 845, as long as it is not used in the future for the treatment, storage, or disposal of coal combustion residuals.



ADMINISTRATIVE CITATIONS

[AC 22-2](#) Sanitary District of Decatur v. IEPA (Time-Limited WQS) – The Board County of LaSalle v. Pamela Shanley (Land) – The Board granted the County of LaSalle’s motion for voluntary dismissal.

ADJUDICATORY CASES

[PCB 06-61](#) Southern Illinois Power Cooperative v. Illinois Environmental Protection Agency (Air, CAAPP – Permit Appeal) – The Board granted the joint motion to lift the stay of uncontested Clean Air Act Permit Program (CAAPP) permit conditions and, while continuing to stay contested conditions and retaining jurisdiction over them, remand the CAAPP permit to IEPA to incorporate changes agreed to by the parties.

[PCB 14-3](#) Johns Manville v. Illinois Department of Transportation (Land – Enforcement, Citizen) – The Board will address IDOT’s motion for Leave to File Sur-Reply with the case. The Board considers this record closed and will proceed with deliberation on the case.

[PCB 17-19](#) People of the State of Illinois v. Cranbrook Farms, LLC (Water – Enforcement) – The Board granted the parties’ motion for relief from the hearing requirement and accepted their agreed modification of the stipulation and settlement.

[PCB 21-76](#) People of the State of Illinois v. Az Spe, LLC, d/b/a Elmwood Park Phillips 66 (Air – Enforcement) – In this enforcement action concerning a Cook County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Az Spe to pay a \$5,000 civil penalty and to cease and desist from further violations.

[PCB 22-6](#) People of the State of Illinois v. Army Trail Swift Gasoline, Inc. (Air – Enforcement) – In this enforcement action concerning a DuPage County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Army Trail Swift Gasoline to pay a \$5,000 civil penalty and to cease and desist from further violations.

[PCB 22-10](#) People of the State of Illinois v. Kash Enterprises Incorporated, d/b/a Marathon (Air – Enforcement) – Upon receiving a stipulation and proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County site, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice.

[PCB 22-12](#) Philip Carper v. Topflight Grain Cooperative, Inc. (Noise – Enforcement, Citizen) – The Board granted Carper’s motion to dismiss Topflight’s affirmative defenses.

[PCB 22-22](#) People of the State of Illinois v. Octoplus Group, Inc., d/b/a Hanover Food Mart (Air – Enforcement) – In this enforcement action concerning a Cook County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Octoplus Group to pay a \$5,000 civil penalty and to cease and desist from further violations.



- [PCB 22-28](#) People of the State of Illinois v. Brell, LLC d/b/a Edwards Ready Mix, Hahn Ready Mix Company, and Builder's Sand and Cement Co., Inc. (Water, NPDES – Enforcement) – In this enforcement action concerning two sites in Henry County and one site in Rock Island County, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered respondents to pay a \$30,000 civil penalty and to cease and desist from further violations.
- [PCB 22-30](#) Farmer's State Bank of Alto Pass v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties' request to extend the appeal period to May 2, 2022.
- [PCB 22-31](#) People of the State of Illinois v. Bel-Rock Asphalt Paving, Inc. (Water, NPDES – Enforcement) – The Board accepted the People's complaint for hearing concerning Bel-Rock Asphalt Paving's asphalt paving, sealcoating, pavement stripping, and repair business located in Boone County.
- [PCB 22-32](#) People of the State of Illinois v. Rajwinder Kaur, individually and d/b/a Shell Gas Station (Air – Enforcement) – The Board accepted the People's complaint for hearing concerning Kaur's gas station located in Cook County.
- [PCB 22-33](#) People of the State of Illinois v. Sam's Auto Service, Inc. (Air – Enforcement) – Upon receiving a complaint, a stipulation and proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County site, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice.
- [PCB 22-35](#) People of the State of Illinois v. Lincoln Petro, Inc., d/b/a Citgo (Air – Enforcement) – Upon receiving a complaint, a stipulation and proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County site, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice.
- [PCB 22-36](#) North Park Public Water District v. Illinois Environmental Protection Agency (Public Water Supply – Permit Appeal) – The Board granted the parties' request to extend the appeal period to March 10, 2022.
- [PCB 22-37](#) People of the State of Illinois v. Harvey Gas and Mini Mart, Inc. (Air – Enforcement) – Upon receiving a complaint, a stipulation and proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County site, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice.
- [PCB 22-38](#) People of the State of Illinois v. 159th and Crawford Business Inc. and 159th and Crawford Real Estate Inc. (Air – Enforcement) – The Board accepted the People's complaint for hearing concerning a Cook County gas station owned by 159th and Crawford Real Estate Inc. and operated by 159th and Crawford Business Inc.



[PCB 22-39](#) People of the State of Illinois v. Holy Cross Hospital (Air – Enforcement) – Upon receiving a complaint, a stipulation and proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County facility, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice.

[PCB 22-40](#) People of the State of Illinois v. MDDS Real Estate, Inc., d/b/a Citgo Petroleum (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning MDDS Real Estate’s gas station located in Cook County.

[PCB 22-41](#) People of the State of Illinois v. Rockbuild Enterprises, Inc. (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Rockbuild Enterprises’ gas station located in Lake County.

[PCB 22-42](#) People of the State of Illinois v. 159th and Crawford Business Inc. and 159th and Crawford Real Estate Inc. (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning a Cook County gas station owned by 159th and Crawford Real Estate Inc. and operated by 159th and Crawford Business Inc.

March 3, 2022 Regular Meeting
By videoconference in Chicago and Springfield

RULEMAKING

[R20-19\(A\)](#) Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments: Proposed New 35 Ill. Adm. Code 845 (Land) – The Board adopted a proposal for public comment in this rulemaking to consider amending the Board’s regulations on CCR surface impoundments.

[R21-19](#) Drycleaner Environmental Response Trust Fund Act Proposal to Add 35 Ill. Adm. Code Part 1501, Repeal 35 Ill. Adm. Code Part 1500, and Repeal 2 Ill. Adm. Code Part 3100 (Land) – The Board adopted a first-notice proposal in this rulemaking to effectuate the 2019 DERT Fund Act amendments. The Board also directed the Clerk to open a subdocket for addressing minimum continuing education and compliance program requirements.

ADMINISTRATIVE CITATIONS

[AC 22-2](#) County of LaSalle v. Pamela Shanley (Land) – On its own motion, the Board dismissed this administrative citation for the County’s failure to complete service.



ADJUDICATORY CASES

- [PCB 20-36](#) Cady Oil Company v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted Cady Oil’s motion to voluntarily dismiss this underground storage tank appeal concerning its Tazewell County facility.
- [PCB 21-45](#) People of the State of Illinois v. Youth Fair Chance, Inc., d/b/a Capitol Reuse Center, and Dale Rowden (Land, RCRA – Enforcement) – In this enforcement action concerning a Sangamon County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Youth Fair Chance to pay a \$3,300 civil penalty and to cease and desist from further violations. Dale Rowden is not a party to this stipulation.
- [PCB 22-9](#) Doug and Geri Boyer v. MRB Development d/b/a Copper Fire, Renae Eichholz and Mark Eichholz (Noise – Enforcement, Citizen) – The Board struck as frivolous paragraphs 33 through 38 of the complaint, along with the complaint’s request for injunctive relief. The Board also denied respondents’ motion to dismiss and motion to strike. The Board accepted for hearing the complaint, as modified by the order.
- [PCB 22-17](#) People of the State of Illinois v. Combined Real Estate LLC, d/b/a Mobil Mart (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-21](#) Assumption Cooperative Grain Company v. Illinois Environmental Protection Agency (UST Appeal) – Having previously extended the period to appeal IEPA’s underground storage tank determination concerning Assumption’s Christian County site, the Board dismissed the case because Assumption failed to file an appeal.
- [PCB 22-43](#) People of the State of Illinois v. Arif Shiekh (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Shiekh’s gas station in Kane County.
- [PCB 22-44](#) Minit Mart, LLC v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to May 31, 2022.
- [PCB 22-45](#) Stericycle, Inc., v. Illinois Environmental Protection Agency (Land – Permit Appeal) – The Board accepted Stericycle’s petition for hearing in this permit appeal involving a site in DeWitt County.



March 17, 2022 Regular Meeting
By videoconference in Chicago and Springfield

ADJUSTED STANDARDS

[AS 21-5](#) Petition of Electric Energy, Inc. for a Finding of Inapplicability or, in the Alternative, an Adjusted Standard from 35 Ill. Adm. Code Part 845 (Land) – The Board granted Electric Energy’s motion to stay the proceeding to June 6, 2022.

ADJUDICATORY CASES

[PCB 22-23](#) 7-Eleven, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – Because 7-Eleven, Inc. failed to file a petition for review during the extended appeal period, the Board dismissed the case and closed the docket.

[PCB 22-36](#) North Park Public Water District v. Illinois Environmental Protection Agency (Public Water Supply – Permit Appeal) – The Board accepted North Park’s petition for hearing on IEPA’s determination concerning North Park’s community water systems.

[PCB 22-46](#) Arrow Road Construction Company v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to June 21, 2022.

[PCB 22-47](#) Arrow Road Construction Company v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to June 21, 2022.

[PCB 22-48](#) People of the State of Illinois v. St. Mary Fuel Co. d/b/a Clark (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning St. Mary Fuel Co.’s gas station in Cook County.

[PCB 22-49](#) People of the State of Illinois v. Reid’s Service Center, Inc., Reid M. Larson Trust, Barbara S. Larson Trust, and Reid M. Larson, as Trustee of Reid M. Larson Trust (Land, Water – Enforcement) – Upon receiving a complaint, a stipulation and proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Peoria County site, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice.

April 7, 2022 Regular Meeting
By videoconference in Chicago and Springfield

ADJUDICATORY CASES

[PCB 18-49](#) Marathon Petroleum Company LP v. Illinois Environmental Protection Agency (Thermal Demonstration) – The Board granted Marathon Petroleum Company’s request for alternative thermal effluent limitations, subject to conditions.



- [PCB 19-60](#) Sheridan-Joliet Land Development LLC and Sheridan Sand & Gravel Co. (Wiensland Ave. Site) v. Illinois Environmental Protection Agency
- [PCB 19-61 \(consol.\)](#) Sheridan-Joliet Land Development LLC and Sheridan Sand & Gravel Co. (N4201 Rd. Site) v. Illinois Environmental Protection Agency (CCCD – Permit Appeal) – The Board granted Sheridan-Joliet Land Development and Sheridan Sand & Gravel’s motion to voluntarily dismiss these consolidated permit appeals concerning two LaSalle County clean construction or demolition debris facilities.
- [PCB 20-10](#) Marek Kruk v. New Trier High School (Noise – Enforcement, Citizens) – The Board denied New Trier’s motion for summary judgment. The Board construed Marek Kruk’s motion for leave to file a sur-reply and for oral argument as a motion to establish a discovery schedule, which was granted. The Board also denied Kruk’s motion to amend the complaint, but granted Kruk, Heather Walsh, and Cristian Downey until May 23, 2022, to file an amended complaint.
- [PCB 22-8](#) People of the State of Illinois v. Mohamed Elnatour, d/b/a Faatima Citgo (Air – Enforcement) – The Board granted the People’s motion to file a first amended complaint and accepted the first amended complaint in this enforcement action involving a Cook County gas station. Also, upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-10](#) People of the State of Illinois v. Kash Enterprises Incorporated, d/b/a Marathon (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Kash Enterprises to pay a \$5,000 civil penalty and to cease and desist from further violations.
- [PCB 22-11](#) People of the State of Illinois v. United Ready Mix, Inc. (Water, NPDES – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving two concrete manufacturing facilities located in Peoria and Tazewell Counties, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-17](#) People of the State of Illinois v. Combined Real Estate LLC, d/b/a Mobil Mart (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Combined Real Estate to pay a \$5,000 civil penalty and to cease and desist from further violations.
- [PCB 22-18](#) People of the State of Illinois v. Nomani Estate LLC, d/b/a Amstar (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.



- [PCB 22-19](#) People of the State of Illinois v. Burbank S & K Realty, Inc. and Star Relax Station, Inc., d/b/a Burbank Gas (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-20](#) People of the State of Illinois v. PPRE, LLC (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Kane County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-25](#) People of the State of Illinois v. JJR Real Estate Group, Inc. (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Kane County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-26](#) People of the State of Illinois v. CBJS Real Estate Inc. (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Kane County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-29](#) People of the State of Illinois v. Midway Land Management, Inc. (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-32](#) People of the State of Illinois v. Rajwinder Kaur, individually and d/b/a Shell Gas Station (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-33](#) People of the State of Illinois v. Sam’s Auto Service, Inc. (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Sam’s Auto Service to pay a \$5,000 civil penalty and to cease and desist from further violations.
- [PCB 22-35](#) People of the State of Illinois v. Lincoln Petro, Inc., d/b/a Citgo (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Lincoln Petro to pay a \$5,000 civil penalty and to cease and desist from further violations.



- [PCB 22-37](#) People of the State of Illinois v. Harvey Gas and Mini Mart, Inc. (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Harvey Gas and Mini Mart to pay a \$5,000 civil penalty and to cease and desist from further violations.
- [PCB 22-39](#) People of the State of Illinois Holy Cross Hospital (Air – Enforcement) – In this enforcement action concerning a Cook County healthcare facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Holy Cross Hospital to pay a \$5,000 civil penalty and to cease and desist from further violations.
- [PCB 22-50](#) People of the State of Illinois v. Lehigh Gas Wholesale Services, Inc. (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-51](#) Illinois Power Resources Generating, LLC v. Illinois Environmental Protection Agency (Water, NPDES – Permit Appeal) – The Board granted the parties’ request to extend the appeal period to May 5, 2022.
- [PCB 22-52](#) Prairie South Farm, LLC v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Prairie South Farm’s livestock waste composting building located in White County is a pollution control facility for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- [PCB 22-53](#) Bank of Pontiac v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to July 13, 2022.
- [PCB 22-54](#) Happy’s Super Service v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to July 5, 2022.
- [PCB 22-55](#) Happy’s Super Service v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to July 5, 2022.
- [PCB 22-56](#) Happy’s Super Service v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to July 5, 2022.
- [PCB 22-57](#) People of the State of Illinois v. SCI Box, LLC (Water, NPDES – Enforcement) – The Board accepted the People’s complaint for hearing concerning SCI Box’s corrugated cardboard box manufacturing facility located in Jefferson County.
- [PCB 22-58](#) People of the State of Illinois v. Elite Car Wash, Inc. (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Elite Car Wash’s gas station located in Cook County.



PCB 22-59

People of the State of Illinois v. RDK Ventures LLC (Air – Enforcement) – Upon receiving a complaint, a stipulation and proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving twelve gas stations located in Cook, DuPage, Lake, McHenry, Will, Grundy, and Kendall Counties, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.



CALENDAR

Thursday, April 21, 2022 (11:00 AM)

Board meeting by videoconference

James R. Thompson Center, 100 W. Randolph St., Room 2-025
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, April 21, 2022 (11:45 AM)

Videconference hearing: National Ambient Air Quality Standards, USEPA Regulations (January 1, 2021 through June 30, 2021), R22-8

IPCB Chicago Office, 100 W. Randolph St., Room 11-512
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, May 12, 2022 (11:00AM)

Board meeting by videoconference

IPCB Chicago Office, 100 W. Randolph St., Room 11-512
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Thursday, May 26, 2022 (11:00AM)

Board meeting by videoconference

IPCB Chicago Office, 100 W. Randolph St., Room 11-512
IPCB Springfield Office, 1021 N. Grand Ave East, Room 1244 N

Wednesday, June 1, 2022

The Board is moving! Effective June 1, 2022, the Board's new Chicago office address will be: 60 E. Van Buren St., Ste. 630, Chicago, IL 60605. We will soon provide additional information, including Board meeting locations.

Tuesday, June 7, 2022 (9:00AM)

Hearing: Sierra Club; Prairie Rivers Network; National Association for the Advancement of Colored People v. City of Springfield, Office of Public Utilities d/b/a City Water, Light and Power, PCB 18-11

IEPA Springfield Office, 1021 N. Grand Ave East, Sangamo Room

Thursday, June 9, 2022 (11:00 AM)

Board meeting

Location to be determined

Tuesday, June 21, 2022 (9:00AM)

Hearing: Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), R22-18

IEPA Springfield Office, 1021 N. Grand Ave East, Sangamo Room

Wednesday, June 22, 2022 (9:00AM)

Hearing continued from June 21, 2022, if necessary: Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), R22-18

IEPA Springfield Office, 1021 N. Grand Ave East, Sangamo Room

Thursday, June 23, 2022 (11:00 AM)

Board meeting

Location to be determined



Thursday, July 7, 2022 (11:00 AM)

Board meeting

Location to be determined

Thursday, July 21, 2022 (11:00 AM)

Board meeting

Location to be determined

The events listed above are subject to change, and more events may be added. Here is a link to the [Board's current calendar](#).



RESTRICTED STATUS / CRITICAL REVIEW LISTS

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Division of Public Water Supplies



Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

April 2022

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
COYNE CENTER COOP	IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CRISWELL COURT MHP	IL1975105	2	INADEQUATE PRESSURE TANK	136	12/15/1989
DANVERS**	IL1130450	4	MANGANESE MCL VIOLATION	1183	1/18/2022
DAYSPRING BIBLE COLLEGE	IL0977189	2	INADEQUATE PRESSURE TANK	60	6/15/1988
DES PLAINES MHP	IL0317775	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	580	3/16/1984
DONNELLSON	IL0054360	6	TOTAL TRIHALOMETHANES MCL VIOLATION AND HALOACETIC ACID MCL VIOLATION	210	7/25/2019
DONOVAN	IL0750400	4	NO CORROSION CONTROL TREATMENT	306	7/23/2021
EAST END WATER ASSOCIATION	IL1610140	1	INADEQUATE PRESSURE TANK	40	3/15/2002
EAST MORELAND WATER ASSOCIATION	IL1975600	2	NO ELEVATED OR GROUND STORAGE	1055	9/9/2016
EDELSTEIN WATER COOPERATIVE	IL1435150	5	INADEQUATE GROUND STORAGE & NO EMERGENCY POWER	125	1/1/2015
EHLERS MHP	IL0195645	4	INADEQUATE PRESSURE TANK	112	12/17/1982
ELIZABETH (upper elevation area)	IL0850150	1	LOW SYSTEM PRESSURE	675	6/15/1999
EXETER - MERRITT WATER COOP	IL1710010	5	INADEQUATE STORAGE CAPACITY	765	10/1/2013
FALCON FARMS	IL1617635	1	NO ELEVATED OR GROUND STORAGE	475	10/31/2019
FOUR STAR CAMPGROUND	IL0990060	1	INADEQUATE PRESSURE TANK	150	6/15/1999
GERMANTOWN	IL0270350	6	MINIMUM CHLORINE RESIDUAL VIOLATION	1481	6/30/2021
GREEN MEADOWS ESTATES OF ROCKFORD LLC	IL2015495	1	COMBINED RADIUM MCL VIOLATION; INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	970	6/15/2012
GREENFIELD	IL0610150	6	HALOACETIC ACIDS MCL VIOLATION	1200	10/2/2019
HARVEST ESTATES	IL0915165	2	INADEQUATE PRESSURE TANK	54	4/18/2019
HAWTHORN ESTATES SUBDIVISION	IL0630030	2	INADEQUATE PRESSURE TANK	49	4/7/2017
HETTICK	IL1170500	5	TOTAL TRIHALOMETHANES MCL VIOLATION AND MINIMUM CHLORINE RESIDUAL VIOLATION	182	6/30/2021
HIDE-A-WAY LAKES	IL0935300	2	COMBINED RADIUM MCL VIOLATION	50	3/10/2021
HIGHLAND SUBDIVISION	IL0895530	2	INADEQUATE PRESSURE TANK	40	9/16/1983



HILLCREST	IL1410250	1	INADEQUATE SOURCE CAPACITY	1400	2/13/2018
HILLSDALE PROPERTIES	IL1615728	1	INADEQUATE PRESSURE TANK	60	1/14/1982
HILLVIEW	IL0610200	6	NITRATE MCL VIOLATION	150	11/6/2020
HOLLY HOCK HILL MHP	IL0975245	2	INADEQUATE PRESSURE TANK	52	12/16/1983
HONEYCUTT HILL MHP LLC	IL1955225	1	INADEQUATE PRESSURE TANK	75	9/17/1982
HYDE-A-WAY LAKES	IL0935300	2	NO CHLORINE FEED SYSTEM	50	10/31/2019
IL AMERICAN - ANDALUSIA (upper elevation area)	IL1610050	1	LOW SYSTEM PRESSURE	1050	10/1/2003
ILLIOPOLIS*	IL1670550	5	TOTAL TRIHALOMETHANES MCL VIOLATION	1046	12/29/2021
INGALLS PARK SUBDIVISION	IL1975880	2	NO ELEVATED OR GROUND STORAGE	744	9/16/1983
JON'S MHP*	IL0990020	1	NITRATE MCL VIOLATION	92	12/29/2021
KINGSTON*	IL0370250	1	NO OPTIMAL CORROSION CONTROL TREATMENT	1160	2/16/2022
LAKE SHANNON*	IL0910020	2	TOTAL TRIHALOMETHANES MCL VIOLATION	500	12/29/2021
LEWISTOWN*	IL0570600	5	MANGANESE MCL VIOLATION	2400	12/29/2021
LIBERTY PARK HOMEOWNERS ASSOCIATION	IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	837	9/17/1992
LICK CREEK PWD	IL1815100	7	INADEQUATE SOURCE CAPACITY	1923	6/30/2021
LIMA	IL0010400	5	INADEQUATE SOURCE CAPACITY & NITRATE MCL VIOLATION	163	5/4/2016
LINWAY ESTATES MHP	IL0315935	2	NO ELEVATED OR GROUND STORAGE	450	2/28/2017
LISBON NORTH, INC.	IL0631000	2	INADEQUATE PRESSURE TANK	25	9/14/1990
LOCKPORT TOWNSHIP WATER SYSTEM*	IL1978100	2	NO OPTIMAL CORROSION CONTROL TREATMENT	2610	1/19/2022
LYNNWOOD WATER CORPORATION	IL0995336	1	INADEQUATE PRESSURE TANK	110	3/18/1983
MALTA	IL0370350	1	NO AUTO-START GENERATOR & INADEQUATE HIGH SERVICE PUMP CAPACITY	1175	6/15/2012
MANCUSO VILLAGE PARK MHP	IL2015545	1	INADEQUATE PRESSURE TANK	500	6/18/1982
MANTENO MHP	IL0915385	2	INADEQUATE PRESSURE TANK	144	12/14/1990
MAPLE ACRES MHP	IL0115135	1	ARSENIC MCL VIOLATION	250	7/28/2021
MENARD RURAL WATER COOP (area served by Athens)	IL1290100	5	TOTAL TRIHALOMETHANES MCL VIOLATION	653	9/1/2021
MOUNT ERIE	IL1910350	7	INADEQUATE SOURCE CAPACITY	119	5/21/2021
MOUNT ZION*	IL1150350	4	TOTAL TRIHALOMETHANES MCL VIOLATION	5833	1/19/2022
MULBERRY GROVE	IL0050100	6	TOTAL TRIHALOMETHANES MCL VIOLATION	725	5/26/2021
NEPONSET	IL0110700	1	MINIMUM CHLORINE RESIDUAL VIOLATION	374	4/17/2019
OAK RIDGE SD	IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OPHIEM PWS	IL0735150	1	NO OPTIMAL CORROSION CONTROL TREATMENT	100	8/4/2021
OSCO MUTUAL WATER SUPPLY COMPANY, INC.	IL0735200	1	INADEQUATE PUMP CAPACITY	115	12/15/1989
OTTAWA ESTATES MHP	IL0995225	1	INADEQUATE PRESSURE TANK	115	3/18/1983
PARADISE MANOR MHP	IL1617665	1	INADEQUATE PRESSURE TANK	193	2/19/1982
PARK MEADOWLAND WEST MHP	IL0075235	1	INADEQUATE PRESSURE TANK	100	3/18/1982
PAULS MHP	IL0975485	2	INADEQUATE PRESSURE TANK	38	12/16/1983



PEORIA HEIGHTS*	IL1434750	5	MANGANESE MCL VIOLATION	6156	12/29/2021
PIERRON	IL1194760	6	HALOACETIC ACIDS MCL VIOLATION	1928	5/26/2021
PORT BYRON*	IL1610550	1	MANGANESE MCL VIOLATION	1678	1/19/2022
PORTS SULLIVAN LAKE OWNERS ASSOCIATION	IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE PATH WATER - GALENA*	IL0855050	1	COMBINED RADIUM MCL VIOLATION	700	3/23/2022
PRAIRIE PATH WATER - LAKE HOLIDAY**	IL0995200	1	INADEQUATE TREATMENT CAPACITY	6479	4/1/2015
PRAIRIE PATH WATER - WALK-UP WOODS WATER COMPANY**	IL1115800	2	NO ELEVATED OR GROUND STORAGE	781	12/17/1982
PRAIRIE ROAD PUMP ASSOCIATION	IL2015100	1	INADEQUATE PRESSURE TANK	150	1/1/2006
RAINBOW LANE MHP	IL2015645	1	INADEQUATE PRESSURE TANK	83	6/17/1983
ROCKLAND MHP	IL0975585	2	INADEQUATE PRESSURE TANK	165	12/16/1983
ROLLING GREEN ESTATES MHP	IL1415245	1	INADEQUATE PRESSURE TANK	215	6/14/1985
ROYAL OAKS MHP	IL1115145	2	INADEQUATE PRESSURE TANK	114	6/17/1983
SCALES MOUND	IL0850400	1	LOW SYSTEM PRESSURE (at elev. above 990 ft. MSL)	401	9/15/1997
SENECA MOBILE HOMES LLC	IL0995425	1	INADEQUATE PRESSURE TANK	73	9/17/1982
SHANGRI-LA MHP	IL1415285	1	INADEQUATE PRESSURE TANK	444	9/16/1983
SHAWNITA TRC WATER ASSOCIATION	IL1977690	2	INADEQUATE PRESSURE TANK	135	9/17/1992
SILVIS HEIGHTS WATER CORP	IL1615750	1	NO EMERGENCY GENERATOR	1600	12/1/2003
SIX OAKS MHP	IL2015685	1	INADEQUATE PRESSURE TANK	48	6/18/1982
SOUTH PEKIN*	IL1790650	5	MANGANESE MCL VIOLATION	1146	1/19/2022
SPIN LAKE HOMEOWNERS ASSOCIATION	IL1135140	4	NITRITE MCL VIOLATION	200	10/1/2021
STEPHENSON MOBILE ESTATES	IL1775235	1	INADEQUATE PRESSURE TANK AND INADEQUATE CHLORINE RESIDUAL	223	6/17/1983
SUBURBAN APARTMENTS (DE KALB UNIV DVL)	IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
SUNNY HILLS ESTATES SUBDIVISION	IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION	IL1977730	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	300	6/12/2018
SWEDONA WATER ASSOCIATION	IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION	IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TABLE GROVE	IL0570900	5	TOTAL TRIHALOMETHANES MCL VIOLATION	416	9/4/2020
TIMBER RIDGE MOBILE ESTATES	IL1775255	1	INADEQUATE PRESSURE TANK	150	6/17/1996
TOWNERS SUBDIVISION	IL0977250	2	INADEQUATE PRESSURE TANK	204	1/14/1982
TRENTON*	IL0270500	6	TOTAL TRIHALOMETHANE MCL VIOLATION	3180	12/29/2021
VALLEY VIEW SUBDIVISION (WOODFORD COUNTY)	IL2030010	1	INADEQUATE PRESSURE TANK	100	6/15/2012
VERMONT	IL0570950	5	TOTAL TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	660	5/27/2020
VIETZEN MHP	IL0437245	2	INADEQUATE PRESSURE TANK & LACK OF A CHLORINE FEED SYSTEM	145	6/17/1983

**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies**



April 2022

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
WESTFIELD*	IL0230200	4	NO OPTIMAL CORROSION CONTROL TREATMENT	678	2/16/2022
WILLOWAY TERRACE MHP	IL0317595	2	NO ELEVATED OR GROUND STORAGE & INADEQUATE SOURCE CAPACITY	900	6/15/1984
WINDSOR*	IL1730550	4	NO OPTIMAL CORROSION CONTROL TREATMENT	1200	3/23/2022

**Illinois Environmental Protection Agency
Division of Public Water Supplies
Critical Review List – Community Water Supplies**

April 2022

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
AIR VIEW MHP	IL1615185	1	NO BACKUP SOURCE	164	8/7/2020
ANCHOR	IL1130050	4	ONLY ONE WELL	155	8/28/2020
AQUA ILLINOIS - HIGHLAND ESTATES	IL0915220	2	ONLY ONE WELL	171	1/13/2021
AQUA ILLINOIS - INDIANOLA	IL1830500	4	ONLY ONE WELL	224	12/11/2020
AQUA ILLINOIS - SKYLINE	IL0915450	2	ONLY ONE WELL	208	1/8/2021
AQUA ILLINOIS - SUN RIVER TERRACE	IL0910720	2	ONLY ONE WELL	495	1/13/2021
BEAVER CREEK VILLAGE MHP	IL0755125	4	ONLY ONE WELL	48	1/6/2021
BEVERLY HILLSDALE ESTATES, LLC	IL1615530	1	ONLY ONE WELL	63	8/14/2020
BROWNING	IL1690050	5	ONLY ONE WELL	175	12/2/2020
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	ONLY ONE WELL	45	7/22/2020
BUSY BEE MHP #1	IL1975195	2	ONLY ONE WELL	25	12/4/2020
CAMP GROVE	IL1235100	1	ONLY ONE WELL	75	6/24/2020
CANTON	IL0570250	5	INADEQUATE TREATMENT CAPACITY	13932	3/15/2007
CAPRON MHP	IL0075105	1	ONLY ONE WELL	98	1/27/2021
CARBON HILL	IL0630100	2	INADEQUATE TREATMENT CAPACITY	392	12/14/2016
CARROLL HEIGHTS UTILITIES COMPANY	IL0155200	1	ONLY ONE WELL	80	1/27/2021
CEDAR BROOK ESTATES SUBDIVISION	IL1615170	1	ONLY ONE WELL	200	8/7/2020
CEDAR POINT WATER COMPANY	IL0995040	1	ONLY ONE WELL	300	8/26/2020
CEDAR WATER COMPANY, INC.	IL0955150	5	ONLY ONE WELL	160	1/13/2021
CENTURY PINES APARTMENTS	IL0150020	1	ONLY ONE WELL	25	1/27/2021
CHAIN-O-LAKES MHP	IL0975165	2	ONLY ONE WELL	81	8/28/2020
CHERRYDALE SUBDIVISION	IL1615120	1	ONLY ONE WELL	80	8/5/2020
CHIGAKWA PARK ESTATES	IL1615140	1	ONLY ONE WELL	53	8/7/2020
CLARKS MHP	IL2015425	1	ONLY ONE WELL	80	12/4/2020
COAL CITY	IL0630200	2	INADEQUATE TREATMENT CAPACITY	5587	12/14/2016
COLONIAL MEADOWS	IL1135100	6	ONLY ONE WELL	190	9/26/2020
COUNTRY LANE MHP	IL1135385	4	ONLY ONE WELL	35	6/24/2020
COUNTRY TYME ESTATES	IL0195865	4	ONLY ONE WELL	120	1/27/2021



COUNTRY VIEW ESTATES MHP	IL0195625	4	ONLY ONE WELL	97	1/27/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	ONLY ONE WELL	120	7/15/2020
DE WITT	IL0390100	4	ONLY ONE WELL	200	1/27/2021
DIXIE ESTATES SUBDIVISION	IL1975520	2	ONLY ONE WELL	180	12/9/2020
DONNY BROOK ESTATES	IL0375150	1	ONLY ONE WELL	30	1/27/2021
DONOVAN	IL0750400	4	ONLY ONE WELL	306	1/6/2021
EAST END WATER ASSOCIATION	IL1610140	1	ONLY ONE WELL	40	7/31/2020
EAST LAWN WATER ASSOCIATION	IL1615100	1	ONLY ONE WELL	160	8/5/2020
EAST LYNN COMMUNITY WATER SYSTEM	IL1835200	4	ONLY ONE WELL	112	12/11/2020
EAST SIDE MHP	IL0195825	4	ONLY ONE WELL	95	1/27/2021
EBERTS 3RD ADDITION	IL1615330	1	ONLY ONE WELL	99	8/12/2020
EDELSTEIN WATER COOPERATIVE	IL1435150	5	ONLY ONE WELL	125	7/24/2020
EHLERS MHP	IL0195645	4	ONLY ONE WELL	112	1/27/2021
ELM OAK MUTUAL WATER SYSTEM	IL0975736	2	ONLY ONE WELL	50	8/28/2020
ESQUIRE ESTATES MHP	IL1435245	5	ONLY ONE WELL	28	7/29/2020
EVERGREEN VILLAGE SUBDIVISION	IL1615310	1	ONLY ONE WELL	130	8/12/2020
FOUR STAR CAMPGROUND	IL0990060	1	ONLY ONE WELL	150	8/26/2020
FOX CREEK FARMS WATER COMPANY	IL1435750	5	ONLY ONE WELL	221	7/29/2020
FOX LAWN HOMEOWNERS WATER ASSOCIATION	IL0935150	2	ONLY ONE WELL	167	1/13/2021
FRENTRESS LAKE	IL0850010	1	ONLY ONE WELL	150	1/8/2021
GARDEN STREET IMPROVEMENT ASSOCIATION	IL1975376	2	ONLY ONE WELL	54	12/9/2020
GREEN ACRES MHP	IL1035165	1	ONLY ONE WELL	200	8/26/2020
HARMON	IL1030300	1	ONLY ONE WELL	149	8/26/2020
HAZELWOOD 4TH ADDITION	IL0735350	1	ONLY ONE WELL	135	1/6/2021
HAZELWOOD WEST SUBDIVISION	IL0735250	1	ONLY ONE WELL	70	1/6/2021
HEATHERFIELD SUBDIVISION	IL0635150	2	ONLY ONE WELL	90	1/29/2021
HICKORY HILLS 2ND ADDITION	IL0730080	1	ONLY ONE WELL	93	8/12/2020
HIDE-A-WAY LAKES	IL0935300	2	ONLY ONE WELL	50	1/13/2021
HIGHLAND LAKE WATER COMPANY	IL0970255	2	ONLY ONE WELL	36	8/26/2020
HIGHLAND SUBDIVISION	IL0895530	2	ONLY ONE WELL	40	1/8/2021
HILLCREST	IL1410250	1	INADEQUATE STORAGE CAPACITY	1400	11/2/2017
HILLSDALE PROPERTIES	IL1615728	1	ONLY ONE WELL	60	6/24/2020
HOLLANDS GROVE COURT SUBDIVISION	IL1795300	5	ONLY ONE WELL	40	12/2/2020
HOLLY HOCK HILL MHP	IL0975245	2	ONLY ONE WELL	52	8/28/2020
HOPEWELL	IL1235150	1	ONLY ONE WELL	420	7/1/2020
IL AMERICAN - LEONORE	IL0990400	1	ONLY ONE WELL	111	8/26/2020
IL AMERICAN - MIDWEST PALOS	IL0317050	2	ONLY ONE WELL	143	1/27/2021
IL AMERICAN - NETTLE CREEK	IL0630040	2	ONLY ONE WELL	285	1/29/2021
IL AMERICAN - RIDGECREST	IL0635100	2	ONLY ONE WELL	219	1/29/2021
IL PRAIRIE ESTATE SBDV WATER ASSN	IL0995300	1	ONLY ONE WELL	112	8/26/2020
INDIAN BLUFFS SUBDIVISION	IL1615520	1	ONLY ONE WELL	150	8/14/2020
INDIAN CREEK HOMEOWNERS AND WATER ASSN	IL1135250	4	ONLY ONE WELL	240	6/17/2020
IROQUOIS MOBILE ESTATES, INC.	IL0755185	4	ONLY ONE WELL	105	1/8/2021
JOHNSBURG 1	IL1110040	2	ONLY ONE WELL	174	8/28/2020
KENNEY	IL0390200	4	ONLY ONE WELL	374	1/29/2021
KNOLLS EDGE SUBDIVISION	IL1415250	1	ONLY ONE WELL	100	7/17/2020
LAFAYETTE	IL1750100	1	ONLY ONE WELL	250	12/2/2020
LAKE LYNWOOD WATER SYSTEM	IL0735330	1	ONLY ONE WELL	75	1/6/2021



LAKE SHANNON	IL0910020	2	ONLY ONE WELL	500	1/13/2021
LAKE WILDWIND LLC	IL2035125	1	ONLY ONE WELL	200	12/4/2020
LAND AND WATER ASSOCIATION	IL0995050	1	ONLY ONE WELL	100	8/26/2020
LASALLE	IL0990300	1	INADEQUATE SOURCE CAPACITY & INADEQUATE TREATMENT CAPACITY	9700	11/1/2004
LINDENWOOD WATER ASSOCIATION	IL1415300	1	ONLY ONE WELL	35	7/22/2020
LISBON NORTH, INC.	IL0631000	2	ONLY ONE WELL	25	1/29/2021
LYNN WATER ASSOCIATION	IL0735100	1	ONLY ONE WELL	42	1/8/2021
LYNNWOOD WATER CORPORATION	IL0995336	1	ONLY ONE WELL	110	8/26/2020
LYNWOOD 3RD ADDITION	IL0735280	1	ONLY ONE WELL	100	1/6/2021
M C L W SYSTEM, INC.	IL1315150	1	ONLY ONE WELL	98	7/10/2020
MACOMB	IL1090350	5	INADEQUATE CLARIFIER CAPACITY	11309	12/14/2016
MAQUON	IL0950350	5	ONLY ONE WELL	284	1/13/2021
MARSEILLES SOUTH	IL0990110	1	ONLY ONE WELL	100	8/26/2020
MASON CITY	IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MAYFAIR SUBDIVISION	IL1795750	5	ONLY ONE WELL	90	12/11/2020
MC NABB	IL1550150	1	ONLY ONE WELL	310	6/11/2020
MILL POINT MHP	IL2035165	1	ONLY ONE WELL	160	12/4/2020
MOUND CITY	IL1530100	7	ONLY ONE WELL	588	6/5/2020
MOUND PWD	IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
MOUNT MORRIS ESTATES MHP	IL1415185	1	ONLY ONE WELL	395	7/15/2020
MOUNT VERNON ASSOCIATION INC.	IL0855100	1	ONLY ONE WELL	490	1/8/2021
NORTH HAZELWOOD SUBDIVISION	IL0735850	1	ONLY ONE WELL	100	1/8/2021
NORTH HENDERSON	IL1310300	1	ONLY ONE WELL	187	7/2/2020
OAK GROVE MHP - ROCK ISLAND COUNTY	IL1617785	1	ONLY ONE WELL	100	12/2/2020
OAK LAWN MHP	IL0075275	1	ONLY ONE WELL	460	1/27/2021
OAK VIEW ESTATES	IL0730120	1	ONLY ONE WELL	95	1/29/2021
OAKWOOD WEST SUBDIVISION	IL0730070	1	ONLY ONE WELL	45	1/29/2021
OPHIEM PWS	IL0735150	1	ONLY ONE WELL	100	1/8/2021
OTTAWA ESTATES MHP	IL0995225	1	ONLY ONE WELL	115	8/26/2020
PARADISE MANOR MHP	IL1617665	1	ONLY ONE WELL	200	11/20/2020
PARK MEADOWLAND WEST MHP	IL0075235	1	ONLY ONE WELL	100	1/27/2021
PAULS MHP	IL0975485	2	ONLY ONE WELL	38	8/28/2020
PHIL-AIRE ESTATES MHP	IL2015625	1	ONLY ONE WELL	80	12/4/2020
POLO DR AND SADDLE RD SUBDIVISION	IL0437000	1	ONLY ONE WELL	93	1/29/2021
PORT BARRINGTON SHORES SUBDIVISION	IL0971120	2	ONLY ONE WELL	67	8/26/2020
POWERS WATER CO., INC	IL0895550	2	ONLY ONE WELL	214	1/8/2021
PRAIRIE OAKS ESTATES HOMEOWNERS ASSOCIATION	IL0630060	2	ONLY ONE WELL	107	1/29/2021
PRAIRIE PATH WATER - CAMELOT**	IL1975200	2	ONLY ONE WELL	575	12/9/2020
PRAIRIE PATH WATER - CHERRY HILL WATER COMPANY**	IL1975280	2	ONLY ONE WELL	624	12/9/2020
PRAIRIE VIEW WATER ASSOCIATION	IL1795900	5	ONLY ONE WELL	35	12/11/2020
QUINCY	IL0010650	5	INADEQUATE CLARIFIER CAPACITY	45000	8/3/2016
RAINBOW LANE MHP	IL2015645	1	ONLY ONE WELL	83	12/4/2020
RAINBOW RIDGE	IL1615580	1	ONLY ONE WELL	46	8/14/2020
REDDICK	IL0914780	2	ONLY ONE WELL	210	1/8/2021
RIDGEWOOD LEDGES WATER ASSOCIATION	IL1615670	1	ONLY ONE WELL	430	6/24/2020
ROLLING GREEN ESTATES MHP	IL1415245	1	ONLY ONE WELL	215	7/17/2020
RUSTIC ACRES WATER ASSOCIATION	IL0735500	1	ONLY ONE WELL	260	1/6/2021
SANTA FE ESTATES WATER ASSOCIATION	IL1435490	5	ONLY ONE WELL	84	7/29/2020



SEATON	IL1310350	1	ONLY ONE WELL	200	7/2/2020
SENECA MOBILE HOMES LLC	IL0995425	1	ONLY ONE WELL	73	8/26/2020
SIX OAKS MHP	IL2015685	1	ONLY ONE WELL	48	12/4/2020
SPIN LAKE HOMEOWNERS ASSOCIATION	IL1135140	4	ONLY ONE WELL	200	6/16/2020
STELLE COMMUNITY ASSOCIATION	IL0535100	4	ONLY ONE WELL	100	1/29/2021
STORYBOOK HIGHLANDS	IL0935250	2	ONLY ONE WELL	100	1/13/2021
STRATFORD WEST APARTMENTS	IL1095200	5	ONLY ONE WELL	44	8/26/2020
STRAWN	IL1050700	4	ONLY ONE WELL	133	8/26/2020
SUBURBAN HEIGHTS SUBDIVISION	IL1615800	1	ONLY ONE WELL	57	11/20/2020
TENNANTS SHADY OAKS SUBDIVISION	IL1615540	1	ONLY ONE WELL	44	8/14/2020
TIMBER BROOK ESTATES	IL0735450	1	ONLY ONE WELL	120	1/6/2021
TIMBER RIDGE SUBDIVISION	IL0735470	1	ONLY ONE WELL	120	1/6/2021
TISKILWA	IL0111050	1	INADEQUATE STORAGE CAPACITY	830	9/20/2017
TOWER RIDGE SUBDIVISION	IL1615780	1	ONLY ONE WELL	70	11/20/2020
VAN ORIN WATER COMPANY	IL0115000	1	ONLY ONE WELL	100	1/27/2021
VICTORIA	IL0950550	5	ONLY ONE WELL	316	1/13/2021
WATER WERKS	IL1615130	1	ONLY ONE WELL	90	8/5/2020
WATERMAN	IL0370600	1	ONLY ONE WELL	1506	1/27/2021
WHITE HALL	IL0610400	6	INADEQUATE STORAGE CAPACITY	2900	10/1/2012
WINDCREST SUBDIVISION	IL0730040	1	ONLY ONE WELL	40	1/29/2021
WINDING CREEK ESTATES	IL1615850	1	ONLY ONE WELL	160	11/20/2020
WINSLOW	IL1770550	1	ONLY ONE WELL	350	12/2/2020
WITT	IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008
WOODLAND	IL0751000	4	ONLY ONE WELL	319	1/6/2021
YATES CITY	IL0950700	5	ONLY ONE WELL	750	1/13/2021
YOUNGS HILLCREST MHP	IL0190040	4	ONLY ONE WELL	34	1/27/2021

WATER SYSTEMS REMOVED FROM PREVIOUS LIST

CISCO

ELM OAK MUTUAL WATER SYSTEM

GREAT OAKS AND BEACON HILL APARTMENTS

HARMON

MENDOTA

PRAIRIE PATH - LAKE WILDWOOD UTILITIES CORP

SPARTA

TRIANGLE MHP

***WATER SYSTEMS ADDED**

ALBION

ARCOLA

ATLANTA

COOKS MILLS WATER ASSOCIATION

ILLIOPOLIS

JON'S MHP

KINGSTON

LAKE SHANNON

LEWISTOWN



LOCKPORT TOWNSHIP WATER SYSTEM
MOUNT ZION
PEORIA HEIGHTS
PORT BYRON
PRAIRIE PATH WATER - GALENA
SOUTH PEKIN
TRENTON
WESTFIELD
WINDSOR

****WATER SYSTEM UPDATES**

DANVERS
LINDENWOOD WATER ASSOCIATION
PRAIRIE PATH WATER - CAMELOT
PRAIRIE PATH WATER - CHERRY HILL WATER
COMPANY
PRAIRIE PATH WATER - LAKE HOLIDAY
PRAIRIE PATH WATER - LAKE WILDWOOD
UTILITIES CORP
PRAIRIE PATH WATER - WALK-UP WOODS
WATER COMPANY

Restricted Status/Critical Review

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. The current list reflects the status as of April 15, 2022. An asterisk, *, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

Restricted Status List

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 611; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act. This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.



Critical Review List

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.



HEALTH ADVISORY SUMMARY LIST

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Office of Toxicity Assessment



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-3397

JB PRITZKER, GOVERNOR

JOHN J. KIM, DIRECTOR

HEALTH ADVISORY SUMMARY LIST

Prepared by:
Office of Toxicity Assessment
Illinois Environmental Protection Agency
October 12, 2021

In accordance with 35 Illinois Administrative Code 620.610(b), the Illinois Environmental Protection Agency (Illinois EPA) is issuing a Health Advisory summary list. Section 620.610(b) directs the Illinois EPA to publish and make available to the public, at intervals of not more than 6 months, a comprehensive and up-to-date summary list of all Health Advisories.

The following table provides a summary list of all Illinois EPA Health Advisories currently in effect:

CASRN ¹	Chemical	Statewide Health Advisory Guidance Level (ng/L)	Health Advisory Issuance Date
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	140	January 28, 2021
307-24-4	Perfluorohexanoic acid (PFHxA)	560,000	January 28, 2021
335-67-1	Perfluorooctanoic acid (PFOA)	2	January 28, 2021
375-73-5	Perfluorobutanesulfonic acid (PFBS)	2,100	April 16, 2021
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	14	April 16, 2021
375-95-1	Perfluorononanoic acid (PFNA)	21	July 27, 2021

¹ CASRN = Chemical Abstract Services Registry Number

For more information regarding Illinois EPA Health Advisories, please refer to the following link:
<https://www2.illinois.gov/epa/topics/water-quality/pfas/Pages/pfas-healthadvisory.aspx>

2125 S. First Street, Champaign, IL 61820 (217) 278-5800
1101 Eastport Plaza Dr., Suite 100, Collinsville, IL 62234 (618) 346-5120
9511 Harrison Street, Des Plaines, IL 60016 (847) 294-4000
595 S. State Street, Elgin, IL 60123 (847) 608-3131

2309 W. Main Street, Suite 116, Marion, IL 62959 (618) 993-7200
412 SW Washington Street, Suite D, Peoria, IL 61602 (309) 671-3022
4302 N. Main Street, Rockford, IL 61103 (815) 987-7760

PLEASE PRINT ON RECYCLED PAPER





A Publication of the Illinois Pollution Control Board

April 2022

Issues of the *Environmental Register* dating back to 1990 are available electronically at
<https://pcb.illinois.gov/>