



# ENVIRONMENTAL REGISTER

October 31, 2022 – Number 763

---

A PUBLICATION OF THE ILLINOIS POLLUTION CONTROL BOARD

---

<https://pcb.illinois.gov/>

## BOARD MEMBERS

- ❖ Barbara Flynn Currie, Chair
- ❖ Cynthia M. Santos
- ❖ Anastasia Palivos
- ❖ Jennifer Van Wie
- ❖ Michelle Gibson

The **Illinois Pollution Control Board** is an independent, five-member board that adopts environmental control regulations and decides enforcement actions and other environmental cases for the State of Illinois.

## INSIDE THIS ISSUE

- ❖ Chair's Update
- ❖ Board Actions
- ❖ Calendar
- ❖ Restricted Status/Critical Review Lists
- ❖ Health Advisory Summary List

**WE MOVED!** The Board's new Chicago office address is: 60 E. Van Buren St., Ste. 630, Chicago, IL 60605.

# CHAIR'S UPDATE

---

Over the last several months, the Board held public hearings on two substantive rulemaking proposals filed by the Illinois Environmental Protection Agency (IEPA). In one rulemaking, IEPA proposes to amend the Board's groundwater quality rules. In the other rulemaking, IEPA proposes to create new Board rules that would govern general construction or demolition debris (GCDD) recovery facilities. I highlight these rulemakings below.

The groundwater rulemaking is captioned Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), [docket R22-18](#). With this proposal, IEPA explains that it seeks to uphold the policy of the Illinois Groundwater Protection Act "to restore, protect, and enhance the groundwaters of the State, as a natural and public resource." 415 ILCS 55/2(b). According to IEPA, the proposed rule changes are designed to keep Illinois' standards "current as scientific data and methods supporting the development of groundwater quality standards have evolved." Among other amendments, IEPA proposes groundwater quality standards for specified Per- and Polyfluoroalkyl Substances or "PFAS."

IEPA's groundwater proposal was the subject of Board hearings held on March 9 and June 21, 2022. The third hearing is scheduled for December 7 and 8, 2022.

The GCDD rulemaking is captioned Proposed 35 Ill. Adm. Code 820 General Construction or Demolition Debris Recovery Facilities, [docket R23-17](#). Public Act 102-310 (eff. Aug. 6, 2021) added Section 22.38(n) to the Environmental Protection Act, requiring that IEPA propose, and the Board adopt, rules for permitting GCDD recovery facilities. IEPA asks that the Board adopt a new Part 820 of its waste disposal regulations to establish rules for permitting, operating, and closing GCDD recovery facilities. Under IEPA's proposal, the new Part 820 would include four subparts: Subpart A on general provisions such as applicability and definitions; Subpart B on permit applications requirements; Subpart C on operating standards; and Subpart D on financial assurance requirements.

IEPA's GCDD proposal was the subject of a Board hearing held on September 27, 2022. The second hearing is scheduled for November 16, 2022

You can find information concerning all the Board's pending rulemakings at <https://pcb.illinois.gov/>.

I conclude with bittersweet news for the Board and its staff. At our October 20, 2022 meeting, the Board bid a fond farewell to Board Member Anastasia Palivos. Let me again express our profound thanks to Ms. Palivos for so ably serving the people of Illinois as a Board Member for the last three and a half years. Throughout her tenure, she eagerly took on all Board proceedings, including numerous significant rulemakings and contested cases. In these undertakings, she showed dedication to the Board's work and an unfailingly cooperative and friendly manner toward her colleagues. Her knowledge and experience have been valuable resources for the



Board. She will be sorely missed. We wish her all the very best in her new endeavors.

Sincerely,

A handwritten signature in black ink that reads "Barbara Flynn Currie". The script is cursive and fluid.

Barbara Flynn Currie  
Chair



# BOARD ACTIONS

---

July 21, 2022 Regular Meeting  
Chicago

## ADJUDICATORY CASES

- [PCB 06-61](#) Southern Illinois Power Cooperative v. Illinois Environmental Protection Agency (Air, CAAPP – Permit Appeal) – The Board granted Southern Illinois Power Cooperative’s motion for voluntary dismissal.
- [PCB 19-79](#) Parker’s Gas & More, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board construed a July 12, 2021 filing by the Illinois Environmental Protection Agency (IEPA) as a reply for which IEPA had not requested leave to file and did not accept or consider it. The Board granted IEPA’s June 24, 2021 motion for leave to reply in support of its motion for summary judgment. The Board denied IEPA’s motion to strike Exhibits A and B submitted by Parker’s Gas & More, Inc. (Parker) and took official notice of Exhibit B. The Board denied Parker’s motion for summary judgment. The Board denied IEPA’s motion for summary judgment. The Board directed its hearing officer to proceed to hearing.
- [PCB 22-46](#) Arrow Road Construction Company v. Illinois Environmental Protection Agency (UST Appeal) – Because Arrow Road Construction Company failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.
- [PCB 22-47](#) Arrow Road Construction Company v. Illinois Environmental Protection Agency (UST Appeal) – Because Arrow Road Construction Company failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.
- [PCB 22-53](#) Bank of Pontiac v. Illinois Environmental Protection Agency (UST Appeal) – Because Bank of Pontiac failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.
- [PCB 22-54](#) Happy’s Super Service v. Illinois Environmental Protection Agency (UST Appeal) – Because Happy’s Super Service failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.
- [PCB 22-55](#) Happy’s Super Service v. Illinois Environmental Protection Agency (UST Appeal) – Because Happy’s Super Service failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.



- [PCB 22-56](#) Happy’s Super Service v. Illinois Environmental Protection Agency (UST Appeal) – Because Happy’s Super Service failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.
- [PCB 22-58](#) People of the State of Illinois v. Elite Car Wash, Inc. (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-62](#) People of the State of Illinois v. Cores for You, Inc. and Precision Foundry Tooling, Ltd. (Water, Land, RCRA – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving two properties in Hancock County, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-88](#) People of the State of Illinois v. Mohammad Motlanio (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Mohammad Motlanio’s gas station in Cook County.
- [PCB 22-89](#) People of the State of Illinois v. Parkland Enterprises, Inc. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Parkland Enterprises, Inc.’s gas station in Cook County.
- [PCB 22-90](#) People of the State of Illinois v. Parkland Enterprises, Inc. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Parkland Enterprises, Inc.’s gas station in Cook County.
- [PCB 22-91](#) People of the State of Illinois v. Masagk, Inc. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Masagk, Inc.’s gas station in Cook County.
- [PCB 22-92](#) Hampton Livestock Company v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Hampton Livestock Company’s livestock waste handling facilities in Mercer County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- [PCB 22-93](#) People of the State of Illinois v. Chicago Property on 103rd, LLC (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Chicago Property on 103rd, LLC’s gas station in Cook County.



- [PCB 22-94](#) People of the State of Illinois v. Norman Junejo (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Norman Junejo’s gas station in Cook County.
- [PCB 22-95](#) People of the State of Illinois v. Super Krish, Inc. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Super Krish, Inc.’s gas station in Lake County.
- [PCB 22-96](#) People of the State of Illinois v. The County of Cook (Air – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County health facility, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.
- [PCB 22-97](#) People of the State of Illinois v. Ramachandra Reddy, individually and d/b/a BP Amoco Gas Station (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning BP Amoco’s gas station in Cook County.
- [PCB 23-1](#) People of the State of Illinois v. Minhaj Ahmed d/b/a Tumara Food Mart, Inc. (Air – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving Tumara Food Mart, Inc.’s Cook County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.
- [PCB 23-2](#) Carroll Limited Partnership-Carthage 1 v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Carroll Limited Partnership’s livestock waste handling facilities in Hancock County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- [PCB 23-3](#) Carroll Limited Partnership-Carthage 2 v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Carroll Limited Partnership’s livestock waste handling facilities in Hancock County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- [PCB 23-4](#) NYG Line Farms, LLC v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that NYG Line Farms, LLC’s livestock waste handling facilities in Henderson County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).



- PCB 23-5** People of the State of Illinois v. Khalid Siddiqui (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Khalid Siddiqui’s gas station in Cook County.
- PCB 23-6** Az Spe, LLC v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to October 6, 2022.
- PCB 23-7** People of the State of Illinois v. Millers Ready-Mix, LLC (Air – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving Millers Ready-Mix, LLC’s concrete ready-mix batch facility in Cook County, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.
- PCB 23-8** People of the State of Illinois v. Downtown Oil Company, LLC (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Downtown Oil Company, LLC’s gas station in Cook County.
- PCB 23-9** People of the State of Illinois v. La Fox BP, Inc. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning La Fox BP, Inc.’s gas station in Kane County.
- PCB 23-10** People of the State of Illinois v. Ali Farhan (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Ali Farhan’s gas station in Cook County.
- PCB 23-11** People of the State of Illinois v. Emanuel Joseph, individually and d/b/a Shell (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Shell’s gas station in Cook County.
- PCB 23-12** Aqua Illinois, Inc. v. Illinois Environmental Protection Agency (Permit Appeal – Public Water Supply) – The Board accepted for hearing Aqua Illinois, Inc.’s petition to contest a permit modification denial and permit conditions concerning its University Park public water system. The Board reserved ruling on Aqua Illinois, Inc.’s motion to stay the contested conditions.



**August 11, 2022 Regular Meeting  
Chicago**

**RULEMAKING**

**[R22-17](#)**

Amendments to 35 Ill. Adm. Code Part 203: Major Stationary Sources Construction and Modification, 35 Ill. Adm. Code Part 204: Prevention of Significant Deterioration, and Part 232: Toxic Air Contaminants (Air) – The Board found that the Attorney General’s motion to stay the rulemaking covers substantive issues better addressed by the Board after all pre-first notice comments are filed. The Board stated that it will rule on the motion to stay, as well as the Project Emissions Accounting Rule language, when deciding whether to proceed to first notice. The Board granted the Attorney General’s motion for leave to file a reply in support of its stay motion and accepted the reply attached to the motion for leave. The Board also set September 12, 2022, as the deadline for filing pre-first notice comments.

**[R23-1](#)**

SDWA Update, USEPA Regulations (January 1, 2022 through June 30, 2022) (Public Water Supply) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding National Primary Drinking Water Regulations (NPDWRs) during the update period of January 1, 2022 through June 30, 2022.

**[R23-2](#)**

UIC Update, USEPA Regulations (January 1, 2022 through June 30, 2022) (Land) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding underground injection control (UIC) regulations during the update period of January 1, 2022 through June 30, 2022.

**[R23-3](#)**

RCRA Subtitle D (Municipal Solid Waste Landfill) Update, USEPA Regulations (January 1, 2022 through June 30, 2022) (Land) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding municipal solid waste landfill (MSWLF) regulations during the update period of January 1, 2022 through June 30, 2022.

**[R23-4](#)**

RCRA Subtitle C (Hazardous Waste) Update, USEPA Regulations (January 1, 2022 through June 30, 2022) (Land) – The Board dismissed this reserved identical-in-substance docket because the United States Environmental Protection Agency did not amend its corresponding hazardous waste regulations during the update period of January 1, 2022 through June 30, 2022.





- [R23-5](#) UST Update, USEPA Regulations (January 1, 2022 through June 30, 2022) (Land) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding underground storage tank (UST) regulations during the update period of January 1, 2022 through June 30, 2022.
- [R23-6](#) Wastewater Pretreatment Update, USEPA Regulations (January 1, 2022 through June 30, 2022) (Water) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding wastewater pretreatment regulations during the update period of January 1, 2022 through June 30, 2022.
- [R23-7](#) National Ambient Air Quality Standards, USEPA Regulations (January 1, 2022 through June 30, 2022) (Air) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding air pollution control regulations during the update period of January 1, 2022 through June 30, 2022.
- [R23-8](#) Definition of VOM Update, USEPA Regulations (January 1, 2022 through June 30, 2022) (Air) – The Board dismissed this reserved “identical-in-substance” docket because the United States Environmental Protection Agency did not amend its corresponding air pollution control regulations during the update period of January 1, 2022 through June 30, 2022.
- [R23-17](#) Proposed 35 Ill. Adm. Code 820 General Construction or Demolition Debris Recovery Facilities (Land) – The Board accepted the Illinois Environmental Protection Agency’s proposal to create a new Part 820 of the Board’s waste disposal regulations, which would establish rules for permitting, operating, and closing general construction or demolition debris (GCDD) recovery facilities. The Board also directed its hearing officer to schedule and proceed to hearings.

#### ADJUDICATORY CASES

- [PCB 17-3](#) Dersch Energies, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board found that Dersch Energies met its burden of proving that approving its proposed corrective action budget would not violate the Environmental Protection Act or the Board’s regulations. The Board therefore reversed IEPA’s modifications to Dersch Energies’ proposed budget and restored the contested amounts. In addition, the Board set deadlines for the parties to address Fund reimbursement of Dersch Energies’ legal fees.
- [PCB 21-78](#) KB Sullivan Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted KB Sullivan’s motion for summary judgment on IEPA’s Fund reimbursement denial, denied IEPA’s cross motion for summary judgment, and directed the parties to address reimbursement of KB Sullivan’s legal fees.



**PCB 22-16** People of the State of Illinois v. Fard One Incorporated, d/b/a Midwest Gas Station (Air – Enforcement) – The Board granted the People’s unopposed motion to deem facts admitted and the People’s motion for summary judgment against Fard. The Board therefore found that Fard violated Section 9(a) of the Environmental Protection Act (415 ILCS 5/9(a) (2020)) and Sections 218.586(i)(1)(B) and 218.586(i)(2)(C) of Board’s air pollution regulations (35 Ill. Adm. Code 218.586(i)(1)(B), 218.586(i)(2)(C)), as alleged in the People’s complaint. The Board also ordered Fard to pay a \$10,000 civil penalty.

**PCB 22-31** People of the State of Illinois v. Bel-Rock Asphalt Paving, Inc. (Water, NPDES – Enforcement) – In this enforcement action concerning Bel-Rock’s asphalt-paving, sealcoating, pavement-stripping, and pothole-repair facility in Boone County, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Bel-Rock to pay a \$10,000 civil penalty and to cease and desist from further violations.

**PCB 22-61** ExxonMobil Oil Corporation v. Illinois Environmental Protection Agency (UST Appeal) – Because ExxonMobil failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.

**PCB 22-84** People of the State of Illinois v. Chemtrade Solutions, LLC (Water, NPDES – Enforcement) – In this enforcement action concerning Chemtrade’s inorganic chemical supply facility in St. Clair County, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Chemtrade to pay a \$12,000 civil penalty and to cease and desist from further violations.

**PCB 22-85** People of the State of Illinois v. Cook-Illinois Corp. (Water, NPDES – Enforcement) – In this enforcement action concerning Cook-Illinois’ school bus transportation and maintenance facility in Lake County, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Cook-Illinois to pay a \$10,000 civil penalty and to cease and desist from further violations.

**PCB 23-12** Aqua Illinois, Inc. v. Illinois Environmental Protection Agency (Permit Appeal – Public Water Supply) – The Board granted Aqua Illinois’ motion to stay the contested permit conditions.

**PCB 23-15** PQ LLC v. Illinois Environmental Protection Agency (Permit Appeal – Air) – The Board accepted for hearing this permit appeal involving PQ’s sodium silicate manufacturing facility in Will County. The Board reserved ruling on PQ’s motion to stay the contested permit condition.



- PCB 23-16** Emco Chemical Distributors, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board accepted an environmental consultant’s letter submitted on behalf of Emco Chemical as a timely filed petition for review. But the Board also directed Emco Chemical to file an amended petition remedying the deficiencies specified, accompanied by the appearance of an attorney by August 31, 2022.
- PCB 23-17** People of the State of Illinois v. Deen, Ltd. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Deen’s gas station in Cook County.
- PCB 23-18** People of the State of Illinois v. Veer Petro Inc. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Veer Petro’s gas station in Cook County.
- PCB 23-19** People of the State of Illinois v. Golf Kilbourn LLC (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Golf Kilbourn’s gas station in Cook County.
- PCB 23-20** People of the State of Illinois v. Mahalaxmi LLC (Air – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.
- PCB 23-21** Ross Sword – Lanark v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Ross Sword’s livestock waste handling facilities in Carroll County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- PCB 23-22** LC Family Farms – Taylor Ridge v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that LC Family Farms’ livestock waste handling facilities in Rock Island County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- PCB 23-23** Krogman Farm LLC v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Krogman Farm’s livestock waste handling facilities in Stephenson County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).



[PCB 23-24](#) KH Poppy Farms v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that KH Poppy Farms’ livestock waste handling facilities in Henry County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).

[PCB 23-25](#) City of North Chicago v. Illinois Environmental Protection Agency (Land, RCRA – Permit Appeal) – The Board granted the parties’ request to extend the appeal period to November 7, 2022.

[PCB 23-26](#) Village of Niles v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted the parties’ request to extend the appeal period to November 2, 2022.

## **August 25, 2022 Regular Meeting Chicago**

### **ADMINISTRATIVE CITATIONS**

[AC 23-1](#) County of LaSalle v. Tiffany Morris (Land) – After Morris failed to timely file a petition to contest the County of LaSalle’s administrative citation, the Board found that Morris violated Section 21(p)(1) and (p)(3) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(3) (2020)), as alleged. Because there were two violations of Section 21(p), the Board ordered Morris to pay a total civil penalty of \$3,000, reflecting the statutory penalty of \$1,500 per violation.

### **ADJUDICATORY CASES**

[PCB 22-48](#) People of the State of Illinois v. St. Mary Fuel Co. d/b/a Clark (Air – Enforcement) – In this enforcement action involving a Cook County gas station, the Board granted the People’s motion to withdraw their motion to deem facts admitted and for summary judgment. Further, upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement, the Board directed the Clerk to provide the required newspaper notice.

[PCB 22-58](#) People of the State of Illinois v. Elite Car Wash, Inc. (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Elite Car Wash to pay a \$5,000 civil penalty and to cease and desist from further violations.



- [PCB 22-96](#) People of the State of Illinois v. The County of Cook (Air – Enforcement) – In this enforcement action concerning a Cook County health care facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered the County of Cook to pay a \$10,000 civil penalty and to cease and desist from further violations.
- [PCB 23-1](#) People of the State of Illinois v. Minhaj Ahmed, d/b/a Tumara Food Mart, Inc. (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Ahmed to pay a \$5,000 civil penalty and to cease and desist from further violations.
- [PCB 23-7](#) People of the State of Illinois v. Millers Ready-Mix, LLC (Air – Enforcement) – In this enforcement action concerning a Cook County concrete ready-mix batch facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Millers Ready-Mix to pay a \$10,000 civil penalty and to cease and desist from further violations.
- [PCB 23-27](#) People of the State of Illinois v. Mohammed Siddiqui, individually and d/b/a BP (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Siddiqui’s gas station in Cook County.
- [PCB 23-28](#) People of the State of Illinois v. Shabeena Afridi, individually and d/b/a One Stop Gas Station, and Arathi Property, Inc. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning a Cook County gas station allegedly owned and operated formerly by Afridi and currently by Arathi Property.
- [PCB 23-29](#) West Central FS, Inc. – Wataga v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that West Central FS’ agrichemical containment facilities in Knox County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- [PCB 23-30](#) 47 Finish LLC v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that 47 Finish’s livestock waste handling facilities in Livingston County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).



[PCB 23-31](#) Travis and Jennifer Hobby v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Travis and Jennifer Hobby’s livestock waste handling facilities in Hancock County are pollution control facilities for preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).

[PCB 23-32](#) People of the State of Illinois v. Lake Petroleum Inc. (Air – Enforcement) – Upon receiving a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a McHenry County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.

## **September 22, 2022 Regular Meeting Chicago**

### **RULEMAKING**

[R20-19\(A\)](#) Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments: Proposed New 35 Ill. Adm. Code 845 (Sub Docket A) (Land) – The Board granted the Illinois Environmental Protection Agency’s and the Illinois Environmental Regulatory Group’s respective motions to extend the deadline to November 4, 2022, for participants to respond to the Environmental Groups’ motion to modify Part 845.

### **ADMINISTRATIVE CITATIONS**

[AC 23-2](#) County of LaSalle v. Gerald Copeland (Land) – After Copeland failed to timely file a petition to contest the County of LaSalle’s administrative citation, the Board found that Copeland violated Section 21(p)(3) of the Environmental Protection Act (415 ILCS 5/21(p)(3) (2020)), as alleged. Because there was one violation of Section 21(p), the Board ordered Copeland to pay a total civil penalty of \$1,500, reflecting the statutory penalty of \$1,500 per violation.

### **ADJUDICATORY CASES**

[PCB 11-50](#) People of the State of Illinois v. The City of Morris and Community Landfill Company Inc. (Land – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Grundy County special waste and municipal solid waste landfill, the Board directed the Clerk to provide the required newspaper notice of the settlement-related filings.

[PCB 19-87](#) James C. Niebrugge Marital Share Two Trust v. Illinois Environmental Protection Agency (UST Appeal) – The Board granted James C. Niebrugge Marital Share Two Trust’s motion to voluntarily dismiss this appeal concerning the Trust’s site in Wayne County.



- [PCB 21-29](#) People of the State of Illinois v. LMS Industries, LLC and Top Metal Buyers, Inc. (Air, Land, RCRA – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action concerning Top Metal and LMS’ scrap metal recycling facility in St. Clair County, the Board directed the Clerk to provide the required newspaper notice of the settlement-related filings.
- [PCB 22-24](#) People of the State of Illinois v. Khalid Siddiqui, d/b/a Citgo Gas Station (Air – Enforcement) – The Board granted the People’s unopposed motion to deem facts admitted and for summary judgment. The Board therefore found that Siddiqui violated Section 9(a) of the Environmental Protection Act (415 ILCS 5/9(a) (2020)) and Sections 218.586(i)(1)(B) and 218.586(i)(2)(C) of the Board’s air pollution regulations (35 Ill. Adm. Code 218.586(i)(1)(B), 218.586(i)(2)(C)), as alleged in the People’s complaint. The Board also ordered Siddiqui to pay a \$10,000 civil penalty.
- [PCB 22-45](#) Stericycle, Inc. v. Illinois Environmental Protection Agency (Land – Permit Appeal) – The Board granted Stericycle’s motion to voluntarily dismiss its appeal concerning its incinerator facility in Dewitt County.
- [PCB 22-48](#) People of the State of Illinois v. St. Mary Fuel Co. d/b/a Clark (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered St. Mary Fuel to pay a \$5,000 civil penalty and to cease and desist from further violations.
- [PCB 22-62](#) People of the State of Illinois v. Cores for You, Inc. and Precision Foundry Tooling, Ltd. (Water, Land, RCRA – Enforcement) – In this enforcement action concerning a site in Hancock County and another in Hamilton County, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Cores for You and Precision Foundry Tooling to pay a \$20,500 civil penalty and to cease and desist from further violations.
- [PCB 22-66](#) Brandis Aircraft v. Illinois Environmental Protection Agency (Land, RCRA – Permit Appeal) – Because Brandis Aircraft failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.



- PCB 23-12** Aqua Illinois, Inc. v. Illinois Environmental Protection Agency (Permit Appeal – Public Water Supply) – The Board granted Aqua’s motions to voluntarily withdraw its permit appeal as to Additional Conditions 3, 4, and 5, and therefore denied as moot the Agency’s motion to dismiss as to those conditions. The Board also denied the Agency’s motion to dismiss the appeal as to Additional Condition 6.
- PCB 23-15** PQ LLC v. Illinois Environmental Protection Agency (Permit Appeal – Air) – The Board granted PQ’s motion to stay the contested permit condition.
- PCB 23-20** People of the State of Illinois v. Mahalaxmi LLC (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Mahalaxmi to pay a \$5,000 civil penalty and to cease and desist from further violations.
- PCB 23-32** People of the State of Illinois v. Lake Petroleum Inc. (Air – Enforcement) – In this enforcement action concerning a McHenry County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Lake Petroleum to pay a \$5,000 civil penalty and to cease and desist from further violations.
- PCB 23-34** People of the State of Illinois v. PPC Flexible Packaging, LLC (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning PPC Flexible Packaging’s flexographic printing facility in Lake County.
- PCB 23-35** People of the State of Illinois v. 3803 Roosevelt LLC, d/b/a BP (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning BP’s gas station in Cook County.
- PCB 23-36** People of the State of Illinois v. R & D # 1 INC., d/b/a BP Gas Station (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning BP’s gas station in Cook County.
- PCB 23-40** People of the State of Illinois v. Hussein Saleh, an individual, d/b/a Amir Citgo (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Amir Citgo’s gas station in Cook County.
- PCB 23-41** People of the State of Illinois v. 502 Garfield Properties, LLC d/b/a Four Seasons Citgo, Hussein Saleh, Ali Musa, and Naswer M. Ali (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning Garfield’s gas station in Cook County.





[PCB 23-42](#) People of the State of Illinois v. US Citgo Oil, Inc. (Air – Enforcement) – The Board accepted the People’s complaint for hearing concerning US Citgo’s gas station in McHenry County.

**October 6, 2022 Regular Meeting**  
**By videoconference in Chicago and Springfield**

**ADJUDICATORY CASES**

[PCB 23-16](#) EMCO Chemical Distributors, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – The Board accepted for hearing Emco’s amended petition for review of IEPA’s determination to deny the corrective action completion report for its leaking underground storage tank (UST) site in North Chicago, Lake County.

[PCB 23-33](#) Steve Sturtevant v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Sturtevant’s livestock waste management facilities in Carroll County are pollution control facilities for preferential treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).

[PCB 23-37](#) Stacey Mueller v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that Mueller’s livestock waste management facilities in Bureau County are pollution control facilities for preferential treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).

[PCB 23-38](#) WIN Production, LLC v. Illinois Environmental Protection Agency (Water – Tax Certification) – The Board found and certified that WIN Production’s livestock waste management facilities in Scott County are pollution control facilities for preferential treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).

[PCB 23-39](#) Malone Chemical, Inc. v. Illinois Environmental Protection Agency (Water – Tax Certification) – Having received IEPA’s recommendation to deny pollution control facility certification of Malone’s liquid fertilizer tank in Livingston County, the Board notified Malone that, if it wishes to contest IEPA’s denial recommendation, it must file a petition to contest with the Board’s Clerk within 35 days after IEPA served the recommendation on Malone.

[PCB 23-43](#) People of the State of Illinois v. Bhaganwali Inc. (Air – Enforcement) – The Board accepted for hearing the People’s complaint concerning Bhaganwali’s gas station in Will County.



- [PCB 23-44](#) WRB Refining, LP (Selective Catalytic Reduction Unit) v. Illinois Environmental Protection Agency (Air – Tax Certification) – The Board found and certified that WRB Refining’s SCR Unit in Madison County is a pollution control facility for preferential treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- [PCB 23-45](#) Buckeye Terminals, LLC (Vapor Recovery Unit) v. Illinois Environmental Protection Agency (Air – Tax Certification) – The Board found and certified that Buckeye Terminals’ vapor recovery unit in Cook County is a pollution control facility for preferential treatment under the Property Tax Code (35 ILCS 200/11-10 (2020)).
- [PCB 23-46](#) Aqua Illinois, Inc. v. Illinois Environmental Protection Agency (Permit Appeal – Public Water Supply) – The Board granted the parties’ request to extend the appeal period to November 3, 2022.
- [PCB 23-47](#) People of the State of Illinois v. R & D #3, Inc. d/b/a BP AM PM Gas Station (Air – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Lake County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.



# CALENDAR

---

**Thursday, November 3, 2022 (11:00 AM)**

**Board meeting**

James R. Thompson Center, 100 W. Randolph St., Room 2-025, Chicago

**Tuesday, November 15, 2022 (10:00 AM)**

**Hearing: Parker's Gas & More, Inc. v. IEPA, PCB 19-79**

IPCB Hearing Room, 1021 N. Grand Ave East, North Entrance, Springfield

**Wednesday, November 16, 2022 (10:00 AM)**

**Hearing: Proposed 35 Ill. Adm. Code 820 General Construction or Demolition Debris Recovery Facilities, R23-17**

Will County Office Building, 302 N. Chicago Street, Joliet

**Thursday, November 20, 2022 (11:00 AM)**

**Board meeting**

James R. Thompson Center, 100 W. Randolph St., Room 2-025, Chicago

**Thursday, December 1, 2022 (11:00 AM)**

**Board meeting**

James R. Thompson Center, 100 W. Randolph St., Room 2-025, Chicago

**Wednesday, December 7, 2022 (9:00 AM)**

**Videconference hearing: Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), R22-18**

James R. Thompson Center, 100 W. Randolph St., Room 2-025, Chicago  
IPCB Hearing Room, 1021 N. Grand Ave East, North Entrance, Springfield

**Thursday, December 8, 2022 (9:00 AM)**

**Videconference hearing: Proposed Amendments to Groundwater Quality (35 Ill. Adm. Code 620), R22-18**

James R. Thompson Center, 100 W. Randolph St., Room 2-025, Chicago  
IPCB Hearing Room, 1021 N. Grand Ave East, North Entrance, Springfield

**Thursday, December 15, 2022 (11:00 AM)**

**Board meeting**

James R. Thompson Center, 100 W. Randolph St., Room 2-025, Chicago

The events listed above are subject to change, and more events may be added. Here is a link to the [Board's current calendar](#).



# RESTRICTED STATUS / CRITICAL REVIEW LISTS

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY  
Division of Public Water Supplies



Illinois Environmental Protection Agency  
Division of Public Water Supplies  
Restricted Status List – Community Water Supplies

September 2022

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
ALBION	IL0470050	7	MANGANESE MCL VIOLATION	2938	1/19/2022
ALTO PASS WATER DISTRICT	IL1815150	7	INADEQUATE SOURCE CAPACITY	1054	6/30/2021
ANDOVER	IL0730100	1	NO BACKUP SOURCE	644	3/24/2016
AQUA ILLINOIS - CRYSTAL CLEAR WATER CO.	IL1115150	2	NO EMERGENCY POWER & NO PRESSURE TANK	855	9/16/1988
AQUA ILLINOIS - NUNDA	IL1115600	2	INADEQUATE PRESSURE TANK	570	4/1/2015
ARCADIA CARE	IL0755389	4	NO OPTIMAL CORROSION CONTROL TREATMENT	55	5/21/2021
ATLANTA	IL1070050	5	MINIMUM CHLORINE RESIDUAL VIOLATION; OPTIMAL WATER QUALITY PARAMETER RANGE VIOLATIONS	1692	3/23/2022
AVANTARA LONG GROVE	IL0971110	2	INADEQUATE PRESSURE TANK	200	12/1/2003
BAHL WATER CORP	IL0855200	1	NO ELEVATED OR GROUND STORAGE	700	12/15/1993
BARBERRY ACRES MHP	IL0915145	2	NO CHLORINE FEED SYSTEM; INADEQUATE PRESSURE TANK	61	10/31/2018
BILL-MAR HEIGHTS MHP	IL2015345	1	INADEQUATE PRESSURE TANK	160	3/18/1983
BISHOP HILL	IL0730250	1	NO BACKUP SOURCE	137	11/14/2017
BONNIE	IL0810150	7	INADEQUATE ELEVATED STORAGE CAPACITY	527	7/20/2018
BROADVIEW ESTATES EAST PEORIA	IL1795365	5	INADEQUATE PRESSURE TANK	300	3/18/1983
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	INADEQUATE PRESSURE TANK	45	6/16/2008
BUSY BEE MHP #1*	IL1975195	2	INADEQUATE PRESSURE TANK	25	7/15/2022
CAPRON MHP	IL0075105	1	INADEQUATE PRESSURE TANK	98	3/18/1983
CENTRAL MACOUPIN RURAL WATER DISTRICT	IL1170040	5	MINIMUM CHLORINE RESIDUAL VIOLATION	1825	8/29/2018
CENTURY PINES APARTMENTS	IL0150020	1	INADEQUATE PRESSURE TANK	25	12/14/1990
CHAIN-O-LAKES MHP	IL0975165	2	INADEQUATE PRESSURE TANK	81	12/15/1989
CHESTERFIELD	IL1170200	5	MINIMUM CHLORINE RESIDUAL VIOLATION	180	8/29/2018
CLARKS MHP	IL2015425	1	INADEQUATE PRESSURE TANK	80	12/16/1991
COBDEN	IL1810150	7	INADEQUATE SOURCE CAPACITY	1343	6/30/2021
COLONIAL MEADOWS	IL1135100	6	MINIMUM CHLORINE RESIDUAL VIOLATION	190	9/19/2018



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
COMPTON	IL1030150	1	TOTAL TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	300	4/9/2021
COOKS MILLS WATER ASSOCIATION	IL0295200	4	INADEQUATE SOURCE CAPACITY AND INADEQUATE TREATMENT CAPACITY	600	12/29/2021
COUNTRY ACRES MHP (LA SALLE COUNTY)	IL0995365	1	COMBINED RADIUM AND GROSS ALPHA MCL VIOLATIONS	192	5/26/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	MINIMUM CHLORINE RESIDUAL VIOLATION	120	12/12/2018
COYNE CENTER COOP	IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CRISWELL COURT MHP	IL1975105	2	INADEQUATE PRESSURE TANK	136	12/15/1989
DANVERS	IL1130450	4	MANGANESE MCL VIOLATION	1183	1/18/2022
DAYSRING BIBLE COLLEGE	IL0977189	2	INADEQUATE PRESSURE TANK	60	6/15/1988
DES PLAINES MHP**	IL0317775	2	INADEQUATE SOURCE CAPACITY, INADEQUATE PRESSURE TANK, AND GROSS ALPHA MCL VIOLATION	581	3/16/1984
DONNELLSON	IL0054360	6	TOTAL TRIHALOMETHANES MCL VIOLATION AND HALOACETIC ACID MCL VIOLATION	210	7/25/2019
DONOVAN	IL0750400	4	NO CORROSION CONTROL TREATMENT	306	7/23/2021
EAST END WATER ASSOCIATION	IL1610140	1	INADEQUATE PRESSURE TANK	40	3/15/2002
EAST MORELAND WATER ASSOCIATION	IL1975600	2	NO ELEVATED OR GROUND STORAGE	1055	9/9/2016
EDELSTEIN WATER COOPERATIVE**	IL1435150	5	INADEQUATE GROUND STORAGE	125	1/1/2015
EHLERS MHP	IL0195645	4	INADEQUATE PRESSURE TANK	112	12/17/1982
ELIZABETH (upper elevation area)	IL0850150	1	LOW SYSTEM PRESSURE	675	6/15/1999
EXETER - MERRITT WATER COOP	IL1710010	5	INADEQUATE STORAGE CAPACITY	765	10/1/2013
FALCON FARMS	IL1617635	1	NO ELEVATED OR GROUND STORAGE	475	10/31/2019
FOUR STAR CAMPGROUND	IL0990060	1	INADEQUATE PRESSURE TANK	150	6/15/1999
GERMANTOWN	IL0270350	6	MINIMUM CHLORINE RESIDUAL VIOLATION	1481	6/30/2021
GREEN MEADOWS ESTATES OF ROCKFORD LLC	IL2015495	1	COMBINED RADIUM MCL VIOLATION; INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	970	6/15/2012
HARVEST ESTATES	IL0915165	2	INADEQUATE PRESSURE TANK	54	4/18/2019
HAWTHORN ESTATES SUBDIVISION	IL0630030	2	INADEQUATE PRESSURE TANK	49	4/7/2017
HETTICK**	IL1170500	5	MINIMUM CHLORINE RESIDUAL VIOLATION	182	6/30/2021
HIDE-A-WAY LAKES	IL0935300	2	COMBINED RADIUM MCL VIOLATION	50	3/10/2021
HIGHLAND SUBDIVISION	IL0895530	2	INADEQUATE PRESSURE TANK	40	9/16/1983
HILLCREST	IL1410250	1	INADEQUATE SOURCE CAPACITY	1400	2/13/2018
HILLSDALE ESTATES, LLC**	IL1615530	1	INADEQUATE PRESSURE TANK	63	3/18/1983
HILLSDALE PROPERTIES	IL1615728	1	INADEQUATE PRESSURE TANK	60	1/14/1982



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
HILLVIEW	IL0610200	6	NITRATE MCL VIOLATION	150	11/6/2020
HOLLY HOCK HILL MHP	IL0975245	2	INADEQUATE PRESSURE TANK	52	12/16/1983
HONEYCUTT HILL MHP LLC	IL1955225	1	INADEQUATE PRESSURE TANK	75	9/17/1982
HYDE-A-WAY LAKES	IL0935300	2	NO CHLORINE FEED SYSTEM	50	10/31/2019
IL AMERICAN - ANDALUSIA (upper elevation area)	IL1610050	1	LOW SYSTEM PRESSURE	1050	10/1/2003
ILLIOPOLIS	IL1670550	5	TOTAL TRIHALOMETHANES MCL VIOLATION	1046	12/29/2021
INGALLS PARK SUBDIVISION	IL1975880	2	NO ELEVATED OR GROUND STORAGE	744	9/16/1983
JONESBORO*	IL1810250	7	TOTAL TRIHALOMETHANE MCL VIOLATION	1905	7/6/2022
JON'S MHP	IL0990020	1	NITRATE MCL VIOLATION	92	12/29/2021
KINGSTON	IL0370250	1	NO OPTIMAL CORROSION CONTROL TREATMENT	1160	2/16/2022
LAND AND WATER ASSOCIATION*	IL0995050	1	COMBINED RADIUM MCL VIOLATION	100	8/26/2022
LASALLE*	IL0990300	1	TOTAL TRIHALOMETHANES MCL VIOLATION	9700	5/25/2022
LEWISTOWN	IL0570600	5	MANGANESE MCL VIOLATION	2400	12/29/2021
LIBERTY PARK HOMEOWNERS' ASSOCIATION	IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	837	9/17/1992
LICK CREEK PWD	IL1815100	7	INADEQUATE SOURCE CAPACITY	1923	6/30/2021
LIMA	IL0010400	5	INADEQUATE SOURCE CAPACITY & NITRATE MCL VIOLATION	163	5/4/2016
LINWAY ESTATES MHP	IL0315935	2	NO ELEVATED OR GROUND STORAGE	450	2/28/2017
LISBON NORTH, INC.	IL0631000	2	INADEQUATE PRESSURE TANK	25	9/14/1990
LOCKPORT TOWNSHIP WATER SYSTEM	IL1978100	2	NO OPTIMAL CORROSION CONTROL TREATMENT	2610	1/19/2022
LONDON MILLS*	IL0574620	5	INADEQUATE SOURCE CAPACITY	500	7/13/2022
LYNNWOOD WATER CORPORATION	IL0995336	1	INADEQUATE PRESSURE TANK	110	3/18/1983
MALTA	IL0370350	1	NO AUTO-START GENERATOR & INADEQUATE HIGH SERVICE PUMP CAPACITY	1175	6/15/2012
MANCUSO VILLAGE PARK MHP	IL2015545	1	INADEQUATE PRESSURE TANK	500	6/18/1982
MANTENO MHP	IL0915385	2	INADEQUATE PRESSURE TANK	144	12/14/1990
MAPLETON*	IL1430500	5	NO OPTIMAL CORROSION CONTROL TREATMENT	250	5/13/2022
MARENGO*	IL1110650	2	INADEQUATE SOURCE WATER TREATMENT	7439	8/19/2022
MARK*	IL1550250	1	TOTAL TRIHALOMETHANES MCL VIOLATION	555	6/24/2022
MAZON*	IL0630500	2	MANGANESE MCL VIOLATION	1015	7/8/2022



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
MENARD RURAL WATER COOP (area served by Athens)	IL1290100	5	TOTAL TRIHALOMETHANES MCL VIOLATION	653	9/1/2021
MILLSTONE PWD*	IL1515050	7	INADEQATE SOURCE CAPACITY	5445	8/31/2022
MOUNT ERIE	IL1910350	7	INADEQUATE SOURCE CAPACITY	119	5/21/2021
MOUNT ZION	IL1150350	4	TOTAL TRIHALOMETHANES MCL VIOLATION	5833	1/19/2022
MULBERRY GROVE**	IL0050100	6	TOTAL TRIHALOMETHANES MCL VIOLATION AND HALOACETIC ACID MCL VIOLATION	725	5/26/2021
NASON*	IL0810350	7	NO STORAGE	243	5/25/2022
NEPONSET	IL0110700	1	MINIMUM CHLORINE RESIDUAL VIOLATION	374	4/17/2019
NOBLE*	IL1590150	7	TOTAL TRIHALOMETHANES MCL VIOLATION	840	7/15/2022
OAK RIDGE SD	IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OSCO MUTUAL WATER SUPPLY COMPANY, INC.	IL0735200	1	INADEQUATE PUMP CAPACITY	115	12/15/1989
OTTAWA ESTATES MHP	IL0995225	1	INADEQUATE PRESSURE TANK	115	3/18/1983
PARADISE MANOR MHP	IL1617665	1	INADEQUATE PRESSURE TANK	193	2/19/1982
PARK MEADOWLAND WEST MHP	IL0075235	1	INADEQUATE PRESSURE TANK	100	3/18/1982
PAULS MHP	IL0975485	2	INADEQUATE PRESSURE TANK	38	12/16/1983
PEORIA HEIGHTS	IL1434750	5	MANGANESE MCL VIOLATION	6156	12/29/2021
PORT BYRON	IL1610550	1	MANGANESE MCL VIOLATION	1678	1/19/2022
PORTS SULLIVAN LAKE OWNERS' ASSOCIATION	IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE PATH WATER - GALENA	IL0855050	1	COMBINED RADIUM MCL VIOLATION	700	3/23/2022
PRAIRIE PATH WATER - LAKE HOLIDAY	IL0995200	1	INADEQUATE TREATMENT CAPACITY	6479	4/1/2015
PRAIRIE PATH WATER - WALK-UP WOODS WATER COMPANY	IL1115800	2	NO ELEVATED OR GROUND STORAGE	781	12/17/1982
PRAIRIE ROAD PUMP ASSOCIATION	IL2015100	1	INADEQUATE PRESSURE TANK	150	1/1/2006
RAINBOW LANE MHP	IL2015645	1	INADEQUATE PRESSURE TANK	83	6/17/1983
ROCKLAND MHP	IL0975585	2	INADEQUATE PRESSURE TANK	165	12/16/1983
ROLLING GREEN ESTATES MHP	IL1415245	1	INADEQUATE PRESSURE TANK	215	6/14/1985
ROYAL OAKS MHP	IL1115145	2	INADEQUATE PRESSURE TANK	114	6/17/1983
SCALES MOUND	IL0850400	1	LOW SYSTEM PRESSURE (at elev. above 990 ft. MSL)	401	9/15/1997
SENECA MOBILE HOMES LLC	IL0995425	1	INADEQUATE PRESSURE TANK	73	9/17/1982
SHANGRI-LA MHP	IL1415285	1	INADEQUATE PRESSURE TANK	444	9/16/1983
SHAWNITA TRC WATER ASSOCIATION	IL1977690	2	INADEQUATE PRESSURE TANK	135	9/17/1992



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
SILVIS HEIGHTS WATER CORP	IL1615750	1	NO EMERGENCY GENERATOR	1600	12/1/2003
SIX OAKS MHP	IL2015685	1	INADEQUATE PRESSURE TANK INADEQUATE SOURCE	48	6/18/1982
SOUTH JACKSONVILLE*	IL1370400	5	CAPACITY	3508	8/19/2022
SOUTH PEKIN	IL1790650	5	MANGANESE MCL VIOLATION	1146	1/19/2022
SPIN LAKE HOMEOWNERS' ASSOCIATION	IL1135140	4	NITRITE MCL VIOLATION	200	10/1/2021
STEPHENSON MOBILE ESTATES	IL1775235	1	INADEQUATE PRESSURE TANK AND INADEQUATE CHLORINE RESIDUAL	223	6/17/1983
SUBURBAN APARTMENTS (DE KALB UNIV DVL)	IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
SUNNY HILLS ESTATES SUBDIVISION	IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION	IL1977730	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	300	6/12/2018
SWEDONA WATER ASSOCIATION	IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION	IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TABLE GROVE	IL0570900	5	TOTAL TRIHALOMETHANES MCL VIOLATION	416	9/4/2020
TIMBER RIDGE MOBILE ESTATES	IL1775255	1	INADEQUATE PRESSURE TANK	150	6/17/1996
TOWNERS SUBDIVISION	IL0977250	2	INADEQUATE PRESSURE TANK	204	1/14/1982
TRENTON	IL0270500	6	TOTAL TRIHALOMETHANE MCL VIOLATION	3180	12/29/2021
VALLEY VIEW SUBDIVISION (WOODFORD COUNTY)	IL2030010	1	INADEQUATE PRESSURE TANK TOTAL TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	100	6/15/2012
VERMONT	IL0570950	5	INADEQUATE PRESSURE TANK & LACK OF A CHLORINE FEED SYSTEM	660	5/27/2020
VIETZEN MHP	IL0437245	2	TOTAL TRIHALOMETHANES MCL VIOLATION	145	6/17/1983
VILLAGE GREEN MHP*	IL1195350	6	LOW SYSTEM PRESSURE AND NOT MEETING STORAGE, PUMPING, AND EMERGENCY GENERATOR REQUIREMENTS	220	7/6/2022
WALTONVILLE*	IL0810400	7	TOTAL TRIHALOMETHANE MCL VIOLATION	1933	5/25/2022
WEST LIBERTY - DUNDAS WATER DISTRICT*	IL1595050	7	NO OPTIMAL CORROSION CONTROL TREATMENT	549	7/15/2022
WESTFIELD	IL0230200	4	NO ELEVATED OR GROUND STORAGE & INADEQUATE SOURCE CAPACITY	678	2/16/2022
WILLOWAY TERRACE MHP	IL0317595	2	NO OPTIMAL CORROSION CONTROL TREATMENT	900	6/15/1984
WINDSOR	IL1730550	4	INADEQUATE SOURCE CAPACITY	1200	3/23/2022
WOODLAND**	IL0751000	4		319	7/15/2022





**Illinois Environmental Protection Agency  
Division of Public Water Supplies  
Critical Review List – Community Water Supplies**

**September 2022**

<b>SYSTEM NAME</b>	<b>SYSTEM ID</b>	<b>EPA REGION</b>	<b>NATURE OF PROBLEM</b>	<b>POPULATION SERVED</b>	<b>LISTING DATE</b>
AIR VIEW MHP	IL1615185	1	NO BACKUP SOURCE	164	8/7/2020
ANCHOR	IL1130050	4	ONLY ONE WELL	155	8/28/2020
AQUA ILLINOIS - HIGHLAND ESTATES	IL0915220	2	ONLY ONE WELL	171	1/13/2021
AQUA ILLINOIS - INDIANOLA	IL1830500	4	ONLY ONE WELL	224	12/11/2020
AQUA ILLINOIS - SKYLINE	IL0915450	2	ONLY ONE WELL	208	1/8/2021
AQUA ILLINOIS - SUN RIVER TERRACE	IL0910720	2	ONLY ONE WELL	495	1/13/2021
BEAVER CREEK VILLAGE MHP	IL0755125	4	ONLY ONE WELL	48	1/6/2021
BROWNING	IL1690050	5	ONLY ONE WELL	175	12/2/2020
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	ONLY ONE WELL	45	7/22/2020
BUSY BEE MHP #1	IL1975195	2	ONLY ONE WELL	25	12/4/2020
CAMP GROVE	IL1235100	1	ONLY ONE WELL	75	6/24/2020
CANTON	IL0570250	5	INADEQUATE TREATMENT CAPACITY	13932	3/15/2007
CAPRON MHP	IL0075105	1	ONLY ONE WELL	98	1/27/2021
CARBON HILL	IL0630100	2	INADEQUATE TREATMENT CAPACITY	392	12/14/2016
CARROLL HEIGHTS UTILITIES COMPANY	IL0155200	1	ONLY ONE WELL	80	1/27/2021
CEDAR BROOK ESTATES SUBDIVISION	IL1615170	1	ONLY ONE WELL	200	8/7/2020
CEDAR POINT WATER COMPANY	IL0995040	1	ONLY ONE WELL	300	8/26/2020
CEDAR WATER COMPANY, INC.	IL0955150	5	ONLY ONE WELL	160	1/13/2021
CENTURY PINES APARTMENTS	IL0150020	1	ONLY ONE WELL	25	1/27/2021
CHAIN-O-LAKES MHP	IL0975165	2	ONLY ONE WELL	81	8/28/2020
CHERRYDALE SUBDIVISION	IL1615120	1	ONLY ONE WELL	80	8/5/2020
CHIGAKWA PARK ESTATES	IL1615140	1	ONLY ONE WELL	53	8/7/2020
CLARKS MHP	IL2015425	1	ONLY ONE WELL	80	12/4/2020
COAL CITY	IL0630200	2	INADEQUATE TREATMENT CAPACITY	5587	12/14/2016
COLONIAL MEADOWS	IL1135100	6	ONLY ONE WELL	190	9/26/2020
COUNTRY LANE MHP	IL1135385	4	ONLY ONE WELL	35	6/24/2020
COUNTRY TYME ESTATES	IL0195865	4	ONLY ONE WELL	120	1/27/2021
COUNTRY VIEW ESTATES MHP	IL0195625	4	ONLY ONE WELL	97	1/27/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	ONLY ONE WELL	120	7/15/2020
DE WITT	IL0390100	4	ONLY ONE WELL	200	1/27/2021
DIXIE ESTATES SUBDIVISION	IL1975520	2	ONLY ONE WELL	180	12/9/2020
DONNY BROOK ESTATES	IL0375150	1	ONLY ONE WELL	30	1/27/2021
DONOVAN	IL0750400	4	ONLY ONE WELL	306	1/6/2021
EAST END WATER ASSOCIATION	IL1610140	1	ONLY ONE WELL	40	7/31/2020
EAST LAWN WATER ASSOCIATION	IL1615100	1	ONLY ONE WELL	160	8/5/2020
EAST LYNN COMMUNITY WATER SYSTEM	IL1835200	4	ONLY ONE WELL	112	12/11/2020
EAST SIDE MHP	IL0195825	4	ONLY ONE WELL	95	1/27/2021
EBERTS 3RD ADDITION	IL1615330	1	ONLY ONE WELL	99	8/12/2020
EDELSTEIN WATER COOPERATIVE	IL1435150	5	ONLY ONE WELL	125	7/24/2020
EHLERS MHP	IL0195645	4	ONLY ONE WELL	112	1/27/2021



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
ELM OAK MUTUAL WATER SYSTEM	IL0975736	2	ONLY ONE WELL	50	8/28/2020
ESQUIRE ESTATES MHP	IL1435245	5	ONLY ONE WELL	28	7/29/2020
EVERGREEN VILLAGE SUBDIVISION	IL1615310	1	ONLY ONE WELL	130	8/12/2020
FOUR STAR CAMPGROUND	IL0990060	1	ONLY ONE WELL	150	8/26/2020
FOX CREEK FARMS WATER COMPANY	IL1435750	5	ONLY ONE WELL	221	7/29/2020
FOX LAWN HOMEOWNERS WATER ASSOCIATION	IL0935150	2	ONLY ONE WELL	167	1/13/2021
FRENTRESS LAKE	IL0850010	1	ONLY ONE WELL	150	1/8/2021
GARDEN STREET IMPROVEMENT ASSOCIATION	IL1975376	2	ONLY ONE WELL	54	12/9/2020
GREEN ACRES MHP	IL1035165	1	ONLY ONE WELL	200	8/26/2020
HARMON	IL1030300	1	ONLY ONE WELL	149	8/26/2020
HAZELWOOD 4TH ADDITION	IL0735350	1	ONLY ONE WELL	135	1/6/2021
HAZELWOOD WEST SUBDIVISION	IL0735250	1	ONLY ONE WELL	70	1/6/2021
HEATHERFIELD SUBDIVISION	IL0635150	2	ONLY ONE WELL	90	1/29/2021
HICKORY HILLS 2ND ADDITION	IL0730080	1	ONLY ONE WELL	93	8/12/2020
HIDE-A-WAY LAKES	IL0935300	2	ONLY ONE WELL	50	1/13/2021
HIGHLAND LAKE WATER COMPANY	IL0970255	2	ONLY ONE WELL	36	8/26/2020
HIGHLAND SUBDIVISION	IL0895530	2	ONLY ONE WELL	40	1/8/2021
HILLCREST	IL1410250	1	INADEQUATE STORAGE CAPACITY	1400	11/2/2017
HILLSDALE ESTATES, LLC**	IL1615530	1	ONLY ONE WELL	63	8/14/2020
HILLSDALE PROPERTIES	IL1615728	1	ONLY ONE WELL	60	6/24/2020
HOLLANDS GROVE COURT SUBDIVISION	IL1795300	5	ONLY ONE WELL	40	12/2/2020
HOLLY HOCK HILL MHP	IL0975245	2	ONLY ONE WELL	52	8/28/2020
HOPEWELL	IL1235150	1	ONLY ONE WELL	420	7/1/2020
IL AMERICAN - LEONORE	IL0990400	1	ONLY ONE WELL	111	8/26/2020
IL AMERICAN - MIDWEST PALOS	IL0317050	2	ONLY ONE WELL	143	1/27/2021
IL AMERICAN - NETTLE CREEK	IL0630040	2	ONLY ONE WELL	285	1/29/2021
IL AMERICAN - RIDGECREST	IL0635100	2	ONLY ONE WELL	219	1/29/2021
IL PRAIRIE ESTATE SBDV WATER ASSN	IL0995300	1	ONLY ONE WELL	112	8/26/2020
INDIAN BLUFFS SUBDIVISION	IL1615520	1	ONLY ONE WELL	150	8/14/2020
INDIAN CREEK HOMEOWNERS AND WATER ASSN	IL1135250	4	ONLY ONE WELL	240	6/17/2020
IROQUOIS MOBILE ESTATES, INC.	IL0755185	4	ONLY ONE WELL	105	1/8/2021
JOHNSBURG 1	IL1110040	2	ONLY ONE WELL	174	8/28/2020
KENNEY	IL0390200	4	ONLY ONE WELL	374	1/29/2021
KNOLLS EDGE SUBDIVISION	IL1415250	1	ONLY ONE WELL	100	7/17/2020
LAFAYETTE	IL1750100	1	ONLY ONE WELL	250	12/2/2020
LAKE LYNWOOD WATER SYSTEM	IL0735330	1	ONLY ONE WELL	75	1/6/2021
LAKE SHANNON	IL0910020	2	ONLY ONE WELL	500	1/13/2021
LAKE WILDWIND LLC	IL2035125	1	ONLY ONE WELL	200	12/4/2020
LAND AND WATER ASSOCIATION	IL0995050	1	ONLY ONE WELL	100	8/26/2020



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
LASALLE	IL0990300	1	INADEQUATE SOURCE CAPACITY & INADEQUATE TREATMENT CAPACITY	9700	11/1/2004
LINDENWOOD WATER ASSOCIATION	IL1415300	1	ONLY ONE WELL	35	7/22/2020
LISBON NORTH, INC.	IL0631000	2	ONLY ONE WELL	25	1/29/2021
LYNN WATER ASSOCIATION	IL0735100	1	ONLY ONE WELL	42	1/8/2021
LYNNWOOD WATER CORPORATION	IL0995336	1	ONLY ONE WELL	110	8/26/2020
LYNWOOD 3RD ADDITION	IL0735280	1	ONLY ONE WELL	100	1/6/2021
M C L W SYSTEM, INC.	IL1315150	1	ONLY ONE WELL	98	7/10/2020
MACOMB	IL1090350	5	INADEQUATE CLARIFIER CAPACITY	11309	12/14/2016
MAQUON	IL0950350	5	ONLY ONE WELL	284	1/13/2021
MARSEILLES SOUTH	IL0990110	1	ONLY ONE WELL	100	8/26/2020
MASON CITY	IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MAYFAIR SUBDIVISION	IL1795750	5	ONLY ONE WELL	90	12/11/2020
MC NABB	IL1550150	1	ONLY ONE WELL	310	6/11/2020
MILL POINT MHP	IL2035165	1	ONLY ONE WELL	160	12/4/2020
MOUND CITY	IL1530100	7	ONLY ONE WELL	588	6/5/2020
MOUND PWD	IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
MOUNT MORRIS ESTATES MHP	IL1415185	1	ONLY ONE WELL	395	7/15/2020
MOUNT VERNON ASSOCIATION INC.	IL0855100	1	ONLY ONE WELL	490	1/8/2021
NORTH HAZELWOOD SUBDIVISION	IL0735850	1	ONLY ONE WELL	100	1/8/2021
NORTH HENDERSON	IL1310300	1	ONLY ONE WELL	187	7/2/2020
OAK GROVE MHP - ROCK ISLAND COUNTY	IL1617785	1	ONLY ONE WELL	100	12/2/2020
OAK LAWN MHP	IL0075275	1	ONLY ONE WELL	460	1/27/2021
OAK VIEW ESTATES	IL0730120	1	ONLY ONE WELL	95	1/29/2021
OAKWOOD WEST SUBDIVISION	IL0730070	1	ONLY ONE WELL	45	1/29/2021
OPHIEM PWS	IL0735150	1	ONLY ONE WELL	100	1/8/2021
OTTAWA ESTATES MHP	IL0995225	1	ONLY ONE WELL	115	8/26/2020
PARADISE MANOR MHP	IL1617665	1	ONLY ONE WELL	200	11/20/2020
PARK MEADOWLAND WEST MHP	IL0075235	1	ONLY ONE WELL	100	1/27/2021
PAULS MHP	IL0975485	2	ONLY ONE WELL	38	8/28/2020
PHIL-AIRE ESTATES MHP	IL2015625	1	ONLY ONE WELL	80	12/4/2020
PHIL-AIRE ESTATES MHP*	IL2015625	1	COMBINED RADIUM MCL VIOLATION	80	5/20/2022
POLO DR AND SADDLE RD SUBDIVISION	IL0437000	1	ONLY ONE WELL	93	1/29/2021
PORT BARRINGTON SHORES SUBDIVISION	IL0971120	2	ONLY ONE WELL	67	8/26/2020
POWERS WATER CO., INC	IL0895550	2	ONLY ONE WELL	214	1/8/2021
PRAIRIE OAKS ESTATES HOMEOWNERS' ASSOCIATION	IL0630060	2	ONLY ONE WELL	107	1/29/2021
PRAIRIE PATH WATER - CAMELOT	IL1975200	2	ONLY ONE WELL	575	12/9/2020
PRAIRIE PATH WATER - CHERRY HILL WATER COMPANY	IL1975280	2	ONLY ONE WELL	624	12/9/2020



SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
PRAIRIE VIEW WATER ASSOCIATION	IL1795900	5	ONLY ONE WELL	35	12/11/2020
QUINCY	IL0010650	5	INADEQUATE CLARIFIER CAPACITY	45000	8/3/2016
RAINBOW LANE MHP	IL2015645	1	ONLY ONE WELL	83	12/4/2020
RAINBOW RIDGE	IL1615580	1	ONLY ONE WELL	46	8/14/2020
REDDICK	IL0914780	2	ONLY ONE WELL	210	1/8/2021
RIDGEWOOD LEDGES WATER ASSOCIATION	IL1615670	1	ONLY ONE WELL	430	6/24/2020
ROLLING GREEN ESTATES MHP	IL1415245	1	ONLY ONE WELL	215	7/17/2020
RUSTIC ACRES WATER ASSOCIATION	IL0735500	1	ONLY ONE WELL	260	1/6/2021
SANTA FE ESTATES WATER ASSOCIATION	IL1435490	5	ONLY ONE WELL	84	7/29/2020
SEATON	IL1310350	1	ONLY ONE WELL	200	7/2/2020
SENECA MOBILE HOMES LLC	IL0995425	1	ONLY ONE WELL	73	8/26/2020
SIX OAKS MHP	IL2015685	1	ONLY ONE WELL	48	12/4/2020
SPIN LAKE HOMEOWNERS' ASSOCIATION	IL1135140	4	ONLY ONE WELL	200	6/16/2020
STELLE COMMUNITY ASSOCIATION	IL0535100	4	ONLY ONE WELL	100	1/29/2021
STORYBOOK HIGHLANDS	IL0935250	2	ONLY ONE WELL	100	1/13/2021
STRATFORD WEST APARTMENTS	IL1095200	5	ONLY ONE WELL	44	8/26/2020
STRAWN	IL1050700	4	ONLY ONE WELL	133	8/26/2020
SUBURBAN HEIGHTS SUBDIVISION	IL1615800	1	ONLY ONE WELL	57	11/20/2020
TENNANTS SHADY OAKS SUBDIVISION	IL1615540	1	ONLY ONE WELL	44	8/14/2020
TIMBER BROOK ESTATES	IL0735450	1	ONLY ONE WELL	120	1/6/2021
TIMBER RIDGE SUBDIVISION	IL0735470	1	ONLY ONE WELL	120	1/6/2021
TISKILWA	IL0111050	1	INADEQUATE STORAGE CAPACITY	830	9/20/2017
TOWER RIDGE SUBDIVISION	IL1615780	1	ONLY ONE WELL	70	11/20/2020
VAN ORIN WATER COMPANY	IL0115000	1	ONLY ONE WELL	100	1/27/2021
VICTORIA	IL0950550	5	ONLY ONE WELL	316	1/13/2021
WATER WERKS	IL1615130	1	ONLY ONE WELL	90	8/5/2020
WATERMAN	IL0370600	1	ONLY ONE WELL	1506	1/27/2021
WHITE HALL	IL0610400	6	INADEQUATE STORAGE CAPACITY	2900	10/1/2012
WINDCREST SUBDIVISION	IL0730040	1	ONLY ONE WELL	40	1/29/2021
WINDING CREEK ESTATES	IL1615850	1	ONLY ONE WELL	160	11/20/2020
WINSLOW	IL1770550	1	ONLY ONE WELL	350	12/2/2020
WITT	IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008
YATES CITY	IL0950700	5	ONLY ONE WELL	750	1/13/2021
YOUNGS HILLCREST MHP	IL0190040	4	ONLY ONE WELL	34	1/27/2021



## **WATER SYSTEMS REMOVED FROM PREVIOUS LIST**

ARCOLA  
BRUSSELS  
CARLINVILLE  
GREENFIELD  
LAKE SHANNON  
MAPLE ACRES MHP  
MAZON  
OPHIEM PWS  
PIERRON

## **\*WATER SYSTEMS ADDED**

BUSY BEE MHP #1  
JONESBORO  
LA SALLE  
LAND AND WATER ASSOCIATION  
LONDON MILLS  
MAPLETON  
MARENGO  
MARK  
MILLSTONE PWD  
NASON  
NOBLE  
PHIL-AIRE ESTATES MHP  
SOUTH JACKSONVILLE  
VILLAGE GREEN MHP  
WALTONVILLE  
WEST LIBERTY - DUNDAS WATER DISTRICT

## **\*\*WATER SYSTEM UPDATES**

DES PLAINES MHP  
EDELSTEIN WATER COOPERATIVE  
HETTICK  
HILLSDALE ESTATES, LLC  
MULBERRY GROVE  
WOODLAND

## Restricted Status/Critical Review

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. The current list reflects the status as of April 15, 2022. An asterisk, \*, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

## Restricted Status List

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 611; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements; or maintenance of treatment facilities



capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act. This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

## Critical Review List

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.



# HEALTH ADVISORY SUMMARY LIST

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY  
Office of Toxicity Assessment



## ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-3397  
JB PRITZKER, GOVERNOR JOHN J. KIM, DIRECTOR

### HEALTH ADVISORY SUMMARY LIST

Prepared by:  
Office of Toxicity Assessment  
Illinois Environmental Protection Agency  
October 12, 2021

In accordance with 35 Illinois Administrative Code 620.610(b), the Illinois Environmental Protection Agency (Illinois EPA) is issuing a Health Advisory summary list. Section 620.610(b) directs the Illinois EPA to publish and make available to the public, at intervals of not more than 6 months, a comprehensive and up-to-date summary list of all Health Advisories.

The following table provides a summary list of all Illinois EPA Health Advisories currently in effect:

CASRN <sup>1</sup>	Chemical	Statewide Health Advisory Guidance Level (ng/L)	Health Advisory Issuance Date
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	140	January 28, 2021
307-24-4	Perfluorohexanoic acid (PFHxA)	560,000	January 28, 2021
335-67-1	Perfluorooctanoic acid (PFOA)	2	January 28, 2021
375-73-5	Perfluorobutanesulfonic acid (PFBS)	2,100	April 16, 2021
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	14	April 16, 2021
375-95-1	Perfluorononanoic acid (PFNA)	21	July 27, 2021

<sup>1</sup> CASRN = Chemical Abstract Services Registry Number


For more information regarding Illinois EPA Health Advisories, please refer to the following link:  
<https://www2.illinois.gov/epa/topics/water-quality/pfas/Pages/pfas-healthadvisory.aspx>

2125 S. First Street, Champaign, IL 61820 (217) 278-5800  
1101 Eastport Plaza Dr., Suite 100, Collinsville, IL 62234 (618) 346-5120  
9511 Harrison Street, Des Plaines, IL 60016 (847) 294-4000  
595 S. State Street, Elgin, IL 60123 (847) 608-3131

2309 W. Main Street, Suite 116, Marion, IL 62959 (618) 993-7200  
412 SW Washington Street, Suite D, Peoria, IL 61602 (309) 671-3022  
4302 N. Main Street, Rockford, IL 61103 (815) 987-7760

PLEASE PRINT ON RECYCLED PAPER





**A Publication of the Illinois Pollution Control Board**

**October 2022**

Issues of the *Environmental Register* dating back to 1990 are available electronically at

<https://pcb.illinois.gov/>