

ILLINOIS POLLUTION CONTROL BOARD

June 5, 2023

VEOLIA ES TECHNICAL SOLUTIONS, )  
L.L.C., )  
 )  
Petitioner, )  
 )  
v. ) PCB 10-50  
 ) (Permit Appeal - RCRA)  
ILLINOIS ENVIRONMENTAL )  
PROTECTION AGENCY, )  
 )  
Respondent. )

**HEARING OFFICER ORDER**

On June 5, 2023, the parties reported that the Agency continues to work on the renewal permit.

The parties are directed to provide a status update or participate in a telephone status conference with the hearing officer as follows:

Time: 9:00 a.m.

Date: August 7, 2023

Petitioner may circulate a conference call number or may initiate the call. If the parties agree that a call is not needed, a status update may be emailed in advance of the scheduled time.

Petitioner has filed an open waiver of the decision deadline.

IT IS SO ORDERED.



---

Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
[Carol.Webb@illinois.gov](mailto:Carol.Webb@illinois.gov)

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed, on June 5, 2023, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on June 5, 2023:

Don Brown  
Illinois Pollution Control Board  
60 E. Van Buren Street  
Suite 630  
Chicago, Illinois 60605



Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
[Carol.Webb@illinois.gov](mailto:Carol.Webb@illinois.gov)

SERVICE LIST

@ Consents to Electronic Service

PCB 2010-050 @  
Joseph M. Kellmeyer  
Thompson Coburn, LLP  
One US Bank Plaza  
St. Louis, MO 63101-1693

PCB 2010-050 @  
Rachel R. Medina  
Office of the Attorney General  
Environmental Bureau  
500 South Second Street  
Springfield, IL 62706

PCB 2010-050 @  
Ryan R. Kemper  
Thompson Coburn, LLP  
One US Bank Plaza  
St. Louis, MO 63101-1693