

ILLINOIS POLLUTION CONTROL BOARD
July 15, 2024

BUNGE NORTH AMERICA, INC.,)
)
 Petitioner,)
)
 v.) PCB 23-89
) (Permit Appeal - Air)
 ILLINOIS ENVIRONMENTAL)
 PROTECTION AGENCY,)
)
 Respondent.)

HEARING OFFICER ORDER

On July 15, 2024, the parties participated in a telephone status conference with the hearing officer. The parties continue to discuss settlement.

The parties are directed to provide a status update or participate in a telephone status conference with the hearing officer as follows:

Time : 10:00 a.m.
Date: September 16, 2024

Petitioner may either circulate a conference call number or initiate the call. If the parties agree that a call is not needed, a status update may be emailed in advance of the scheduled time.

Petitioner filed an open waiver of the decision deadline.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on July 16, 2024, to each of the person on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on July 16, 2024:

Don Brown
Illinois Pollution Control Board
60 E. Van Buren Street
Suite 630
Chicago, Illinois 60605



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

SERVICE LIST

@ Consents to Electronic Service

PCB 2023-089@
Thor W. Ketzback
Bryan Cave Leighton Paisner LLP
161 N. Clark Street
Suite 4300
Chicago, IL 60601

PCB 2023-089@
Nora J. Faris
Bryan Cave Leighton Paisner LLP
161 N. Clark Street
Suite 4300
Chicago, IL 60601

PCB 2023-089@
Natalie Long
Office of the Attorney General
500 South Second Street
Springfield, IL 62706

PCB 2023-089@
Christina Nannini
Office of the Attorney General
500 South Second Street
Springfield, IL 62706