ILLINOIS POLLUTION CONTROL BOARD October 10, 2024

VEOLIA ES TECHNICAL SOLUTIONS,)	
L.L.C.,)	
)	
Petitioner,)	
)	
v.)	PCB 10-50
)	(Permit Appeal - RCRA)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On October 10, 2024, the parties reported that petitioner continues to work on generating information in response to the Agency's Notice of Deficiency issued earlier this year for the pending RCRA renewal application.

The parties are directed to provide a status update or participate in a telephone status conference with the hearing officer as follows:

Time: 10:00 a.m.

Date: December 10, 2024

Petitioner may circulate a conference call number or may initiate the call. If the parties agree that a call is not needed, a status update may be emailed in advance of the scheduled time.

Petitioner has filed an open waiver of the decision deadline.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board 1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

Carol.Webb@illinois.gov

Carol Webb

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed, on October 10, 2024, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on October 10, 2024:

Don Brown Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

SERVICE LIST

@ Consents to Electronic Service

PCB 2010-050 @ Joseph M. Kellmeyer Thompson Coburn, LLP One US Bank Plaza St. Louis, MO 63101-1693 PCB 2010-050 @ Rachel R. Medina Office of the Attorney General Environmental Bureau 500 South Second Street Springfield, IL 62706

PCB 2010-050 @ Ryan R. Kemper Thompson Coburn, LLP One US Bank Plaza St. Louis, MO 63101-1693