

ILLINOIS POLLUTION CONTROL BOARD

August 21, 2025

IN THE MATTER OF: )  
)  
STANDARDS FOR UNIVERSAL WASTE ) R25-22  
MANAGEMENT ) (Rulemaking - Land)  
(35 ILL. ADM. CODE PARTS 703, 720, 721, )  
724, 725, 728, and 733) )

Adopted Rule. Final Notice.

OPINION AND ORDER OF THE BOARD (by M. Gibson):

The Board today adopts amendments adding paint and paint-related waste to the Board's universal hazardous waste regulations. On March 3, 2025, the Illinois Environmental Protection Agency (IEPA or Agency) filed a proposal amending the Board's universal hazardous waste regulations under 35 Ill. Adm. Code 703, 720, 721, 724, 725, 728, and 733 to comply with the Paint Stewardship Act (Public Act 103-887), which became effective on January 1, 2025.

Public Act 103-372, effective January 1, 2024, created the Paint Stewardship Act, which requires manufacturers of architectural paint sold at retail in the State of Illinois to establish and operate a post-consumer paint stewardship program. On August 9, 2024, the Governor signed Senate Bill 839 into law as Public Act 103-887, effective January 1, 2025. P.A. 103-887 adopted Section 22.23e of the Environmental Protection Act (Act), which allows PaintCare, the anticipated paint manufacturer representative in Illinois, to manage post-consumer paint as universal waste and alleviate the regulatory burden on PaintCare's collection sites.

P.A. 103-887 requires that, within 60 days of the effective date of the Public Act, IEPA must propose to the Board rules for management of paint and paint-related waste (PPRW) as universal waste. On March 3, 2025, IEPA filed this proposal under Section 22.23e of the Act. Within 180 days after receiving the proposal from IEPA, the Board must adopt rules. 415 ILCS 5/22.23e(b)(1); P.A. 103-887. On March 20, 2025, the Board accepted the proposal for hearing without commenting on its substantive merits and submitted the proposal for first notice publication in the *Illinois Register*. See 49 Ill. Reg. 5114, 5124, 5162, 5172, 5192, 5210, 5220 (Apr. 18, 2025). The Board held two hearings (April 16 and May 20, 2025) to consider the technical feasibility and economic reasonableness of the first notice proposal. The Board's July 10, 2025 second notice opinion reviewed the rulemaking record, discussed various questions, issues, and changes made to the first notice rules. At its August 13, 2025 meeting, JCAR issued its certificate of no objection.

This opinion begins with an abbreviated procedural history of this rulemaking docket. It then briefly reviews changes to its second-notice proposal and considers the economic reasonableness and technical feasibility of the proposal. The Board then directs its Clerk to submit the rules to the Secretary of State for publication in the *Illinois Register*. The adopted rules can be found in the addendum to this order.

## **ABBREVIATED PROCEDURAL HISTORY**

On March 3, 2025, IEPA filed its rulemaking proposal. Accompanying the proposal were documents including IEPA’s Statement of Reasons and Technical Support Document and its proposed rules. The Board accepted the proposal for hearing without commenting on its substantive merits and submitted the proposal for first notice publication on March 20, 2025. *See* 49 Ill. Reg. 5114, 5124, 5162, 5172, 5192, 5210, 5220 (Apr. 18, 2025). Also on March 20, 2025, the Board requested that the Department of Commerce and Economic Opportunity (DCEO) conduct an economic impact study of IEPA’s proposal by April 30, 2025. *See* 415 ILCS 5/27(b) (2024). The Board did not receive a response to its request.

The Board held two hearings on IEPA’s proposal, the first on April 16, 2025, and the second on May 20, 2025.

On July 10, 2025, the Board adopted a second notice proposal (Second Notice) for review by the Joint Committee on Administrative Rules (JCAR). The Board’s second notice opinion discussed the rulemaking record in detail, including a section-by-section review of the proposal. Instead of reproducing that opinion here, the Board directs readers to the Clerk’s Office On-Line (COOL) on the Board’s website ([pcb.illinois.gov](http://pcb.illinois.gov)), where the entire docket including the first-notice opinion and order can be viewed under this docket number R25-22.

At its meeting on August 13, 2025, JCAR issued its certificate of no objection, subject to a limited number of changes, which are addressed in the next section of this opinion.

## **SECOND NOTICE CHANGES**

JCAR proposed a small number of non-substantive changes. Each of these is reflected in the adopted rules below but is not specifically addressed in this opinion.

## **ECONOMIC REASONABLENESS AND TECHNICAL FEASIBILITY**

### **Affected Facilities**

IEPA’s proposal “adding PPRW to the universal waste program would allow many sites managing such hazardous waste PPRW as very small quantity generators, small quantity generators, or large quantity generators to now manage PPRW as handlers of universal waste.” SR at 3. IEPA argued that the “reclassification of PPRW would ease the regulatory burden on retail stores and other parties that wish to collect PPRW under the PaintCare program; ease the regulatory burden on transporters of PPRW; promote the collection and recycling of PPRW; and encourage the development of programs to reduce the quantity of PPRW going to municipal solid waste landfills or incinerators.” *Id.*

### **Technical Feasibility**

At second notice, the Board concluded, based on the record then before it, that its proposal was technically feasible. Second Notice at 29.

IEPA argued that the proposed regulations are technically feasible and are consistent with the interim PPRW standards under Public Act 103-887 and “with applicable requirements for other types of universal waste.” SR at 4. IEPA stated that the proposed rules “provide an optional method for managing PPRW and are not mandatory, so anyone availing themselves of the universal waste rules will be doing so voluntarily.” *Id.* According to IEPA, the “very purpose of the universal waste rules is to provide a less burdensome and more streamlined method for handling the wastes to which they apply, by definition making them more technically feasible and economically reasonable than the regular hazardous waste rules that would otherwise apply.” *Id.*

Since the Board found its second notice proposal technically feasible, no addition to the record has persuasively disputed that finding. Based on its review of the record now before it, the Board concludes that its adopted rules implement Public Act 103-887 in a manner that is technically feasible.

### **Economic Reasonableness**

#### **Implementation**

At second notice, the Board concluded, based on the record then before it, that its proposal was economically reasonable. Second Notice at 29-30.

IEPA argued that the PPRW rules will have a positive economic effect. IEPA Resps.2 at 3. IEPA stated that managing hazardous waste is “expensive and overly burdensome, especially for a low-risk material such as hazardous waste PPRW. Without the universal waste rules, persons wanting to collect hazardous waste PPRW in partnership with PaintCare would have to obtain a hazardous waste permit and likely local siting approval as a pre-requisite.” *Id.* at 3-4. Instead, managing hazardous waste PPRW as universal waste would “allow these collectors to avoid hazardous waste permitting costs.” *Id.* at 4. According to IEPA, managing hazardous waste PPRW as universal waste will “allow businesses to avoid the costs of having to dispose of their hazardous waste PPRW as hazardous waste by manifesting it to a permitted hazardous waste disposal facility. These businesses can instead take their hazardous waste PPRW to a PaintCare collection site.” *Id.* Therefore, the positive economic effect “will occur in the form of avoided costs.” *Id.*

American Coatings Association (ACA) commented on the proposal’s economic impact at the second hearing. *See* Tr.2 at 37-40. ACA stated that the counties that typically manage household hazardous waste asked for PaintCare to be implemented in Illinois because “they deal with so much leftover paint, it’s expensive for them.” *Id.* at 38-39. ACA argued that part of the benefit of PaintCare is that counties and existing household hazardous waste infrastructure benefit significantly because PaintCare takes on the cost of post-consumer paint. *Id.* at 39. ACA also stated that Illinois counties asked PaintCare to come to Illinois to “take over management of this particular waste stream so they can use their resources to manage other types of waste, and

enhance their program offering to their [residents].” *Id.* Therefore, ACA concluded that the economic impact of the program coming to Illinois is very positive and there is a “significant, almost immediate impact on the counties.” *Id.*

### **Economic Impact Study**

As required by Section 27(b) of the Act (415 ILCS 5/27(b) (2024)), the Board in a letter dated March 20, 2025, requested that DCEO conduct an economic impact study of IEPA’s proposed rules. The Board requested that DCEO determine by April 30, 2025, whether it would conduct such a study. The Board received no response to this request.

### **Conclusion**

Since the Board found its second notice proposal economically reasonable, no addition to the record has persuasively disputed that finding. Based on its review of the record now before it, the Board concludes that its adopted rules implement Public Act 103-887 in a manner that is economically reasonable and will not have an adverse economic impact on the people of the State of Illinois. *See* 415 ILCS 5/27(b)(2) (2024).

### **CONCLUSION**

For the reason above, the Board concludes to add PPRW to its universal hazardous waste rules by amending Parts 703, 720, 721, 724, 725, 728, and 733 to comply with Public Act 103-887. The Board finds that its proposed rules are technically feasible and economically reasonable and will not have an adverse economic impact on the people of the State of Illinois. The adopted rules appear in the addendum to this order.

### **ORDER**

The Board directs the Clerk to submit adopted rules to the Secretary of State for publication in the *Illinois Register*.

IT IS SO ORDERED.

I, Don A. Brown, Clerk of the Illinois Pollution Control Board, certify that the Board adopted the above opinion and order on August 21, 2025, by a vote of 5-0.



Don A. Brown, Clerk  
Illinois Pollution Control Board

TITLE 35: ENVIRONMENTAL PROTECTION  
SUBTITLE G: WASTE DISPOSAL  
CHAPTER I: POLLUTION CONTROL BOARD  
SUBCHAPTER b: PERMITS

PART 703  
RCRA PERMIT PROGRAM

SUBPART A: GENERAL PROVISIONS

Section	
703.100	Scope and Relation to Other Parts
703.101	Purpose
703.102	Electronic Reporting
703.110	References

SUBPART B: PROHIBITIONS

Section	
703.120	Prohibitions in General
703.121	RCRA Permits
703.122	Specific Inclusions in Permit Program
703.123	Specific Exclusions and Exemptions from Permit Program
703.124	Discharges of Hazardous Waste
703.125	Reapplying for a Permit
703.126	Initial Applications
703.127	Federal Permits (Repealed)

SUBPART C: AUTHORIZATION BY RULE AND INTERIM STATUS

Section	
703.140	Purpose and Scope
703.141	Permits by Rule
703.150	Application by Existing HWM Facilities and Interim Status Qualifications
703.151	Application by New HWM Facilities
703.152	Amended Part A Application
703.153	Qualifying for Interim Status
703.154	Prohibitions During Interim Status
703.155	Changes During Interim Status
703.156	Interim Status Standards
703.157	Grounds for Termination of Interim Status
703.158	Permits for Less Than an Entire Facility
703.159	Closure by Removal
703.160	Procedures for Closure Determination
703.161	Enforceable Document for Post-Closure Care

## SUBPART D: APPLICATIONS

Section	
703.180	Applications in General
703.181	Contents of Part A
703.182	Contents of Part B
703.183	General Information
703.184	Facility Location Information
703.185	Groundwater Protection Information
703.186	Exposure Information
703.187	Solid Waste Management Units
703.188	Other Information
703.189	Additional Information Required to Assure Compliance with MACT Standards
703.191	Public Participation: Pre-Application Public Notice and Meeting
703.192	Public Participation: Public Notice of Application
703.193	Public Participation: Information Repository
703.200	Specific Part B Application Information
703.201	Containers
703.202	Tank Systems
703.203	Surface Impoundments
703.204	Waste Piles
703.205	Incinerators that Burn Hazardous Waste
703.206	Land Treatment
703.207	Landfills
703.208	Boilers and Industrial Furnaces Burning Hazardous Waste
703.209	Miscellaneous Units
703.210	Process Vents
703.211	Equipment
703.212	Drip Pads
703.213	Air Emission Controls for Tanks, Surface Impoundments, and Containers
703.214	Post-Closure Care Permits

## SUBPART E: SPECIAL FORMS OF PERMITS

Section	
703.220	Emergency Permits
703.221	Alternative Compliance with the Federal NESHAPS
703.222	Incinerator Conditions Prior to Trial Burn
703.223	Incinerator Conditions During Trial Burn
703.224	Incinerator Conditions After Trial Burn
703.225	Trial Burns for Existing Incinerators
703.230	Land Treatment Demonstration
703.231	Research, Development and Demonstration Permits
703.232	Permits for Boilers and Industrial Furnaces Burning Hazardous Waste
703.234	Remedial Action Plans
703.238	RCRA Standardized Permits for Storage and Treatment Units

## SUBPART F: PERMIT CONDITIONS OR DENIAL

Section	
703.240	Permit Denial
703.241	Establishing Permit Conditions
703.242	Noncompliance Pursuant to Emergency Permit
703.243	Monitoring
703.244	Notice of Planned Changes (Repealed)
703.245	Twenty-four Hour Reporting
703.246	Reporting Requirements
703.247	Anticipated Noncompliance
703.248	Information Repository

## SUBPART G: CHANGES TO PERMITS

Section	
703.260	Transfer
703.270	Modification or Reissuance
703.271	Causes for Modification
703.272	Causes for Modification or Reissuance
703.273	Facility Siting
703.280	Permit Modification at the Request of the Permittee
703.281	Class 1 Modifications
703.282	Class 2 Modifications
703.283	Class 3 Modifications

## SUBPART H: REMEDIAL ACTION PLANS

Section	
703.300	Special Regulatory Format
703.301	General Information
703.302	Applying for a RAP
703.303	Getting a RAP Approved
703.304	How a RAP May Be Modified, Reissued, or Terminated
703.305	Operating Under A RAP
703.306	Obtaining a RAP for an Off-Site Location

## SUBPART I: INTEGRATION WITH MAXIMUM ACHIEVABLE CONTROL TECHNOLOGY (MACT) STANDARDS

Section	
703.320	Options for Incinerators and Cement and Lightweight Aggregate Kilns to Minimize Emissions from Startup, Shutdown, and Malfunction Events

## SUBPART J: RCRA STANDARDIZED PERMITS

## FOR STORAGE AND TREATMENT UNITS

### Section

703.350	General Information About RCRA Standardized Permits
703.351	Applying for a RCRA Standardized Permit
703.352	Information That Must Be Kept at the Facility
703.353	Modifying a RCRA Standardized Permit

### 703.APPENDIX A Classification of Permit Modifications

**AUTHORITY:** Implementing Sections 7.2, 22.4, and 22.23e and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, 22.23e, and 27].

**SOURCE:** Adopted in R82-19 at 7 Ill. Reg. 14289, effective October 12, 1983; amended in R83-24 at 8 Ill. Reg. 206, effective December 27, 1983; amended in R84-9 at 9 Ill. Reg. 11899, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 1110, effective January 2, 1986; amended in R85-23 at 10 Ill. Reg. 13284, effective July 28, 1986; amended in R86-1 at 10 Ill. Reg. 14093, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20702, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6121, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13543, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19383, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2584, effective January 15, 1988; amended in R87-39 at 12 Ill. Reg. 13069, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 447, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18477, effective November 13, 1989; amended in R89-9 at 14 Ill. Reg. 6278, effective April 16, 1990; amended in R90-2 at 14 Ill. Reg. 14492, effective August 22, 1990; amended in R90-11 at 15 Ill. Reg. 9616, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14554, effective September 30, 1991; amended in R91-13 at 16 Ill. Reg. 9767, effective June 9, 1992; amended in R92-10 at 17 Ill. Reg. 5774, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20794, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6898, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12392, effective July 29, 1994; amended in R94-5 at 18 Ill. Reg. 18316, effective December 20, 1994; amended in R95-6 at 19 Ill. Reg. 9920, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11225, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 553, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7632, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17930, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 2153, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9381, effective July 26, 1999; amended in R00-13 at 24 Ill. Reg. 9765, effective June 20, 2000; amended in R01-21/R01-23 at 25 Ill. Reg. 9313, effective July 9, 2001; amended in R02-1/R02-12/R02-17 at 26 Ill. Reg. 6539, effective April 22, 2002; amended in R03-7 at 27 Ill. Reg. 3496, effective February 14, 2003; amended in R03-18 at 27 Ill. Reg. 12683, effective July 17, 2003; amended in R05-8 at 29 Ill. Reg. 5966, effective April 13, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 2845, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 487, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 11672, effective July 14, 2008; amended in R09-16/R10-4 at 34 Ill. Reg. 18505, effective November 12, 2010; amended in R13-15 at 37 Ill. Reg. 17659, effective October 24, 2013; amended in R16-7 at 40 Ill. Reg. 11271, effective August 9, 2016; amended in R17-14/R17-15/R18-12/R18-31 at 42 Ill. Reg. 20993, effective November 19, 2018;



amended in R19-11 at 43 Ill. Reg. 5777, effective May 2, 2019; amended in R20-8/R20-16 at 44 Ill. Reg. 15055, effective September 3, 2020; amended in R25-22 at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_.

## SUBPART B: PROHIBITIONS

### Section 703.123 Specific Exclusions and Exemptions from Permit Program

The following persons ~~are among those that~~ are not required to obtain a RCRA permit:

- a) A generator that accumulates hazardous waste on site in compliance with all of the conditions for exemption provided in 35 Ill. Adm. Code 722.114 through 722.117;
- b) A farmer that disposes of hazardous waste pesticides from the ~~farmer's~~ farmer's own use, as provided in 35 Ill. Adm. Code 722.170;
- c) A person that owns or operates a facility solely for the treatment, storage, or disposal of hazardous waste excluded from regulations under this Part by 35 Ill. Adm. Code 721.104 or 722.114 (VSQG exemption);
- d) An owner or operator of a totally enclosed treatment facility, as defined in 35 Ill. Adm. Code 720.110;
- e) An owner or operator of an elementary neutralization unit or wastewater treatment unit, as defined in 35 Ill. Adm. Code 720.110;
- f) A transporter that stores manifested shipments of hazardous waste in containers that meet the requirements of 35 Ill. Adm. Code 722.130 at a transfer facility for a period of ten days or less;
- g) A person that adds absorbent material to waste in a container (as defined in 35 Ill. Adm. Code 720.110) or a person that adds waste to absorbent material in a container, provided that these actions occur at the time waste is first placed in the container; and 35 Ill. Adm. Code 724.117(b), 724.271, and 724.272 are complied with; and
- h) A universal waste handler or universal waste transporter (as defined in 35 Ill. Adm. Code 720.110) that manages the wastes listed in subsections (h)(1) through (h)(6). Such a handler or transporter is subject to regulation under 35 Ill. Adm. Code 733.
  - 1) Batteries, as described in 35 Ill. Adm. Code 733.102;
  - 2) Pesticides, as described in 35 Ill. Adm. Code 733.103;

3) Mercury-containing equipment, as described in 35 Ill. Adm. Code 733.104;

4) Lamps, as described in 35 Ill. Adm. Code 733.105; ~~and~~

5) Aerosol cans, as described in 35 Ill. Adm. Code ~~733.106~~ 733.6; ~~and~~

6) Paint and paint-related wastes, as described in 35 Ill. Adm. Code 733.107.

- i) This subsection (i) corresponds with 40 CFR 270.1(c)(2)(ix), which applies only to a facility outside Illinois. This statement maintains structural consistency with the corresponding USEPA rule.
- j) Reverse Distributors Accumulating Potentially Creditable Hazardous Waste Pharmaceuticals and Evaluated Hazardous Waste Pharmaceuticals, as defined in Section 726.600. Reverse distributors are subject to regulation under Subpart P of 35 Ill. Adm. Code 726 for the accumulation of potentially creditable hazardous waste pharmaceuticals and evaluated hazardous waste pharmaceuticals.

BOARD NOTE: Derived from 40 CFR 270.1(c)(2).

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

TITLE 35: ENVIRONMENTAL PROTECTION  
SUBTITLE G: WASTE DISPOSAL  
CHAPTER I: POLLUTION CONTROL BOARD  
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 720  
HAZARDOUS WASTE MANAGEMENT SYSTEM: GENERAL

SUBPART A: GENERAL PROVISIONS

Section	
720.101	Purpose, Scope, and Applicability
720.102	Availability of Information; Confidentiality of Information
720.103	Use of Number and Gender
720.104	Manifest Copy Submission Requirements for Certain Interstate Waste Shipments
720.105	Applicability of Electronic Manifest System and User Fee Requirements to Facilities Receiving State-Only Regulated Waste Shipments
720.109	Electronic Reporting

SUBPART B: DEFINITIONS AND REFERENCES

Section	
720.110	Definitions
720.111	References

SUBPART C: RULEMAKING PETITIONS AND OTHER PROCEDURES

Section	
720.120	Rulemaking
720.121	Alternative Equivalent Testing Methods
720.122	Waste Delisting
720.123	Petitions for Regulation as Universal Waste
720.130	Procedures for Solid Waste Determinations and Non-Waste Determinations
720.131	Solid Waste Determinations
720.132	Boiler Determinations
720.133	Procedures for Determinations
720.134	Non-Waste Determinations
720.140	Additional Regulation of Certain Hazardous Waste Recycling Activities on a Case-by-Case Basis
720.141	Procedures for Case-by-Case Regulation of Hazardous Waste Recycling Activities
720.142	Notification Requirement for Hazardous Secondary Materials
720.143	Legitimate Recycling of Hazardous Secondary Materials
720.APPENDIX A	Overview of Federal RCRA Subtitle C (Hazardous Waste) Regulations (Repealed)

**AUTHORITY:** Implementing Sections 7.2, 13, 22.4, and 22.23e and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 13, 22.4, 22.23e, and 27].

**SOURCE:** Adopted in R81-22 at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22 at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-19 at 7 Ill. Reg. 14015, effective October 12, 1983; amended in R84-9 at 9 Ill. Reg. 11819, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 968, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 13998, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20630, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6017, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13435, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19280, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2450, effective January 15, 1988; amended in R87-39 at 12 Ill. Reg. 12999, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 362, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18278, effective November 13, 1989; amended in R89-2 at 14 Ill. Reg. 3075, effective February 20, 1990; amended in R89-9 at 14 Ill. Reg. 6225, effective April 16, 1990; amended in R90-10 at 14 Ill. Reg. 16450, effective September 25, 1990; amended in R90-17 at 15 Ill. Reg. 7934, effective May 9, 1991; amended in R90-11 at 15 Ill. Reg. 9323, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14446, effective September 30, 1991; amended in R91-13 at 16 Ill. Reg. 9489, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17636, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5625, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20545, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6720, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12160, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17480, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9508, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 10929, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 256, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7590, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17496, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 1704, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9094, effective July 26, 1999; amended in R00-5 at 24 Ill. Reg. 1063, effective January 6, 2000; amended in R00-13 at 24 Ill. Reg. 9443, effective June 20, 2000; amended in R01-3 at 25 Ill. Reg. 1266, effective January 11, 2001; amended in R01-21/R01-23 at 25 Ill. Reg. 9168, effective July 9, 2001; amended in R02-1/R02-12/R02-17 at 26 Ill. Reg. 6550, effective April 22, 2002; amended in R03-7 at 27 Ill. Reg. 3712, effective February 14, 2003; amended in R03-18 at 27 Ill. Reg. 12713, effective July 17, 2003; amended in R05-8 at 29 Ill. Reg. 5974, effective April 13, 2005; amended in R05-2 at 29 Ill. Reg. 6290, effective April 22, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 2930, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 730, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 11726, effective July 14, 2008; amended in R09-3 at 33 Ill. Reg. 922, effective December 30, 2008; amended in R09-16/R10-4 at 34 Ill. Reg. 18535, effective November 12, 2010; amended in R11-2/R11-16 at 35 Ill. Reg. 17672, effective October 14, 2011; amended in R12-7 at 36 Ill. Reg. 8740, effective June 4, 2012; amended in R13-5 at 37 Ill. Reg. 3180, effective March 4, 2013; amended in R13-15 at 37 Ill. Reg. 17726, effective October 24, 2013; amended in R14-1/R14-2/R14-3 at 38 Ill. Reg. 7189, effective March 13, 2014; amended in R14-13 at 38 Ill. Reg. 12378, effective May 27, 2014; amended in R15-1 at 39 Ill. Reg. 1542, effective January 12, 2015; amended in R16-7 at 40 Ill. Reg. 11286, effective August 9, 2016; amended in R17-14/R17-

15/R18-12/R18-31 at 42 Ill. Reg. 21215, effective November 19, 2018; amended in R19-3 at 43 Ill. Reg. 446, effective December 6, 2018; amended in R19-11 at 43 Ill. Reg. 5817, effective May 2, 2019; amended in R20-8/R20-16 at 44 Ill. Reg. 15067, effective September 3, 2020; amended in R21-13, R22-13, R24-4 at 48 Ill. Reg. 9723, effective June 20, 2024; amended in R24-12 at 48 Ill. Reg. 16776, effective November 7, 2024; amended in R25-22 at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_.

## SUBPART B: DEFINITIONS AND REFERENCES

### Section 720.110 Definitions

When used in 35 Ill. Adm. Code 720 through 728, 733, 738, and 739 only, the following terms have the meanings given below:

"Aboveground tank" means a device meeting the definition of tank that is situated so that the entire surface area of the tank is completely above the plane of the adjacent surrounding surface and the entire surface area of the tank (including the tank bottom) can be visually inspected.

"Active life" of a facility means the period from the initial receipt of hazardous waste at the facility until the Agency receives certification of final closure.

"Active portion" means that portion of a facility where treatment, storage, or disposal operations are being or have been conducted after May 19, 1980, and that is not a closed portion. (See also "closed portion".)

"Acute hazardous waste" means hazardous waste that meets the listing criteria in 35 Ill. Adm. Code 721.111(a)(2) and therefore is either listed in 35 Ill. Adm. Code 721.131 with the assigned hazard code of (H) or is listed in 35 Ill. Adm. Code 721.133(e).

BOARD NOTE: These are USEPA hazardous waste numbers F020, F021, F022, F023, F026, and F027, and all USEPA hazardous waste numbers having the prefix "P".

"Administrator" means the Administrator of the United States Environmental Protection Agency or the Administrator's~~Administrator's~~ designee.

"Aerosol can" means a non-refillable receptacle containing a gas compressed, liquefied, or dissolved under pressure, the sole purpose of which is to expel a liquid, paste, or powder, and fitted with a self-closing release device allowing the gas to eject the contents.

"Agency" means the Illinois Environmental Protection Agency.

"Airbag waste" means any hazardous waste airbag modules or hazardous waste airbag inflators.

"Airbag waste collection facility" means any facility that receives airbag waste from airbag handlers subject to regulation under 35 Ill. Adm. Code 721.104(j) and that accumulates the waste for more than ten days.

"Airbag waste handler" means any person, by site, that generates airbag waste that is subject to regulation under 35 Ill. Adm. Code 721.104(j).

"Ancillary equipment" means any devices, like piping, fittings, flanges, valves, and pumps, that are used to distribute, meter, or control the flow of hazardous waste from its point of generation to storage or treatment tanks, between hazardous waste storage and treatment tanks to a point of disposal onsite, or to a point of shipment for disposal off-site.

"Aquifer" means a geologic formation, group of formations, or part of a formation capable of yielding a significant amount of groundwater to wells or springs.

"Authorized representative" means the person overall responsible for operating a facility or an operational unit (i.e., part of a facility), e.g., the plant manager, superintendent, or person of equivalent responsibility.

"Battery" means a device that consists of one or more electrically connected electrochemical cells that is designed to receive, store, and deliver electric energy. An electrochemical cell is a system consisting of an anode, cathode, and an electrolyte, plus those connections (electrical and mechanical) that are needed to allow the cell to deliver or receive electrical energy. The term battery also includes an intact, unbroken battery from which the electrolyte has been removed.

"Board" means the Illinois Pollution Control Board.

"Boiler" means an enclosed device using controlled flame combustion and having the following characteristics:

Boiler by physical characteristics:

The unit must have physical provisions for recovering and exporting thermal energy in the form of steam, heated fluids, or heated gases; and the ~~unit's~~ combustion chamber and primary energy recovery sections must be of integral design. To be of integral design, the combustion chamber and the primary energy recovery sections (like waterwalls and superheaters) must be physically formed into one manufactured or assembled unit. A unit in which the combustion chamber and the primary energy recovery sections are joined only by ducts or connections carrying flue gas is not integrally designed; however, secondary energy recovery equipment (like economizers or air preheaters) need not be physically formed

into the same unit as the combustion chamber and the primary energy recovery section. The following units are not precluded from being boilers solely because they are not of integral design: process heaters (units that transfer energy directly to a process stream) and fluidized bed combustion units; and

While in operation, the unit must maintain a thermal energy recovery efficiency of at least 60 percent, calculated in terms of the recovered energy compared with the thermal value of the fuel; and

The unit must export and utilize at least 75 percent of the recovered energy, calculated on an annual basis. In this calculation, no credit may be given for recovered heat used internally in the same unit. (Examples of internal use are the preheating of fuel or combustion air, and the driving of induced or forced draft fans or feedwater pumps.); or

Boiler by designation. The unit is one that the Board has determined, on a case-by-case basis, to be a boiler, after considering the standards in Section 720.132.

"Carbon dioxide stream" means carbon dioxide that has been captured from an emission source (e.g., a power plant), plus incidental associated substances derived from the source materials and the capture process, and any substances added to the stream to enable or improve the injection process.

"Carbon regeneration unit" means any enclosed thermal treatment device used to regenerate spent activated carbon.

"Cathode ray tube" or "CRT" means a vacuum tube, composed primarily of glass, which is the visual or video display component of an electronic device. A "used, intact CRT" means a CRT whose vacuum has not been released. A "used, broken CRT" means glass removed from its housing or casing whose vacuum has been released.

"Central accumulation area" means any on-site area where hazardous waste is accumulating in units subject to either 35 Ill. Adm. Code 722.116 (for an SQG) or 35 Ill. Adm. Code 722.117 (for an LQG). A central accumulation area at an eligible academic entity that chooses to operate under Subpart K of 35 Ill. Adm. Code 722 is also subject to 35 Ill. Adm. Code 722.311 when accumulating unwanted material or hazardous waste.

"Certification"<sup>22</sup> means a statement of professional opinion based upon knowledge and belief.

"Closed portion" means that portion of a facility that an owner or operator has closed in compliance with the approved facility closure plan and all applicable closure requirements. (See also "active portion".)

"Component" means either the tank or ancillary equipment of a tank system.

"Confined aquifer" means an aquifer bounded above and below by impermeable beds or by beds of distinctly lower permeability than that of the aquifer itself; an aquifer containing confined groundwater.

"Contained" means held in a unit (including a land-based unit, as defined in this Section) that meets either of the following containment situations:

Containment situation 1 (non-hazardous waste containment):

The unit is in good condition, with no leaks or other continuing or intermittent unpermitted releases of the hazardous secondary materials to the environment, and is designed, as appropriate for the hazardous secondary materials, to prevent unpermitted releases of hazardous secondary materials to the environment.

"Unpermitted releases" are releases that are not covered by a permit (e.g., a permit to discharge to water or air) and may include releases through surface transport by precipitation run-off, releases to soil and groundwater, windblown dust, fugitive air emissions, and catastrophic unit failures;

The unit is properly labeled or otherwise has a system (like a log) to immediately identify the hazardous secondary materials in the unit; and

The unit holds hazardous secondary materials that are compatible with other hazardous secondary materials placed in the unit, is compatible with the materials used to construct the unit and addresses any potential risks of fires or explosions.

Containment situation 2 (hazardous waste containment):

Hazardous secondary materials in units that meet the applicable requirements of 35 Ill. Adm. Code 724 or 725 are presumptively contained.

"Container" means any portable device in which a material is stored, transported, treated, disposed of, or otherwise handled.



"Containment building" means a hazardous waste management unit that is used to store or treat hazardous waste under the provisions of Subpart DD of 35 Ill. Adm. Code 724 and Subpart DD of 35 Ill. Adm. Code 725.

"Contingency plan" means a document setting out an organized, planned, and coordinated course of action to be followed in case of a fire, explosion, or release of hazardous waste or hazardous waste constituents that could threaten human health or the environment.

"Corrosion expert" means a person who, by reason of knowledge of the physical sciences and the principles of engineering and mathematics, acquired by a professional education and related practical experience, is qualified to engage in the practice of corrosion control on buried or submerged metal piping systems and metal tanks. The person must be certified as being qualified by the National Association of Corrosion Engineers (NACE) or be a registered professional engineer who has certification or licensing that includes education and experience in corrosion control on buried or submerged metal piping systems and metal tanks.

"CRT collector" means a person that receives used, intact CRTs for recycling, repair, resale, or donation.

"CRT exporter" means any person in the United States that initiates a transaction to send used CRTs outside the United States or its territories for recycling or reuse, or any intermediary in the United States arranging for the export.

"CRT glass manufacturer" means an operation or part of an operation that uses a furnace to manufacture CRT glass.

"CRT processing" means conducting the following activities:

Receiving broken or intact CRTs;

Intentionally breaking intact CRTs or further breaking or separating broken CRTs; and

Sorting or otherwise managing glass removed from CRT monitors.

"Designated facility" means either of the following entities:

A hazardous waste treatment, storage, or disposal facility that has been designated on the manifest by the generator, under 35 Ill. Adm. Code 722.120, of which any of the following is true:

The facility has received a RCRA permit (or interim status) under 35 Ill. Adm. Code 702, 703, and 705;

The facility has received a RCRA permit from USEPA under 40 CFR 124 and 270;

The facility has received a RCRA permit from a state authorized by USEPA under 40 CFR 271; or

The facility is regulated under 35 Ill. Adm. Code 721.106(c)(2) or Subpart F of 35 Ill. Adm. Code 726; or

A generator site designated by the hazardous waste generator on the manifest to receive back its own waste as a return shipment from a designated hazardous waste treatment, storage, or disposal facility that has rejected the waste according to 35 Ill. Adm. Code 724.172(f) or 725.172(f).

If a waste is destined to a facility in a state other than Illinois that has been authorized by USEPA under 40 CFR 271, but that has not yet obtained authorization to regulate that waste as hazardous, then the designated facility must be a facility allowed by the receiving state to accept the waste.

"Destination facility" means a facility that treats, disposes of, or recycles a particular category of universal waste, except those management activities described in 35 Ill. Adm. Code 733.113(a) and (c) and 733.133(a) and (c). A facility at which a particular category of universal waste is only accumulated is not a destination facility for managing that category of universal waste.

"Dike" means an embankment or ridge of either natural or manmade materials used to prevent the movement of liquids, sludges, solids, or other materials.

"Dioxins and furans" means tetra-, penta-, hexa-, hepta-, and octa-chlorinated dibenzodioxins and furans.

"Director" means the Director of the Illinois Environmental Protection Agency.

"Discharge" or "hazardous waste discharge" means the accidental or intentional spilling, leaking, pumping, pouring, emitting, emptying, or dumping of hazardous waste into or on any land or water.

"Disposal" means the discharge, deposit, injection, dumping, spilling, leaking, or placing of any solid waste or hazardous waste into or on any land or water so that the solid waste or hazardous waste or any of its constituent may enter the environment or be emitted into the air or discharged into any waters, including groundwaters.

"Disposal facility" means a facility or part of a facility at which hazardous waste is intentionally placed into or on any land or water and at which waste will remain after

closure. The term disposal facility does not include a corrective action management unit (CAMU) into which remediation wastes are placed.

"Drip pad" means an engineered structure consisting of a curbed, free-draining base, constructed of non-earthen materials and designed to convey preservative kick-back or drippage from treated wood, precipitation and surface water run-on to an associated collection system at wood preserving plants.

"Electronic import-export reporting compliance date" means the date that USEPA will announce in the Federal Register, on or after which exporters, importers, and receiving facilities will be required to submit certain export and import related documents to USEPA using [USEPA's](#) ~~USEPA's~~ Waste Import Export Tracking System, or its successor system.

BOARD NOTE: A compliance date in Illinois regulations is limited to a date certain on or after the Board has adopted the date by rulemaking. Adoption by rulemaking of the electronic import-export reporting compliance date can occur only after USEPA has made its announcement in the Federal Register. Until the Board has incorporated a date certain by rulemaking, the Board intends that no "electronic import-export reporting compliance date" will apply in the context of the Illinois rules. The federal electronic import-export reporting compliance date named by USEPA, however, may apply as provided by federal law.

"Electronic manifest" or "e-Manifest" means the electronic format of the hazardous waste manifest that is obtained from [USEPA's](#) ~~USEPA's~~ national e-Manifest System and transmitted electronically to the e-Manifest System, and that is the legal equivalent of USEPA Forms 8700-22 (Manifest) and 8700-22A (Continuation Sheet).

"Electronic Manifest System" or "e-Manifest System" means [USEPA's](#) ~~USEPA's~~ national information technology system through which the e-Manifest may be obtained, completed, transmitted, and distributed to users of the e-Manifest System and to regulatory agencies.

"Elementary neutralization unit" means a device that meets the following:

It is used for neutralizing wastes that are hazardous only because they exhibit the corrosivity characteristic defined in 35 Ill. Adm. Code 721.122 or that are listed in Subpart D of 35 Ill. Adm. Code 721 only for this reason; and

It meets the definition of tank, tank system, container, transport vehicle, or vessel in this Section.

"EPA region" or "USEPA region" means the states and territories found in any one of the following ten regions:

Region I: Maine, Vermont, New Hampshire, Massachusetts, Connecticut, and Rhode Island.

Region II: New York, New Jersey, Commonwealth of Puerto Rico, and the U.S. Virgin Islands.

Region III: Pennsylvania, Delaware, Maryland, West Virginia, Virginia, and the District of Columbia.

Region IV: Kentucky, Tennessee, North Carolina, Mississippi, Alabama, Georgia, South Carolina, and Florida.

Region V: Minnesota, Wisconsin, Illinois, Michigan, Indiana, and Ohio.

Region VI: New Mexico, Oklahoma, Arkansas, Louisiana, and Texas.

Region VII: Nebraska, Kansas, Missouri, and Iowa.

Region VIII: Montana, Wyoming, North Dakota, South Dakota, Utah, and Colorado.

Region IX: California, Nevada, Arizona, Hawaii, Guam, American Samoa, and Commonwealth of the Northern Mariana Islands.

Region X: Washington, Oregon, Idaho, and Alaska.

"Equivalent method" means any testing or analytical method approved by the Board under Section 720.120.

"Existing hazardous waste management (HWM) facility" or "existing facility" means a facility that was in operation or for which construction commenced on or before November 19, 1980. A facility commenced construction if the owner or operator obtained the federal, State, and local approvals or permits necessary to begin physically constructing the facility and either of the following occurred:

A continuous on-site, physical construction program began; or

The owner or operator entered contractual obligations that could not be canceled or modified without substantial loss for physically constructing the facility to be completed within a reasonable time.

"Existing portion" means that land surface area of an existing waste management unit, included in the original RCRA Part A permit application, on which wastes have been placed prior to the issuance of a permit.

"Existing tank system" or "existing component" means a tank system or component that is used for the storage or treatment of hazardous waste and that was in operation, or for which installation was commenced, on or prior to July 14, 1986. Installation will be considered to have commenced if the owner or operator has obtained all federal, State, and local approvals or permits necessary to begin physically constructing the site or installing the tank system and if either of the following is met:

A continuous on-site physical construction or installation program has begun; or

The owner or operator entered contractual obligations that cannot be canceled or modified without substantial loss for physically constructing the site or installing the tank system to be completed within a reasonable time.

"Explosives or munitions emergency" means a situation involving the suspected or detected presence of unexploded ordnance (UXO), damaged or deteriorated explosives or munitions, an improvised explosive device (IED), other potentially explosive material or device, or other potentially harmful military chemical munitions or device, that creates an actual or potential imminent threat to human health, including safety, or the environment, including property, as determined by an explosives or munitions emergency response specialist. These situations may require immediate and expeditious action by an explosives or munitions emergency response specialist to control, mitigate, or eliminate the threat.

"Explosives or munitions emergency response" means all immediate response activities by an explosives and munitions emergency response specialist to control, mitigate, or eliminate the actual or potential threat encountered during an explosives or munitions emergency. An explosives or munitions emergency response may include in-place render-safe procedures, treatment, or destruction of the explosives or munitions or transporting those items to another location to be rendered safe, treated, or destroyed. Any reasonable delay in completing an explosives or munitions emergency response caused by a necessary, unforeseen, or uncontrollable circumstance will not terminate the explosives or munitions emergency. Explosives and munitions emergency responses can occur on either public or private lands and are not limited to responses at RCRA facilities.

"Explosives or munitions emergency response specialist" means an individual trained in chemical or conventional munitions or explosives handling, transportation, render-safe procedures, or destruction techniques. Explosives or munitions emergency response specialists include United States Department of Defense (USDOD) emergency explosive ordnance disposal (EOD), technical escort unit (TEU), and USDOD-certified civilian or contractor personnel and other federal, State, or local government or civilian personnel who are similarly trained in explosives or munitions emergency responses.

"Facility" means the following:

All contiguous land and structures, other appurtenances, and improvements on the land used for treating, storing, or disposing of hazardous waste or for managing hazardous secondary materials prior to reclamation. A facility may comprise several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).

For implementing corrective action under 35 Ill. Adm. Code 724.201 or 35 Ill. Adm. Code 727.201, all contiguous property under the control of the owner or operator seeking a permit under Subtitle C of RCRA. This definition also applies to facilities implementing corrective action under RCRA section 3008(h).

Despite the immediately-preceding paragraph of this definition, a remediation waste management site is not a facility that is subject to 35 Ill. Adm. Code 724.201, but a facility that is subject to corrective action requirements if the site is located within the facility.

"Federal agency" means any department, agency, or other instrumentality of the federal government, any independent agency or establishment of the federal government, including any government corporation and the Government Printing Office.

"Federal, State, and local approvals or permits necessary to begin physically constructing" means permits and approvals required under federal, State, or local hazardous waste control statutes, regulations, or ordinances.

"Final closure" means the closure of all hazardous waste management units at the facility in compliance with all applicable closure requirements so that hazardous waste management activities under 35 Ill. Adm. Code 724 and 725 are no longer conducted at the facility unless subject to the provisions of 35 Ill. Adm. Code 722.116 and 722.117.

"Food-chain crops" means tobacco, crops grown for human consumption, and crops grown for feed for animals whose products are consumed by humans.

"Freeboard" means the vertical distance between the top of a tank or surface impoundment dike and the surface of the waste contained therein.

"Free liquids" means liquids that readily separate from the solid portion of a waste under ambient temperature and pressure.

"Generator" means any person, by site, whose act or process produces hazardous waste identified or listed in 35 Ill. Adm. Code 721 or whose act first causes a hazardous waste to become subject to regulation.

"Groundwater" means water below the land surface in a zone of saturation.

"Hazardous secondary material" means a secondary material (e.g., spent material, by-product, or sludge) that, when discarded, would be identified as hazardous waste under 35 Ill. Adm. Code 721.

"Hazardous secondary material generator" means any person whose act or process produces hazardous secondary materials at the generating facility. For this definition, "generating facility" means all contiguous property owned, leased, or otherwise controlled by the hazardous secondary material generator. For Sections 721.102(a)(2)(B) and 721.104(a)(23), a facility that collects hazardous secondary materials from other persons is not the hazardous secondary material generator.

"Hazardous waste" means a hazardous waste as defined in 35 Ill. Adm. Code 721.103.

"Hazardous waste constituent" means a constituent that caused the hazardous waste to be listed in Subpart D of 35 Ill. Adm. Code 721, or a constituent listed in 35 Ill. Adm. Code 721.124.

"Hazardous waste management unit" is a contiguous area of land on or in which hazardous waste is placed, or the largest area in which there is significant likelihood of mixing hazardous waste constituents in the same area. Examples of hazardous waste management units include a surface impoundment, a waste pile, a land treatment area, a landfill cell, an incinerator, a tank and its associated piping and underlying containment system, and a container storage area. A container alone does not constitute a unit; the unit includes containers, and the land or pad upon which they are placed.

"Incinerator" means any enclosed device that:

Uses controlled flame combustion, and the device:

Does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor

Is not listed as an industrial furnace; or

Meets the definition of infrared incinerator or plasma arc incinerator.

"Incompatible waste" means a hazardous waste that is unsuitable for the following:

Placement in a particular device or facility because it may cause corrosion or decay of containment materials (e.g., container inner liners or tank walls); or

Commingling with another waste or material under uncontrolled conditions because the commingling might produce heat or pressure, fire, or explosion, violent reaction, toxic dusts, mists, fumes or gases, or flammable fumes or gases.

(See Appendix E to 35 Ill. Adm. Code 724 and Appendix E to 35 Ill. Adm. Code 725 for references that list examples.)

"Individual generator site" means the contiguous site at or on which one or more hazardous wastes are generated. An individual generator site, like a large manufacturing plant, may have one or more sources of hazardous waste but is considered a single or individual generator site if the site or property is contiguous.

"Industrial furnace" means any of the following enclosed devices that are integral components of manufacturing processes and that use thermal treatment to accomplish recovery of materials or energy:

Cement kilns;

Lime kilns;

Aggregate kilns;

Phosphate kilns;

Coke ovens;

Blast furnaces;

Smelting, melting, and refining furnaces (including pyrometallurgical devices like cupolas, reverberator furnaces, sintering machines, roasters, and foundry furnaces);

Titanium dioxide chloride process oxidation reactors;

Methane reforming furnaces;

Pulping liquor recovery furnaces;

Combustion devices used in the recovery of sulfur values from spent sulfuric acid;

Halogen acid furnaces (HAFs) for producing acid from halogenated hazardous waste generated by chemical production facilities where the furnace is located on the site of a chemical production facility, the acid product has a halogen acid content of at least three percent, the acid product



is used in a manufacturing process, and, except for hazardous waste burned as fuel, hazardous waste fed to the furnace has a minimum halogen content of 20 percent, as generated; and

Any other device that the Agency determines to be an industrial furnace based on one or more of the following factors:

The design and use of the device primarily to accomplish recovery of material products;

The use of the device to burn or reduce raw materials to make a material product;

The use of the device to burn or reduce secondary materials as effective substitutes for raw materials, in processes using raw materials as principal feedstocks;

The use of the device to burn or reduce secondary materials as ingredients in an industrial process to make a material product;

The use of the device in common industrial practice to produce a material product; and

Other relevant factors.

"Infrared incinerator" means any enclosed device that uses electric powered resistance heaters as a source of radiant heat followed by an afterburner using controlled flame combustion and that is not listed as an industrial furnace.

"Inground tank" means a device meeting the definition of tank with any portion of the tank wall situated within the ground, so that the ground prevents visually inspecting that external surface area of the tank.

"In operation" refers to a facility that is treating, storing, or disposing of hazardous waste.

"Injection well" means a well into which fluids are being injected. (See also "underground injection<sup>22</sup>".)

"Inner liner" means a continuous layer of material placed inside a tank or container that protects the construction materials of the tank or container from the contained waste or reagents used to treat the waste.

"Installation inspector" means a person who, by reason of knowledge of the physical sciences and the principles of engineering, acquired by a professional education and related practical experience, is qualified to supervise installing tank systems.

"Intermediate facility"<sup>22</sup> means any facility that stores hazardous secondary materials for more than ten days and that is neither a hazardous secondary material generator nor a reclaimer of hazardous secondary material.

"International shipment" means transporting hazardous waste into or out of the jurisdiction of the United States.

"Lamp" or "universal waste lamp" means the bulb or tube portion of an electric lighting device. A lamp is specifically designed to produce radiant energy, most often in the ultraviolet, visible, or infrared regions of the electromagnetic spectrum. Examples of common universal waste lamps include fluorescent, high intensity discharge, neon, mercury vapor, high-pressure sodium, and metal halide lamps.

"Land-based unit" means an area where hazardous secondary materials are placed in or on the land before recycling. This definition does not include land-based production units.

"Land treatment facility" means a facility or part of a facility at which hazardous waste is applied onto or incorporated into the soil surface; these facilities are disposal facilities if the waste will remain after closure.

"Landfill" means a disposal facility or part of a facility where hazardous waste is placed in or on land and that is not a pile, a land treatment facility, a surface impoundment, an underground injection well, a salt dome formation, a salt bed formation, an underground mine, a cave, or a corrective action management unit (CAMU).

"Landfill cell" means a discrete volume of a hazardous waste landfill that uses a liner to isolate wastes from adjacent cells or wastes. Examples of landfill cells are trenches and pits.

"Large quantity generator" or "LQG" means a generator that generates any of the following amounts of material in a calendar month:

Greater than or equal to 1,000 kg (2,200 lbs) of non-acute hazardous waste;

Greater than 1 kg (2.2 lbs) of acute hazardous waste listed in 35 Ill Adm. Code 721.131 or 721.133(e); or

Greater than 100 kg (220 lbs) of any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill, into or on any land or water, of any acute hazardous waste listed in 35 Ill Adm. Code 721.131 or 721.133(e).

"LDS" means leak detection system.

"Leachate" means any liquid, including any suspended components in the liquid, that has percolated through or drained from hazardous waste.

"Liner" means a continuous layer of natural or manmade materials beneath or on the sides of a surface impoundment, landfill, or landfill cell that restricts the downward or lateral escape of hazardous waste, hazardous waste constituents, or leachate.

"Leak-detection system" means a system capable of detecting the failure of either the primary or secondary containment structure or the presence of a release of hazardous waste or accumulated liquid in the secondary containment structure. The system must employ operational controls (e.g., daily visual inspections for releases into the secondary containment system of aboveground tanks) or comprise an interstitial monitoring device designed to detect continuously and automatically the failure of the primary or secondary containment structure or the presence of a release of hazardous waste into the secondary containment structure.

"Management" or "hazardous waste management" means the systematic control of the collection, source separation, storage, transportation, processing, treatment, recovery, and disposal of hazardous waste.

"Manifest" means the shipping document USEPA Form 8700-22 (including, if necessary, USEPA Form 8700-22A), or the e-Manifest, originated and signed in compliance with the applicable requirements of 35 Ill. Adm. Code 722 through 727.

"Manifest tracking number" means the alphanumeric identification number (i.e., a unique three letter suffix preceded by nine numerical digits) that is pre-printed in Item 4 of the manifest by a registered source.

"Mercury-containing equipment" means a device or part of a device (including thermostats but excluding batteries and lamps) that contains elemental mercury integral to its function.

"Military munitions" means all ammunition products and components produced or used by or for the United States Department of Defense or the United States Armed Services for national defense and security, including military munitions under the control of the United States Department of Defense (USDOD), the United States Coast Guard, the United States Department of Energy (USDOE), and National Guard personnel. The term military munitions includes: confined gaseous, liquid, and solid propellants, explosives, pyrotechnics, chemical and riot control agents, smokes, and incendiaries used by USDOD components, including bulk explosives and chemical warfare agents, chemical munitions, rockets, guided and ballistic missiles, bombs, warheads, mortar rounds, artillery ammunition, small arms ammunition, grenades, mines, torpedoes, depth charges, cluster

munitions and dispensers, demolition charges, and devices and components of these items and devices. Military munitions do not include wholly inert items, improvised explosive devices, and nuclear weapons, nuclear devices, and nuclear components of these items and devices. However, the term does include non-nuclear components of nuclear devices, managed under [USDOE's](#) ~~USDOE's~~ nuclear weapons program after all sanitization operations required under the Atomic Energy Act of 1954 (42 U.S.C. 2014 et seq.), as amended, have been completed.

"Mining overburden returned to the mine site" means any material overlying an economic mineral deposit that is removed to gain access to that deposit and is then used for reclaiming a surface mine.

"Miscellaneous unit" means a hazardous waste management unit where hazardous waste is treated, stored, or disposed of and that is not a container; tank; surface impoundment; pile; land treatment unit; landfill; incinerator; boiler; industrial furnace; underground injection well with appropriate technical standards under 35 Ill. Adm. Code 730; containment building; corrective action management unit (CAMU); unit eligible for a research, development, and demonstration permit under 35 Ill. Adm. Code 703.231; or staging pile.

"Movement" means hazardous waste that is transported to a facility in an individual vehicle.

"NAICS Code" means the code number assigned a facility using the "North American Industry Classification System", incorporated by reference in Section 720.111.

"New hazardous waste management facility", "new HWM facility", or "new facility" means a facility that began operation, or for which construction commenced after November 19, 1980. (See also "Existing hazardous waste management facility".)

"New tank system" or "new tank component" means a tank system or component that will be used for the storage or treatment of hazardous waste and for which installation commenced after July 14, 1986; except for 35 Ill. Adm. Code 724.293(g)(2) and 725.293(g)(2), a new tank system is one for which construction commenced after July 14, 1986. (See also "existing tank system".)

"No free liquids", as used in 35 Ill. Adm. Code 721.104(a)(26) and (b)(18), means that solvent-contaminated wipes may not contain free liquids, as determined by Method 9095B (Paint Filter Liquids Test), included in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", incorporated by reference in Section 720.111, and that there is no free liquid in the container holding the wipes. No free liquids may also be determined using another standard or test

method that the Agency has determined by permit condition is equivalent to Method 9095B.

"Non-acute hazardous waste" means hazardous waste that is not acute hazardous waste, as defined in this Section.

"On-ground tank" means a device meeting the definition of tank whose bottom is situated on the same level as the adjacent surrounding surfaces so that visually inspecting the external tank bottom is not possible.

"On-site" means the same or geographically contiguous property that may be divided by public or private right-of-way, provided the entrance and exit between the properties is at a crossroads intersection and access is by crossing as opposed to going along the right-of-way. Non-contiguous properties owned by the same person but connected by a right-of-way that the owner controls and to which the public does not have access is also considered on-site property.

"Open burning" means combusting any material without the following characteristics:

Controlling combustion air to maintain adequate temperature for efficient combustion;

Containing the combustion reaction in an enclosed device to provide sufficient residence time and mixing for complete combustion; and

Controlling emission of the gaseous combustion products.  
(See also "incineration" and "thermal treatment".)

"Operator" means the person responsible for the overall operating of a facility.

"Owner" means the person that owns a facility or part of a facility.

"Paint" means a pigmented or unpigmented powder coating, or a pigmented or unpigmented mixture of binder and suitable liquid, that forms an adherent coating when applied to a surface. Powder coating is a surface coating that is applied as a dry powder and is fused into a continuous coating film through the use of heat. "Paint" includes architectural paint as defined in the Paint Stewardship Act but does not include other types of coatings such as industrial original equipment or specialty coatings. [415 ILCS 5/22.23e]

"Paint-related waste" is (i) material contaminated with paint that results from the packaging of paint, wholesale and retail operations, paint manufacturing, and paint application or removal activities or (ii) material derived from the reclamation of paint-related wastes that is recycled in a manner other than burning for energy recovery or used in a manner constituting disposal. [415 ILCS 5/22.23e]

"Partial closure" means the closure of a hazardous waste management unit in compliance with the applicable closure requirements of 35 Ill. Adm. Code 724 or 725 at a facility that contains other active hazardous waste management units. For example, partial closure may include the closure of a tank (including its associated piping and underlying containment systems), landfill cell, surface impoundment, waste pile, or other hazardous waste management unit, while other units of the same facility continue to operate.

"Person" means an individual, trust, firm, joint stock company, federal agency, corporation (including a government corporation), partnership, association, state, municipality, commission, political subdivision of a state, or any interstate body.

"Personnel" or "facility personnel" means all persons who work at or oversee the operations of a hazardous waste facility and whose actions or failure to act may result in not complying with 35 Ill. Adm. Code 724 or 725.

"Pesticide" means any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest or intended for use as a plant regulator, defoliant, or desiccant, other than any article that meets one of the following descriptions:

It is a new animal drug under section 201(v) of the Federal Food, Drug and Cosmetic Act (FFDCA; 21 U.S.C. 321(v)), incorporated by reference in Section 720.111(c);

It is an animal drug that has been determined by regulation of the federal Secretary of Health and Human Services under FFDCA section 512 (21 U.S.C. 360b), incorporated by reference in Section 720.111(c), to be an exempted new animal drug; or

It is an animal feed under FFDCA section 201(w) (21 U.S.C. 321(w)), incorporated by reference in Section 720.111(c), that bears or contains any substances described in either of the two preceding paragraphs of this definition.

BOARD NOTE: The second exception of corresponding 40 CFR 260.10 reads as follows: "Is an animal drug that has been determined by regulation of the Secretary of Health and Human Services not to be a new animal drug". This is very similar to the language of section 2(u) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA; 7 U.S.C. 136(u)). The three exceptions, taken together, appear intended not to include as pesticide any material within the scope of federal Food and Drug Administration regulation. The Board codified this provision with the intent of retaining the same meaning as its federal counterpart while adding the definiteness required under Illinois law.

"Physical construction" or "physically constructing" (RCRA) means excavating, moving earth, erecting forms or structures, or similar activity to prepare an HWM facility for accepting hazardous waste.

"Pile" means any non-containerized accumulation of solid, non-flowing hazardous waste that is used for treatment or storage, and that is not a containment building.

"Plasma arc incinerator" means any enclosed device that uses a high intensity electrical discharge or arc as a source of heat followed by an afterburner using controlled flame combustion and that is not listed as an industrial furnace.

"Point source" means any discernible, confined, and discrete conveyance, including any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.

"Publicly owned treatment works" or "POTW" is as defined in 35 Ill. Adm. Code 310.110.

"Qualified groundwater scientist" means a scientist or engineer who has received a baccalaureate or postgraduate degree in the natural sciences or engineering and has sufficient training and experience in groundwater hydrology and related fields, as demonstrated by state registration, professional certification, or completing accredited university courses that enable the individual to make sound professional judgments regarding groundwater monitoring and contaminant rate and transport. BOARD NOTE: State registration includes registration as a professional engineer with the Department of Professional Regulation under 225 ILCS 325 and 68 Ill. Adm. Code 1380. Professional certification includes certification under the certified groundwater professional program of the National Ground Water Association.

"RCRA" means the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, as amended (42 U.S.C. 6901 et seq.).

"RCRA standardized permit" means a RCRA permit issued under Subpart J of 35 Ill. Adm. Code 703 and Subpart G of 35 Ill. Adm. Code 702 that authorizes management of hazardous waste. The RCRA standardized permit may have two parts: a uniform portion issued in all cases and a supplemental portion issued at the discretion of the Agency.

"Recognized trader" means a person domiciled in the United States, by site of business, who acts to arrange and facilitate transboundary movements of wastes destined for recovery or disposal operations, either by purchasing from and subsequently selling to United States and foreign facilities, or by acting under arrangements with a United States waste facility to arrange for the export or import of the wastes.

"Regional Administrator" means the Regional Administrator for the USEPA region in which the facility is located or the Regional ~~Administrator's~~[Administrator's](#) designee.

"Remanufacturing" means processing a higher-value hazardous secondary material to manufacture a product that serves a similar functional purpose as the original commercial-grade material. For this definition, a hazardous secondary material is considered higher-value if it was generated from the use of a commercial-grade material in a manufacturing process and can be remanufactured into a similar commercial-grade material.

"Remediation waste" means all solid and hazardous wastes, and all media (including groundwater, surface water, soils, and sediments) and debris that are managed for implementing cleanup.

"Remediation waste management site" means a facility where an owner or operator is or will be treating, storing, or disposing of hazardous remediation wastes. A remediation waste management site is not a facility that is subject to corrective action under 35 Ill. Adm. Code 724.201, but a remediation waste management site is subject to corrective action requirements if the site is in a facility that is subject to corrective action under 35 Ill. Adm. Code 724.201.

"Replacement unit" means a landfill, surface impoundment, or waste pile unit from which substantially all waste is removed, and that is subsequently reused to treat, store, or dispose of hazardous waste. Replacement unit does not include a unit from which waste is removed during closure, if the subsequent reuse solely involves the disposal of waste from that unit and other closing units or corrective action areas at the facility, in compliance with a closure or corrective action plan approved by USEPA or the Agency.

"Representative sample" means a sample of a universe or whole (e.g., waste pile, lagoon, groundwater) that can be expected to exhibit the average properties of the universe or whole.

"Run-off" means any rainwater, leachate, or other liquid that drains over land from any part of a facility.

"Run-on" means any rainwater, leachate, or other liquid that drains over land onto any part of a facility.

"Saturated zone" or "zone of saturation" means that part of the ~~earth's~~[earth's](#) crust in which all voids are filled with water.

"SIC code" means "Standard Industrial Classification code", as assigned to a site by the United States Department of Transportation, Federal Highway



Administration, based on the particular activities that occur on the site, as provided in "Standard Industrial Classification Manual", incorporated by reference in Section 720.111(a).

"Sludge" means any solid, semi-solid, or liquid waste generated from a municipal, commercial, or industrial wastewater treatment plant, water supply treatment plant, or air pollution control facility, exclusive of the treated effluent from a wastewater treatment plant.

"Sludge dryer" means any enclosed thermal treatment device that is used to dehydrate sludge and that has a total thermal input, excluding the heating value of the sludge itself, of 2,500 Btu/lb or less of sludge treated on a wet-weight basis.

"Small quantity generator" or "SQG" means a generator that generates the following amounts of material in a calendar month:

Greater than 100 kg (220 lbs) but less than 1,000 kilograms (2,200 lbs) of non-acute hazardous waste;

Less than or equal to 1 kg (2.2 lbs) of acute hazardous waste listed in 35 Ill. Adm. Code 721.131 or 721.133(e); and

Less than or equal to 100 kg (220 lbs) of any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill, into or on any land or water, of any acute hazardous waste listed in 35 Ill. Adm. Code 721.131 or 721.133(e).

"Solid waste" means a solid waste as defined in 35 Ill. Adm. Code 721.102.

"Solvent-contaminated wipe" means the following:

A wipe that, after use or after cleaning up a spill, meets one or more of the following conditions:

The wipe contains one or more of the F001 through F005 solvents listed in 35 Ill. Adm. Code 721.131 or the corresponding P- or U-listed solvents found in 35 Ill. Adm. Code 721.133;

The wipe exhibits a hazardous characteristic found in Subpart C of 35 Ill. Adm. Code 721 when that characteristic results from a solvent listed in 35 Ill. Adm. Code 721; or

The wipe exhibits only the hazardous waste characteristic of ignitability found in 35 Ill. Adm. Code 721.121 due to the presence of one or more solvents that are not listed in 35 Ill. Adm. Code 721.

Solvent-contaminated wipes that contain listed hazardous waste other than solvents, or exhibit the characteristic of toxicity, corrosivity, or reactivity due to contaminants other than solvents, are not eligible for the exclusions at 35 Ill. Adm. Code 721.104(a)(26) and (b)(18).

"Sorbent" means a material that is used to soak up free liquids by either adsorption or absorption, or both. "Sorb" means to either adsorb or absorb, or both.

"Staging pile" means an accumulation of solid, non-flowing "remediation waste" (as defined in this Section) that is not a containment building and that is used only during remedial operations for temporary storage at a facility. Staging piles must be designated by the Agency according to 35 Ill. Adm. Code 724.654.

"State" means any of the several states, the District of Columbia, the Commonwealth of Puerto Rico, the Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands.

"Storage" means the holding of hazardous waste for a temporary period, at the end of which the hazardous waste is treated, disposed of, or stored elsewhere.

"Sump" means any pit or reservoir that meets the definition of tank and those troughs or trenches connected to it that serve to collect hazardous waste for transport to hazardous waste storage, treatment, or disposal facilities; except that, as used in the landfill, surface impoundment, and waste pile rules, sump means any lined pit or reservoir that serves to collect liquids drained from a leachate collection and removal system or leak detection system for subsequent removal from the system.

"Surface impoundment" or "impoundment" means a facility or part of a facility that is a natural topographic depression, manmade excavation, or diked area formed primarily of earthen materials (although it may be lined with manmade materials) that is designed to hold an accumulation of liquid wastes or wastes containing free liquids and that is not an injection well. Examples of surface impoundments are holding, storage, settling and aeration pits, ponds, and lagoons.

"Tank" means a stationary device, designed to contain an accumulation of hazardous waste that is constructed primarily of non-earthen materials (e.g., wood, concrete, steel, plastic) that provide structural support.

"Tank system" means a hazardous waste storage or treatment tank and its associated ancillary equipment and containment system.

"TEQ" means toxicity equivalence, the international method of relating the toxicity of various dioxin and furan congeners to the toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin.

"Thermal treatment" means the treatment of hazardous waste in a device that uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the hazardous waste. Examples of thermal treatment processes are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning".)

"Thermostat" means a temperature control device that contains metallic mercury in an ampule attached to a bimetal sensing element and mercury-containing ampules that have been removed from the temperature control device complying with 35 Ill. Adm. Code 733.113(c)(2) or 733.133(c)(2).

"Totally enclosed treatment facility" means a facility for the treatment of hazardous waste that is directly connected to an industrial production process and that is constructed and operated in a manner that prevents the release of any hazardous waste or any constituent thereof into the environment during treatment. An example is a pipe in which waste acid is neutralized.

"Transfer facility" means any transportation-related facility, including loading docks, parking areas, storage areas, and other similar areas where shipments of hazardous waste or hazardous secondary materials are held during the normal course of transportation.

"Transport vehicle" means a motor vehicle or rail car used for transporting cargo by any mode. Each cargo-carrying body (trailer, railroad freight car, etc.) is a separate transport vehicle.

"Transportation" means the movement of hazardous waste by air, rail, highway, or water.

"Transporter" means a person engaged in transporting hazardous waste off-site by air, rail, highway, or water.

"Treatability study" means the following:

A study in which a hazardous waste is subjected to a treatment process to determine the following:

Whether the waste is amenable to the treatment process;

What pretreatment (if any) is required;

The optimal process conditions needed to achieve the desired treatment;

The efficiency of a treatment process for a specific waste or wastes;  
and

The characteristics and volumes of residuals from a particular  
treatment process;

Also included in this definition for 35 Ill. Adm. Code 721.104(e) and (f) exemptions are liner compatibility, corrosion and other material compatibility studies, and toxicological and health effects studies. A treatability study is not a means to commercially treat or dispose of hazardous waste.

"Treatment" means any method, technique, or process, including neutralization, designed to change the physical, chemical, or biological character or composition of any hazardous waste to neutralize the waste, recover energy or material resources from the waste, or render the waste non-hazardous or less hazardous; safer to transport, store, or dispose of; or amenable for recovery, amenable for storage, or reduced in volume.

"Treatment zone" means a soil area of the unsaturated zone of a land treatment unit within which hazardous constituents are degraded, transformed, or immobilized.

"Underground injection" means the subsurface emplacement of fluids through a bored, drilled, or driven well or through a dug well, if the depth of the dug well is greater than the largest surface dimension. (See also ["injection well"](#).)

"Underground tank" means a device meeting the definition of tank whose entire surface area is totally below the surface of and covered by the ground.

"Unfit-for-use tank system" means a tank system that has been determined, through an integrity assessment or other inspection, to be no longer capable of storing or treating hazardous waste without posing a threat of release of hazardous waste to the environment.

"United States" means the 50 states, the District of Columbia, the Commonwealth of Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands.

"Universal waste" means any of the following hazardous wastes that are managed under the universal waste requirements of 35 Ill. Adm. Code 733:

Batteries, as described in 35 Ill. Adm. Code 733.102;

Pesticides, as described in 35 Ill. Adm. Code 733.103;

Mercury-containing equipment, as described in 35 Ill. Adm. Code 733.104;

Lamps, as described in 35 Ill. Adm. Code 733.105; ~~and~~

Aerosol cans, as described in 35 Ill. Adm. Code 733.106; and

Paint and paint-related wastes, as described in 35 Ill. Adm. Code 733.107.

"Universal waste handler" means either of the following:

A generator (as defined in this Section) of universal waste; or

The owner or operator of a facility, including all contiguous property, that receives universal waste from other universal waste handlers, accumulates the universal waste, and sends that universal waste to another universal waste handler, to a destination facility, or to a foreign destination.

"Universal waste handler" does not mean either of the following:

A person that treats (except under the provisions of Section 733.113(a) or (c) or 733.133(a) or (c)), disposes of, or recycles (except under 35 Ill. Adm. Code 733.113(e) or 733.133(e)) universal waste; or

A person engaged in transporting universal waste off-site by air, rail, highway, or water, including a universal waste transfer facility.

"Universal waste transporter" means a person engaged in transporting universal waste off-site by air, rail, highway, or water.

"Unsaturated zone" or "zone of aeration" means the zone between the land surface and the water table.

"Uppermost aquifer" means the geologic formation nearest the natural ground surface that is an aquifer, as well as lower aquifers that are hydraulically interconnected with this aquifer within the ~~facility's~~facility's property boundary.

"USDOT" or "Department of Transportation" means the United States Department of Transportation.

"Used oil" means any oil that has been refined from crude oil, or any synthetic oil, that has been used and because of this use is contaminated by physical or chemical impurities.

"USEPA" or "EPA" means the United States Environmental Protection Agency.

"USEPA hazardous waste number" or "EPA hazardous waste number" means the number assigned by USEPA to each hazardous waste listed in Subpart D of 35 Ill. Adm. Code 721 and to each characteristic identified in Subpart C of 35 Ill. Adm. Code 721.

"USEPA identification number" or "USEPA ID number" is the unique alphanumeric identifier that USEPA assigns a hazardous waste generator; transporter; treatment, storage, or disposal facility; or reclamation facility upon notification complying with section 3010 of RCRA U.S.C..

"User of the Electronic Manifest System" or "user of the e-Manifest System" means a hazardous waste generator, a hazardous waste transporter, an owner or operator of a hazardous waste treatment, storage, recycling, or disposal facility, or any other person or entity that meets both of the following conditions:

The person or entity must use a manifest to comply with any federal or state requirement to track the shipment, transportation, and receipt of either of the following:

hazardous waste or other waste material that is shipped from the site of generation to an off-site designated facility for treatment, storage, recycling, or disposal; or

rejected wastes or regulated container residues that are shipped from a designated facility to an alternative facility, or returned to the generator; and

The person or entity elects to use either of the following:

the e-Manifest System to obtain, complete and transmit an e-Manifest format supplied by the USEPA e-Manifest System; or

the paper manifest form and submits to the e-Manifest System for data processing purposes a paper copy of the manifest (or data from the paper copy), in compliance with 35 Ill. Adm. Code 724.171(a)(2)(E) or 725.171(a)(2)(E).

A paper copy submitted for data processing purposes is submitted for data exchange purposes only and is not the official copy of record for legal purposes.

"USPS" means the United States Postal Service.

"Very small quantity generator" or "VSQG" means a generator that generates less than or equal to the following amounts of material in a calendar month:

100 kg (220 lbs) of nonacute hazardous waste;

1 kg (2.2 lbs) of acute hazardous waste listed in 35 Ill. Adm. Code 721.131 or 721.133(e); and

100 kg (220 lbs) of any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill, into or on any land or water, of any acute hazardous waste listed in 35 Ill. Adm. Code 721.131 or 721.133(e).

"Vessel" includes every description of watercraft used or capable of being used for transporting on the water.

"Wastewater treatment unit" means a device that:

Is part of a wastewater treatment facility that has an NPDES permit under 35 Ill. Adm. Code 309 or a pretreatment permit or authorization to discharge under 35 Ill. Adm. Code 310;

Receives and treats or stores an influent wastewater that is a hazardous waste as defined in 35 Ill. Adm. Code 721.103, or generates and accumulates a wastewater treatment sludge that is a hazardous waste as defined in 35 Ill. Adm. Code 721.103, or treats or stores a wastewater treatment sludge that is a hazardous waste as defined in 35 Ill. Adm. Code 721.103; and

Meets the definition of tank or tank system in this Section.

"Water (bulk shipment) " means transporting bulk hazardous waste loaded or carried on board a vessel without containers or labels.

"Well" means any shaft or pit dug or bored into the earth, generally of a cylindrical form, and often walled with bricks or tubing to prevent the earth from caving in.

"Well injection" means "underground injection".

"Wipe" means a woven or non-woven shop towel, rag, pad, or swab made of wood pulp, fabric, cotton, polyester blends, or other material.

"Zone of engineering control" means an area under the control of the owner or operator that, upon detecting a hazardous waste release, can be readily cleaned up prior to the release of hazardous waste or hazardous constituents to groundwater or surface water.

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

TITLE 35: ENVIRONMENTAL PROTECTION  
SUBTITLE G: WASTE DISPOSAL  
CHAPTER I: POLLUTION CONTROL BOARD  
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 721  
IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

SUBPART A: GENERAL PROVISIONS

Section	
721.101	Purpose and Scope
721.102	Definition of Solid Waste
721.103	Definition of Hazardous Waste
721.104	Exclusions
721.105	Special Requirements for Hazardous Waste Generated by Small Quantity Generators (Repealed)
721.106	Requirements for Recyclable Materials
721.107	Residues of Hazardous Waste in Empty Containers
721.108	PCB Wastes Regulated under TSCA
721.109	Requirements for Universal Waste

SUBPART B: CRITERIA FOR IDENTIFYING THE  
CHARACTERISTICS OF HAZARDOUS WASTE  
AND FOR LISTING HAZARDOUS WASTES

Section	
721.110	Criteria for Identifying the Characteristics of Hazardous Waste
721.111	Criteria for Listing Hazardous Waste

SUBPART C: CHARACTERISTICS OF HAZARDOUS WASTE

Section	
721.120	General
721.121	Characteristic of Ignitability
721.122	Characteristic of Corrosivity
721.123	Characteristic of Reactivity
721.124	Toxicity Characteristic

SUBPART D: LISTS OF HAZARDOUS WASTE

Section	
721.130	General
721.131	Hazardous Wastes from Nonspecific Sources
721.132	Hazardous Waste from Specific Sources



- 721.133 Discarded Commercial Chemical Products, Off-Specification Species, Container Residues, and Spill Residues Thereof  
721.135 Wood Preserving Wastes

#### SUBPART E: EXCLUSIONS AND EXEMPTIONS

##### Section

- 721.138 Exclusion of Comparable Fuel and Syngas Fuel (Repealed)  
721.139 Conditional Exclusion for Used, Broken CRTs and Processed CRT Glass Undergoing Recycling  
721.140 Conditional Exclusion for Used, Intact CRTs Exported for Recycling  
721.141 Notification and Recordkeeping for Used, Intact CRTs Exported for Reuse

#### SUBPART H: FINANCIAL REQUIREMENTS FOR MANAGEMENT OF EXCLUDED HAZARDOUS SECONDARY MATERIALS

##### Section

- 721.240 Applicability  
721.241 Definitions of Terms as Used in This Subpart  
721.242 Cost Estimate  
721.243 Financial Assurance Condition  
721.247 Liability Requirements  
721.248 Incapacity of Owners or Operators, Guarantors, or Financial Institutions  
721.249 Use of State-Required Mechanisms  
721.250 State Assumption of Responsibility  
721.251 Wording of the Instruments

#### SUBPART I: USE AND MANAGEMENT OF CONTAINERS

##### Section

- 721.270 Applicability  
721.271 Condition of Containers  
721.272 Compatibility of Hazardous Secondary Materials with Containers  
721.273 Management of Containers  
721.275 Secondary Containment  
721.276 Special Requirements for Ignitable or Reactive Hazardous Secondary Material  
721.277 Special Requirements for Incompatible Materials  
721.279 Air Emission Standards

#### SUBPART J: TANK SYSTEMS

##### Section

- 721.290 Applicability  
721.291 Assessment of Existing Tank System's Integrity  
721.293 Containment and Detection of Releases  
721.294 General Operating Requirements

721.296	Response to Leaks or Spills and Disposition of Leaking or Unfit-for-Use Tank Systems
721.297	Termination of Remanufacturing Exclusion
721.298	Special Requirements for Ignitable or Reactive Materials
721.299	Special Requirements for Incompatible Materials
721.300	Air Emission Standards

#### SUBPART M: EMERGENCY PREPAREDNESS AND RESPONSE FOR MANAGEMENT OF EXCLUDED HAZARDOUS SECONDARY MATERIALS

Section	
721.500	Applicability
721.510	Preparedness and Prevention
721.511	Emergency Procedures for Facilities Generating or Accumulating 6,000 kg or Less of Hazardous Secondary Material
721.520	Contingency Planning and Emergency Procedures for Facilities Generating or Accumulating More Than 6,000 kg of Hazardous Secondary Material

#### SUBPART AA: AIR EMISSION STANDARDS FOR PROCESS VENTS

Section	
721.930	Applicability
721.931	Definitions
721.932	Standards: Process Vents
721.933	Standards: Closed-Vent Systems and Control Devices
721.934	Test Methods and Procedures
721.935	Recordkeeping Requirements

#### SUBPART BB: AIR EMISSION STANDARDS FOR EQUIPMENT LEAKS

Section	
721.950	Applicability
721.951	Definitions
721.952	Standards: Pumps in Light Liquid Service
721.953	Standards: Compressors
721.954	Standards: Pressure Relief Devices in Gas/Vapor Service
721.955	Standards: Sampling Connection Systems
721.956	Standards: Open-Ended Valves or Lines
721.957	Standards: Valves in gas/Vapor Service or in Light Liquid Service
721.958	Standards: Pumps and Valves in Heavy Liquid Service, Pressure Relief Devices in Light Liquid or Heavy Liquid Service, and Flanges and Other Connectors
721.959	Standards: Delay of Repair
721.960	Standards: Closed-Vent Systems and Control Devices
721.961	Alternative Standards for Valves in Gas/Vapor Service or in Light Liquid Service: Percentage of Valves Allowed to Leak

721.962	Alternative Standards for Valves in Gas/Vapor Service or in Light Liquid Service: Skip Period Leak Detection and Repair
721.963	Test Methods and Procedures
721.964	Recordkeeping Requirements

## SUBPART CC: AIR EMISSION STANDARDS FOR TANKS AND CONTAINERS

### Section

721.980	Applicability
721.981	Definitions
721.982	Standards: General
721.983	Material Determination Procedures
721.984	Standards: Tanks
721.986	Standards: Containers
721.987	Standards: Closed-Vent Systems and Control Devices
721.988	Inspection and Monitoring Requirements
721.989	Recordkeeping Requirements
721.APPENDIX A	Representative Sampling Methods
721.APPENDIX B	Method 1311 Toxicity Characteristic Leaching Procedure (TCLP) (Repealed)
721.APPENDIX C	Chemical Analysis Test Methods (Repealed)
721.TABLE A	Analytical Characteristics of Organic Chemicals (Repealed)
721.TABLE B	Analytical Characteristics of Inorganic Species (Repealed)
721.TABLE C	Sample Preparation/Sample Introduction Techniques (Repealed)
721.APPENDIX G	Basis for Listing Hazardous Wastes
721.APPENDIX H	Hazardous Constituents
721.APPENDIX I	Wastes Excluded by Administrative Action
721.TABLE A	Wastes Excluded by USEPA under 40 CFR 260.20 and 260.22 from Non-Specific Sources
721.TABLE B	Wastes Excluded by USEPA under 40 CFR 260.20 and 260.22 from Specific Sources
721.TABLE C	Wastes Excluded by USEPA under 40 CFR 260.20 and 260.22 from Commercial Chemical Products, Off-Specification Species, Container Residues, and Soil Residues Thereof
721.TABLE D	Wastes Excluded by the Board by Adjusted Standard
721.APPENDIX J	Method of Analysis for Chlorinated Dibenzo-p-Dioxins and Dibenzofurans (Repealed)
721.APPENDIX Y	Table to Section 721.138: Maximum Contaminant Concentration and Minimum Detection Limit Values for Comparable Fuel Specification (Repealed)
721.APPENDIX Z	Table to Section 721.102: Recycled Materials that Are Solid Waste

**AUTHORITY:** Implementing Sections 7.2, 22.4, and 22.23e and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, 22.23e, and 27].

SOURCE: Adopted in R81-22 at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22 at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-18 at 7 Ill. Reg. 2518, effective February 22, 1983; amended in R82-19 at 7 Ill. Reg. 13999, effective October 12, 1983; amended in R84-34, 61 at 8 Ill. Reg. 24562, effective December 11, 1984; amended in R84-9 at 9 Ill. Reg. 11834, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 998, effective January 2, 1986; amended in R85-2 at 10 Ill. Reg. 8112, effective May 2, 1986; amended in R86-1 at 10 Ill. Reg. 14002, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20647, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6035, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13466, effective August 4, 1987; amended in R87-32 at 11 Ill. Reg. 16698, effective September 30, 1987; amended in R87-5 at 11 Ill. Reg. 19303, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2456, effective January 15, 1988; amended in R87-30 at 12 Ill. Reg. 12070, effective July 12, 1988; amended in R87-39 at 12 Ill. Reg. 13006, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 382, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18300, effective November 13, 1989; amended in R90-2 at 14 Ill. Reg. 14401, effective August 22, 1990; amended in R90-10 at 14 Ill. Reg. 16472, effective September 25, 1990; amended in R90-17 at 15 Ill. Reg. 7950, effective May 9, 1991; amended in R90-11 at 15 Ill. Reg. 9332, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14473, effective September 30, 1991; amended in R91-12 at 16 Ill. Reg. 2155, effective January 27, 1992; amended in R91-26 at 16 Ill. Reg. 2600, effective February 3, 1992; amended in R91-13 at 16 Ill. Reg. 9519, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17666, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5650, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20568, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6741, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12175, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17490, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9522, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 10963, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 275, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7615, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17531, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 1718, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9135, effective July 26, 1999; amended in R00-13 at 24 Ill. Reg. 9481, effective June 20, 2000; amended in R01-3 at 25 Ill. Reg. 1281, effective January 11, 2001; amended in R01-21/R01-23 at 25 Ill. Reg. 9108, effective July 9, 2001; amended in R02-1/R02-12/R02-17 at 26 Ill. Reg. 6584, effective April 22, 2002; amended in R03-18 at 27 Ill. Reg. 12760, effective July 17, 2003; amended in R04-16 at 28 Ill. Reg. 10693, effective July 19, 2004; amended in R05-8 at 29 Ill. Reg. 6003, effective April 13, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 2992, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 791, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 11786, effective July 14, 2008; amended in R09-3 at 33 Ill. Reg. 986, effective December 30, 2008; amended in R09-16/R10-4 at 34 Ill. Reg. 18611, effective November 12, 2010; amended in R11-2/R11-16 at 35 Ill. Reg. 17734, effective October 14, 2011; amended in R13-5 at 37 Ill. Reg. 3213, effective March 4, 2013; amended in R14-13 at 38 Ill. Reg. 12442, effective May 27, 2014; amended in R15-1 at 39 Ill. Reg. 1607, effective January 12, 2015; amended in R16-7 at 40 Ill. Reg. 11367, effective August 9, 2016; amended in R17-14/R17-15/R18-12/R18-31 at 42 Ill. Reg. 21673, effective November 19, 2018; amended in R19-3 at 43 Ill. Reg. 496, effective December 6, 2018; amended in R19-11 at 43 Ill. Reg. 5884, effective May 2, 2019; amended in R20-8/R20-16 at 44

Ill. Reg. 15142, effective September 3, 2020; amended in R21-13/R22-13/R24-4 at 48 Ill. Reg. 9827, effective June 20, 2024; amended in R24-12 at 48 Ill. Reg. 16813, effective November 7, 2024; amended in R25-22 at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_.

## SUBPART A: GENERAL PROVISIONS

### **Section 721.109 Requirements for Universal Waste**

The wastes listed in this Section are exempt from regulation under 35 Ill. Adm. Code 702, 703, 722 through 726, and 728, except as specified in 35 Ill. Adm. Code 733, and are therefore not fully regulated as hazardous waste. The following wastes are subject to regulation under 35 Ill. Adm. Code 733:

- a) Batteries, as described in 35 Ill. Adm. Code 733.102;
- b) Pesticides, as described in 35 Ill. Adm. Code 733.103;
- c) Mercury-containing equipment, as described in 35 Ill. Adm. Code 733.104;
- d) Lamps, as described in 35 Ill. Adm. Code 733.105; ~~and~~
- e) Aerosol cans, as described in 35 Ill. Adm. Code 733.106; and
- f) [Paint and paint-related wastes, as described in 35 Ill. Adm. Code 733.107.](#)

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

TITLE 35: ENVIRONMENTAL PROTECTION  
SUBTITLE G: WASTE DISPOSAL  
CHAPTER I: POLLUTION CONTROL BOARD  
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 724  
STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS WASTE  
TREATMENT, STORAGE, AND DISPOSAL FACILITIES

SUBPART A: GENERAL PROVISIONS

Section	
724.101	Purpose, Scope, and Applicability
724.103	Relationship to Interim Status Standards
724.104	Electronic Reporting

SUBPART B: GENERAL FACILITY STANDARDS

Section	
724.110	Applicability
724.111	USEPA Identification Number
724.112	Required Notices
724.113	General Waste Analysis
724.114	Security
724.115	General Inspection Requirements
724.116	Personnel Training
724.117	General Requirements for Ignitable, Reactive, or Incompatible Wastes
724.118	Location Standards
724.119	Construction Quality Assurance Program

SUBPART C: PREPAREDNESS AND PREVENTION

Section	
724.130	Applicability
724.131	Design and Operation of Facility
724.132	Required Equipment
724.133	Testing and Maintenance of Equipment
724.134	Access to Communications or Alarm System
724.135	Required Aisle Space
724.137	Arrangements with Local Authorities

SUBPART D: CONTINGENCY PLAN AND EMERGENCY PROCEDURES

Section	
724.150	Applicability
724.151	Purpose and Implementation of Contingency Plan

724.152	Content of Contingency Plan
724.153	Copies of Contingency Plan
724.154	Amendment of Contingency Plan
724.155	Emergency Coordinator
724.156	Emergency Procedures

#### SUBPART E: MANIFEST SYSTEM, RECORDKEEPING AND REPORTING

Section	
724.170	Applicability
724.171	Use of Manifest System
724.172	Manifest Discrepancies
724.173	Operating Record
724.174	Availability, Retention, and Disposition of Records
724.175	Annual Facility Activities Report
724.176	Unmanifested Waste Report
724.177	Additional Reports

#### SUBPART F: RELEASES FROM SOLID WASTE MANAGEMENT UNITS

Section	
724.190	Applicability
724.191	Required Programs
724.192	Groundwater Protection Standard
724.193	Hazardous Constituents
724.194	Concentration Limits
724.195	Point of Compliance
724.196	Compliance Period
724.197	General Groundwater Monitoring Requirements
724.198	Detection Monitoring Program
724.199	Compliance Monitoring Program
724.200	Corrective Action Program
724.201	Corrective Action for Solid Waste Management Units

#### SUBPART G: CLOSURE AND POST-CLOSURE CARE

Section	
724.210	Applicability
724.211	Closure Performance Standard
724.212	Closure Plan; Amendment of Plan
724.213	Closure; Time Allowed for Closure
724.214	Disposal or Decontamination of Equipment, Structures, and Soils
724.215	Certification of Closure
724.216	Survey Plat
724.217	Post-Closure Care and Use of Property
724.218	Post-Closure Care Plan; Amendment of Plan

- 724.219 Post-Closure Notices
- 724.220 Certification of Completion of Post-Closure Care

## SUBPART H: FINANCIAL REQUIREMENTS

- Section
- 724.240 Applicability
- 724.241 Definitions of Terms as Used in This Subpart
- 724.242 Cost Estimate for Closure
- 724.243 Financial Assurance for Closure
- 724.244 Cost Estimate for Post-Closure Care
- 724.245 Financial Assurance for Post-Closure Care
- 724.246 Use of a Mechanism for Financial Assurance of Both Closure and Post-Closure Care
- 724.247 Liability Requirements
- 724.248 Incapacity of Owners or Operators, Guarantors, or Financial Institutions
- 724.251 Wording of the Instruments

## SUBPART I: USE AND MANAGEMENT OF CONTAINERS

- Section
- 724.270 Applicability
- 724.271 Condition of Containers
- 724.272 Compatibility of Waste with Container
- 724.273 Management of Containers
- 724.274 Inspections
- 724.275 Containment
- 724.276 Special Requirements for Ignitable or Reactive Waste
- 724.277 Special Requirements for Incompatible Wastes
- 724.278 Closure
- 724.279 Air Emission Standards

## SUBPART J: TANK SYSTEMS

- Section
- 724.290 Applicability
- 724.291 Assessment of Existing Tank System Integrity
- 724.292 Design and Installation of New Tank Systems or Components
- 724.293 Containment and Detection of Releases
- 724.294 General Operating Requirements
- 724.295 Inspections
- 724.296 Response to Leaks or Spills and Disposition of Leaking or Unfit-for-Use Tank Systems
- 724.297 Closure and Post-Closure Care
- 724.298 Special Requirements for Ignitable or Reactive Waste
- 724.299 Special Requirements for Incompatible Wastes



724.300 Air Emission Standards

#### SUBPART K: SURFACE IMPOUNDMENTS

Section

724.320	Applicability
724.321	Design and Operating Requirements
724.322	Action Leakage Rate
724.323	Response Actions
724.326	Monitoring and Inspection
724.327	Emergency Repairs; Contingency Plans
724.328	Closure and Post-Closure Care
724.329	Special Requirements for Ignitable or Reactive Waste
724.330	Special Requirements for Incompatible Wastes
724.331	Special Requirements for Hazardous Wastes F020, F021, F022, F023, F026, and F027
724.332	Air Emission Standards

#### SUBPART L: WASTE PILES

Section

724.350	Applicability
724.351	Design and Operating Requirements
724.352	Action Leakage Rate
724.353	Response Action Plan
724.354	Monitoring and Inspection
724.356	Special Requirements for Ignitable or Reactive Waste
724.357	Special Requirements for Incompatible Wastes
724.358	Closure and Post-Closure Care
724.359	Special Requirements for Hazardous Wastes F020, F021, F022, F023, F026, and F027

#### SUBPART M: LAND TREATMENT

Section

724.370	Applicability
724.371	Treatment Program
724.372	Treatment Demonstration
724.373	Design and Operating Requirements
724.376	Food-Chain Crops
724.378	Unsaturated Zone Monitoring
724.379	Recordkeeping
724.380	Closure and Post-Closure Care
724.381	Special Requirements for Ignitable or Reactive Waste
724.382	Special Requirements for Incompatible Wastes

724.383 Special Requirements for Hazardous Wastes F020, F021, F022, F023, F026, and F027

#### SUBPART N: LANDFILLS

##### Section

724.400	Applicability
724.401	Design and Operating Requirements
724.402	Action Leakage Rate
724.403	Monitoring and Inspection
724.404	Response Actions
724.409	Surveying and Recordkeeping
724.410	Closure and Post-Closure Care
724.412	Special Requirements for Ignitable or Reactive Waste
724.413	Special Requirements for Incompatible Wastes
724.414	Special Requirements for Bulk and Containerized Liquids
724.415	Special Requirements for Containers
724.416	Disposal of Small Containers of Hazardous Waste in Overpacked Drums (Lab Packs)
724.417	Special Requirements for Hazardous Wastes F020, F021, F022, F023, F026, and F027

#### SUBPART O: INCINERATORS

##### Section

724.440	Applicability
724.441	Waste Analysis
724.442	Principal Organic Hazardous Constituents (POHCs)
724.443	Performance Standards
724.444	Hazardous Waste Incinerator Permits
724.445	Operating Requirements
724.447	Monitoring and Inspections
724.451	Closure

#### SUBPART S: SPECIAL PROVISIONS FOR CLEANUP

##### Section

724.650	Applicability of Corrective Action Management Unit Regulations
724.651	Grandfathered Corrective Action Management Units
724.652	Corrective Action Management Units
724.653	Temporary Units
724.654	Staging Piles
724.655	Disposal of CAMU-Eligible Wastes in Permitted Hazardous Waste Landfills

#### SUBPART W: DRIP PADS

Section	
724.670	Applicability
724.671	Assessment of Existing Drip Pad Integrity
724.672	Design and Installation of New Drip Pads
724.673	Design and Operating Requirements
724.674	Inspections
724.675	Closure

## SUBPART X: MISCELLANEOUS UNITS

Section	
724.700	Applicability
724.701	Environmental Performance Standards
724.702	Monitoring, Analysis, Inspection, Response, Reporting, and Corrective Action
724.703	Post-Closure Care

## SUBPART AA: AIR EMISSION STANDARDS FOR PROCESS VENTS

Section	
724.930	Applicability
724.931	Definitions
724.932	Standards: Process Vents
724.933	Standards: Closed-Vent Systems and Control Devices
724.934	Test Methods and Procedures
724.935	Recordkeeping Requirements
724.936	Reporting Requirements

## SUBPART BB: AIR EMISSION STANDARDS FOR EQUIPMENT LEAKS

Section	
724.950	Applicability
724.951	Definitions
724.952	Standards: Pumps in Light Liquid Service
724.953	Standards: Compressors
724.954	Standards: Pressure Relief Devices in Gas/Vapor Service
724.955	Standards: Sampling Connecting Systems
724.956	Standards: Open-ended Valves or Lines
724.957	Standards: Valves in Gas/Vapor or Light Liquid Service
724.958	Standards: Pumps, Valves, Pressure Relief Devices, and Other Connectors
724.959	Standards: Delay of Repair
724.960	Standards: Closed-Vent Systems and Control Devices
724.961	Alternative Percentage Standard for Valves
724.962	Skip Period Alternative for Valves
724.963	Test Methods and Procedures
724.964	Recordkeeping Requirements
724.965	Reporting Requirements

SUBPART CC: AIR EMISSION STANDARDS FOR TANKS,  
SURFACE IMPOUNDMENTS, AND CONTAINERS

Section	
724.980	Applicability
724.981	Definitions
724.982	Standards: General
724.983	Waste Determination Procedures
724.984	Standards: Tanks
724.985	Standards: Surface Impoundments
724.986	Standards: Containers
724.987	Standards: Closed-Vent Systems and Control Devices
724.988	Inspection and Monitoring Requirements
724.989	Recordkeeping Requirements
724.990	Reporting Requirements
724.991	Alternative Control Requirements for Tanks (Repealed)

SUBPART DD: CONTAINMENT BUILDINGS

Section	
724.1100	Applicability
724.1101	Design and Operating Standards
724.1102	Closure and Post-Closure Care

SUBPART EE: HAZARDOUS WASTE MUNITIONS AND EXPLOSIVES STORAGE

Section	
724.1200	Applicability
724.1201	Design and Operating Standards
724.1202	Closure and Post-Closure Care
724.APPENDIX A	Recordkeeping Instructions
724.APPENDIX B	EPA Report Form and Instructions (Repealed)
724.APPENDIX D	Cochran's Approximation to the Behrens-Fisher Student's T-Test
724.APPENDIX E	Examples of Potentially Incompatible Waste
724.APPENDIX I	Groundwater Monitoring List

**AUTHORITY:** Implementing Sections 7.2, 22.4, and 22.23e and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, 22.23e, and 27].

**SOURCE:** Adopted in R82-19 at 7 Ill. Reg. 14059, effective October 12, 1983; amended in R84-9 at 9 Ill. Reg. 11964, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 1136, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 14119, effective August 12, 1986; amended in R86-28 at 11 Ill. Reg. 6138, effective March 24, 1987; amended in R86-28 at 11 Ill. Reg. 8684, effective April 21, 1987; amended in R86-46 at 11 Ill. Reg. 13577, effective August

4, 1987; amended in R87-5 at 11 Ill. Reg. 19397, effective November 12, 1987; amended in R87-39 at 12 Ill. Reg. 13135, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 458, effective December 28, 1988; amended in R89-1 at 13 Ill. Reg. 18527, effective November 13, 1989; amended in R90-2 at 14 Ill. Reg. 14511, effective August 22, 1990; amended in R90-10 at 14 Ill. Reg. 16658, effective September 25, 1990; amended in R90-11 at 15 Ill. Reg. 9654, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14572, effective October 1, 1991; amended in R91-13 at 16 Ill. Reg. 9833, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17702, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5806, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20830, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6973, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12487, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17601, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9951, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11244, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 636, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7638, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17972, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 2186, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9437, effective July 26, 1999; amended in R00-5 at 24 Ill. Reg. 1146, effective January 6, 2000; amended in R00-13 at 24 Ill. Reg. 9833, effective June 20, 2000; expedited correction at 25 Ill. Reg. 5115, effective June 20, 2000; amended in R02-1/R02-12/R02-17 at 26 Ill. Reg. 6635, effective April 22, 2002; amended in R03-7 at 27 Ill. Reg. 3725, effective February 14, 2003; amended in R05-8 at 29 Ill. Reg. 6009, effective April 13, 2005; amended in R05-2 at 29 Ill. Reg. 6365, effective April 22, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 3196, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 893, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 12365, effective July 14, 2008; amended in R09-3 at 33 Ill. Reg. 1106, effective December 30, 2008; amended in R09-16/R10-4 at 34 Ill. Reg. 18873, effective November 12, 2010; amended in R11-2/R11-16 at 35 Ill. Reg. 17965, effective October 14, 2011; amended in R13-15 at 37 Ill. Reg. 17773, effective October 24, 2013; amended in R15-1 at 39 Ill. Reg. 1724, effective January 12, 2015; amended in R16-7 at 40 Ill. Reg. 11726, effective August 9, 2016; amended in R17-14/R17-15/R18-12/R18-31 at 42 Ill. Reg. 22614, effective November 19, 2018; amended in R19-3 at 43 Ill. Reg. 601, effective December 6, 2018; amended in R19-11 at 43 Ill. Reg. 5999, effective May 2, 2019; amended in R20-8/R20-16 at 44 Ill. Reg. 15347, effective September 3, 2020; amended in R21-13, R22-13, R24-4 at 48 Ill. Reg. 9892, effective June 20, 2024; amended in R24-12 at 48 Ill. Reg. 17057, effective November 7, 2024; amended in R25-22 at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_.

## SUBPART A: GENERAL PROVISIONS

### Section 724.101 Purpose, Scope, and Applicability

- a) This Part establishes minimum standards that define the acceptable management of hazardous waste.
- b) The standards in this Part apply to owners and operators of all facilities that treat, store, or dispose of hazardous waste, except as specifically provided otherwise in this Part or 35 Ill. Adm. Code 721.

- c) This Part applies to a person disposing of hazardous waste by means of ocean disposal subject to a permit issued under the federal Marine Protection, Research and Sanctuaries Act (33 USC 1401 et seq.) only to the extent they are included in a RCRA permit by rule granted to such a person under 35 Ill. Adm. Code 703.141. A ["RCRA permit"](#) is a permit required by Section 21(f) of the Environmental Protection Act and 35 Ill. Adm. Code 703.121.

BOARD NOTE: This Part does apply to the treatment or storage of hazardous waste before it is loaded onto an ocean vessel for incineration or disposal at sea.

- d) This Part applies to a person disposing of hazardous waste by means of underground injection subject to a permit issued by the Agency under Section 12(g) of the Act only to the extent they are required by Subpart F of 35 Ill. Adm. Code 704.

BOARD NOTE: This Part does apply to the above-ground treatment or storage of hazardous waste before it is injected underground.

- e) This Part applies to the owner or operator of a POTW (publicly owned treatment works) that treats, stores, or disposes of hazardous waste only to the extent included in a RCRA permit by rule granted to such a person under 35 Ill. Adm. Code 703.141.
- f) This subsection (f) corresponds with 40 CFR 264.1(f), which provides that the federal regulations do not apply to T/S/D activities in authorized states, except under limited, enumerated circumstances. This statement maintains structural consistency with USEPA rules.
- g) This Part does not apply to the following:

- 1) The owner or operator of a facility permitted by the Agency under Section 21 of the Act to manage municipal or industrial solid waste, if the only hazardous waste the facility treats, stores, or disposes of is excluded from regulation under this Part by 35 Ill. Adm. Code 722.114.

BOARD NOTE: The owner or operator may be subject to 35 Ill. Adm. Code 807 and may have to have a supplemental permit under 35 Ill. Adm. Code 807.210.

- 2) The owner or operator of a facility managing recyclable materials described in 35 Ill. Adm. Code 721.106(a)(2) through (a)(4) (except to the extent that requirements of this Part are referred to in Subpart C, F, G, or H of 35 Ill. Adm. Code 726 or 35 Ill. Adm. Code 739).

- 3) A generator accumulating waste on-site in compliance with 35 Ill. Adm. Code 722.114, 722.115, 722.116, 722.117, or 722.Subpart K or L.
- 4) A farmer disposing of waste pesticides from the ~~farmer's~~ own use in compliance with 35 Ill. Adm. Code 722.170.
- 5) The owner or operator of a totally enclosed treatment facility, as defined in 35 Ill. Adm. Code 720.110.
- 6) The owner or operator of an elementary neutralization unit or a wastewater treatment unit, as defined in 35 Ill. Adm. Code 720.110, provided that if the owner or operator is diluting hazardous ignitable (D001) wastes (other than the D001 High TOC Subcategory defined in Table T to 35 Ill. Adm. Code 728) or reactive (D003) waste to remove the characteristic before land disposal, the owner or operator must comply with the requirements set out in Section 724.117(b).
- 7) This subsection (g)(7) corresponds with 40 CFR 264.1(g)(7), reserved by USEPA. This statement maintains structural consistency with USEPA rules.
- 8) Immediate Response
- A) Except as provided in subsection (g)(8)(B), a person engaged in treatment or containment activities during immediate response to any of the following situations:
- i) A discharge of a hazardous waste;
  - ii) An imminent and substantial threat of a discharge of hazardous waste;
  - iii) A discharge of a material that becomes a hazardous waste when discharged; or
  - iv) An immediate threat to human health, public safety, property, or the environment from the known or suspected presence of military munitions, other explosive material, or an explosive device, as determined by an explosives or munitions emergency response specialist as defined in 35 Ill. Adm. Code 720.110.
- B) An owner or operator of a facility otherwise regulated by this Part must comply with all applicable requirements of Subparts C and D.

C) Any person that is covered by subsection (g)(8)(A) and that continues or initiates hazardous waste treatment or containment activities after the immediate response is over is subject to all applicable requirements of this Part and 35 Ill. Adm. Code 702, 703, and 705 for those activities.

D) In the case of an explosives or munitions emergency response, if a federal, State, or local official acting within the scope of his or her official responsibilities or an explosives or munitions emergency response specialist determines that immediate removal of the material or waste is necessary to adequately protect human health or the environment, that official or specialist may authorize the removal of the material or waste by transporters that do not have USEPA identification numbers and without the preparation of a manifest. In the case of emergencies involving military munitions, the responding military emergency response ~~specialist's~~ specialist's organizational unit must retain records for three years identifying the dates of the response, the responsible persons responding, the type and description of material addressed, and its disposition.

9) A transporter storing manifested shipments of hazardous waste in containers meeting 35 Ill. Adm. Code 722.130 at a transfer facility for a period of ten days or less.

10) The addition of absorbent materials to waste in a container (as defined in 35 Ill. Adm. Code 720) or the addition of waste to absorbent material in a container, provided these actions occur at the time waste is first placed in the container, and Sections 724.117(b), 724.271, and 724.272 are complied with.

11) A universal waste handler or universal waste transporter (as defined in 35 Ill. Adm. Code 720.110) that handles any of the wastes listed below is subject to regulation under 35 Ill. Adm. Code 733 when handling the following universal wastes:

A) Batteries, as described in 35 Ill. Adm. Code 733.102;

B) Pesticides, as described in 35 Ill. Adm. Code 733.103;

C) Mercury-containing equipment, as described in 35 Ill. Adm. Code 733.104;

D) Lamps, as described in 35 Ill. Adm. Code 733.105; ~~and~~

E) Aerosol cans, as described in 35 Ill. Adm. Code 733.106; ~~and~~



F) Paint and paint-related wastes, as described in 35 Ill. Adm. Code 733.107.

- 12) This subsection (g)(12) corresponds with 40 CFR 264.1(g)(12), which applies only to a facility outside Illinois. This statement maintains structural consistency with the corresponding USEPA rule.
- 13) A reverse distributor accumulating potentially creditable hazardous waste pharmaceuticals and evaluated hazardous waste pharmaceuticals, as defined in 35 Ill. Adm. Code 726.600. A reverse distributor is subject to regulation under Subpart P of 35 Ill. Adm. Code 726 instead of this Part for the accumulation of potentially creditable hazardous waste pharmaceuticals and evaluated hazardous waste pharmaceuticals.
- h) This Part applies to owners and operators of facilities that treat, store, or dispose of hazardous wastes referred to in 35 Ill. Adm. Code 728.
- i) 35 Ill. Adm. Code 726.505 identifies when this Part applies to the storage of military munitions classified as solid waste under 35 Ill. Adm. Code 726.302. The treatment and disposal of hazardous waste military munitions are subject to the applicable permitting, procedural, and technical standards in 35 Ill. Adm. Code 702, 703, 705, 720 through 728, and 738.
- j) Subparts B, C, and D and Section 724.201 do not apply to remediation waste management sites. (However, some remediation waste management sites may be a part of a facility that is subject to a traditional RCRA permit because the facility is also treating, storing, or disposing of hazardous wastes that are not remediation wastes. In these cases, Subparts B, C, and D, and Section 724.201 do apply to the facility subject to the traditional RCRA permit.) Instead of Subparts B, C, and D, the owner or operator of a remediation waste management site must comply with the following requirements:
  - 1) The owner or operator must obtain a USEPA identification number by applying to the Agency using Notification of RCRA Subtitle C Activities (Site Identification Form) (USEPA Form 8700-12), as described in Section 724.111;  
  
BOARD NOTE: USEPA Form 8700-12 is available from the Agency, Bureau of Land (217-782-6762). It is also available on-line for download in PDF file format: [www.epa.gov/hwgenerators/instructions-and-form-hazardous-waste-generators-transporters-and-treatment-storage](http://www.epa.gov/hwgenerators/instructions-and-form-hazardous-waste-generators-transporters-and-treatment-storage).
  - 2) The owner or operator must obtain a detailed chemical and physical analysis of a representative sample of the hazardous remediation wastes to be managed at the site. At a minimum, the analysis must contain all of the information that must be known to treat, store, or dispose of the waste

according to this Part and 35 Ill. Adm. Code 728, and the owner or operator must keep the analysis accurate and up to date;

- 3) The owner or operator must prevent people who are unaware of the danger from entering the site, and the owner or operator must minimize the possibility for unauthorized people or livestock entering onto the active portion of the remediation waste management site, unless the owner or operator can demonstrate the following to the Agency:
  - A) That physical contact with the waste, structures, or equipment within the active portion of the remediation waste management site will not injure people or livestock that may enter the active portion of the remediation waste management site; and
  - B) That disturbance of the waste or equipment by people or livestock that enter onto the active portion of the remediation waste management site will not cause a violation of the requirements of this Part;
- 4) The owner or operator must inspect the remediation waste management site for malfunctions, deterioration, operator errors, and discharges that may be causing or may lead to a release of hazardous waste constituents to the environment or a threat to human health. The owner or operator must conduct these inspections often enough to identify problems in time to correct them before they harm human health or the environment, and the owner or operator must remedy the problem before it leads to a human health or environmental hazard. If a hazard is imminent or has already occurred, the owner or operator must immediately take remedial action;
- 5) The owner or operator must provide personnel with classroom or on-the-job training on how to perform their duties in a way that ensures the remediation waste management site complies with this Part, and on how to respond effectively to emergencies;
- 6) The owner or operator must take precautions to prevent accidental ignition or reaction of ignitable or reactive waste, and the owner or operator must prevent threats to human health and the environment from ignitable, reactive, and incompatible waste;
- 7) For remediation waste management sites subject to regulation under Subparts I through O and Subpart X, the owner or operator must design, construct, operate, and maintain a unit within a 100-year floodplain to prevent washout of any hazardous waste by a 100-year flood, unless the owner or operator can meet the requirements of Section 724.118(b);

- 8) The owner or operator must not place any non-containerized or bulk liquid hazardous waste in any salt dome formation, salt bed formation, underground mine, or cave;
- 9) The owner or operator must develop and maintain a construction quality assurance program for all surface impoundments, waste piles, and landfill units that are required to comply with Sections 724.321(c) and (d), 724.351(c) and (d), and 724.401(c) and (d) at the remediation waste management site, according to Section 724.119;
- 10) The owner or operator must develop and maintain procedures to prevent accidents and a contingency and emergency plan to control accidents that occur. These procedures must address proper design, construction, maintenance, and operation of remediation waste management units at the site. The goal of the plan must be to minimize the possibility of, and the hazards from, a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water that could threaten human health or the environment. The plan must explain specifically how to treat, store, and dispose of the hazardous remediation waste in question, and must be implemented immediately whenever a fire, explosion, or release of hazardous waste or hazardous waste constituents occurs that could threaten human health or the environment;
- 11) The owner or operator must designate at least one employee, either on the facility premises or on call (that is, available to respond to an emergency by reaching the facility quickly), to coordinate all emergency response measures. This emergency coordinator must be thoroughly familiar with all aspects of the ~~facility's~~facility's contingency plan, all operations and activities at the facility, the location and characteristics of waste handled, the location of all records within the facility, and the facility layout. In addition, this person must have the authority to commit the resources needed to carry out the contingency plan;
- 12) The owner or operator must develop, maintain, and implement a plan to meet the requirements in subsections (j)(2) through (j)(6) and (j)(9) through (j)(10); and
- 13) The owner or operator must maintain records documenting compliance with subsections (j)(1) through (j)(12).

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

TITLE 35: ENVIRONMENTAL PROTECTION  
SUBTITLE G: WASTE DISPOSAL  
CHAPTER I: POLLUTION CONTROL BOARD  
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 725  
INTERIM STATUS STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS  
WASTE TREATMENT, STORAGE, AND DISPOSAL FACILITIES

SUBPART A: GENERAL PROVISIONS

Section	
725.101	Purpose, Scope, and Applicability
725.102	Electronic Reporting
725.104	Imminent Hazard Action

SUBPART B: GENERAL FACILITY STANDARDS

Section	
725.110	Applicability
725.111	USEPA Identification Number
725.112	Required Notices
725.113	General Waste Analysis
725.114	Security
725.115	General Inspection Requirements
725.116	Personnel Training
725.117	General Requirements for Ignitable, Reactive, or Incompatible Wastes
725.118	Location Standards
725.119	Construction Quality Assurance Program

SUBPART C: PREPAREDNESS AND PREVENTION

Section	
725.130	Applicability
725.131	Maintenance and Operation of Facility
725.132	Required Equipment
725.133	Testing and Maintenance of Equipment
725.134	Access to Communications or Alarm System
725.135	Required Aisle Space
725.137	Arrangements with Local Authorities

SUBPART D: CONTINGENCY PLAN AND EMERGENCY PROCEDURES

Section	
725.150	Applicability
725.151	Purpose and Implementation of Contingency Plan

725.152	Content of Contingency Plan
725.153	Copies of Contingency Plan
725.154	Amendment of Contingency Plan
725.155	Emergency Coordinator
725.156	Emergency Procedures

## SUBPART E: MANIFEST SYSTEM, RECORDKEEPING, AND REPORTING

Section	
725.170	Applicability
725.171	Use of Manifest System
725.172	Manifest Discrepancies
725.173	Operating Record
725.174	Availability, Retention, and Disposition of Records
725.175	Annual Report
725.176	Unmanifested Waste Report
725.177	Additional Reports

## SUBPART F: GROUNDWATER MONITORING

Section	
725.190	Applicability
725.191	Groundwater Monitoring System
725.192	Sampling and Analysis
725.193	Preparation, Evaluation, and Response
725.194	Recordkeeping and Reporting

## SUBPART G: CLOSURE AND POST-CLOSURE CARE

Section	
725.210	Applicability
725.211	Closure Performance Standard
725.212	Closure Plan; Amendment of Plan
725.213	Closure; Time Allowed for Closure
725.214	Disposal or Decontamination of Equipment, Structures, and Soils
725.215	Certification of Closure
725.216	Survey Plat
725.217	Post-Closure Care and Use of Property
725.218	Post-Closure Care Plan; Amendment of Plan
725.219	Post-Closure Notices
725.220	Certification of Completion of Post-Closure Care
725.221	Alternative Post-Closure Care Requirements

## SUBPART H: FINANCIAL REQUIREMENTS

Section	
---------	--

725.240	Applicability
725.241	Definitions of Terms as Used in this Subpart H
725.242	Cost Estimate for Closure
725.243	Financial Assurance for Closure
725.244	Cost Estimate for Post-Closure Care
725.245	Financial Assurance for Post-Closure Monitoring and Maintenance
725.246	Use of a Mechanism for Financial Assurance of Both Closure and Post-Closure Care
725.247	Liability Requirements
725.248	Incapacity of Owners or Operators, Guarantors, or Financial Institutions
725.251	Promulgation of Forms (Repealed)

## SUBPART I: USE AND MANAGEMENT OF CONTAINERS

Section	
725.270	Applicability
725.271	Condition of Containers
725.272	Compatibility of Waste with Containers
725.273	Management of Containers
725.274	Inspections
725.276	Special Requirements for Ignitable or Reactive Wastes
725.277	Special Requirements for Incompatible Wastes
725.278	Air Emission Standards

## SUBPART J: TANK SYSTEMS

Section	
725.290	Applicability
725.291	Assessment of Existing Tank System Integrity
725.292	Design and Installation of New Tank Systems or Components
725.293	Containment and Detection of Releases
725.294	General Operating Requirements
725.295	Inspections
725.296	Response to Leaks or Spills and Disposition of Tank Systems
725.297	Closure and Post-Closure Care
725.298	Special Requirements for Ignitable or Reactive Wastes
725.299	Special Requirements for Incompatible Wastes
725.300	Waste Analysis and Trial Tests
725.301	Generators of 100 to 1,000 Kilograms of Hazardous Waste Per Month (Repealed)
725.302	Air Emission Standards

## SUBPART K: SURFACE IMPOUNDMENTS

Section	
725.320	Applicability
725.321	Design and Operating Requirements

725.322	Action Leakage Rate
725.323	Containment System
725.324	Response Actions
725.325	Waste Analysis and Trial Tests
725.326	Monitoring and Inspections
725.328	Closure and Post-Closure Care
725.329	Special Requirements for Ignitable or Reactive Wastes
725.330	Special Requirements for Incompatible Wastes
725.331	Air Emission Standards

## SUBPART L: WASTE PILES

Section	
725.350	Applicability
725.351	Protection from Wind
725.352	Waste Analysis
725.353	Containment
725.354	Design and Operating Requirements
725.355	Action Leakage Rates
725.356	Special Requirements for Ignitable or Reactive Wastes
725.357	Special Requirements for Incompatible Wastes
725.358	Closure and Post-Closure Care
725.359	Response Actions
725.360	Monitoring and Inspections

## SUBPART M: LAND TREATMENT

Section	
725.370	Applicability
725.372	General Operating Requirements
725.373	Waste Analysis
725.376	Food Chain Crops
725.378	Unsaturated Zone (Zone of Aeration) Monitoring
725.379	Recordkeeping
725.380	Closure and Post-Closure Care
725.381	Special Requirements for Ignitable or Reactive Wastes
725.382	Special Requirements for Incompatible Wastes

## SUBPART N: LANDFILLS

Section	
725.400	Applicability
725.401	Design Requirements
725.402	Action Leakage Rate
725.403	Response Actions
725.404	Monitoring and Inspections

725.409	Surveying and Recordkeeping
725.410	Closure and Post-Closure Care
725.412	Special Requirements for Ignitable or Reactive Wastes
725.413	Special Requirements for Incompatible Wastes
725.414	Special Requirements for Liquid Wastes
725.415	Special Requirements for Containers
725.416	Disposal of Small Containers of Hazardous Waste in Overpacked Drums (Lab Packs)

## SUBPART O: INCINERATORS

Section	
725.440	Applicability
725.441	Waste Analysis
725.445	General Operating Requirements
725.447	Monitoring and Inspections
725.451	Closure
725.452	Interim Status Incinerators Burning Particular Hazardous Wastes

## SUBPART P: THERMAL TREATMENT

Section	
725.470	Other Thermal Treatment
725.473	General Operating Requirements
725.475	Waste Analysis
725.477	Monitoring and Inspections
725.481	Closure
725.482	Open Burning; Waste Explosives
725.483	Interim Status Thermal Treatment Devices Burning Particular Hazardous Wastes

## SUBPART Q: CHEMICAL, PHYSICAL, AND BIOLOGICAL TREATMENT

Section	
725.500	Applicability
725.501	General Operating Requirements
725.502	Waste Analysis and Trial Tests
725.503	Inspections
725.504	Closure
725.505	Special Requirements for Ignitable or Reactive Wastes
725.506	Special Requirements for Incompatible Wastes

## SUBPART R: UNDERGROUND INJECTION

Section	
725.530	Applicability



## SUBPART W: DRIP PADS

Section	
725.540	Applicability
725.541	Assessment of Existing Drip Pad Integrity
725.542	Design and Installation of New Drip Pads
725.543	Design and Operating Requirements
725.544	Inspections
725.545	Closure

## SUBPART AA: AIR EMISSION STANDARDS FOR PROCESS VENTS

Section	
725.930	Applicability
725.931	Definitions
725.932	Standards: Process Vents
725.933	Standards: Closed-Vent Systems and Control Devices
725.934	Test Methods and Procedures
725.935	Recordkeeping Requirements

## SUBPART BB: AIR EMISSION STANDARDS FOR EQUIPMENT LEAKS

Section	
725.950	Applicability
725.951	Definitions
725.952	Standards: Pumps in Light Liquid Service
725.953	Standards: Compressors
725.954	Standards: Pressure Relief Devices in Gas/Vapor Service
725.955	Standards: Sampling Connecting Systems
725.956	Standards: Open-Ended Valves or Lines
725.957	Standards: Valves in Gas/Vapor or Light Liquid Service
725.958	Standards: Pumps, Valves, Pressure Relief Devices, Flanges, and Other Connectors
725.959	Standards: Delay of Repair
725.960	Standards: Closed-Vent Systems and Control Devices
725.961	Percent Leakage Alternative for Valves
725.962	Skip Period Alternative for Valves
725.963	Test Methods and Procedures
725.964	Recordkeeping Requirements

## SUBPART CC: AIR EMISSION STANDARDS FOR TANKS, SURFACE IMPOUNDMENTS, AND CONTAINERS

Section	
725.980	Applicability
725.981	Definitions

725.982	Schedule for Implementation of Air Emission Standards
725.983	Standards: General
725.984	Waste Determination Procedures
725.985	Standards: Tanks
725.986	Standards: Surface Impoundments
725.987	Standards: Containers
725.988	Standards: Closed-Vent Systems and Control Devices
725.989	Inspection and Monitoring Requirements
725.990	Recordkeeping Requirements
725.991	Alternative Tank Emission Control Requirements (Repealed)

## SUBPART DD: CONTAINMENT BUILDINGS

### Section

725.1100	Applicability
725.1101	Design and Operating Standards
725.1102	Closure and Post-Closure Care

## SUBPART EE: HAZARDOUS WASTE MUNITIONS AND EXPLOSIVES STORAGE

### Section

725.1200	Applicability
725.1201	Design and Operating Standards
725.1202	Closure and Post-Closure Care

725.APPENDIX A	Recordkeeping Instructions
725.APPENDIX B	EPA Report Form and Instructions (Repealed)
725.APPENDIX C	USEPA Interim Primary Drinking Water Standards
725.APPENDIX D	Tests for Significance
725.APPENDIX E	Examples of Potentially Incompatible Wastes
725.APPENDIX F	Compounds with Henry's Law Constant Less Than 0.1 Y/X (at 25 °C)

**AUTHORITY:** Implementing Sections 7.2, 22.4, and 22.23e and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, 22.23e, and 27].

**SOURCE:** Adopted in R81-22 at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22 at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-18 at 7 Ill. Reg. 2518, effective February 22, 1983; amended in R82-19 at 7 Ill. Reg. 14034, effective October 12, 1983; amended in R84-9 at 9 Ill. Reg. 11869, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 1085, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 14069, effective August 12, 1986; amended in R86-28 at 11 Ill. Reg. 6044, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13489, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19338, effective November 10, 1987; amended in R87-26 at 12 Ill. Reg. 2485, effective January 15, 1988; amended in R87-39 at 12 Ill. Reg. 13027, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 437, effective December 28, 1988; amended in R89-1 at 13 Ill. Reg. 18354, effective November 13, 1989; amended in R90-2 at 14 Ill. Reg. 14447, effective August 22, 1990;

amended in R90-10 at 14 Ill. Reg. 16498, effective September 25, 1990; amended in R90-11 at 15 Ill. Reg. 9398, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14534, effective October 1, 1991; amended in R91-13 at 16 Ill. Reg. 9578, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17672, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5681, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20620, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6771, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12190, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17548, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9566, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11078, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 369, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7620, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17620, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 1850, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9168, effective July 26, 1999; amended in R00-5 at 24 Ill. Reg. 1076, effective January 6, 2000; amended in R00-13 at 24 Ill. Reg. 9575, effective June 20, 2000; amended in R03-7 at 27 Ill. Reg. 4187, effective February 14, 2003; amended in R05-8 at 29 Ill. Reg. 6028, effective April 13, 2005; amended in R05-2 at 29 Ill. Reg. 6389, effective April 22, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 3460, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 1031, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 12566, effective July 14, 2008; amended in R09-3 at 33 Ill. Reg. 1155, effective December 30, 2008; amended in R09-16/R10-4 at 34 Ill. Reg. 18890, effective November 12, 2010; amended in R11-2/R11-16 at 35 Ill. Reg. 18052, effective October 14, 2011; amended in R13-15 at 37 Ill. Reg. 17811, effective October 24, 2013; amended in R15-1 at 39 Ill. Reg. 1746, effective January 12, 2015; amended in R16-7 at 40 Ill. Reg. 11830, effective August 9, 2016; amended in R17-14/R17-15/R18-12/R18-31 at 42 Ill. Reg. 23725, effective November 19, 2018; amended in R19-3 at 43 Ill. Reg. 634, effective December 6, 2018; amended in R19-11 at 43 Ill. Reg. 6049, effective May 2, 2019; amended in R20-8/R20-16 at 44 Ill. Reg. 15374, effective September 3, 2020; amended in R21-13, R22-13, R24-4 at 48 Ill. Reg. 9911, effective June 20, 2024; amended in R24-12 at 48 Ill. Reg. 17086, effective November 7, 2024; amended in R25-22 at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_.

## SUBPART A: GENERAL PROVISIONS

### **Section 725.101 Purpose, Scope, and Applicability**

- a) This Part establishes minimum standards that define the acceptable management of hazardous waste during the period of interim status and until certification of final closure or, if the facility is subject to post-closure care requirements, until post-closure care responsibilities are met.
- b) Except as provided in Section 725.980(b), the standards in this Part and 35 Ill. Adm. Code 724.652 through 724.654 apply to owners and operators of facilities that treat, store, or dispose of hazardous waste and that have fully complied with the requirements for interim status under Section 3005(e) of RCRA (42 USC 6925(e)) and 35 Ill. Adm. Code 703, until either a permit is issued under Section 3005 of RCRA (42 USC 6905) or Section 21(f) of the Environmental Protection Act, or until applicable closure and post-closure care responsibilities under this Part

are met, and to those owners and operators of facilities in existence on November 19, 1980 that have failed to provide timely notification as required by section 3010(a) of RCRA (42 USC 6930(a)) or that have failed to file Part A of the Permit Application, as required by federal 40 CFR 270.10(e) and (g) or 35 Ill. Adm. Code 703.150 and 703.152. These standards apply to all treatment, storage, or disposal of hazardous waste at these facilities, except as specifically provided otherwise in this Part or in 35 Ill. Adm. Code 721.

BOARD NOTE: As stated in Section 3005(a) of RCRA (42 USC 6905(a)), after the effective date of regulations under that Section (i.e., 40 CFR 270 and 124) the treatment, storage, or disposal of hazardous waste is prohibited except in compliance with a permit. Section 3005(e) of RCRA (42 USC 6905(e)) provides for the continued operation of an existing facility that meets certain conditions until final administrative disposition of the owner's~~owner's~~ and operator's~~operator's~~ permit application is made.

c) This Part does not apply to any of the following:

- 1) A person disposing of hazardous waste by means of ocean disposal subject to a permit issued under the federal Marine Protection, Research and Sanctuaries Act (33 USC 1401 et seq.);

BOARD NOTE: This Part applies to the treatment or storage of hazardous waste before it is loaded into an ocean vessel for incineration or disposal at sea, as provided in subsection (b).

- 2) This subsection (c)(2) corresponds with 40 CFR 265.1(c)(2), marked "reserved" by USEPA. This statement maintains structural consistency with USEPA rules;
- 3) The owner or operator of a POTW (publicly owned treatment works) that treats, stores, or disposes of hazardous waste;

BOARD NOTE: The owner or operator of a facility under subsections (c)(1) and (c)(3) is subject to the requirements of 35 Ill. Adm. Code 724 to the extent they are included in a permit by rule granted to such a person under 35 Ill. Adm. Code 702 and 703 or are required by Subpart F of 35 Ill. Adm. Code 704.

- 4) This subsection (c)(4) corresponds with 40 CFR 265.1(c)(4), which pertains exclusively to the applicability of the federal regulations in authorized states. There is no need for a parallel provision in the Illinois regulations. This statement maintains structural consistency with USEPA rules;

- 5) The owner or operator of a facility permitted, licensed, or registered by Illinois to manage municipal or industrial solid waste, if the only hazardous waste the facility treats, stores, or disposes of is excluded from regulation under this Part by 35 Ill. Adm. Code 722.114;
- 6) The owner or operator of a facility managing recyclable materials described in 35 Ill. Adm. Code 721.106(a)(2) through (a)(4), except to the extent that requirements of this Part are referred to in Subpart C, F, G, or H of 35 Ill. Adm. Code 726 or 35 Ill. Adm. Code 739;
- 7) A generator accumulating waste on-site in compliance with applicable conditions for exemption in 35 Ill. Adm. Code 722.114 through 722.117 and Subparts K and L of 35 Ill. Adm. Code 722, except to the extent the requirements of this Part are included in those Sections and Subparts;
- 8) A farmer disposing of waste pesticides from the farmer's own use in compliance with 35 Ill. Adm. Code 722.170;
- 9) The owner or operator of a totally enclosed treatment facility, as defined in 35 Ill. Adm. Code 720.110;
- 10) The owner or operator of an elementary neutralization unit or a wastewater treatment unit, as defined in 35 Ill. Adm. Code 720.110, provided that if the owner or operator is diluting hazardous ignitable (D001) wastes (other than the D001 High TOC Subcategory defined in Table T of 35 Ill. Adm. Code 728) or reactive (D003) waste in order to remove the characteristic before land disposal, the owner or operator must comply with the requirements set forth in Section 725.117(b);
- 11) Immediate Response
  - A) Except as provided in subsection (c)(11)(B), a person engaged in treatment or containment activities during immediate response to any of the following situations:
    - i) A discharge of a hazardous waste;
    - ii) An imminent and substantial threat of a discharge of a hazardous waste;
    - iii) A discharge of a material that becomes a hazardous waste when discharged; or
    - iv) An immediate threat to human health, public safety, property, or the environment from the known or suspected presence of military munitions, other explosive material, or

an explosive device, as determined by an explosives or munitions emergency response specialist as defined in 35 Ill. Adm. Code 720.110.

- B) An owner or operator of a facility otherwise regulated by this Part must comply with all applicable requirements of Subparts C and D.
  - C) Any person that is covered by subsection (c)(11)(A) that continues or initiates hazardous waste treatment or containment activities after the immediate response is over is subject to all applicable requirements of this Part and 35 Ill. Adm. Code 702, 703, and 705 for those activities;
  - D) In the case of an explosives or munitions emergency response, if a federal, state, or local official acting within the scope of his or her official responsibilities or an explosives or munitions emergency response specialist determines that immediate removal of the material or waste is necessary to adequately protect human health or the environment, that official or specialist may authorize the removal of the material or waste by transporters that do not have USEPA identification numbers and without the preparation of a manifest. In the case of emergencies involving military munitions, the responding military emergency response specialist's organizational unit must retain records for three years identifying the dates of the response, the responsible persons responding, the type and description of material addressed, and its disposition;
- 12) A transporter storing manifested shipments of hazardous waste in containers meeting the requirements of 35 Ill. Adm. Code 722.130 at a transfer facility for a period of ten days or less;
  - 13) The addition of absorbent material to waste in a container (as defined in 35 Ill. Adm. Code 720.110) or the addition of waste to the absorbent material in a container, provided that these actions occur at the time that the waste is first placed in the containers and Sections 725.117(b), 725.271, and 725.272 are complied with;
  - 14) A universal waste handler or universal waste transporter (as defined in 35 Ill. Adm. Code 720.110) that handles any of the wastes listed below is subject to regulation under 35 Ill. Adm. Code 733 when handling the following universal wastes:
    - A) Batteries, as described in 35 Ill. Adm. Code 733.102;
    - B) Pesticides, as described in 35 Ill. Adm. Code 733.103;

- C) Mercury-containing equipment, as described in 35 Ill. Adm. Code 733.104;
  - D) Lamps, as described in 35 Ill. Adm. Code 733.105; ~~and~~
  - E) Aerosol cans, as described in 35 Ill. Adm. Code 733.106; and
  - F) [Paint and paint-related wastes, as described in 35 Ill. Adm. Code 733.107.](#)
- 15) This subsection (c)(15) corresponds with 40 CFR 265.1(c)(15). This statement maintains structural consistency with the corresponding USEPA rule; or
- 16) A reverse distributor accumulating potentially creditable hazardous waste pharmaceuticals and evaluated hazardous waste pharmaceuticals, as defined in 35 Ill. Adm. Code 726.600. A reverse distributor is subject to regulation under Subpart P of 35 Ill. Adm. Code 726 instead of this Part for the accumulation of potentially creditable hazardous waste pharmaceuticals and evaluated hazardous waste pharmaceuticals.
- d) The following hazardous wastes must not be managed at facilities subject to regulation under this Part: USEPA hazardous waste numbers F020, F021, F022, F023, F026, or F027, unless the following conditions are met:
- 1) The wastewater treatment sludge is generated in a surface impoundment as part of the ~~plant's~~ plant's wastewater treatment system;
  - 2) The waste is stored in tanks or containers;
  - 3) The waste is stored or treated in waste piles that meet the requirements of 35 Ill. Adm. Code 724.350(c) and all other applicable requirements of Subpart L;
  - 4) The waste is burned in incinerators that are certified under the standards and procedures in Section 725.452; or
  - 5) The waste is burned in facilities that thermally treat the waste in a device other than an incinerator and that are certified under the standards and procedures in Section 725.483.
- e) This Part applies to owners and operators of facilities that treat, store, or dispose of hazardous wastes referred to in 35 Ill. Adm. Code 728, and the 35 Ill. Adm. Code 728 standards are considered material conditions or requirements of the interim status standards of this Part.

- f) 35 Ill. Adm. Code 726.505 identifies when the requirements of this Part apply to the storage of military munitions classified as solid waste under 35 Ill. Adm. Code 726.302. The treatment and disposal of hazardous waste military munitions are subject to the applicable permitting, procedural, and technical standards in 35 Ill. Adm. Code 702, 703, 705, 720 through 728, and 738.
- g) Other bodies of regulations may apply to a person, facility, or activity, such as 35 Ill. Adm. Code 809 (special waste hauling), 35 Ill. Adm. Code 807 or 810 through 817 (solid waste landfills), 35 Ill. Adm. Code 848 or 849 (used and scrap tires), or 35 Ill. Adm. Code 1420 through 1422 (potentially infectious medical waste), depending on the provisions of those other regulations.

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)



TITLE 35: ENVIRONMENTAL PROTECTION  
SUBTITLE G: WASTE DISPOSAL  
CHAPTER I: POLLUTION CONTROL BOARD  
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 728  
LAND DISPOSAL RESTRICTIONS

SUBPART A: GENERAL

Section	
728.101	Purpose, Scope, and Applicability
728.102	Definitions
728.103	Dilution Prohibited as a Substitute for Treatment
728.104	Treatment Surface Impoundment Exemption
728.105	Procedures for Case-by-Case Extensions to an Effective Date
728.106	Petitions to Allow Land Disposal of a Waste Prohibited Pursuant to Subpart C
728.107	Testing, Tracking, and Recordkeeping Requirements for Generators, Reverse Distributors, Treaters, and Disposal Facilities
728.108	Landfill and Surface Impoundment Disposal Restrictions (Repealed)
728.109	Special Rules for Characteristic Wastes

SUBPART B: SCHEDULE FOR LAND DISPOSAL PROHIBITION AND  
ESTABLISHMENT OF TREATMENT STANDARDS

Section	
728.110	First Third (Repealed)
728.111	Second Third (Repealed)
728.112	Third Third (Repealed)
728.113	Newly Listed Wastes
728.114	Surface Impoundment Exemptions

SUBPART C: PROHIBITION ON LAND DISPOSAL

Section	
728.120	Waste-Specific Prohibitions: Dyes and Pigments Production Wastes
728.130	Waste-Specific Prohibitions: Wood Preserving Wastes
728.131	Waste-Specific Prohibitions: Dioxin-Containing Wastes
728.132	Waste-Specific Prohibitions: Soils Exhibiting the Toxicity Characteristic for Metals and Containing PCBs
728.133	Waste-Specific Prohibitions: Chlorinated Aliphatic Wastes
728.134	Waste-Specific Prohibitions: Toxicity Characteristic Metal Wastes
728.135	Waste-Specific Prohibitions: Petroleum Refining Wastes
728.136	Waste-Specific Prohibitions: Inorganic Chemical Wastes
728.137	Waste-Specific Prohibitions: Ignitable and Corrosive Characteristic Wastes Whose Treatment Standards Were Vacated

728.138	Waste-Specific Prohibitions: Newly-Identified Organic Toxicity Characteristic Wastes and Newly-Listed Coke By-Product and Chlorotoluene Production Wastes
728.139	Waste-Specific Prohibitions: Spent Aluminum Potliners and Carbamate Wastes

#### SUBPART D: TREATMENT STANDARDS

Section	
728.140	Applicability of Treatment Standards
728.141	Treatment Standards Expressed as Concentrations in Waste Extract
728.142	Treatment Standards Expressed as Specified Technologies
728.143	Treatment Standards Expressed as Waste Concentrations
728.144	USEPA Variance from a Treatment Standard
728.145	Treatment Standards for Hazardous Debris
728.146	Alternative Treatment Standards Based on HTMR
728.148	Universal Treatment Standards
728.149	Alternative LDR Treatment Standards for Contaminated Soil

#### SUBPART E: PROHIBITIONS ON STORAGE

Section	
728.150	Prohibitions on Storage of Restricted Wastes
728.APPENDIX A	Toxicity Characteristic Leaching Procedure (TCLP) (Repealed)
728.APPENDIX B	Treatment Standards (As concentrations in the Treatment Residual Extract) (Repealed)
728.APPENDIX C	List of Halogenated Organic Compounds Regulated under Section 728.132
728.APPENDIX D	Wastes Excluded from Lab Packs
728.APPENDIX E	Organic Lab Packs (Repealed)
728.APPENDIX F	Technologies to Achieve Deactivation of Characteristics
728.APPENDIX G	Federal Effective Dates
728.APPENDIX H	National Capacity LDR Variances for UIC Wastes
728.APPENDIX I	EP Toxicity Test Method and Structural Integrity Test
728.APPENDIX J	Recordkeeping, Notification, and Certification Requirements (Repealed)
728.APPENDIX K	Metal-Bearing Wastes Prohibited from Dilution in a Combustion Unit According to Section 728.103(c)
728.TABLE A	Constituent Concentrations in Waste Extract (CCWE)
728.TABLE B	Constituent Concentrations in Wastes (CCW)
728.TABLE C	Technology Codes and Description of Technology-Based Standards
728.TABLE D	Technology-Based Standards by USEPA Hazardous Waste Number
728.TABLE E	Standards for Radioactive Mixed Waste
728.TABLE F	Alternative Treatment Standards for Hazardous Debris
728.TABLE G	Alternative Treatment Standards Based on HTMR
728.TABLE H	Wastes Excluded from CCW Treatment Standards
728.TABLE I	Generator Paperwork Requirements
728.TABLE T	Treatment Standards for Hazardous Wastes
728.TABLE U	Universal Treatment Standards (UTS)

**AUTHORITY:** Implementing Sections 7.2, 22.4, and 22.23e and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, 22.23e, and 27].

**SOURCE:** Adopted in R87-5 at 11 Ill. Reg. 19354, effective November 12, 1987; amended in R87-39 at 12 Ill. Reg. 13046, effective July 29, 1988; amended in R89-1 at 13 Ill. Reg. 18403, effective November 13, 1989; amended in R89-9 at 14 Ill. Reg. 6232, effective April 16, 1990; amended in R90-2 at 14 Ill. Reg. 14470, effective August 22, 1990; amended in R90-10 at 14 Ill. Reg. 16508, effective September 25, 1990; amended in R90-11 at 15 Ill. Reg. 9462, effective June 17, 1991; amended in R90-11 at 15 Ill. Reg. 11937, effective August 12, 1991; amendment withdrawn at 15 Ill. Reg. 14716, October 11, 1991; amended in R91-13 at 16 Ill. Reg. 9619, effective June 9, 1992; amended in R92-10 at 17 Ill. Reg. 5727, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20692, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6799, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12203, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17563, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9660, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11100, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 783, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7685, effective April 15, 1998; amended in R97-21/R98-3/R98-5 at 22 Ill. Reg. 17706, effective September 28, 1998; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 1964, effective January 19, 1999; amended in R99-15 at 23 Ill. Reg. 9204, effective July 26, 1999; amended in R00-13 at 24 Ill. Reg. 9623, effective June 20, 2000; amended in R01-3 at 25 Ill. Reg. 1296, effective January 11, 2001; amended in R01-21/R01-23 at 25 Ill. Reg. 9181, effective July 9, 2001; amended in R02-1/R02-12/R02-17 at 26 Ill. Reg. 6687, effective April 22, 2002; amended in R03-18 at 27 Ill. Reg. 13045, effective July 17, 2003; amended in R05-8 at 29 Ill. Reg. 6049, effective April 13, 2005; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 3800, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 1254, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. 12840, effective July 14, 2008; amended in R09-3 at 33 Ill. Reg. 1186, effective December 30, 2008; amended in R11-2/R11-16 at 35 Ill. Reg. 18131, effective October 14, 2011; amended in R12-7 at 36 Ill. Reg. 8790, effective June 4, 2012; amended in R13-15 at 37 Ill. Reg. 17951, effective October 24, 2013; amended in R16-7 at 40 Ill. Reg. 12052, effective August 9, 2016; amended in R17-14/R17-15/R18-12/R18-31 at 42 Ill. Reg. 24924, effective November 19, 2018; amended in R20-8/R20-16 at 44 Ill. Reg. 15495, effective September 3, 2020; amended in R25-22 at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_.

## **SUBPART A: GENERAL**

### **Section 728.101 Purpose, Scope, and Applicability**

- a) This Part identifies hazardous wastes that are restricted from land disposal and defines those limited circumstances under which an otherwise prohibited waste may continue to be land disposed.
- b) Except as specifically provided otherwise in this Part or 35 Ill. Adm. Code 721, the requirements of this Part apply to persons that generate or transport hazardous

waste and to owners and operators of hazardous waste treatment, storage, and disposal facilities.

- c) Restricted wastes may continue to be land disposed as follows:
- 1) If a person has been granted an extension to the effective date of a prohibition under Subpart C or under Section 728.105, with respect to those wastes covered by the extension;
  - 2) If a person has been granted an exemption from a prohibition under a petition under Section 728.106, with respect to those wastes and units covered by the petition;
  - 3) A waste that is hazardous only because it exhibits a characteristic of hazardous waste and that is otherwise prohibited under this Part is not prohibited if the following is true of the waste:
    - A) The waste is disposed into a non-hazardous or hazardous waste injection well, as defined in 35 Ill. Adm. Code 704.106(a); and
    - B) The waste does not exhibit any prohibited characteristic of hazardous waste identified in Subpart C of 35 Ill. Adm. Code 721 at the point of injection.
  - 4) A waste that is hazardous only because it exhibits a characteristic of hazardous waste and that is otherwise prohibited under this Part is not prohibited if the waste meets any of the following criteria, unless the waste is subject to a specified method of treatment other than DEACT in Section 728.140 or is D003 reactive cyanide:
    - A) Any of the following is true of either treatment or management of the waste:
      - i) The waste is managed in a treatment system that subsequently discharges to waters of the United States under a permit issued under 35 Ill. Adm. Code 309;
      - ii) The waste is treated for purposes of the pretreatment requirements of 35 Ill. Adm. Code 307 and 310; or
      - iii) The waste is managed in a zero discharge system engaged in Clean Water Act (CWA)-equivalent treatment, as defined in Section 728.137(a); and

- B) The waste no longer exhibits a prohibited characteristic of hazardous waste at the point of land disposal (i.e., placement in a surface impoundment).
- d) This Part does not affect the availability of a waiver under Section 121(d)(4) of the federal Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) (42 USC 9621(d)(4)).
- e) The following hazardous wastes are not subject to any provision of this Part:
  - 1) Waste generated by a VSQG, as defined in 35 Ill. Adm. Code 720.110;
  - 2) Waste pesticide that a farmer disposes of under 35 Ill. Adm. Code 722.170;
  - 3) Waste identified or listed as hazardous after November 8, 1984, for which USEPA has not promulgated a land disposal prohibition or treatment standard; and
  - 4) De minimis losses of waste that exhibits a characteristic of hazardous waste to wastewaters are not considered to be prohibited waste and are defined as losses from normal material handling operations (e.g., spills from the unloading or transfer of materials from bins or other containers or leaks from pipes, valves, or other devices used to transfer materials); minor leaks of process equipment, storage tanks, or containers; leaks from well-maintained pump packings and seals; sample purgings; relief device discharges; discharges from safety showers and rinsing and cleaning of personal safety equipment; rinsate from empty containers or from containers that are rendered empty by that rinsing; and laboratory waste that does not exceed one percent of the total flow of wastewater into the [facility's](#) headworks on an annual basis, or with a combined annualized average concentration not exceeding one part per million (ppm) in the headworks of the [facility's](#) wastewater treatment or pretreatment facility.
- f) A universal waste handler or universal waste transporter (as defined in 35 Ill. Adm. Code 720.110) is exempt from Sections 728.107 and 728.150 for the hazardous wastes listed below. Such a handler or transporter is subject to regulation under 35 Ill. Adm. Code 733.
  - 1) Batteries, as described in 35 Ill. Adm. Code 733.102;
  - 2) Pesticides, as described in 35 Ill. Adm. Code 733.103;
  - 3) Mercury-containing equipment, as described in 35 Ill. Adm. Code 733.104;

4) Lamps, as described in 35 Ill. Adm. Code 733.105; ~~and~~

5) Aerosol cans, as described in 35 Ill. Adm. Code 733.106; and

6) Paint and paint-related wastes, as described in 35 Ill. Adm. Code 733.107.

g) This Part is cumulative with the land disposal restrictions of 35 Ill. Adm. Code 729. The Environmental Protection Agency (Agency) must not issue a wastestream authorization under 35 Ill. Adm. Code 709 or Section 22.6 or 39(h) of the Act unless the waste meets the requirements of this Part as well as 35 Ill. Adm. Code 729.

h) Electronic Reporting. The filing of any document under any provision of this Part as an electronic document is subject to 35 Ill. Adm. Code 720.104.

BOARD NOTE: Subsection (h) is derived from 40 CFR 3, 271.10(b), 271.11(b), and 271.12(h).

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

TITLE 35: ENVIRONMENTAL PROTECTION  
SUBTITLE G: WASTE DISPOSAL  
CHAPTER I: POLLUTION CONTROL BOARD  
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 733  
STANDARDS FOR UNIVERSAL WASTE MANAGEMENT

SUBPART A: GENERAL

Section	
733.101	Scope
733.102	Applicability: Batteries
733.103	Applicability: Pesticides
733.104	Applicability: Mercury-Containing Equipment
733.105	Applicability: Lamps
733.106	Applicability: Aerosol Cans
733.107	<a href="#">Applicability: Paint and Paint-related Waste</a> <del><a href="#">Applicability: Mercury-Containing Lamps (Repealed)</a></del>
733.108	Applicability: Household and <del><a href="#">Very Conditionally Exempt</a></del> Small Quantity Generator Waste
733.109	Definitions

SUBPART B: STANDARDS FOR SMALL QUANTITY HANDLERS

Section	
733.110	Applicability
733.111	Prohibitions
733.112	Notification
733.113	Waste Management
733.114	Labeling and Marking
733.115	Accumulation Time Limits
733.116	Employee Training
733.117	Response to Releases
733.118	Off-Site Shipments
733.119	Tracking Universal Waste Shipments
733.120	Exports

SUBPART C: STANDARDS FOR LARGE QUANTITY HANDLERS

Section	
733.130	Applicability
733.131	Prohibitions
733.132	Notification
733.133	Waste Management
733.134	Labeling and Marking
733.135	Accumulation Time Limits

733.136	Employee Training
733.137	Response to Releases
733.138	Off-Site Shipments
733.139	Tracking Universal Waste Shipments
733.140	Exports

#### SUBPART D: STANDARDS FOR UNIVERSAL WASTE TRANSPORTERS

Section	
733.150	Applicability
733.151	Prohibitions
733.152	Waste Management
733.153	Accumulation Time Limits
733.154	Response to Releases
733.155	Off-site Shipments
733.156	Exports

#### SUBPART E: STANDARDS FOR DESTINATION FACILITIES

Section	
733.160	Applicability
733.161	Off-Site Shipments
733.162	Tracking Universal Waste Shipments

#### SUBPART F: IMPORT REQUIREMENTS

Section	
733.170	Imports

#### SUBPART G: PETITIONS TO INCLUDE OTHER WASTES

Section	
733.180	General
733.181	Factors for Petitions to Include Other Wastes

**AUTHORITY:** Implementing Sections 7.2, 22.4, and 22.23e and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, 22.23e, and 27].

**SOURCE:** Adopted in R95-20 at 20 Ill. Reg. 11291, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 944, effective December 16, 1997; amended in R98-12 at 22 Ill. Reg. 7650, effective April 15, 1998; amended in R99-15 at 23 Ill. Reg. 9502, effective July 26, 1999; amended in R00-13 at 24 Ill. Reg. 9874, effective June 20, 2000; amended in R05-8 at 29 Ill. Reg. 6058, effective April 13, 2005; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 1352, effective December 20, 2006; amended in R16-7 at 40 Ill. Reg. 12268, effective August 9, 2016; amended in R17-14/R17-15/R18-12/R18-31 at 42 Ill. Reg. 25200, effective November 19, 2018; amended in R19-11 at 43 Ill. Reg. 6095, effective May 2, 2019; amended in R20-8/R20-16 at 44



Ill. Reg. 15520, effective September 3, 2020; amended in R25-22 at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_.

## SUBPART A: GENERAL

### Section 733.101 Scope

- a) This Part establishes requirements for managing the following:
  - 1) Batteries, as described in Section 733.102;
  - 2) Pesticides, as described in Section 733.103;
  - 3) Mercury-containing equipment, as described in Section 733.104;
  - 4) Lamps, as described in Section 733.105; ~~and~~
  - 5) Aerosol cans, as described in 35 Ill. Adm. Code 733.106; ~~and-~~
  - 6) [Paint and paint-related wastes, as described in 35 Ill. Adm. Code 733.107.](#)
- b) This Part provides an alternative set of management standards in lieu of regulation under 35 Ill. Adm. Code 702 through 705 and 720 through 728.
- c) Electronic Reporting. The filing of any document under any provision of this Part as an electronic document is subject to 35 Ill. Adm. Code 720.104.

BOARD NOTE: Subsection (c) is derived from 40 CFR 3, 271.10(b), 271.11(b), and 271.12(h).

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

### Section 733.107 [Applicability: Paint and Paint-related Waste](#) ~~Applicability--Mercury-Containing Lamps (Repealed)~~

- a) [Paint and Paint-related Waste Covered under This Part. The requirements of this Part apply to persons that manage paint and paint-related waste, as described in Section 733.109, except those listed in subsection \(b\).](#)
- b) [Paint and Paint-related Waste Not Covered under This Part. The requirements of this Part do not apply to the following:](#)
  - 1) [Paint or paint-related waste that has been mixed with solvents or other materials that alter the physical properties of the paint or paint-related waste.](#)

2) Paint or paint-related waste that is not hazardous waste. Paint or paint-related waste is a hazardous waste if it exhibits one or more of the characteristics identified in Subpart C of 35 Ill. Adm. Code 721.

3) Paint and paint-related materials that are not regulated as a waste.

c) Generation of Paint and Paint-related Waste

1) Paint and paint-related waste becomes a waste on the date it is discarded.

2) Unused paint becomes a waste on the date the handler decides to discard it.

(Source: Section repealed at 22 Ill. Reg. 9874, effective June 20, 2000; new Section added at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

**Section 733.108 Applicability: Household and Very Conditionally Exempt Small Quantity Generator Waste**

a) A person that manages any of the wastes listed below may, at its option, manage the waste under the requirements of this Part.

1) Household wastes that are exempt under 35 Ill. Adm. Code 721.104(b)(1) and which are also of the same type as the universal wastes defined at Section 733.109; or

2) VSQG wastes that are exempt under 35 Ill. Adm. Code 722.114 and are also of the same type as the universal wastes defined at Section 733.109.

b) A person that commingles the wastes described in subsections (a)(1) and (a)(2) together with the same type of universal waste regulated under this Part must manage the commingled waste under the requirements of this Part.

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

**Section 733.109 Definitions**

"Aerosol can" means a non-refillable receptacle containing a gas compressed, liquefied, or dissolved under pressure, the sole purpose of which is to expel a liquid, paste, or powder, and fitted with a self-closing release device allowing the gas to eject the contents.

"Ampule" means an airtight vial made of glass, plastic, metal, or any combination of these materials.

"Battery" means a device consisting of one or more electrically connected electrochemical cells that is designed to receive, store, and deliver electric energy. An electrochemical cell is a system consisting of an anode, cathode, and an electrolyte, plus such connections (electrical and mechanical) as may be needed to allow the cell to deliver or receive electrical energy. The term battery also includes an intact, unbroken battery from which the electrolyte has been removed.

"Destination facility" means a facility that treats, disposes of, or recycles a particular category of universal waste, except those management activities described in Sections 733.113 (a) and (c) and 733.133 (a) and (c). A facility at which a particular category of universal waste is only accumulated is not a destination facility for purposes of managing that category of universal waste.

"FIFRA" means the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. 136 through 136y).

"Generator" means any person, by site, whose act or process produces hazardous waste identified or listed in 35 Ill. Adm. Code 721 or whose act first causes a hazardous waste to become subject to regulation.

"Lamp" or "universal waste lamp" is defined as the bulb or tube portion of an electric lighting device. A lamp is specifically designed to produce radiant energy, most often in the ultraviolet, visible, or infra-red regions of the electromagnetic spectrum. Common examples of universal waste electric lamps include, but are not limited to, fluorescent, high intensity discharge, neon, mercury vapor, high pressure sodium, and metal halide lamps.

"Large quantity handler of universal waste" means a universal waste handler (as defined in this Section) that accumulates 5,000 kilograms or more total of universal waste (batteries, pesticides, mercury-containing equipment, lamps, ~~or~~ aerosol cans, or paint and paint-related waste, calculated collectively) at any time. This designation as a large quantity handler of universal waste is retained through the end of the calendar year in which the 5,000-kilogram limit is met or exceeded.

"Mercury-containing equipment" means a device or part of a device (including thermostats, but excluding batteries and lamps) that contains elemental mercury integral to its function.

"On-site" means the same or geographically contiguous property that may be divided by public or private right-of-way, provided that the entrance and exit between the properties is at a cross-roads intersection, and access is by crossing as opposed to going along the right of way. Non-contiguous properties, owned by the same person but connected by a right-of-way that that person controls and to which the public does not have access, are also considered on-site property.

"Paint" means a pigmented or unpigmented powder coating, or a pigmented or unpigmented mixture of binder and suitable liquid, that forms an adherent coating when applied to a surface. Powder coating is a surface coating that is applied as a dry powder and is fused into a continuous coating film through the use of heat. "Paint" includes architectural paint as defined in the Paint Stewardship Act but does not include other types of coatings such as industrial original equipment or specialty coatings. [415 ILCS 5/22.23e]

"Paint-related waste" is (i) material contaminated with paint that results from the packaging of paint, wholesale and retail operations, paint manufacturing, and paint application or removal activities or (ii) material derived from the reclamation of paint-related wastes that is recycled in a manner other than burning for energy recovery or used in a manner constituting disposal. [415 ILCS 5/22.23e]

"Pesticide" means any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest or intended for use as a plant regulator, defoliant, or desiccant, other than any article that fulfills one of the following descriptions:

It is a new animal drug under section 201(v) of the Federal Food, Drug and Cosmetic Act (FFDCA) (21 ~~U.S.C.~~ 321(v)), incorporated by reference in 35 Ill. Adm. Code 720.111;

It is an animal drug that has been determined by regulation of the federal Secretary of Health and Human Services under FFDCA section 512(j) (21 ~~U.S.C.~~ 360b(j)), incorporated by reference in 35 Ill. Adm. Code 720.111(c), to be an exempted new animal drug; or

It is an animal feed under FFDCA section 201(w) (21 ~~U.S.C.~~ 321(w)), incorporated by reference in 35 Ill. Adm. Code 720.111(c), that bears or contains any substances described in either of the two preceding paragraphs of this definition.

BOARD NOTE: The second exception of corresponding 40 CFR 273.6 reads as follows: "Is an animal drug that has been determined by regulation of the Secretary of Health and Human Services not to be a new animal drug." This is very similar to the language of section 2(u) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) (7 ~~U.S.C.~~ 136(u)). The three exceptions, taken together, appear intended not to include as "pesticide" any material within the scope of federal Food and Drug Administration regulation. The Board codified this provision with the intent of retaining the same meaning as its federal counterpart while adding the definiteness required under Illinois law.

"Small quantity handler of universal waste" means a universal waste handler (as defined in this Section) that does not accumulate 5,000 kilograms or more total of

universal waste (batteries, pesticides, mercury-containing equipment, lamps, ~~or~~ aerosol cans, or paint and paint-related waste, calculated collectively) at any time.

"Thermostat" means a temperature control device that contains metallic mercury in an ampule attached to a bimetal sensing element and mercury-containing ampules that have been removed from such a temperature control device in compliance with the requirements of Section 733.113(c)(2) or 733.133(c)(2).

"Universal waste" means any of the following hazardous wastes that are subject to the universal waste requirements of this Part:

Batteries, as described in Section 733.102;

Pesticides, as described in Section 733.103;

Mercury-containing equipment, as described in Section 733.104;

Lamps, as described in Section 733.105; ~~and~~

Aerosol cans, as described in Section 733.106; and-

Paint and paint-related waste, as described in Section 733.107.

"Universal waste handler" means either of the following:

A generator (as defined in this Section) of universal waste; or

The owner or operator of a facility, including all contiguous property, that receives universal waste from other universal waste handlers, accumulates universal waste, and sends universal waste to another universal waste handler, to a destination facility, or to a foreign destination.

Universal waste handler does not mean:

A person that treats (except under Section 733.113(a) or (c) or 733.133(a) or (c)), disposes of, or recycles (except under Section 733.113(e) or 733.133(e)) universal waste; or

A person engaged in the off-site transportation of universal waste by air, rail, highway, or water, including a universal waste transfer facility.

"Universal waste transfer facility" means any transportation-related facility including loading docks, parking areas, storage areas, and other similar areas where shipments of universal waste are held during the normal course of transportation for ten days or less.

| "Universal waste transporter" means a person engaged in the off-site transportation of universal waste by air, rail, highway, or water.

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

## SUBPART B: STANDARDS FOR SMALL QUANTITY HANDLERS

### Section 733.113 Waste Management

- a) Universal Waste Batteries. A small quantity handler of universal waste must manage universal waste batteries in a manner that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
  - 1) A small quantity handler of universal waste must contain any universal waste battery that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions in a container. The container must be closed, structurally sound, compatible with the contents of the battery, and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions;
  - 2) A small quantity handler of universal waste may conduct the following activities, as long as the casing of each individual battery cell is not breached and remains intact and closed (except that cells may be opened to remove electrolyte but must be immediately closed after removal):
    - A) Sorting batteries by type;
    - B) Mixing battery types in one container;
    - C) Discharging batteries so as to remove the electric charge;
    - D) Regenerating used batteries;
    - E) Disassembling batteries or battery packs into individual batteries or cells;
    - F) Removing batteries from consumer products; or
    - G) Removing electrolyte from batteries; and
  - 3) A small quantity handler of universal waste that removes electrolyte from batteries, or that generates other solid waste (e.g., battery pack materials, discarded consumer products) as a result of the activities listed in subsection (a)(2), must determine whether the electrolyte or other solid

waste exhibits a characteristic of hazardous waste identified in Subpart C of 35 Ill. Adm. Code 721.

- A) If the electrolyte or other solid waste exhibits a characteristic of hazardous waste, it is subject to all applicable requirements of 35 Ill. Adm. Code 702 through 705 and 720 through 728. The handler is considered the generator of the hazardous electrolyte or other waste and is subject to 35 Ill. Adm. Code 722.
- B) If the electrolyte or other solid waste is not hazardous, the handler may manage the waste in any way that is in compliance with applicable federal, State, or local solid (non-hazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or non-hazardous waste regulations apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

- b) Universal Waste Pesticides. A small quantity handler of universal waste must manage universal waste pesticides in a way that prevents releases of any universal waste or component of a universal waste to the environment. The universal waste pesticides must be contained in one or more of the following:
  - 1) A container that remains closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions;
  - 2) A container that does not meet the requirements of subsection (b)(1), provided that the unacceptable container is overpacked in a container that does meet the requirements of subsection (b)(1);
  - 3) A tank that meets the requirements of Subpart J of 35 Ill. Adm. Code 725, except for 35 Ill. Adm. Code 725.297(c), 265.300, and 265.301; or
  - 4) A transport vehicle or vessel that is closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.
- c) Universal Waste Mercury-Containing Equipment. A small quantity handler of universal waste must manage universal waste mercury-containing equipment in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:

- 1) A small quantity handler of universal waste must place in a container any universal waste mercury-containing equipment with non-contained elemental mercury or that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions. The container must be closed; must be structurally sound; must be compatible with the contents of the device; must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions; and must be reasonably designed to prevent the escape of mercury into the environment by volatilization or any other means.
- 2) A small quantity handler of universal waste may remove mercury-containing ampules from universal waste mercury-containing equipment provided the handler follows each of the following procedures:
  - A) It removes and manages the ampules in a manner designed to prevent breakage of the ampules;
  - B) It removes ampules only over or in a containment device (e.g., tray or pan sufficient to collect and contain any mercury released from an ampule in case of breakage);
  - C) It ensures that a mercury clean-up system is readily available to immediately transfer any mercury resulting from spills or leaks from broken ampules from that containment device to a container that is subject to all applicable requirements of 35 Ill. Adm. Code 702, 703, 705, and 720 through 728;
  - D) It immediately transfers any mercury resulting from spills or leaks from broken ampules from the containment device to a container that meets the requirements of 35 Ill. Adm. Code 702, 703, 705, and 720 through 728;
  - E) It ensures that the area in which ampules are removed is well ventilated and monitored to ensure compliance with applicable OSHA exposure levels for mercury;
  - F) It ensures that employees removing ampules are thoroughly familiar with proper waste mercury handling and emergency procedures, including transfer of mercury from containment devices to appropriate containers;
  - G) It stores removed ampules in closed, non-leaking containers that are in good condition; and



- H) It packs removed ampules in the container with packing materials adequate to prevent breakage during storage, handling, and transportation.
- 3) A small quantity handler of universal waste mercury-containing equipment that does not contain an ampule may remove the open original housing holding the mercury from universal waste mercury-containing equipment provided the handler does as follows:
- A) It immediately seals the original housing holding the mercury with an air-tight seal to prevent the release of any mercury to the environment; and
  - B) It follows all requirements for removing ampules and managing removed ampules under subsection (c)(2).
- 4) Required Hazardous Waste Determination and Further Waste Management
- A) A small quantity handler of universal waste that removes mercury-containing ampules from mercury-containing equipment or seals mercury from mercury-containing equipment in its original housing must determine whether the following exhibit a characteristic of hazardous waste identified in Subpart C of 35 Ill. Adm. Code 721:
    - i) Mercury or clean-up residues resulting from spills or leaks; or
    - ii) Other solid waste generated as a result of the removal of mercury-containing ampules (e.g., the remaining mercury-containing equipment).
  - B) If the mercury, residues, or other solid waste exhibits a characteristic of hazardous waste, it must be managed in compliance with all applicable requirements of 35 Ill. Adm. Code 702 through 705 and 720 through 728. The handler is considered the generator of the mercury, residues, or other waste and must manage it in compliance with 35 Ill. Adm. Code 722.
  - C) If the mercury, residues, or other solid waste is not hazardous, the handler may manage the waste in any way that is in compliance with applicable federal, State, or local solid (non-hazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or non-hazardous waste regulations apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

- d) [Universal Waste](#) Lamps. A small quantity handler of universal waste must manage lamps in a manner that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
- 1) A small quantity handler of universal waste lamps must contain all lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with the contents of the lamps. Such containers and packages must remain closed and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions;
  - 2) A small quantity handler of universal waste lamps must immediately clean up and place in a container any lamp that is broken, and the small quantity handler must place in a container any lamp that shows evidence of breakage, leakage, or damage that could cause the release of mercury or other hazardous constituents to the environment. Any container used must be closed, structurally sound, compatible with the contents of the lamps, and must lack evidence of leakage, spillage, or damage that could cause leakage or releases of mercury or other hazardous constituents to the environment under reasonably foreseeable conditions; and
  - 3) Small quantity handlers of universal waste lamps may treat those lamps for volume reduction at the site where they were generated under the following conditions:
    - A) The lamps must be crushed in a closed system designed and operated in such a manner that any emission of mercury from the crushing system must not exceed 0.1 mg/m<sup>3</sup> when measured on the basis of time weighted average over an eight-hour period;
    - B) The handler must provide notification of crushing activity to the Agency quarterly, in a form as provided by the Agency. Such notification must include the following information:
      - i) Name and address of the handler;
      - ii) Estimated monthly amount of lamps crushed; and
      - iii) The technology employed for crushing, including any certification or testing data provided by the manufacturer of

the crushing unit verifying that the crushing device achieves the emission controls required in subsection (d)(3)(A)~~(d)(5)(A)~~;

- C) The handler immediately transfers any material recovered from a spill or leak to a container that meets the requirements of 35 Ill. Adm. Code 722.115, and has available equipment necessary to comply with this requirement;
- D) The handler ensures that the area in which the lamps are crushed is well-ventilated and monitored to ensure compliance with applicable OSHA exposure levels for mercury;
- E) The handler ensures that employees crushing lamps are thoroughly familiar with proper waste mercury handling and emergency procedures, including transfer of mercury from containment devices to appropriate containers; and
- F) The crushed lamps are stored in closed, non-leaking containers that are in good condition (e.g., no severe rusting, apparent structural defects or deterioration), suitable to prevent releases during storage, handling, and transportation.

e) Universal Waste Aerosol Cans. A small quantity handler of universal waste must manage universal waste aerosol cans in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:

- 1) A small quantity handler must accumulate universal waste aerosol cans in a container that is structurally sound; compatible with the contents of the aerosol cans; lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions; and is protected from sources of heat.
- 2) A small quantity handler must package universal waste aerosol cans that show evidence of leakage in a separate closed container or overpacked with absorbents, or the small quantity handler must immediately puncture and drain the cans in accordance with the requirements of subsection (e)(4).
- 3) A small quantity handler of universal waste may conduct the following activities as long as each individual aerosol can is not breached and remains intact:
  - A) Sorting aerosol cans by type;
  - B) Mixing intact cans in one container; and

- C) Removing actuators to reduce the risk of accidental release; and
- 4) A small quantity handler of universal waste that punctures and drains its aerosol cans must recycle the empty punctured aerosol cans and meet the following requirements while puncturing and draining universal waste aerosol cans:
- A) The small quantity handler must conduct puncturing and draining activities using a device specifically designed to safely puncture aerosol cans and effectively contain the residual contents and any emissions of the contents.
  - B) The small quantity handler must establish and follow a written procedure detailing how to safely puncture and drain the universal waste aerosol cans (including proper assembly, operation and maintenance of the unit, segregation of incompatible wastes, and proper waste management practices to prevent fires or releases); maintain a copy of the [manufacturer's](#) specification and instruction on site; and ensure employees operating the device are trained in the proper procedures.
  - C) The small quantity handler must ensure that puncturing the cans is done in a manner designed to prevent fires and to prevent the release of any component of universal waste to the environment. This manner includes locating the equipment on a solid, flat surface in a well-ventilated area.
  - D) The small quantity handler must immediately transfer the contents from the waste aerosol cans or puncturing device, if applicable, to a container or tank that meets the applicable requirements of 35 Ill. Adm. Code 722.114, 722.115, 722.116, or 722.117.
  - E) The small quantity handler must conduct a hazardous waste determination on the contents of the emptied aerosol can under 35 Ill. Adm. Code 722.111. Any hazardous waste generated as a result of puncturing and draining the aerosol can is subject to all applicable requirements of 35 Ill. Adm. Code 702, 703, 705, and 720 through 728. The handler is considered the generator of the hazardous waste and is subject to 35 Ill. Adm. Code 722.
  - F) If the small quantity handler determines that the contents are nonhazardous, the handler may manage the waste in any way that is in compliance with applicable federal, State, or local solid waste regulations.

- G) The small quantity handler must have a written procedure in place in the event of a spill or leak and must provide a spill clean-up kit. The small quantity handler must promptly clean up all spills or leaks of the contents of the aerosol cans.

f) Universal Waste Paint and Paint-related waste. A small quantity handler of universal waste must manage universal waste paint and paint-related waste in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:

- 1) The small quantity handler of universal waste must collect and store universal waste paint and paint-related waste in containers that are structurally sound, compatible with the universal waste paint and paint-related waste and lack evidence of leakage or damage that could cause leakage under reasonably foreseeable conditions.
- 2) The small quantity handler of universal waste must ensure that containers in which the universal waste paint and paint-related waste are contained do not leak and remain closed, except when wastes are being added, consolidated, or removed from the container.
- 3) The small quantity handler of universal waste, upon detection of a release of universal waste paint or paint-related waste, must do the following:
  - A) Stop the release.
  - B) Contain the released universal waste paint or paint-related waste.
  - C) Clean up and manage the released universal waste paint or paint-related waste in compliance with Section 733.137, and other materials generated from the cleanup in compliance with the Act and Board regulations.
  - D) Remove any leaking container from service by transferring the contents to a container that meets the requirements of subsection (f)(1).
  - E) Repair any leaking container to meet the requirements of subsection (f)(1) before returning it to service.
- 4) Ignitable universal waste paint or paint-related waste.
  - A) Except for subsection (f)(4)(D), a small quantity handler of universal waste must locate containers holding ignitable universal waste paint or paint-related waste at least 50 feet from the facility property line, unless the small quantity

handler obtains written approval from the authority having jurisdiction over the local fire code to allow ignitable universal waste paint or paint-related waste to be located within 50 feet of the facility property line. The small quantity handler must maintain a record of the written approval as long as universal waste paint or paint-related waste is located within 50 feet of the facility property line.

B) A small quantity handler of universal waste must take precautions to prevent accidental ignition of universal waste paint or paint-related waste. The small quantity handler must separate and protect universal waste paint and paint-related waste from sources of ignition, including the following: open flames, smoking, cutting and welding, hot surfaces, frictional heat, sparks (static, electrical, or mechanical), or radiant heat.

C) While handling ignitable universal waste paint or paint-related waste, the small quantity handler must confine smoking and open flames to specifically designated locations. The small quantity handler must conspicuously place “No Smoking” signs wherever there is an ignitability hazard from universal waste paint or paint-related waste.

D) A small quantity handler of universal waste at a retail site participating as a drop-off or collection site for universal waste paint or paint-related waste under an approved Paint Stewardship program plan is exempt from subsection (f)(4)(A).

5) A small quantity handler of universal waste must manage universal waste paint or paint-related waste that is incompatible in separate containers.

6) A small quantity handler of universal waste must design, maintain, and operate areas of its facility where universal waste paint or paint-related waste is collected or stored in a manner that minimizes the possibility of a fire, explosion, or unplanned sudden or non-sudden release of universal waste or hazardous constituents to air, soil, or surface water which could threaten human health or the environment.

g) If a small quantity handler of universal waste paint or paint-related waste under an approved Paint Stewardship program plan receives a shipment containing hazardous waste that is not a universal waste at a retail collection/drop-off site, the handler must comply with the procedures specified in that plan instead of the procedures specified in Section 733.118(g).

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

## Section 733.114 Labeling and Marking

A small quantity handler of universal waste must label or mark the universal waste to identify the type of universal waste, as follows:

- a) Universal waste batteries (i.e., each battery) or a container in which the batteries are contained must be labeled or marked clearly with any one of the following phrases: "Universal Waste — Batteries", "Waste Batteries", or "Used Batteries".
- b) A container (or multiple container package unit), tank, transport vehicle, or vessel in which recalled universal waste pesticides, as described in Section 733.103(a)(1), are contained must be labeled or marked clearly, as follows:
  - 1) The label that was on or accompanied the product as sold or distributed; and
  - 2) The words "Universal Waste — Pesticides" or "Waste — Pesticides".
- c) A container, tank, or transport vehicle, or vessel in which unused pesticide products, as described in Section 733.103(a)(2), are contained must be labeled or marked clearly, as follows:
  - 1) Pesticide Labeling
    - A) The label that was on the product when purchased, if still legible;
    - B) If using the labels described in subsection (c)(1)(A) is not feasible, the appropriate label as required under USDOT regulation 49 CFR 172 (Hazardous Materials Table, Special Provisions, Hazardous Materials Communications, Emergency Response Information, and Training Requirements), incorporated by reference in 35 Ill. Adm. Code 720.111(b); or
    - C) If using the labels described in subsections (c)(1)(A) and (c)(1)(B) is not feasible, another label prescribed or designated by the waste pesticide collection program administered or recognized by a state; and
  - 2) The words "Universal Waste — Pesticides" or "Waste — Pesticides".
- d) Universal Waste Mercury-Containing Equipment and Universal Waste Thermostat Labeling

- 1) Universal waste mercury-containing equipment (i.e., each device) or a container in which the equipment is contained must be labeled or marked clearly with any one of the following phrases: "~~Universal Waste - Mercury-Containing Equipment~~", or "~~Waste Mercury-Containing Equipment~~", or "~~Used Mercury-Containing Equipment~~".
- 2) Universal waste thermostats (i.e., each thermostat) or a container in which the thermostats are contained must be labeled or marked clearly with any one of the following phrases: "~~Universal Waste - Mercury Thermostats~~", or "~~Waste Mercury Thermostats~~", or "~~Used Mercury Thermostats~~".
- e) Each universal waste lamp or a container or package in which such lamps are contained must be labeled or clearly marked with one of the following phrases: "~~Universal Waste - Lamps~~", "~~Waste Lamps~~", or "~~Used Lamps~~".
- f) A small quantity handler must clearly label or mark its universal waste aerosol cans (i.e., each aerosol can), or a container in which the aerosol cans are contained, with any of the following phrases: "~~Universal Waste - Aerosol Cans~~", "~~Waste Aerosol Cans~~", or "~~Used Aerosol Cans~~".
- g) Each container in which universal waste paint or paint-related waste is contained must be labeled or clearly marked with one of the following phrases: "Universal Waste – Paint" or "Universal Waste - Paint-related Waste" or "Waste Paint" or "Paint-related Waste".

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

## **Section 733.132 Notification**

- a) Written Notification of Universal Waste Management
  - 1) Except as provided in subsections (a)(2) and (a)(3), a large quantity handler of universal waste must have sent written notification of universal waste management to the Agency, and received a USEPA Identification Number, before meeting or exceeding the 5,000-kilogram (11,000-pound) storage limit.
  - 2) A large quantity handler of universal waste that has already notified the Agency of its hazardous waste management activities and that has received a USEPA Identification Number is not required to renotify under this Section.



- 3) A large quantity handler of universal waste that manages recalled universal waste pesticides, as described in Section 733.103(a)(1), and that has sent notification to the Agency, as required by federal 40 CFR 165, is not required to notify for those recalled universal waste pesticides under this Section.
- b) This notification must include the following:
- 1) The universal waste ~~handler's~~<sup>handler's</sup> name and mailing address;
  - 2) The name and business telephone number of the person at the universal waste ~~handler's~~<sup>handler's</sup> site who should be contacted regarding universal waste management activities;
  - 3) The address or physical location of the universal waste management activities;
  - 4) A list of all of the types of universal waste managed by the handler (e.g., batteries, pesticides, mercury-containing equipment, lamps, ~~or~~ aerosol cans, or paint and paint-related waste); and
  - 5) A statement indicating that the handler is accumulating more than 5,000 kilograms of universal waste at one time.

BOARD NOTE: At 60 Fed. Reg. 25520-21 (May 11, 1995), USEPA explained that the generator or consolidation point may use Notification of RCRA Subtitle C Activities (Site Identification Form) (USEPA Form 8700-12) for notification. The generator or consolidation point must notify the Agency, either by submitting USEPA Form 8700-12 or by some other means. USEPA Form 8700-12 is available ~~from the Agency, Bureau of Land (217-782-6762). It is also available~~ on-line for download in PDF file format: [www.epa.gov/hwgenerators/instructions-and-form-hazardous-waste-generators-transporters-and-treatment-storage-and](http://www.epa.gov/hwgenerators/instructions-and-form-hazardous-waste-generators-transporters-and-treatment-storage-and). USEPA further explained that it is not necessary for the handler to aggregate the amounts of waste at multiple non-contiguous sites for the purposes of the 5,000 kilogram determination.

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

### **Section 733.133 Waste Management**

- a) Universal Waste Batteries. A large quantity handler of universal waste must manage universal waste batteries in a manner that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
- 1) A large quantity handler of universal waste must contain any universal waste battery that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions in a

container. The container must be closed, structurally sound, compatible with the contents of the battery, and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.

- 2) A large quantity handler of universal waste may conduct the following activities, as long as the casing of each individual battery cell is not breached and remains intact and closed (except that cells may be opened to remove electrolyte but must be immediately closed after removal):
  - A) Sorting batteries by type;
  - B) Mixing battery types in one container;
  - C) Discharging batteries so as to remove the electric charge;
  - D) Regenerating used batteries;
  - E) Disassembling batteries or battery packs into individual batteries or cells;
  - F) Removing batteries from consumer products; or
  - G) Removing electrolyte from batteries.
- 3) A large quantity handler of universal waste that removes electrolyte from batteries or that generates other solid waste (e.g., battery pack materials, discarded consumer products) as a result of the activities listed in subsection (a)(2) must determine whether the electrolyte or other solid waste exhibits a characteristic of hazardous waste identified in Subpart C of 35 Ill. Adm. Code 721.
  - A) If the electrolyte or other solid waste exhibits a characteristic of hazardous waste, it must be managed in compliance with all applicable requirements of 35 Ill. Adm. Code 702 through 705 and 720 through 728. The handler is considered the generator of the hazardous electrolyte or other waste and is subject to 35 Ill. Adm. Code 722.
  - B) If the electrolyte or other solid waste is not hazardous, the handler may manage the waste in any way that is in compliance with applicable federal, State, or local solid (non-hazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special

waste, or non-hazardous waste regulations apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

- b) **Universal Waste Pesticides.** A large quantity handler of universal waste must manage universal waste pesticides in a manner that prevents releases of any universal waste or component of a universal waste to the environment. The universal waste pesticides must be contained in one or more of the following:
  - 1) A container that remains closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions;
  - 2) A container that does not meet the requirements of subsection (b)(1), provided that the unacceptable container is overpacked in a container that does meet the requirements of subsection (b)(1);
  - 3) A tank that meets the requirements of Subpart J of 35 Ill. Adm. Code 725, except for 35 Ill. Adm. Code 725.297(c), 725.300, and 725.301; or
  - 4) A transport vehicle or vessel that is closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.
- c) **Universal Waste Mercury-Containing Equipment.** A large quantity handler of universal waste must manage universal waste mercury-containing equipment in a manner that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
  - 1) A large quantity handler of universal waste must place in a container any universal mercury-containing equipment with non-contained elemental mercury or that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions. The container must be closed; must be structurally sound; must be compatible with the contents of the device; must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions; and must be reasonably designed to prevent the escape of mercury into the environment by volatilization or any other means.
  - 2) A large quantity handler of universal waste may remove mercury-containing ampules from universal waste mercury-containing equipment, provided the handler follows each of the following procedures:
    - A) It removes the ampules in a manner designed to prevent breakage of the ampules;

- B) It removes ampules only over or in a containment device (e.g., tray or pan sufficient to collect and contain any mercury released from an ampule in case of breakage);
  - C) It ensures that a mercury clean-up system is readily available to immediately transfer any mercury resulting from spills or leaks from broken ampules from the containment device to a container that is subject to all applicable requirements of 35 Ill. Adm. Code 702, 703, 705, and 720 through 728;
  - D) It immediately transfers any mercury resulting from spills or leaks from broken ampules from the containment device to a container that meets the requirements of 35 Ill. Adm. Code 702, 703, 705, and 720 through 728;
  - E) It ensures that the area in which ampules are removed is well ventilated and monitored to ensure compliance with applicable OSHA exposure levels for mercury;
  - F) It ensures that employees removing ampules are thoroughly familiar with proper waste mercury handling and emergency procedures, including transfer of mercury from containment devices to appropriate containers;
  - G) It stores removed ampules in closed, non-leaking containers that are in good condition; and
  - H) It packs removed ampules in the container with packing materials adequate to prevent breakage during storage, handling, and transportation.
- 3) A large quantity handler of universal waste mercury-containing equipment that does not contain an ampule may remove the open original housing holding the mercury from universal waste mercury-containing equipment provided the handler does as follows:
- A) It immediately seals the original housing holding the mercury with an air-tight seal to prevent the release of any mercury to the environment; and
  - B) It follows all requirements for removing ampules and managing removed ampules under subsection (c)(2).
- 4) Required Hazardous Waste Determination and Further Waste Management

- A) A large quantity handler of universal waste that removes mercury-containing ampules from mercury-containing equipment or seals mercury from mercury-containing equipment in its original housing must determine whether the following exhibit a characteristic of hazardous waste identified in Subpart C of 35 Ill. Adm. Code 721:
  - i) Mercury or clean-up residues resulting from spills or leaks; or
  - ii) Other solid waste generated as a result of the removal of mercury-containing ampules (e.g., the remaining mercury-containing equipment).
- B) If the mercury, residues, or other solid waste exhibits a characteristic of hazardous waste, it must be managed in compliance with all applicable requirements of 35 Ill. Adm. Code 702 through 705 and 720 through 728. The handler is considered the generator of the mercury, residues, or other waste and must manage it in compliance with 35 Ill. Adm. Code 722.
- C) If the mercury, residues, or other solid waste is not hazardous, the handler may manage the waste in any way that is in compliance with applicable federal, State, or local solid (non-hazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or non-hazardous waste regulations apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

- d) Universal Waste Lamps. A large quantity handler of universal waste must manage lamps in a manner that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
  - 1) A large quantity handler of universal waste lamps must contain all lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with the contents of the lamps. Such containers and packages must remain closed and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions;
  - 2) A large quantity handler of universal waste lamps must immediately clean up and place in a container any lamp that is broken, and the large quantity handler must place in a container any lamp that shows evidence of

breakage, leakage, or damage that could cause the release of mercury or other hazardous constituents to the environment. Any container used must be closed, structurally sound, compatible with the contents of the lamps, and must lack evidence of leakage, spillage, or damage that could cause leakage or releases of mercury or other hazardous constituents to the environment under reasonably foreseeable conditions; and

- 3) Large quantity handlers of universal waste lamps may treat those lamps for volume reduction at the site where they were generated under the following conditions:
  - A) The lamps must be crushed in a closed system designed and operated in such a manner that any emission of mercury from the crushing system must not exceed  $0.1 \text{ mg/m}^3$  when measured on the basis of time weighted average over an 8-hour period;
  - B) The handler must provide notification of crushing activity to the Agency quarterly, in a form as provided by the Agency. Such notification must include the following information:
    - i) Name and address of the handler;
    - ii) Estimated monthly amount of lamps crushed; and
    - iii) The technology employed for crushing, including any certification or testing data provided by the manufacturer of the crushing unit verifying that the crushing device achieves the emission controls required in subsection [\(d\)\(3\)\(A\)\(d\)\(5\)\(A\)](#);
  - C) The handler immediately transfers any material recovered from a spill or leak to a container that meets the requirements of 35 Ill. Adm. Code 722.115, and has available equipment necessary to comply with this requirement;
  - D) The handler ensures that the area in which the lamps are crushed is well-ventilated and monitored to ensure compliance with applicable OSHA exposure levels for mercury;
  - E) The handler ensures that employees crushing lamps are thoroughly familiar with proper waste mercury handling and emergency procedures, including transfer of mercury from containment devices to appropriate containers; and
  - F) The crushed lamps are stored in closed, non-leaking containers that are in good condition (e.g., no severe rusting, apparent structural

defects or deterioration), suitable to prevent releases during storage, handling and transportation.

- e) [Universal Waste](#) Aerosol Cans. A large quantity handler of universal waste must manage universal waste aerosol cans in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
- 1) The large quantity handler must accumulate universal waste aerosol cans in a container that is structurally sound; is compatible with the contents of the aerosol cans; lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions; and is protected from sources of heat.
  - 2) The large quantity handler must package universal waste aerosol cans that show evidence of leakage in a separate closed container, or overpack the cans with absorbents, or immediately puncture and drain the cans in accordance with the requirements of subsection (e)(4).
  - 3) A large quantity handler of universal waste may conduct the following activities, as long as each individual aerosol can is not breached and remains intact:
    - A) The large quantity handler may sort aerosol cans by type;
    - B) The large quantity handler may mix intact cans in one container; and
    - C) The large quantity handler may remove actuators to reduce the risk of accidental release; and
  - 4) A large quantity handler of universal waste that punctures and drains its aerosol cans must recycle the empty punctured aerosol cans and meet the following requirements while puncturing and draining universal waste aerosol cans:
    - A) The large quantity handler must conduct puncturing and draining activities using a device specifically designed to safely puncture aerosol cans and effectively contain the residual contents and any emissions of the contents.
    - B) The large quantity handler must establish and follow a written procedure detailing how to safely puncture and drain the universal waste aerosol can (including proper assembly, operation and maintenance of the unit, segregation of incompatible wastes, and proper waste management practices to prevent fires or releases); maintain a copy of the [manufacturer's](#)~~manufacturer's~~ specification

and instruction on site; and ensure employees operating the device are trained in the proper procedures.

- C) The large quantity handler must ensure that puncturing of the can is done in a manner designed to prevent fires and to prevent the release of any component of universal waste to the environment. This includes, but is not limited to, locating the equipment on a solid, flat surface in a well-ventilated area.
- D) The large quantity handler must immediately transfer the contents from the waste aerosol can or puncturing device, if applicable, to a container or tank that meets the applicable requirements of 35 Ill. Adm. Code 722.114, 722.115, 722.116, or 722.117.
- E) The large quantity handler must conduct a hazardous waste determination on the contents of the emptied can, as required by 35 Ill. Adm. Code 722.111. Any hazardous waste generated as a result of puncturing and draining the aerosol can is subject to all applicable requirements of 35 Ill. Adm. Code 703, 705 and 720 through 728. The handler is the generator of the hazardous waste and is subject to 35 Ill. Adm. Code 722.
- F) If the large quantity handler determines that the contents are nonhazardous, the handler may manage the waste in any way that is in compliance with applicable federal, State, and local solid waste regulations.
- G) The large quantity handler must have a written procedure in place in the event of a spill or release and a spill clean-up kit must be provided. The large quantity handler must promptly clean up all spills or leaks of the contents of the aerosol cans.

f) Universal Waste Paint and Paint-related waste. A large quantity handler of universal waste must manage universal waste paint and paint-related waste in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:

- 1) The large quantity handler of universal waste must collect and store universal waste paint and paint-related waste in containers that are structurally sound, compatible with the universal waste paint and paint-related waste, and lack evidence of leakage or damage that could cause leakage under reasonably foreseeable conditions.
- 2) The large quantity handler of universal waste must ensure that containers in which the universal waste paint or paint-related waste are contained do



not leak and remain closed, except when wastes are being added, consolidated, or removed from the container.

3) The large quantity handler of universal waste, upon detection of a release of universal waste paint or paint-related waste, must do the following:

- A) Stop the release.
- B) Contain the released universal waste paint or paint-related waste.
- C) Clean up and properly manage the released universal waste paint or paint-related waste, and other materials generated from the cleanup.
- D) Remove any leaking container from service by transferring the contents to a container that meets the requirements of subsection (f)(1).
- E) Repair any leaking container to meet the requirements of subsection (f)(1) before returning it to service.

4) Ignitable universal waste paint or paint-related waste.

- A) A large quantity handler of universal waste must locate containers holding ignitable universal waste paint or paint-related waste at least 50 feet from the facility property line, unless the large quantity handler obtains written approval from the authority having jurisdiction over the local fire code to allow ignitable universal waste paint or paint-related waste to be located within 50 feet of the facility property line. The large quantity handler must maintain a record of the written approval as long as universal waste paint or paint-related waste is located within 50 feet of the facility property line.
- B) A large quantity handler must take precautions to prevent accidental ignition of universal waste paint or paint-related waste. The large quantity handler must separate and protect universal waste paint and paint-related waste from sources of ignition, including the following: open flames, smoking, cutting and welding, hot surfaces, frictional heat, sparks (static, electrical, or mechanical), or radiant heat.
- C) While handling universal waste paint or paint-related waste, the large quantity handler must confine smoking and open flames to specifically designated locations. The large quantity handler must conspicuously place "No Smoking" signs wherever there is an

ignitability hazard from universal waste paint or paint-related waste.

- 5) A large quantity handler of universal waste must manage universal waste paint or paint-related waste that is incompatible in separate containers.
- 6) A large quantity handler of universal waste must design, maintain, and operate areas of its facility where universal waste paint or paint-related waste is collected or stored to minimize the possibility of a fire, explosion, or unplanned sudden or non-sudden release of universal waste or hazardous constituents to air, soil, or surface water which could threaten human health or the environment.

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

### **Section 733.134 Labeling and Marking**

A large quantity handler of universal waste must label or mark the universal waste to identify the type of universal waste, as follows:

- a) Universal waste batteries (i.e., each battery), or a container or tank in which the batteries are contained, must be labeled or marked clearly with any one of the following phrases: "Universal Waste — Batteries", or "Waste Batteries", or "Used Batteries".
- b) A container (or multiple container package unit), tank, transport vehicle or vessel in which recalled universal waste pesticides as described in Section 733.103(a)(1) are contained must be labeled or marked clearly as follows:
  - 1) The label that was on or accompanied the product as sold or distributed; and
  - 2) The words "Universal Waste — Pesticides" or "Waste — Pesticides".
- c) A container, tank, or transport vehicle or vessel in which unused pesticide products, as described in Section 733.103(a)(2), are contained must be labeled or marked clearly, as follows:
  - 1) Pesticide Labeling
    - A) The label that was on the product when purchased, if still legible;
    - B) If using the labels described in subsection (c)(1)(A) is not feasible, the appropriate label as required under 49 CFR 172 (Hazardous Materials Table, Special Provisions, Hazardous Materials

Communications, Emergency Response Information, and Training Requirements), incorporated by reference in 35 Ill. Adm. Code 720.111(b); or

- C) If using the labels described in subsections (c)(1)(A) and (c)(1)(B) is not feasible, another label prescribed or designated by the pesticide collection program; and
- 2) The words "Universal Waste — Pesticides" or "Waste — Pesticides".
- d) Universal Waste Mercury-Containing Equipment and Universal Waste Thermostat Labeling
  - 1) Mercury-containing equipment (i.e., each device) or a container in which the equipment is contained must be labeled or marked clearly with any of the following phrases: "Universal Waste — Mercury-Containing Equipment", "Waste Mercury-Containing Equipment", or "Used Mercury-Containing Equipment".
  - 2) A universal waste mercury-containing thermostat or a container containing only universal waste mercury-containing thermostats may be labeled or marked clearly with any one of the following phrases: "Universal Waste — Mercury Thermostats", "Waste Mercury Thermostats", or "Used Mercury Thermostats".
- e) Each Universal waste lamp or a container or package in which ~~thesuch~~ lamps are contained must be labeled or clearly marked with any one of the following phrases: "Universal Waste — Lamps", "Waste Lamps", or "Used Lamps".
- f) Universal waste aerosol cans (i.e., each aerosol can) or a container in which the aerosol cans are contained must be labeled or marked clearly with any of the following phrases: "Universal Waste — Aerosol Cans", "Waste Aerosol Cans", or "Used Aerosol Cans".
- g) Each container in which universal waste paint or paint-related waste is contained must be labeled or clearly marked with one of the following phrases: "Universal Waste – Paint" or "Universal Waste - Paint-related Waste" or "Waste Paint" or "Paint-related Waste".

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

### **Section 733.139 Tracking Universal Waste Shipments**

- a) Receipt of Shipments. A large quantity handler of universal waste must keep a record of each shipment of universal waste received at the facility. The record

may take the form of a log, invoice, manifest, bill of lading, movement document, or other shipping document. The record for each shipment of universal waste received must include the following information:

- 1) The name and address of the originating universal waste handler or foreign shipper from which the universal waste was sent;
  - 2) The quantity of each type of universal waste received (e.g., batteries, pesticides, thermostats, mercury-containing [equipment](#), lamps, aerosol cans, or [paint or paint-related waste](#));
  - 3) The date of receipt of the shipment of universal waste.
- b) Shipments Off-Site. A large quantity handler of universal waste must keep a record of each shipment of universal waste sent from the handler to other facilities. The record may take the form of a log, invoice, manifest, bill of lading, movement document, or other shipping document. The record for each shipment of universal waste sent must include the following information:
- 1) The name and address of the universal waste handler, destination facility, or foreign destination to which the universal waste was sent;
  - 2) The quantity of each type of universal waste sent (e.g., batteries, pesticides, thermostats, mercury-containing [equipment](#), lamps, aerosol cans, or [paint or paint-related waste](#)); and
  - 3) The date the shipment of universal waste left the facility.
- c) Record Retention
- 1) A large quantity handler of universal waste must retain the records described in subsection (a) for at least three years from the date of receipt of a shipment of universal waste.
  - 2) A large quantity handler of universal waste must retain the records described in subsection (b) for at least three years from the date a shipment of universal waste left the facility.

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

## SUBPART E: STANDARDS FOR DESTINATION FACILITIES

### Section 733.162 Tracking Universal Waste Shipments

- a) The owner or operator of a destination facility must keep a record of each shipment of universal waste received at the facility. The record may take the

form of a log, invoice, manifest, bill of lading, movement document, or other shipping document. The record for each shipment of universal waste received must include the following information:

- 1) The name and address of the universal waste handler, destination facility, or foreign shipper from which the universal waste was sent;
  - 2) The quantity of each type of universal waste received (e.g., batteries, pesticides, thermostats, mercury-containing [equipment](#), lamps, [aerosol cans, or paint or paint-related waste](#)); and
  - 3) The date of receipt of the shipment of universal waste.
- b) The owner or operator of a destination facility must retain the records described in subsection (a) for at least three years from the date of receipt of a shipment of universal waste.

(Source: Amended at 49 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)