

ILLINOIS POLLUTION CONTROL BOARD
May 7, 2026


PEOPLE OF THE STATE OF ILLINOIS,)
)
Complainant,)
)
v.)
) PCB 26-28
M & A PRECISION TRUCK AND AUTO REPAIR,) (Enforcement - Land)
INC.,)
)
Respondent.)

HEARING OFFICER ORDER

On May 7, 2026, all parties participated in a telephonic status conference with the hearing officer. The complainant reported that it recently forwarded a stipulation and proposal for settlement (stipulation) to respondent for signatures.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on July 9, 2026, at 10:30 a.m. The telephonic status conference must be initiated by the complainant, and provide a call-in number, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing. If, however, a stipulation is filed prior to the next status conference, the conference will be cancelled without further notice.

IT IS SO ORDERED.




Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
60 E. Van Buren Street Suite 630
Chicago, Illinois 60605
312.814.8917
Brad.Halloran@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed, on May 7, 2026, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on May 7, 2026:

Don Brown
Illinois Pollution Control Board
60 E. Van Buren Street
Suite 630
Chicago, Illinois 60605



Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
60 E. Van Buren Street, Suite 630
Chicago, Illinois 60601
(312) 814-8917

@ Consents to electronic service

SERVICE LIST

PCB 2026-028@
Jason Clark
Office of the Attorney General
69 W. Washington Street
Suite 1800
Chicago, IL 60602

PCB 2026-028@
Peter Alan Wasem
330 East Main St. 3rd Fl
Barrington, IL 60010