Environmental Register

No. 490 Illinois Pollution Control Board News January, 1995

BARCLAYS TO PUBLISH BOARD OPINIONS AND ORDERS

The Board has entered into an agreement with Barclays Law Publishers for the publication of Board opinions and orders. Barclays will produce Barclays Environmental Law of Illinois, a comprehensive compilation of state statutes, regulations, and decisions covering all areas of environmental law, including Board decisions. Environmental Law will be available from Barclays on a paid subscription basis. It will include rules from several titles of the Illinois Administrative Code, relevant statutes from the Illinois Compiled Statutes, administrative decisions (including Board decisions) and recent significant environmental-related judicial decisions. Subscribers to Environmental Law will receive monthly supplements, each containing new or amended statutes and regulations, as well as the prior month's Board decisions. BARCLAYS continued on page 5

BOARD TO CONDUCT INQUIRY HEARINGS ON THE LOCATION OF WASTE MANAGEMENT FACILITIES IN 100-YEAR FLOODPLAINS

The Illinois Environmental Protection Agency recently filed a motion in docket R94-34, requesting that the Board conduct inquiry hearings on the location of hazardous and non-hazardous waste managment facilities in 100-year floodplains in Illinois. The Board has accepted the motion and has committed to holding at least one public hearing on the petition. See Rulemaking Update, this issue at page 2.

GOVERNOR EDGAR SIGNS AMENDMENTS TO OMNIBUS BILL, INCLUDING AMENDMENTS TO LOCAL SITING APPROVAL PROVISIONS, P.A. 88-681

On December 22, 1994, Governor Jim Edgar signed P.A. 88-681 (formerly H.B. 1594) into law. The amendments included a set of amendments to the Environmental Protection Act (Act) and various other statutes. These removed the words "regional" and "nonregional" from all references to the statutorily-defined "regional pollution control facility". The revised usage is simply "pollution control facility". The primary substantive impact of these amendments is that all pollution control facilities will be subject to local siting approval under Section 39.2 of the Act, without regard to whether or not their intended service area is purely local. The pertinent protions of this omnibus bill became effective upon signature.

BOARD TO SCHEDULE WEEKLY SPECIAL BOARD MEETINGS ON TRIAL BASIS

Beginning January 19 and through March 30, the Board will hold weekly "process" meetings on a trial basis. These meetings are intended to be limited so that the Board may expeditiously address routine matters, for instance, the scheduling of hearings in new cases brought before it, adoption of provisional variances, and acceptance of stipulated settlements. The Board still intends to reserve disposition of its non-routine, final decisions and motions for the meetings already scheduled on the third Thursday of the month, i.e., January 12, February 16 and March 16, 1995. The newly scheduled Board meetings are set for January 26; February 2, 9, and 23; and March 2, 9, 23, and 30, 1995.

RULEMAKING UPDATE

VEHICLE INSPECTION AND MAINTENANCE AMENDMENTS ADOPTED, R94-19 & R94-20

On December 1, 1994, the Board adopted amendments to the Illinois vehicle inspection and maintenance regulations under two different docket numbers R94-19 and R94-20. The amendments are intended to help implement an enhanced vehicle inspection and maintenance (I/M) program in certain areas in Illinois. The amendments establish the federal dynamic-load "IM 240" engine exhaust emissions test for 1991 and later light duty vehicles and light duty trucks. The existing static "idle" test would remain the test used for older vehicles and for those newer vehicles for which the "IM 240" test is unsuitable.

Section 182(b) and (c) of the CAA, as amended in 1990, requires the use of "inspection and maintenance" (I/M) programs in areas not meeting the national ambient air quality standards (NAAQS) for ozone and/or carbon monoxide. The CAA specifies the use of "basic" I/M programs in "moderate" nonattainment areas and "marginal" nonattainment areas with existing I/M programs. It requires the use of "enhanced" I/M programs in "serious", "severe", and "extreme" ozone nonattainment areas with urbanized populations of 200,000 or more. In Illinois, the Chicago and Metro-East St. Louis (Metro-East) areas are classified as "severe" and "moderate" nonattainment for ozone, respectively, and as such are subject to the I/M requirement.

The General Assembly enacted the Vehicle Emissions Inspection Law of 1995 (VEIL; 625 ILCS 5/13B) effective January 18, 1994. (P.A. 88-533.) That statute provides authority for the Agency to implement an enhanced I/M program and meet the United States Environmental Protection Agency's (U.S. EPA's) requirements for such a program. P.A. 88-533 mandates enhanced I/M testing for the Metro-East area and certain portions of the Chicago nonattainment area. Section 13B-20 mandates that the Agency propose and the Board adopt implementing regulations using identical-in-substance procedures.

On July 20, 1994, the Illinois Environmental Protection Agency (Agency) filed two proposals for Clean Air Act (CAA) rulemaking to implement the Vehicle Inspection Law. The first, docketed as R94-19 and dealing with vehicle tailpipe emissions testing, was based on federal guidelines; it proceeded under the "fast-track" rulemaking provisions of Section 28.5 of the Environmental Protection Act (Act) and Section 13B-20 of VEIL. The second petition, docketed as R94-20 and dealing with fuel system evaporative emissions, was based directly on federal regulations; it proceeded under the identical-in-substance provisions of Section 28.4 of the Act and Section 13B-20 of VEIL.

The Board proposed amendments in both dockets for First Notice publication in the *Illinois Register* on July 21, 1994 and conducted a public hearing in Chicago on September 8, 1994. Later scheduled hearings in R94-19 were cancelled on request of the Agency because the Board had not received an objection to the amendments from U.S. EPA or a request to hold the hearings pursuant to Section 28.5 of the Environmental Protection Act.

On October 20, 1994, the Board proposed the R94-19 "fast-track" amendments for Second Notice review by the Joint Committee on

Administrative Rules (JCAR). The Board lacked any discretion under law to adjust the statutory time-frames under any circumstances. Section 28.5(o) required the Board to propose the Amendments for Second Notice review by JCAR within 130 days after receiving the proposal, by November 27, 1994.

At its meeting of November 15, JCAR voted an objection to the proposed rules. JCAR stated in the objection:

At its meeting on November 15, 1994, the Joint Committee on Administrative Rules objected to the above cited rulemaking because the stringent standards will cause economic hardship on the affected public and because [the Board]'s action to adopt these standards is premature. The federal Vehicle Emissions Standards program may be altered before its anticipated full implementation in late 1995.

The identical-in-substance procedure did not require that the Board similarly submit the companion rulemaking, R94-20, for JCAR review.

In adopting the R94-19 amendments, in the December 1, 1994 opinion and order, the Board responded to the JCAR objection. The Board cited three reasons for its refusal to modify the amendments in response to the JCAR objection. First, the Board cited the legislative mandates that required it to adopt the amendments within short time frames. Second, the Board noted that it is the implementation of the legislation, and not the amendments that affects the costs of compliance with the enhanced vehicle I/M program. Finally, the Board noted that there was no federal action to limit the scope of the mandate that would justify deviation from the IM 240 test.

R94-20 was filed with the Secretary of State and became effective on December 12, 1994. R94-19 was filed and became effective on December 14, 1994. Direct questions to Michael J. McCambridge, at 312-814-6924. Request copies from Victoria Agyeman, at 312-814-3620. Please refer to dockets R94-19 and R94-20.

(Editor's note: At its meeting of January 10, 1995, JCAR considered the adopted R94-19 amendments and the Board's response to the JCAR objection. The adopted R94-20 amendments were again tentatively placed on the agenda for JCAR's February 7, 1995 meeting.)

BOARD ACCEPTS MOTION FOR INQUIRY HEARINGS ON LOCATION OF SOLID WASTE MANAGEMENT FACILITIES IN 100-YEAR FLOODPLAINS, R94-34

On December 14, 1994, the Board granted a December 2 motion of the Illinois Environmental Protection Agency (Agency) that the Board conduct inquiry hearings relating to the location of solid waste management facilities in 100-year floodplains. The Board has assigned the matter to a hearing officer to hold at least one hearing as requested by the Agency.

According to the motion, hazardous and non-hazardous waste landfills, incinerators, surface impoundments, treatment plants, transfer stations, and other facilities are permissibly located in 100-year floodplains in Illinois. The However, 7,400 square miles, or 14 percent, of the land area in Illinois is subject to flooding, with 250,000 buildings located in floodplains. The Agency also said that floods account for 90 percent of declared disasters in Illinois.

According to the Illinois Department of Transportation's "Floodplain Management: Local Floodplain Administrator's Manual", a higher risk of damage to facilities and environmental contamination occurs when the facility is located in the floodway portion of the floodplain, as opposed to when it is located in the flood fringe. The floodway is that portion of the channel and overbank areas that carries the bulk of the flood waters during a flood, and this is the area where water flow velocities and forces are greatest and most destructive.

The Board has been asked to conduct hearings to address three points: whether the location of facilities in floodplains warrants regulation or prohibition; whether the entire floodplain or just the floodway needs regulation; and whether the 500-year floodplain needs regulation or just the 100-year floodplain. Finally, the Agency has asked the Board to consider whether any regulation or prohibition of facility location should apply to existing facilities as well as new facilities. Address questions to Musette Vogel, at 217-524-8509. Please refer to docket R94-34.

BOARD RESCHEDULES LUST HEARINGS, R94-2(B)

The Board has rescheduled hearings previously scheduled for the petroleum leaking storage tank (LUST) rulemaking, R94-2(B). The hearings, originally scheduled to occur in Chicago and Springfield in January and February, are presently scheduled as follows:

10:00 a.m., Tuesday, March 28, 1995 and 10:00 a.m., Wednesday, March 29, 1995 County Board Chambers 200 South Ninth Street, 2nd Floor Springfield

10:00 a.m., Tuesday, April 25, 1995 and 10:00 a.m., Wednesday, April 26, 1995 James R. Thompson Center 100 West Randolph Street, Room 9-040 Chicago

The hearing officer order rescheduling the hearings sets forth a deadline of February 9, 1995 for interested persons to file a regulatory proposal to address issues outstanding from the parent proceeding, now designated as R94-2(A). The Board severed the docket simultaneous to proposing the parent rules for Second Notice on August 11, 1994. That was done in response to the requests of several participants and a formal motion by IERG. The separate sub-docket B is intended to consider generic clean-up objectives and alternative methodologies for determining objectives. (See issues 486, Sept., 1994 & 487, Oct., 1994.)

The hearing officer order also imposes deadlines of February 24 and March 10, 1955 as deadlines for submission of pre-filed testimony and exhibits for each respective hearing. It further states that the hearings of March 28 and April 26 are subject to cancellation if business is completed on the day preceding each. Direct questions to Musette Vogel, at 217-524-8509. Please refer to docket R94-2(B).

THIRD HEARING SET FOR WATER QUALITY AMENDMENTS, R94-1

The Board has set a third day of public hearings in the docket, R94-1, relating to amendments to the Illinois water quality regulations. The third day of hearing is scheduled as follows:

10:30 a.m., Friday, January 26, 1995 James R. Thompson Center Room 9-040 100 West Randolph Street Chicago

The hearing officer scheduling the third hearing provided for the pre-submission of testimony, exhibits, questions, and responses. It set forth a deadline of January 13, 1995 for pre-submission of testimony and exhibits, and January 20, 1995 for pre-submission of questions and responses based on the pre-filed testimony.

The Illinois EPA (Agency) proposal proceeded from a mandatory review of the Illinois stream water quality regulations required under the federal Clean Water Act (33 U.S.C. §§ 1251 *et seq.*). The proposal would amend Parts 302 and 304 of the Water Pollution Control regulations to revise the standards for ammonia nitrogen, mercury, and lead general water quality standards; secondary contact and indigenous aquatic life standards; and other regulations. The Agency filed the proposal February 24, 1994. The Board accepted the proposal on March 17, 1994 and decided to proceed on the proposal as a federally required rule on May 5, 1994. (Issues 481, April, 1994 & 483, June, 1994.)

Section 28.2 of the Act allows the Agency to certify that certain regulatory amendments are federally required rules. It allows the Board 45 days to either accept or reject the Agency's certification. Pursuant to the Board's order of May 5 construing Section 28.2, the Board was to have proposed a First Notice rule for publication in the *Illinois Register* within six months, *i.e.*, by November 5, 1994.

The Board proposed amendments based on the Agency's proposal for First Notice publication in the *Illinois Register* on September 15, 1994, which appeared on September 30, 1994. The Board subsequently scheduled two public hearings on the proposal, which occurred on November 10 and 22, 1994, in Springfield and Chicago. (See Issue 487, Oct., 1994.)

The First Notice period technically ended on November 14, 1994, but the Board has delayed proceeding to propose the amendments for Second Notice review by the joint Committee on Administrative Rules and has scheduled the additional hearing. Direct questions to Diane F. O'Neill, at 312-814-6062. Please refer to docket R94-1.

BOARD ACCEPTS PETITION FOR SITE-SPECIFIC LANDFILL FINANCIAL ASSURANCE REGULATION FROM COMMONWEALTH EDISON, R94-30

On December 1, 1994, the Board accepted a petition filed October 17 by Commonwealth Edison Company (Com-Ed) for hearing. The petition seeks a declaration that the Commonwealth Edison Joliet/Lincoln Quarry facility, in Will County, is a surface impoundment, and not a landfill subject to the land pollution control (landfill) regulations. In the alternative, Com-Ed seeks site-specific regulations relating to leachate management, groundwater monitoring, and final cover requirements at this facility.

Com-Ed has placed over 11,000 tons of bottom ash and slag

from two coal-fired generating stations each year in the facility, and has held a landfill permit for the facility for several years. Under the landfill amendments of 1990, Com-Ed notified the Agency that it intended to close the facility by September 18, 1997 (within seven years of the effective date of the amendments). Com-Ed has since reconsidered this decision due to the remaining capacity of the facility. Com-Ed seeks the declaration that the facility is a surface impoundment to avoid compliance with the 1990 landfill amendments. Com-Ed conceded in its petition that the facility cannot meet those standards. Direct questions to Kevin Desharnais, at 312-814-6926. Please refer to docket R94-34.

APPELLATE UPDATE

FOURTH DISTRICT DETERMINES THAT BOARD REMAND WAS APPROPRIATE, REMANDS DECISION TO BOARD FOR REMAND TO LOCAL SITING AUTHORITY

In a decision dated December 14, 1994, in *Illinois Landfills, Inc. v. PCB*, No. 4-94-41, the Fourth district held that the Board should have remanded the decision to the City of Hoopeston for further elaboration of its decision. The court denied a motion for rehearing on January 11, 1995. The court remanded the matter to the Board for remand to the City.

Illinois Landfills filed an application with the City of Hoopeston for siting approval, pursuant to Section 39.2 of the Environmental Protection Act (Act), for expansion of an existing pollution control facility (landfill). The City held public hearings and granted siting approval on April 27, 1993. A number of third party challengers appealed the decision to the Board on numerous grounds. In a decision dated September 23, 1993, in Slates v. City of Hoopeston, PCB 93-106, the Board reversed the City's decision. The Board found that the City had properly considered the required factors of Section 39.2(a) of the Act, but that the finding on the need criterion (criterion 1) was improper. The applicant's stated intended service area for the facility included 31 counties. The City's approval had stated that the facility was "necessary to accommodate the waste needs of the City of Hoopeston and the Vermilion County area." Since the finding did not extend to the entire intended service area, the Board held that the approval was defective and reversed the City's siting approval. In the September 23 opinion and order and in denying reconsideration on December 16, 1993, the Board specifically held that remand was not appropriate in this case.

On appeal, the Fourth District held that the Board should have remanded the matter to the City for correction of its criterion 1 determination to consider the entire intended service area. The court observed that it must review Board decisions under the same standard as the Board in reviewing local siting approval determinations: the manifest weight of the evidence standard. The court found that it could not review a Board decision on criterion 1 because the City did not render its determination on the proper basis, which would have been the entire intended service area. Under such circumstances, and where the City rendered its determination in good faith, the court felt that remand for a decision based on the proper consideration was the appropriate course.

FOR YOUR INFORMATION

BOARD HOLDS THAT LANDSCAPE WASTE IS WASTE, INVALIDATES OPEN BURNING PERMIT BECAUSE LOCAL SITING APPROVAL WAS NOT OBTAINED

The Board recently invalidated an Agency-granted open burning permit because the applicant had not obtained local siting approval before applying to the Agency for a permit. In American Tree Service v. PCB (Dec. 14, 1994), no. PCB 94-43, the Agency had granted the applicant an open burning permit, with conditions. The applicant challenged one of the conditions, which would have limited the applicant's burning to landscape waste generated by the applicant's employees' landscaping activities.

The applicant appealed the condition to the Board, essentially arguing that landscape waste is not "waste", as defined by Section 3.53 of the Act, so no restriction on the sources of the waste was necessary. The Agency argued that the restriction of the condition was necessary because otherwise the applicant's facility would be a "regional pollution control facility", as defined by Section 3.20 of the Act, and the applicant had not obtained local siting approval of its facility pursuant to Section 39.2 of the Act.

The Board examined the parties' arguments and the Act and determined that landscape waste is "waste", so local siting approval was required. Whereas the Agency attempted in the challenged condition to limit the wastes to those generated by the applicant's employees' activities, the Board concluded that the exception from the requirement for local citing authority was limited to wastes generated at the cite where they were disposed of. The Board held that since the applicant's activities were not restricted to landscape waste generated at its own site, local siting approval was required before the permit issued. The Board invalidated the permit because the applicant had not first obtained such approval.

BOARD DETERMINES THAT A PROPOSED WASTE WOOD-TO-ENERGY FACILITY IS A SOLID WASTE MANAGEMENT FACILITY

In a recent decision, in In the Matter of: Petition of Illinois Wood Energy Partners, L.P. for an Adjusted Standard from 35 Ill. Adm. Code 807 or, in the Alternative, a Finding of Inapplicability (Dec. 1, 1994), No. AS 94-1, the Board entered a final opinion and order. This opinion

and order followed the interim opinion and order issued October 6, 1994 and determined that a proposed wood-to-energy facility would be a solid waste management facility. Thus, the proposed facility would be subject to the permit requirements of Section 21(d) of the Environmental Protection Act. Although the Board found that the issue of adjusted standard relief was still relevant, it dismissed the petition because Illinois Wood Energy Partners had not filed an amended petition to cure the deficiencies noted in the October 6, 1994 Board order. (Editor's note: See issue 488, Nov., 1994 for more details. Illinois Wood Energy Partners filed notice of appeal to the First District Appellate Court on January 4, 1995, no. 95-1-0004.)

RESTRICTED STATUS AND CRITICAL REVIEW LISTS FOR PUBLIC WATER SUPPLIES IN THIS ISSUE

The Illinois Environmental Protection Agency, Division of Public Water Supplies, is publishing copies of the Division's Restricted Status and Critical Review lists at the end of this issue of the Environmental Register. These lists reflect the status as of January 1, 1995.

BARCLAYS continued from page 1

Initially, Environmental Law will be available in printed loose-leaf volumes. It will subsequently be available in the spring of 1995 on CD-ROM. Subscribers may purchase Environmental Law in two forms: a complete unabridged version covering all areas of environmental law, or in one or more individually-available area-specific segments.

Beginning in January, 1995, all decisions of the Board will be available through Environmental Law on an ongoing basis. Board decisions made between 1990-1994 will be compiled in bound volumes and made available in Environmental Law in the first half of 1995. Decisions made between 1970 and 1989 may be available in Environmental Law later in the year.

For further information on Barclays Environmental Law of Illinois, contact Mr. Jim Lynn of Barclays Law Publishers, at 1-415-244-6677, or Ms. Sandy Wiley of the Illinois Pollution Control Board, at 1-312-814-3623.

POLLUTION CONTROL BOARD ELECTRONIC BULLETIN BOARD SYSTEM (BBS)

The Pollution Control Board operates an electronic BBS at 312-814-1590. The BBS is available 24 hours a day, 7 days a week, to anyone with access to a computer and a modem - there is no charge for access to the BBS. The best communications settings are 8 data bits (or data length 8), no parity (or parity = none) and 1 stop bit, i.e., 8-N-1. The best terminal emulation is ANSI-BBS or just ANSI. The BBS contains Board Agendas, Environmental Registers, Annual Reports, and various documents about the Board. You may download these documents to your computer. For additional information contact Don Brown at the Board Offices 312-814-3461.

FINAL ACTIONS - December 1, 1994 BOARD MEETING

Petition of the City of Morris for Exception to the Combined Sewer Overflow Regulations - The Board granted this Grundy County facility an exception from the full treatment for first flush and primary treatment for ten times the average dry weather flow requirements of the combined sewer overflow rules of the water

pollution control regulations, subject to conditions.

90-24 Rock-Ola Manufacturing Corporation v. IEPA
- The Board granted reconsideration and vacated its opinion and order of May 19, 1994, dismissing this RCRA Subtitle C (haz-

ardous waste) facility permit appeal involving a Cook County facility in light of a settlement agreement between the parties. Board Member J. Yi abstained.

- People of the State of Illinois v. Condecor, Inc. The Board accepted a stipulation and settlement agreement in this air enforcement action against a Lake County facility, ordered the respondent to pay a civil penalty of \$15,000.00 and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- 93-232 David Geuther and Fehr-Graham & Associates

 v. IEPA The Board granted voluntary
 dismissal of this underground storage tank
 reimbursement determination appeal involving
 a LaSalle County facility. (Consolidated with
 PCB 94-53.)
- People of the State of Illinois v. Midwest
 Refinishing, Inc. and Kenneth Ruff The
 Board accepted a stipulation and settlement
 agreement in this land enforcement action
 against a DeKalb County facility, ordered the
 respondent to pay a civil penalty of
 \$20,000.00, and ordered it to cease and desist
 from further violation. Board Member J.
 Theodore Meyer concurred.
- Oity of Wheaton v. Office of the State Fire Marshal The Board vacated its order of September 1, 1994 and granted summary judgment, affirming the OSFM determination of December 6, 1993 that the petitioner may access the UST Fund subject to a \$100,000 deductible. Board Member J. Yi abstained.
- 94-53 <u>David Geuther and Fehr-Graham & Associates</u> v. IEPA - (See PCB 93-232.)
- 94-134 People of the State of Illinois v. Bakley Construction Corporation The Board accepted a stipulation and settlement agreement in this air and water enforcement action against McHenry and Kane County facilities, ordered the respondent to pay a civil penalty of \$18,000.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- 94-143

 People of the State of Illinois v. Basler
 Electric Company The Board accepted a
 stipulation and settlement agreement in this air
 enforcement action against a Madison County
 facility, ordered the respondent to pay a civil

penalty of \$14,000.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.

- 94-155 <u>Cabot Corporation v. EPA</u> The Board granted this Douglas county facility modification of a variance, originally granted March 25, 1993 in docket PCB 92-179 and modified on September 15, 1994 in docket PCB 94-155, from certain of the underground injection control regulations.
- 94-179 Solvent Systems International v. Village of Hampshire The Board affirmed a condition to the regional pollution control facility siting approval granted this proposed Kane County waste transfer facility that required the applicant to pay the legal and engineering expenses incurred during the local siting review process.
- 94-192 Christ Episcopal Church v. Office of the State

 Fire Marshal

 The Board granted summary
 judgment and affirmed an OSFM
 determination that the Lake County facility
 was ineligible for reimbursement from the
 UST fund in this underground storage tank
 reimbursement determination appeal.
- 94-200 <u>Illinois Landfill, Inc. v. IEPA</u> The Board granted this Vermilion County landfill a twelve-month variance from the deadline for filing its application for significant modification under the land pollution control (landfill) regulations.
- People of the State of Illinois v. City of Gillespie, Macoupin County; John Crawford, d/b/a Knostman Crawford Associates; and H & H Mechanical and Electrical Contractors, Inc. The Board accepted a stipulation and settlement agreement in this water enforcement action against a Macoupin County facility, ordered the respondent to pay a civil penalty of \$10,000.00, and ordered it to cease and desist from further violation.
- People of the State of Illinois v. Harper Oil

 Company The Board accepted a stipulation and settlement agreement in this underground storage tank enforcement action against a Effingham County facility, ordered the respondent to pay a civil penalty of \$5,500.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.

- 94-231 National Steel Corporation, Granite City
 Division v. IEPA The Board granted voluntary withdrawal of this land permit appeal involving a Madison County facility.
- 94-264 People of the State of Illinois v. First Baptist
 Church of Marseilles The Board accepted a
 stipulation and settlement agreement in this air
 enforcement action against a LaSalle County
 facility, ordered the respondent to undertake
 certain corrective actions, and ordered it to
 cease and desist from further violation. Board
 Member J. Theodore Meyer concurred.
- People of the State of Illinois v. Work Area Protection Corporation The Board accepted a stipulation and settlement agreement in this air and EPCRA enforcement action against a Kane County facility, ordered the respondent to pay a civil penalty of \$16,000.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- People of the State of Illinois v. Automatic

 Anodizing Corporation The Board accepted a
 stipulation and settlement agreement in this
 EPCRA enforcement action against a Cook
 County facility, ordered the respondent to pay
 a civil penalty of \$1,000.00, and ordered it to
 cease and desist from further violation. Board
 Member J. Theodore Meyer concurred.
- People of the State of Illinois v. Dean Foods

 Company The Board accepted a stipulation and settlement agreement in this EPCRA enforcement action against a Winnebago County facility, ordered the respondent to pay a civil penalty of \$3,600.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- People of the State of Illinois v. American Generator and Armature Company The Board accepted a stipulation and settlement agreement in this EPCRA enforcement action against a Cook County facility, ordered the respondent to pay a civil penalty of \$6,700.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- 94-269

 People of the State of Illinois v. American
 Rack Company The Board accepted a
 stipulation and settlement agreement in this
 Emergency Planning and Community Rightto-Know Act (EPCRA) enforcement action

- against a Cook County facility, ordered the respondent to pay a civil penalty of \$5,000.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- 94-281 Resourceful Environmental Ideas v. IEPA The Board granted the voluntary withdrawal of this air variance involving a DuPage County facility.
- People of the State of Illinois v. The Art

 Institute of Chicago The Board accepted a
 stipulation and settlement agreement in this air
 enforcement action against a Cook County
 facility and ordered the respondent to pay a
 civil penalty of \$1,000.00. Board Member J.
 Theodore Meyer concurred.
- People of the State of Illinois v. American Circuit Systems, Inc. The Board accepted a stipulation and settlement agreement in this RCRA Subtitle C enforcement action against a DuPage County facility, ordered the respondent to pay a civil penalty of \$2,000.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- People of the State of Illinois v. Colfax

 Corporation The Board accepted a stipulation
 and settlement agreement in this air
 enforcement action against a Cook County
 facility, ordered the respondent to pay a civil
 penalty of \$11,000.00, and ordered it to cease
 and desist from further violation. Board
 Member J. Theodore Meyer concurred.
- People of the State of Illinois v. Central Illinois Public Service The Board accepted a stipulation and settlement agreement in this air enforcement action against a Jasper County facility, ordered the respondent to pay a civil penalty of \$10,000.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- People of the State of Illinois v. Modern Steel
 Treating Company The Board accepted a
 stipulation and settlement agreement in this air
 enforcement action against a Cook County
 facility, ordered the respondent to pay a civil
 penalty of \$1,000.00, and ordered it to cease
 and desist from further violation. Board
 Member J. Theodore Meyer concurred.
- 94-334 Ingleside Union 76 #70 v. IEPA Upon

Page 8/ January, 1995			Environmental Register No. 490	
	receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.	94-342	Harvard Union 76 #197 v. IEPA - Upon receipt of an Agency recommendation, the Board granted this McHenry County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.	
94-335 94-336	Elmhurst Shell v. IEPA - The Board granted the Agency's motion to withdraw its recommendation for a provisional variance room the Stage II vapor recovery requirements of the air pollution control regulations for this DuPage County facility. Leo's Union 76 v. IEPA - Upon receipt of an	94-343	North Chicago Union 76 v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.	
	Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.	94-344	A & A Kwik Mart #9 v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air	
94-337	The Southland Corporation v. IEPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance for three of its Cook County gasoline dispensing facilities from the Stage II vapor recovery requirements of the air pollution control regulations.	94-345	Market Pantry Stores, County Pantry, Inc. v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution	
94-338	Gas & Grub, Inc. v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Kane County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.	94-346	control regulations. Mundelein Service, Inc. v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery	

- 94-339 Michael Oil Company v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Will County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-340 Hertz Rent-A-Car v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-341 Car Care Center v. IEPA - Upon receipt of an Agency recommendation, the Board granted this McHenry County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.

- ie al y requirements of the air pollution control regulations. 94-347 Amoco Oil Company v. IEPA - Upon receipt
- of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance for six of its gasoline dispensing facilities located in Cook and Will Counties from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-348 GO-tane v. IEPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance for three of its gasoline dispensing facilities located in Cook and Will Counties from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-349 Federal Express v. IEPA - Upon receipt of an Agency recommendation, the Board granted

the petitioner a 45-day provisional variance for		
three of its gasoline dispensing facilities		
located in Cook and McHenry Counties from		
the Stage II vapor recovery requirements of		
the air pollution control regulations.		

- Olark Refining and Marketing, Inc. v. IEPA

 Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance for 42 of its gasoline dispensing facilities located in Cook, DuPage, Kane, Lake, McHenry, and Will Counties from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-351 The UNO-VEN Company v. IEPA Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-352 <u>Marathon Oil Company v. IEPA</u> Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-353

 Alamo Rent-A-Car, Inc. v. IEPA Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-354 Denny's Standard Service v. IEPA Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-355

 Pettice Auto Electric v. IEPA Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-356 Oak Park and Madison 76 v. IEPA Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline

dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.

- 94-357 Marcley's v. IEPA Upon receipt of an Agency recommendation, the Board granted this Kane County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-358 Go For It v. IEPA Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-359 Ted's Mini Mart v. IEPA Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-360 Bartlett Union 76 #172 Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-361 Beach Park Union 76 #73 Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-362 Gas Stop v. IEPA The Board granted the Agency's motion to withdraw its recommendation for a provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations for this Cook County facility.
- 94-363 <u>Berkley Auto Service v. IEPA</u> Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-364 <u>Bruce's Mobil v. IEPA</u> Upon receipt of an Agency recommendation, the Board granted this McHenry County gasoline dispensing

facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.

- 94-365

 Alden Quick Mart v. IEPA Upon receipt of an Agency recommendation, the Board granted this McHenry County gasoline dispensing facility a 45-day provisional variance from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-366 Illinois Petroleum Marketers Assn. v. IEPA. Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance for sixty-four (64) of its members' gasoline dispensing facilities located in Cook, DuPage, Kane, Lake, McHenry, and Will Counties from the Stage II vapor recovery requirements of the air pollution control regulations.
- 94-367 <u>Illinois Central Railroad v. IEPA</u> Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance from the NPDES permit requirements for the temporary discharge of treated contaminated groundwater from its Franklin County facility.
- Borden Chemicals and Plastics, Operating
 Limited Partnership v. IEPA Upon receipt of
 an Agency recommendation, the Board
 granted the petitioners a 45-day extension of a
 prior provisional variance granted October 20,
 1994 in PCB 94-300 from the biochemical
 oxygen demand and suspended solids effluent
 requirements of the water pollution control
 regulations, to allow its Sangamon County
 facility to continue to discharge during a
 period of treatment plant malfunction.
- AC 94-36 Sangamon County v. Edward Combs The Board vacated an August 11, 1994 default order, accepted a stipulated agreement, entered a default order finding the Sangamon County respondent had violated Section 21(p)(3) of the Act, and ordered him to pay a civil penalty of \$500.00.
- AC 94-83 Wayne County Health Department v. Alma D.

 Kurtz The Board entered a default order, finding that this Wayne County respondent had violated Section 21(p)(1) of the Act and ordering her to pay a civil penalty of \$500.00.
- AC 94-84 Sangamon County v. Milton Tennant The

Board entered a default order, finding that the Sangamon County respondent had violated Section 21(p)(1) of the Act and ordering him to pay a civil penalty of \$500.00.

- AC 94-85 County of Vermilion v. Brickyard Disposal and Recycling, Inc. The Board entered a default order, finding that the Vermilion County respondent had violated Section 21(o)(5) of the Act and ordering it to pay a civil penalty of \$500.00.
- AC 94-86 County of DuPage v. Herman "Pete" Petersdorf The Board entered a default, order finding that the DuPage County respondent had violated Section 21(p)(1) of the Act and ordering him to pay a civil penalty of \$500.00.
- AC 94-87 Williamson County, Solid Waste Management
 v. Bill Baize The Board entered a default
 order, finding that the Williamson County
 respondent had violated Section 21(p)(1) and
 21(p)(4) of the Act and ordering him to pay a
 civil penalty of \$1,000.00.
- AC 94-89 <u>IEPA v. Joe Perry</u> The Board granted voluntary withdrawal of this administrative citation filed against a Cook County facility.
- AS 94-1

 In the Matter of: Petition of Illinois Wood Energy Partners, L.P. for an Adjusted Standard From 35 Ill. Adm. Code 807 or, in the Alternative, a Finding of Inapplicability The Board found that this proposed Cook County facility would be a solid waste management facility, as defined by the Act and Board regulations; as a result of Wood Energy not filing an amended petition the Board dismissed this petition for an adjusted standard from certain of the land pollution control (landfill) permit regulations. Board Member G. Tanner Girard concurred. Board Member Joseph Yi abstained.
- AS 94-9

 In the Matter of: Petition of the City of Springfield, Office of Public Utilities for an Adjusted Standard From 35 Ill. Adm. Code 302.208(e) The Board granted this Sangamon County respondent an adjusted standard, with conditions, from certain of the water pollution control effluent regulations, as they would limit the facility's boron discharges.
- AS 94-11 In the Matter of: Petition of Winnebago
 Reclamation Service, Inc. for an Adjusted
 Standard From 35 Ill. Adm. Code 811.710(c)
 and 811.713(c)(1) The Board granted this

Winnebago County facility an adjusted

and Maintenance (I/M) Regulations Amend-

LTV Steel Company (Hennepin Works) v.

	standard from certain of the financial assurance requirements of the land pollution control (landfill) regulations.		ments to 35 Ill. Adm. Code 240 - See Rule-making Update.
R94-19	In the Matter of: Enhanced Vehicle Inspec-	R94-20	In the Matter of: Enhanced Vehicle Inspection and Maintenance (I/M) Regulations, Amendments to 35 Ill. Adm. Code 240 - See Rulemaking Update.
	NEW CASES - December 1	<u>1, 1994 B</u>	OARD MEETING
94-281	Resourceful Environmental Ideas v. IEPA - See Final Actions.	94-326	People of the State of Illinois v. Village of Davis - Upon receipt of a proposed stipulation and settlement agreement and an agreed
94-311	Boyd Brothers, Inc. v. Abandoned Mined Lands Reclamation Council - The Board accepted this citizen's water enforcement action against a Williamson County facility for hearing and granted complainant's motion to consolidate this matter with PCB 94-275.		motion to request relief from the hearing requirement in this water enforcement action against a Stephenson County facility, the Board ordered publication of the required newspaper notice.
		94-327	Certified Performer, Inc. d/b/a Keith's Union
94-321	Emro Marketing Company (Romeoville facility) v. IEPA - The Board accepted this petition for an variance for a Will County facility from the Stage II vapor recovery requirements of the air pollution control regulations for hearing.		76 v. IEPA - The Board accepted this petition for a variance for a Kendall County facility from the Stage II vapor recovery requirements of the air pollution control regulations for hearing.
		94-328	W.R. Grace & Co Conn. v. IEPA - The
94-322	Emro Marketing Company (Monee facility) v. IEPA - The Board accepted this petition for an variance for a Will County facility from the Stage II vapor recovery requirements of the air pollution control regulations for hearing.		Board accepted this petition for a variance from certain of the air pollution control regulations involving a Cook County facility for hearing.
		94-329	Billy Turner and Marilyn Turner v. Golden
94-323	Safety-Kleen Corporation (Caseyville Service Center) v. IEPA - The Board accepted this RCRA Subtitle C (hazardous waste) facility permit appeal involving a St. Clair County facility for hearing.		<u>Cat Corporation</u> - The Board held this citizen's noise enforcement action against a Pulaski County facility for a frivolous and duplicitous determination.
		94-330	Safety-Kleen Corporation (Pekin Service
94-324	Safety-Kleen Corporation (Urbana Service Center) v. IEPA - The Board accepted this petition for a RCRA Subtitle C (hazardous waste) facility permit appeal involving a		<u>Center)</u> v. <u>IEPA</u> - The Board accepted this land permit appeal involving a Tazewell County facility for hearing.
	Champaign County facility for hearing.	94-331	Safety-Kleen Corporation (Urbana Service Center) v. IEPA - The Board accepted this
94-325	People of the State of Illinois v. Pierce and Stevens Corporation - Upon receipt of a proposed stipulation and settlement agreement		land permit appeal involving a Champaign County facility for hearing.
	and an agreed motion to request relief from the hearing requirement in this air enforcement action against a DuPage County facility, the Board ordered publication of the required newspaper notice.	94-332	Western Lion Limited v. IEPA - The Board requested an amended petition in this land permit appeal involving a Coles County facility.
	1040100 110 110 paper 110 ties.	04 222	ITV Steel Company (Hannanin Works) v

94-333

	<u>IEPA</u> - The Board accepted this land permit appeal involving a Putnam County facility for		Actions.
	hearing.	94-354	<u>Denny's Standard Service v. IEPA</u> - See Final Actions.
94-334	<u>Ingleside Union 76 #70 v. IEPA</u> - See Final Actions.	94-355	Pettice Auto Electric v. IEPA - See Final Actions.
94-335	Elmhurst Shell v. IEPA - See Final Actions.	94-356	Oak Park and Madison 76 v. IEPA - See Final
94-336	<u>Leo's Union 76 v. IEPA</u> - See Final Actions.	<i>3</i> . 55 0	Actions.
94-337	<u>The Southland Corporation v. IEPA</u> - See Final Actions.	94-357	Marcley's v. IEPA - See Final Actions.
94-338	Gas & Grub, Inc. v. IEPA - See Final	94-358	Go For It v. IEPA - See Final Actions.
74 550	Actions.	94-359	<u>Ted's Mini Mart v. IEPA</u> - See Final Actions.
94-339	Michael Oil Company v. IEPA - See Final Actions.	94-360	Bartlett Union 76 #172 - See Final Actions.
94-340	Hertz Rent-A-Car v. IEPA - See Final	94-361	Beach Park Union 76 #73 - See Final Actions.
94-340	Actions.	94-362	Gas Stop v. IEPA - See Final Actions.
94-341	<u>Car Care Center v. IEPA</u> - See Final Actions.	94-363	Berkley Auto Service v. IEPA - See Final Actions.
94-342	<u>Harvard Union 76 #197 v. IEPA</u> - See Final Actions.	94-364	Bruce's Mobil v. IEPA - See Final Actions.
94-343	North Chicago Union 76 v. IEPA - See Final Actions.	94-365	Alden Quick Mart v. IEPA - See Final Actions.
94-344	A & A Kwik Mart #9 v. IEPA - See Final Actions.	94-366	Illinois Petroleum Marketers Assn. v. IEPA See Final Actions.
94-345	Kwik Pantry Stores, County Pantry, Inc. v. <u>IEPA</u> - See Final Actions.	94-367	Illinois Central Railroad v. IEPA - See Final Actions.
94-346	<u>Mundelein Service, Inc. v. IEPA</u> - See Final Actions.	94-368	Borden Chemicals and Plastics, Operating Limited Partnership v. IEPA - See Final Actions.
94-347	Amoco Oil Company v. IEPA - See Final Actions.	AC 94-88	Sangamon County v. City of Springfield
94-348	GO-tane v. IEPA - See Final Actions.		(Springfield/Sangamon One) - The Board set this administrative citation appeal involving a Sangamon County respondent for hearing.
94-349	<u>Federal Express v. IEPA</u> - See Final Actions.	AC 94-95	
94-350	Clark Refining and Marketing, Inc. v. IEPA - See Final Actions.	AC 94-93	Sangamon County v. ESG Watts, Inc. (Springfield Twp./Sangamon Valley Landfill) - The Board accepted this administrative
94-351	The UNO-VEN Company v. IEPA - See Final Actions.		citation filed against a Sangamon County respondent and received an appeal and accepted it for hearing.
94-352	<u>Marathon Oil Company v. IEPA</u> - See Final Actions.	AS 94-16	In the Matter of: Petition of the City of Wood River for an Adjusted Standard From Treatment of Overflows and Bypass
94-353	Alamo Rent-A-Car, Inc. v. IEPA - See Final		Treatment of Overflows and Bypass Regulations 35 Ill. Adm. Code 306.305(a) and

(b) - The Board accepted this petition for a Madison County facility for an adjusted standard from certain of the combined sewer overflow requirements of the water pollution control regulations for hearing.

underground storage tank reimbursement

AS 94-17 In the Matter of: Joint Petition of the City of

Metropolis and the IEPA for an Adjusted Standard From 35 Ill. Adm. Code 304 for Suspended Solids, BODs and Ammonia Nitrogen - The Board held this petition of an adjusted standard for a Massac County facility from certain of the water pollution control wastewater effluent regulations.

In the Matter of: Petition of Commonwealth Edison Company for Site-Specific Regulation for Existing Landfills and Units: 35 Ill. Adm. Code 811 through 914 - See Rulemaking Update.

Agency recommendation, the Board granted

FINAL ACTIONS - December 14. 1994 BOARD MEETING

R94-30

	FINAL ACTIONS - December	14, 1994	BUARD MILLIING
85-166	Citizens Utilities Company of Illinois v. IEPA - The Board granted voluntary withdrawal of this NPDES permit appeal involving a Will		determination appeal involving a McHenry County facility.
	County facility, to facilitate implementation of a settlement reached in certain federal court litigation with the U.S. EPA.	94-135	People of the State of Illinois v. Reliable Sand and Gravel, Inc The Board accepted a stipulation and settlement agreement in this air enforcement action against a McHenry County
92-175	Olin Corporation (East Alton Facilities) v. IEPA - The Board granted voluntary dismissal of this RCRA Subtitle C (hazardous waste) facility permit appeal involving a Madison		facility, ordered the respondent to pay a civil penalty of \$10,000.00, and ordered it to cease and desist from further violation.
92-178	County facility. John Zarlenga and Jean Zarlenga v. John	94-227	Western Lion Limited v. IEPA - The Board granted voluntary dismissal of this land permit appeal involving a Coles County facility.
	Hancock Mutual Life Insurance Company and Lincoln Eastern Management Corporation - The Board granted voluntary dismissal of this citizens' notice enforcement action against a DuPage County facility.	94-257	Waste Professionals, Inc. d/b/a Pekin Metro Landfill v. IEPA - The Board granted voluntary dismissal of this land variance proceeding involving a Tazewell County facility.
93-161	Joseph A. Schrantz, Charles Hullihan, and Elizabeth Stearns v. Village of Villa Park, Villa Park Rotary Club, Villa Park Kiwanis Club, and Villa Park Masonic Lodge - The Board found that respondents had not violated the Act or the Board regulations in this citizens noise enforcement action against a DuPage County facility, dismissing the complaint.	94-325	People of the State of Illinois v. Pierce and Stevens Corporation - The Board accepted a stipulation and settlement agreement in this air enforcement action against a DuPage County facility, ordered the respondent to pay a civil penalty of \$6,000.00, and ordered it to cease and desist from further violation.
94-43	American Tree Service, Inc. v. IEPA - The Board granted summary judgment in favor of the Agency in this open burning permit appeal, finding that landscape waste is "waste" and that local siting approval was required for this proposed Sangamon County facility.	94-326	People of the State of Illinois v. Village of Davis - The Board accepted a stipulation and settlement agreement in this water enforcement action against a Stephenson County facility, ordered the respondent to pay a civil penalty of \$600.00, and ordered it to cease and desist from further violation.
94-124	Boncosky Oil Company v. IEPA - The Board granted voluntary dismissal of this	94-379	Petro Plus, Inc. v. IEPA - Upon receipt of an

	this Cook County gasoline dispensing facility a		В
	45-day provisional variance for from the Stage		re
	II vapor recovery requirements of the air		2
	pollution control regulations.		C
	ponavion control regulations.		pe
94-381	Amoco Research Center v. IEPA - Upon		P
	receipt of an Agency recommendation, the	AS 94-10	In
	Board granted a 30-day provisional variance		In C 3:4 H B
	from the ninety 90-day limitation on the		3.5
	accumulation of hazardous wastes at this		H
	DuPage County facility.		D.
	Durage County facility.		_
	W		ac
AC 94-7	Williamson County Solid Waste Management		SU
	v. Gerald Baltzell - The Board vacated a		
	March 31, 1994 default order and granted	AS 94-13	In

voluntary dismissal of this administrative citation involving a Williamson County

facility. Board Member J. Yi abstained.

AC 94-20 County of DuPage v. Waste Management of Illinois - The Board found that the County failed to prove that a violation had occurred, dismissing this administrative citation

AC 94-93 County of LaSalle v. Michael Mrowicki - The

94-370

94-371

involving a DuPage County facility.

Board entered a default order, finding the respondent had violated Section 21(p)(1), 21(p)(4), and 21(p)(6) of the Act at its LaSalle County facility and ordering it to pay a civil penalty of \$1500.00.

In the Matter of: Petition of Envirite

Corporation For an Adjusted Standard From

35 Ill. Adm. Code 721, Subpart D: List of

Hazardous Substances, Appendix I - The

Board granted this Cook County facility an
adjusted standard delisting a hazardous waste,
subject to conditions.

In the Matter of: Petition of Browning-Ferris Industries of Illinois, Inc.; Browning-Ferris Industries of Iowa, Inc.; and, BFI Modern Landfill, Inc. for an Adjusted Standard From 35 Ill. Adm. Code Section 811.714(b) - The Board denied the request for an adjusted standard for five facilities located in Lake, Ogle, Rock Island, St. Clair, and DuPage Counties from the certain of the financial assurance requirements of the Illinois land pollution control (landfill) regulations.

NEW CASES - December 14, 1994 BOARD MEETING

94-329	Billy Turner and Marilyn Turner v. Golden	94-373	People of the State of Illinois v. Wayne Berger		
	Cat Corporation - The Board accepted this		and Berger Waste Management, Inc The		
	citizen's noise enforcement action against a		Board accepted this land enforcement action		
	Pulaski County facility for hearing.		against an Richland County facility for hearing.		
94-369	People of the State of Illinois v. Landfill 33				
	Ltd The Board accepted this land	94-374	Eagle Ridge Inn & Resort (The Branigar		

enforcement action against an Effingham
County facility for hearing.

The Dow Chemical Company (Dow Joliet
Site) v. IEPA - The Board accepted this

Organization) v. IEPA - The Board accepted this

Organization) v. IEPA - The Board accepted this

Organization) v. IEPA - The Board accepted this

petition for a Will County facility for a variance from certain of the air pollution control regulations for hearing.

<u>Fire Marshal</u> The Board accepted this underground storage tank reimbursement determination appeal involving a Cook County facility for hearing.

<u>City of Elgin v. IEPA</u> - The Board held this water well setback exception petition for a

facility located Kane and Cook County. 94-376 People of the State of Illinois v. Acorn Wire and Iron Works - Upon receipt of a proposed stipulation and settlement agreement and an 94-372 Monee/Monee Auto Body-Wes Kochel v. IEPA - The Board accepted this underground agreed motion to request relief from the storage tank fund reimbursement hearing requirement in this air enforcement action against a Cook County facility, the determination appeal involving a Will County facility for hearing. Board ordered publication of the required newspaper notice.

respondents.

Parhara I Haisar (Haisar's Caraga) y Office		
of the State Fire Marshal - The Board accepted this underground storage tank reimbursement determination appeal involving a Peoria County facility for hearing.	AC 94-97	EPA v. O'Hara Construction, Inc. v. Kenneth O'Hara and Madalyn O'Hara (Beardstown/O'Hara #4) - The Board recieved an administrative citation against Cass County respondents.
People of the State of Illinois v. Brand Asbestos Control Co., Inc., n/k/a Brand Services, Inc Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the	AC 94-98	County of Will v. CDT Landfill - The Board recieved an administrative citation against a Will County respondent.
hearing requirement in this air enforcement action against a DeKalb County facility, the Board ordered publication of the required newspaper notice.	AC 94-99	County of Vermillion v. Brickyard Disposal & Recycling, Inc The Board recieved an administrative citation against a Vermilion County respondent.
Petro Plus, Inc. v. IEPA - See Final Actions.	AS 94-17	In the Matter of: Joint Petition of the City of Metropolis and the IEPA for an Adjusted
The Southland Corporation (Palatine and Wilmette Facilities) v. IEPA - The Board accepted this petition filed on behalf of two Cook County facilities for an variance from the Stage II vapor recovery requirements of the air pollution control regulations for hearing.		Standard From 35 Ill. Adm. Code 304 for Suspended Solids, BOD ₅ and Ammonia Nitrogen - The Board held this petition for a Massac County facility for an adjusted standard from certain of the water pollution control water quality regulations.
Amoco Research Center v. IEPA - See Final Actions.	AS 94-18	In the Matter of: Petition of Central Can Company for an Adjusted Standard From 35 Ill. Adm. Code Part 218 - The Board held this petition for a Cook County facility for an
EPA v. Wayne D. Alberts and Sharon J. Alberts (Atlanta/Alberts) - The Board accepted an appeal of this administrative citation against Logan County respondents for		adjusted standard from certain of the air pollution control volatile organic material emissions regulations.
hearing.	R94-34	In the Matter of: Landfills, Waste Treatment and Transfer Facilities Located Within 100-
EPA v. O'Hara Construction, Inc. v. Kenneth O'Hara and Madalyn O'Hara (Beardstown/O'Hara #3) - The Board recieved an administrative citation against Cass County		Year Floodplains - See Rulemaking Update.
	accepted this underground storage tank reimbursement determination appeal involving a Peoria County facility for hearing. People of the State of Illinois v. Brand Asbestos Control Co., Inc., n/k/a Brand Services, Inc Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this air enforcement action against a DeKalb County facility, the Board ordered publication of the required newspaper notice. Petro Plus, Inc. v. IEPA - See Final Actions. The Southland Corporation (Palatine and Wilmette Facilities) v. IEPA - The Board accepted this petition filed on behalf of two Cook County facilities for an variance from the Stage II vapor recovery requirements of the air pollution control regulations for hearing. Amoco Research Center v. IEPA - See Final Actions. EPA v. Wayne D. Alberts and Sharon J. Alberts (Atlanta/Alberts) - The Board accepted an appeal of this administrative citation against Logan County respondents for hearing. EPA v. O'Hara Construction, Inc. v. Kenneth O'Hara and Madalyn O'Hara (Beardstown/O'Hara #3) - The Board received	AC 94-97 accepted this underground storage tank reimbursement determination appeal involving a Peoria County facility for hearing. People of the State of Illinois v. Brand Asbestos Control Co., Inc., n/k/a Brand Services, Inc Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this air enforcement action against a DeKalb County facility, the Board ordered publication of the required newspaper notice. Petro Plus, Inc. v. IEPA - See Final Actions. AS 94-17 The Southland Corporation (Palatine and Wilmette Facilities) v. IEPA - The Board accepted this petition filed on behalf of two Cook County facilities for an variance from the Stage II vapor recovery requirements of the air pollution control regulations for hearing. Amoco Research Center v. IEPA - See Final Actions. EPA v. Wayne D. Alberts and Sharon J. Alberts (Atlanta/Alberts) - The Board accepted an appeal of this administrative citation against Logan County respondents for hearing. R94-34 EPA v. O'Hara Construction, Inc. v. Kenneth O'Hara and Madalyn O'Hara (Beardstown/O'Hara #3) - The Board received

FINAL ACTIONS - December 16, 1994 SPECIAL BOARD MEETING

94-383 The Alumax Mill Products v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Grundy County facility a 45-day provisional variance from the operating permit requirements of the water pollution control regulations, to allow continued discharge into a sanitary lagoon while the respondent seeks a permit for the discharge.

94-384 The Amoco Oil Company and the City of Wood River v. IEPA - Upon receipt of an Agency recommendation, the Board granted

the petitioners a 30-day provisional variance from the biochemical oxygen demand

(CBOD₅) and suspended solids (TSS) effluent requirements of the water pollution control effluent discharge, as they pertain to discharges from Outfall No. 2 of Amoco's Madison County facility.

94-385 Shell Oil Company, Argo Terminal v. IEPA -

Upon receipt of any Agency recommendation, the Board granted this Cook County facility a 45-day provisional variance from the water pollution control effluent requirements, to allow discharge during a hydrostatic testing of a new aboveground storage tank.

NEW CASES - December 16, 1994 SPECIAL BOARD MEETING

94-383	The Alumax Mill Products v. IEPA - See Final Actions.		<u>Wood River v. IEPA</u> - See Final Actions.
	Final Actions.	94-385	Shell Oil Company, Argo Terminal v. IEPA -
94-384	The Amoco Oil Company and the City of		See Final Actions.

CALENDAR OF HEARINGS

All hearings held by the Board are open to the public. All Pollution Control Board Meetings (highlighted) are open to the public but public participation is generally not allowed. Times and locations are subject to cancellation and rescheduling without notice. Confirmation of hearing dates and times is available from the Clerk of the Board at 312-814-6931.

January 4 10:00 a.m.	R 94-33 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart VII: Control of Volatile Organic Compound Emissions from Batch Operations, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 11-500, 100 West Randolph Street, Chicago.
January 9 10:30 a.m.	R 94-31 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart V: Control of Volatile Organic Compound Emissions from Lithographic Printing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
January 12 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
January 16 10:00 a.m.	PCB 94-229 WWSE	Village of Creve Coeur v. EPA - Creve Coeur Village Hall, 101 North Thorncrest Avenue, Creve Coeur.
January 18 11:00 a.m.	PCB 94-282 A-V	<u>UNO-VEN Company v. EPA</u> - Elmhurst City Hall, Council Chambers, Second Floor, 209 North York Street, Elmhurst.
January 18 3:00 p.m.	PCB 94-328 A-V	W.R. Grace & Company - Connecticut v. EPA - James R. Thompson Center, Room 11-500, 100 West Randolph Street, Chicago.
January 20 10:00 a.m.	PCB 94-327 A-V	Certified Performer, Inc., d/b/a Keith's Union 76 v. EPA - Oswego Village Hall, 113 Main Street, Oswego.
January 23 10:00 a.m.	PCB 94-321 A-V	Emro Marketing Company (Romeoville facility) v. EPA -Monee Village Hall, 5130 West Court Street, Monee.

January 23 11:00 a.m.	PCB 94-322 A-V	Emro Marketing Company (Monee facility) v. EPA -Monee Village Hall, 5130 West Court Street, Monee.
January 24 10:30 a.m.	R 94-31 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart V: Control of Volatile Organic Compound Emissions from Lithographic Printing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
January 25 10:00 a.m.	AC 94-37 AC	County of Ogle v. City of Rochelle, owner/operator, and Rochelle Disposal Service, Inc., operator under contract (Rochelle Municipal #2 Landfill) - Ogle County Courthouse, Basement Conference Room #5, 110 South Fourth Street, Oregon.
January 26 11:00 a.m. January 26 11:00 a.m.	AC 94-73 AC	Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 11-500, Chicago <u>EPA v. Stacy B. Hess (Washington/Hess Property)</u> - City Building, City Council Room, 115 Jefferson Street, Washington.
January 26 10:30 a.m.	R 94-1 R, Water	In the Matter of: Amendments to 35 Ill. Adm. Code 302.202, 302.208, 302.212, 302.213, 302.407, 304.122, and 304.301 (Ammonia Nitrogen, Lead, and Mercury) - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
February 2 11:00 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 11-500, Chicago
February 2 10:00 a.m.	PCB 92-60 UST-FRD	<u>Kean Oil Company v. EPA</u> - McHenry County Government Center, Room B-164, 2200 North Seminary, Woodstock.
February 2 1:30 p.m.	PCB 94-372 UST-FRD	Monee/Monee Auto Body-Wes Kochel v. EPA - County Building, Conference Room A, Second Floor, 302 North Chicago Street, Joliet.
February 2 10:00 a.m.	PCB 94-380 A-V	The Southland Corporation (Palatine and Wilmette Facilities) v. EPA - James R. Thompson Center, Room 11-500, 100 West Randolph Street, Chicago.
February 8 10:00 a.m.	AC 94-94 AC	EPA v. Wayne D. Alberts and Sharon J. Alberts (Atlanta/Alberts) - Logan County Courthouse, Jury Room, 601 Broadway, Lincoln.
February 9 11:00 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 11-500, Chicago
February 16 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
February 23 11:00 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 11-500, Chicago
March 2 11:00 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 11-500, Chicago
March 8 10:00 a.m.	PCB 94-191 P-A, NPDES	Arco Products Company, a Division of Atlantic Richfield Company v. EPA - James R. Thompson Center, Room 11-500, 100 West Randolph Street, Chicago.
March 9 11:00 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 11-500, Chicago
March 16 11:00 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago

March 23 11:00 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 11-500, Chicago
March 28 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - County Board Chambers, 200 South Ninth Street, 2nd Floor, Springfield.
March 29 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - County Board Chambers, 200 South Ninth Street, 2nd Floor, Springfield.
March 30 11:00 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 11-500, Chicago
April 7 10:00 a.m.	PCB 94-195 L-S-R	Land and Lakes Co., Inc., JMC Operations, Inc., and NBD Trust Company of Illinois, as Trustee under Trust No. 2624 EG v. Village of Romeoville - Romeoville Village Hall, Board Room, 13 Montrose Drive, Romeoville.
April 19 10:00 a.m.	AC 94-92 AC	County of DuPage v. Waste Management of Illinois, Inc. (Greene Valley Landfill) - DuPage County Courthouse, Courtroom 2003, Second Floor, 505 North County Farm Road, Wheaton.
April 20 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
April 21 10:00 a.m.	AC 94-92 AC	County of DuPage v. Waste Management of Illinois, Inc. (Greene Valley Landfill) - DuPage County Courthouse, Courtroom 2003, Second Floor, 505 North County Farm Road, Wheaton.
April 25 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - James R. Thompson Center, 100 West Randolph Street, Room 9-040, Chicago.
April 26 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - James R. Thompson Center, 100 West Randolph Street, Room 9-040, Chicago.
May 3 10:00 a.m.	PCB 94-270 A-E	People of the State of Illinois v. Spraying Systems Company - DuPage County Courthouse, Courtroom 212, 505 North County Farm Road, Wheaton.
May 18 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
June 15 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
June 21 1:00 p.m.	PCB 94-136 UST-FRD	Elmhurst-Chicago Stone Company v. EPA - DuPage County Board Office, Third Floor, 421 North County Farm Road, Wheaton.

Calendar Code

3d P	Third Party Action	A-CAdministrative Citation
A-E	Air Enforcement	A-SAdjusted Standard
A-V	Air Variance	CSOCombined Sewer Overflow Exception
GW	Groundwater	HW DelistRCRA Hazardous Waste Delisting
L-E	Land Enforcement	L-S-RLandfill Siting Review
L-V	Land Variance	N-ENoise Enforcement
N-V	Noise Variance	P-APermit Appeal
PWS-E	Public Water Supply Enforcement	PWS-VPublic Water Supply Variance
R	Regulatory Proceeding	RCRAResource Conservation and Recovery Act proceeding

(hazardous waste only

S0₂ S0₂ Alternative Standards (35 ILL. ADM. SWH-ESpecial Waste Hauling Enforcement

CODE 302.211(f)))

SWH-V Special Waste Hauling Variance TThermal Demonstration Rule

T-C Tax Certifications T-STrade Secrets

UST-E Underground Storage Tank Enforcement UST-FRDUnderground Storage Tank Fund Reimbursement

Determination

W-E Water Enforcement W-VWater Variance

WWS Water-Well Setback Exception

Illinois Environmental Protection Agency

Division of Public Water Supplies

Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of January 1, 1995.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates act ions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/2

Illinois Environmental Protection Agency Division of Public Water Supplies Restricted Status List -- Public Water Supplies January, 1995

	NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
	Altamont (Effingham Co 0170050)	4	Trihalomethane	2.400	06/15/92
	Arenzville (Cass Co 0170050)	5	Nitrate	400	03/20/81
	Ashley (Washington Co 1890100)	6	Trihalomethane	825	06/15/92
	Bellwood (Cook Co 0310150)	2	Radium	20,000	12/14/90
	Benld (Macoupin Co 1170050)	%	Trihalomethane		06/16/94
	Biggsville (Henderson Co 0710050)	5	Radium & Radiological		03/17/86
	Bond Co Royal Lake Wtr Dstrct (0055100)	6	Trihalomethane	228	06/15/92
	Bradford (Stark Co 1750050)	1	Radium	920	03/17/86
	Brownstown (Fayette Co 0510100)	6	Trihalomethane		06/15/92
	Buckingham (Kankakee Co 0910250)	2	Inadequate Pres. Tank	330	03/17/89
	Bureau Co Bailey Sbdv (0115100)	1	Inadequate Pres. Tank Radium	43	01/13/82
	Byron (Ogle Co 1410100)	1	Radium	2,500	06/15/93
	Campus (Livingston Co 1050050)	4	Inadequate Pres. Tank	230	03/20/81
**	Carroll Co Carroll Hts Utl Cmpny (0155200)	1	Inadequate Pres. Tank		03/20/81
	Carroll Co Century Pines Apts (0150020)	1	Inadequate Pres. Tank	50	12/14/90
*	Carthage (Hancock Co 0670250)	5	Atrazine	3,000	12/16/94
	Cedar Point Wtr Cmpny (LaSalle Co 0995040)	1	Radium	800	03/17/86
	Champaign Co D&R Apts (0190030)	4	Inadequate Pres Tank	26	09/16/93
	Chandlerville (Cass Co 0170200)	5	Nitrate	7,800	03/17/86
	Coalton (Montgomery Co 1350100)	5	Low System Pressure		03/20/81
	Coffeen (Montgomery Co 1350150)	5	Trihalomethane	800	03/17/92
	Concord (Morgan Co 1370100)	5	Nitrate	240	03/17/86
	Cook Co Mission Brook Sndst (0315920)	2	Radium		03/14/91
	Cook Co Orland Hills Sbdv (0317000)	2	Inadequate Pres. Tank		08/31/81
	Cook Co Plum Creek Condos (0317080)	2	Radium		03/17/86
	Coulterville (Randolph Co 1570150)	6	Trihalomethane		06/15/92
	Creal Springs (Williamson Co 1990300)	7	Inadequate Treatment Plant & Source	1,020	09/15/89
	Crystal Clear Wtr Cmpny (McHenry Co 1115150)	2	Inadequate Pres. Tank	900	09/16/88
	Dallas City (Hancock Co 0674300)	5	Trihalomethane	1,500	06/15/92
	DeKalb Co Buck Lake Ests Sbdv (0375100)	1	Inadequate Pres. Tank	200	09/14/84

```
DeKalb Co. - DeKalb Univ Dvl Corp (0375148)
                                                                              Inadequate Pres. Tank
                                                                                                                 950 12/16/92
                                                                                                              1,725
DePue (Bureau Co. - 0110300)
                                                                              Radium
                                                                                                                       09/16/94
DeWitt Co. - DeWitt Cnty Nursing Home (0395129)
                                                                              Inadequate Pres. Tank
                                                                                                                 80 06/17/83
Diamond (Grundy Co. - 0630250)
Dorchester (Macoupin Co. - 1170250)
                                                                              Radium & Radiological
                                                                                                              1,170
                                                                                                                       08/21/81
                                                                              Trihalomethane
                                                                                                                       06/16/94
Dover (Bureau Co. - 0110350)
                                                                              Inadequate Pres. Tank
                                                                                                                 200
                                                                                                                       05/25/81
DuPage Co. - Belmont- Highwood PWD (0435180)
                                                                              Trichloroethylene
DuPage Co. - Clarendon Wtr Cmpny (0435300)
                                                                              Inadequate Pres. Tank
                                                                                                              1,953
                                                                                                                       03/20/81
DuPage Co. - Ctzns Lombard Heights Dvn (0435700)
                                                                                                                       12/17/82
                                                                              Inadequate Pres. Tank
                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
DuPage Co. - Liberty Park Homeowners Assn (0435600)
                                                                                                              1,092
                                                                                                                       09/17/92
DuPage Co. - Maple Hill Imprv Assn (0435800)
                                                                                                                       08/31/81
                                                                                                                 234
DuPage Co. - Metro Util.-Liberty Ridge (0435650)
DuPage Co. - Northside Peterson Wlfnd (0435866)
DuPage Co. - Northwest Belmont Imprv Assn (0435900)
DuPage Co. - Pleasant Hill Cmnty Assn (0435980)
                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                              2,510
                                                                                                                       03/15/94
                                                                                                                      12/15/89
                                                                                                                  30
                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                 115
                                                                                                                       09/29/81
                                                                                                                       03/17/89
                                                                                                                 180
DuPage Co. - Polo Drive & Saddle Rd Sbdv (0437000)
DuPage Co. - St Charles Cmsn Wlfnd 3 (0437040)
                                                                              Inadequate Pres. Tank
                                                                                                                       12/17/82
                                                                              Inadequate Pres. Tank
                                                                                                                      12/15/89
                                                                                                                  30
DuPage Co. - South Burdette Wtr (0437320)
DuPage Co. - York Center Coop (0437550)
                                                                              Inadequate Pres. Tank
                                                                                                                       06/16/89
                                                                              Inadequate Pres. Tank
                                                                                                                 240
                                                                                                                       06/15/88
Eagerville (Macoupin Co. - 1170300)
Ellis Grove (Randolph Co. - 1570200)
                                                                              Trihalomethane
                                                                                                                 187
                                                                                                                       06/16/94
                                                                              Trihalomethane
                                                                                                                 453 12/16/94
Fairview (Fulton Co. - 0570450)
                                                                              Radiological, Radium &
                                                                                                                  20 03/20/81
                                                                              Inadequate Pressure Tank
                                                                        7
                                                                                                                 978 09/15/89
Goreville (Johnson Co. - 0870200)
                                                                              Inadequate Treatment
                                                                              Plant & Source
Greene Co. - Mt. Gilead Shorhm (0615129)
Grundy Co. - Heatherfield Sbdv (0635150)
                                                                              Inadequate Pres. Tank
                                                                                                                  28 09/16/83
                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                  91 09/17/82
Grundy Co. - Lisbon North Inc (0631000)
Grundy Co. - Ridgecrest North Sbdv (0635250)
                                                                                                                       09/14/90
                                                                                                                  30
                                                                              Inadequate Pres Tank
                                                                                                                  85 09/16/93
Henry (Marsh all Co. - 1230050)
Henry Co. - Country Ests Sbdv (0735050)
Henry Co. - Hazelwood 1st Addn Well 2 (0735446)
                                                                              Nitrate
                                                                                                              2,740
                                                                                                                       06/15/90
                                                                                                                       06/15/90
                                                                              Nitrate
                                                                                                                 250
                                                                              Inadequate Pres. Tank
                                                                                                                       09/17/82
Henry Co. - Hazelwood 1st Addn Well 2 (0735446)
Henry Co. - Hazelwood 2nd Addn Well 2 (0735666)
Henry Co. - Hazelwood 2nd Addn Well 3 (0735686)
Henry Co. - Hazelwood West Sbdv (0735250)
Henry Co. - Lake Lynwood Wtr Sys (0735330)
Henry Co. - Ophiem PWS (0735150)
Henry Co. - Osco Mutual Wtr Supply Cpy Inc (0735200)
Hillsboro (Montgomery Co. - 1350300)
                                                                              Inadequate Pres. Tank
                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                       09/17/82
                                                                                                                       03/19/84
                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                       08/31/81
                                                                                                                 150 06/18/82
                                                                                                                 115 12/15/89
                                                                              Atrazine & Trihalomethane 7,249 12/16/94
Iroquois Co. - A Merkle-C Kniprath Home (0755389)
Iroquois Co. - Spring Creek Campground II Inc. (0750030)
                                                                              Inadequate Pres. Tank
                                                                                                                  98 03/16/90
                                                                                       Inadequate Pres. Tank
                                                                                                              2,250 06/15/90
Island Lake Wtr Cmpny (Lake Co. - 0975080)
JoDaviess Co. - Bahl Wtr/Pioneer Acres (0855200)
                                                                              Inad. Pres. Storage
                                                                                                                 700
                                                                                                                       12/15/93
Kane Co. - Broadview Academy (0895149)
Kane Co. - Highland Sbdv (0895530)
                                                                                                                 304 09/19/86
                                                                              Radium
                                                                              Inadequate Pres. Tank
                                                                                                                       09/16/83
Kane Co. - Melrose Rental Apts (0895228)
                                                                              Inadequate Pres. Tank
                                                                                                                       03/15/94
                                                                                                                  38
Kane Co. - Moecherville Sbdv (0895300)
                                                                              Inadequate Pres. Tank
                                                                                                              1,120
                                                                                                                       03/20/81
Kane Co. - Park View Wtr Corp (0895500)
                                                                              Inadequate Pres. Tank
                                                                                                                 150 12/17/82
Kane Co. - Pleasant Village (0895228)
                                                                              Inadequate Pres. Tank
                                                                                                                 N/A 06/18/82
Kane Co. - Silver Glen Ests (0890040)
                                                                                                                       06/15/93
                                                                              Radium
Kane Co. - St Charles Skyline Swr-Wtr Cpy (0895030)
                                                                              Inadequate Pres. Tank
                                                                                                                       09/19/86
                                                                                                              1,300
Kane Co. - Wermes Sbdv (0895750)
                                                                                                                 150 12/16/88
                                                                              Inadequate Pres. Tank
Kankakee Co. - Good Shepherd Manor (0915189)
Kankakee Co. - Olivet Nazarene College (0915279)
Kankakee Co. - Skyview Sbdv (0915526)
                                                                              Inadequate Pres. Tank
                                                                                                                 140
                                                                                                                       03/17/89
                                                                                                                       03/15/94
                                                                              Inadequate Pres. Tank
                                                                                                              1,450
                                                                              Inadequate Pres. Tank
                                                                                                                  65
                                                                                                                       09/14/84
Kendall Co. - Bonnie Lane Wtr (0930010)
                                                                              Inadequate Pres. Tank
                                                                                                                       09/16/93
Kendall Co. - Farm Colony (0935140)
                                                                              Radium
                                                                                                                  25
                                                                                                                       03/17/86
Kendall Co. - Fox Lawn Utl Cmpny (0935150)
Kendall Co. - Metro Utl Valley Dvn (0935100)
                                                                                                                       03/17/86
                                                                              Radium
                                                                                                                       03/16/90
                                                                              Inadequate Pres. Tank
                                                                                                              2,200
Kingston Mines (Peoria Co. - 1430450)
                                                                                                                 350 03/17/86
                                                                              Radium
Kinsman (Grundy Co. - 0630450)
Kirkwood (Warren Co. - 1870050)
                                                                              Radium
                                                                                                                 150
                                                                                                                       03/17/86
                                                                                                                       07/23/93
                                                                              Radium & Radiological
                                                                                                              1,008
Ladd (Bureau Co. - 0110450)
                                                                              Radium
                                                                                                              1,350
                                                                                                                       10/04/85
Lake Co. - Acorn Acr es Sbdv (0975020)
                                                                              Inadequate Pres. Tank
                                                                                                                 250
                                                                                                                       12/16/83
                                                                              Inad. Pres. Storage
Lake Co. - Bluff Lake Lodges, Inc (0970240)
                                                                                                             25,200
                                                                                                                       12/15/93
Lake Co. - Briarcrest Sbdv Hmownrs Assn (0971060)
                                                                                                                       12/16/92
                                                                              Radium & Gross Alpha
                                                                                                                 120
Lake Co. - D L Well Owners Assn (0975380)
                                                                                                                       03/18/83
                                                                              Inadequate Pres. Tank
                                                                                                                 125
Lake Co. - Echo Lake Block IV Water Assn (0970130)
                                                                              Inadequate Pres. Tank
                                                                                                                  50 06/15/88
Lake Co. - Echo Lake Wtr Sys Block 7 (0975820)
Lake Co. - Elm Oak Mutual Wtr Sys (0975736)
                                                                              Inadequate Pres. Tank
                                                                                                                  48
                                                                                                                       09/16/83
                                                                              Inadequate Pres. Tank
                                                                                                                  45 06/13/86
                                                                              & Radium
Lake Co. - Forest Lake Addn (0975500)
                                                                              Inadequate Pres. Tank
                                                                                                                 180 12/16/83
Lake Co. - Glenkirk Campus North (0977189)
                                                                              Inadequate Pres. Tank
                                                                                                                  64
                                                                                                                       06/15/88
Lake Co. - Glenkirk Campus South (0977199)
                                                                                                                       06/15/88
                                                                              Inadequate Pres. Tank
Lake Co. - Glenstone Sbdv (0970160)
                                                                                                                       09/17/92
                                                                              Radium
                                                                                                                 168
Lake Co. - Highland Lake Sbdv (0975750)
                                                                              Inadequate Pres. Tank
                                                                                                                 294 03/20/81
Lake Co. - Lakewood Wtr Sys (0975400)
Lake Co. - Maple Hill Nursing Ctr (0971090)
                                                                              Inadequate Pres. Tank
                                                                                                                  49 12/16/83
                                                                              Inadequate Pres. Tank
                                                                                                                       06/15/93
Lake Co. - Sturm Sbdv (0977010)
                                                                              Inadequate Pres. Tank
                                                                                                                 63
                                                                                                                       03/16/84
Lake Co. - Summit Homeowners Assn (0975280)
                                                                                                                       03/16/84
                                                                              Inadequate Pres. Tank
                                                                                                                  48
Lake Co. - Sullill Holleowiers Assir (0975260)
Lake Co. - Sylvan Lake 1st Sbdv (0977100)
Lake Co. - Towner Sbdv (0977250)
Lake Co. - Wadsworth Oaks Sbdv (0977320)
Lake Co. - West Shoreland Sbdv (0977050)
                                                                              Inadequate Pres. Tank
                                                                                                                 210
                                                                                                                       06/14/91
                                                                              Inadequate Pres. Tank
                                                                                                                 238
                                                                                                                       01/14/82
                                                                                                                  80 09/19/86
                                                                              Inadequate Pres. Tank
                                                                                                                 220 06/14/91
```

```
LaSalle Co. - Cedar Point Water Company (0995110)
LaSalle Co. - Four Lakes Sbdv (0995110)
                                                                                 Radiological
                                                                                                                       19 09/16/94
                                                                                 Radium
                                                                                                                            09/19/86
LaSalle Co. - Il Prairie Est Sbdv (0995300)
LaSalle Co. - Lynnwood Water Corp (0995336)
LaSalle Co. - Woodsmoke Ranch Assn (0990030)
                                                                                 Radium
                                                                                                                       45 06/15/88
                                                                                                                            03/18/83
                                                                                 Inadequate Pres. Tank
                                                                                                                     114
                                                                                 Inadeq. Pres. Tank & Radium 350 06/15/90
Little York (Warren Co. - 1870100)
Livingston Co. - Salem Childrens Hm (1055229)
                                                                                                                     356 12/16/91
66 03/18/83
                                                                                 Radium
                                                                                 Inadequate Pres. Tank
Logan Co. - Bartmann Health Care Center (1075169)
                                                                                  Inadequate Pres. Tank
                                                                                                                       93 12/16/83
London Mills - (Fulton County - 0574620)
                                                                                 Inadequate Pres. Tank
                                                                                                                      670 12/14/84
Macoupin Co. - Spring Creek Water Assn (1175450)
Macoupin Co. - Staunton Res. Rd Wtr Corp (1175250)
                                                                                 Radium & Radiological
                                                                                                                      550
                                                                                                                            03/17/86
                                                                                 Trihalomethane
                                                                                                                            06/15/92
                                                                                 Trihalomethane
                                                                                                                       60
                                                                                                                            06/16/94
                                                                                                                           12/16/94
                                                                                 Trihalomethane
                                                                                                                       60
Mapleton (Peoria Co. - 1430 500)
McDonough Co. - Emmett Utl Inc (1095200)
                                                                                 Radium
                                                                                                                     235
                                                                                                                            03/17/86
                                                                                                                            12/17/82
                                                                                 Inadequate Pres. Tank
                                                                                                                       39
McHenry Co. - Community Srvc Corp (1115350)
McHenry Co. - Deering Oaks Sbdv (1115200)
                                                                                                                            09/16/83
                                                                                 Inadequate Pres. Tank
                                                                                                                     750
                                                                                 Inadequate Pres. Tank
                                                                                                                       60 12/17/82
McHenry Co. - Deering Cars State (1115200)
McHenry Co. - Prairie Ridge Assn (1115730)
McHenry Co. - Walk-Up-Woods Wtr Cmpny (1115800)
McHenry Co. - Wonder Lake Water Company (1115750)
McLean Co. - Cropsey Cmnty Wtr (1135150)
Media (Henderson Co. - 0710250)
                                                                                                                            03/16/90
                                                                                 Inadequate Pres. Tank
                                                                                                                     140
                                                                                 Inadequate Pres. Tank
                                                                                                                      763 12/17/82
                                                                                 Inadequate Pres. Tank
                                                                                                                   1,161
                                                                                                                            06/16/94
                                                                                 Inadequate Pres. Tank
                                                                                                                      60
                                                                                                                            03/20/81
                                                                                 Nitrate
                                                                                                                      150
                                                                                                                            03/17/86
Mercer Co. - M C L W Sys Inc (1315150)
Mercer Co. - Swedona Wtr Assn (1315200)
                                                                                 Inadequate Source
                                                                                                                     100
                                                                                                                            03/20/81
                                                                                 Inadequate Pres. Tank
                                                                                                                     100
                                                                                                                            06/15/90
Monmouth (Warren Co. - 1870150)
                                                                                                                            12/15/93
                                                                                 Radium
                                                                                                                   9,500
Monroe Co. - Maple Leaf Ests Wtr Corp (1335100)
                                                                                 Inadequate Pres. Tank
                                                                                                                       39
                                                                                                                            03/20/81
Mount Clare (Macoupin Co. - 1170650)
Mount Olive (Macoupin Co. - 1170700)
                                                                                 Trihalomethane
                                                                                                                      858
                                                                                                                            03/17/92
Mount Olive (Macoupin Co.
                                                                                 Trihalomethane
                                                                                                                   2,380
                                                                                                                            09/16/94
Naplate (LaSalle Co. - 0990600)
Neponset (Bureau Co - 0110700)
                                                                                 Radium
                                                                                                                            03/17/86
                                                                                                                      581
                                                                                 Radium
                                                                                                                      640
                                                                                                                            09/14/90
New Boston (Mercer Co. - 1310250)
                                                                                                                            12/14/84
                                                                                 Nitrate
                                                                                                                      750
Norris (Fulton Co. - 0570750)
Oakland (Coles Co. - 0290300)
Odell (Livingston Co. - 1050550)
                                                                                 Trihalomethane
                                                                                                                      250
                                                                                                                            12/16/94
                                                                                                                      996 12/16/94
                                                                                 Trihalomethane
                                                                                 Radium
                                                                                                                   1,100
                                                                                                                            03/17/86
Ogle Co. - Lindenwood Wtr Assn (1415300)
                                                                                 Inadequate Pres. Tank
                                                                                                                            01/13/82
                                                                                                                      50
Panama (Bond Co. - 0054720)
Paris (Edgar Co. - 0450300)
                                                                                 Trihalomethane
                                                                           6
                                                                                                                      380
                                                                                                                            06/16/94
                                                                                                                            09/16/94
                                                                                 Atrazine
                                                                                                                   8,990
Peoria Co. - Brookview Sbdv (1435100)
                                                                                 Nitrate
                                                                                                                     300
                                                                                                                            09/16/93
Peoria Co. - Edelstein Wtr Coop (1435150)
Peoria Co. - Fahnstock Court Sbdv (1435200)
Peoria Co. - Galena Knolls Sbdv (1435300)
Peoria Co. - Trivoli PWD (1435510)
                                                                                 Radium & Radiological
                                                                                                                            06/13/86
                                                                                 Inadequate Pres. Tank
                                                                                                                       30
                                                                                                                            05/25/81
                                                                                 Nitrate
                                                                                                                            06/15/88
                                                                                 Inadequate Pres. Tank
                                                                                                                      350
                                                                                                                            06/17/83
Peoria Co. - Vet's Place Sbdv (1435650)
                                                                                 Inadequate Pr es. Tank
                                                                                                                       85 12/16/94
Peoria Co. - Woodland Hts Ests Sbdv (1435760)
                                                                                 Inadequate Pres. Tank
                                                                                                                      245
                                                                                                                            03/20/81
Prairie City (McDonough Co. - 1090400)
                                                                                 Radiological & Radium
                                                                                                                      620 03/17/86
Radom (Washington Co. - 1890450)
Ransom (LaSalle Co. - 0990900)
Raritan (Henderson Co. - 0710350)
Reddick (Kankakee Co. - 0914780)
                                                                           6
                                                                                 trihalomethane
                                                                                                                      174
                                                                                                                            12/16/94
                                                                                 Radium
                                                                                                                      450
                                                                                                                            03/17/86
                                                                                 Radium & Radiological
                                                                                                                      177
                                                                                                                            03/17/86
                                                                                                                            09/16/93
                                                                                 Radium
                                                                                                                      208
                                  - 1890500)
Richview (Washington Co.
                                                                                                                            09/19/86
                                                                                 Inadequate Pres. Tank
                                                                                                                      592
Rockdale (Will Co. - 1970850)
                                                                                                                            03/17/86
                                                                                 Radium
                                                                                                                   1,500
Rock Island Co. - Byron Hls Sbdv Well 6 (1617266)
Rock Island Co. - Country Club Mnr Well 1 (1617286)
Rock Island Co. - Croppers 2nd & 3rd Addn (1615200)
Rock Island Co. - Eberts 2nd Addn (1615280)
                                                                                                                            12/17/82
                                                                                 Inadequate Pres. Tank
                                                                                                                       32 01/14/82
                                                                                 Inadequate Pres. Tank
                                                                                 Inadequate Pres. Tank
                                                                                                                       29
                                                                                                                            12/16/83
                                                                                 Inadequate Pressure Tank
                                                                                                                       35 09/15/89
Rock Island Co. - Evergreen Vlg Sbdv (1615310)
                                                                                  Inadequate Pres. Tank
                                                                                                                      250
                                                                                                                            03/20/81
Rock Island Co. - Larson Court Rentals (1615728)
                                                                                 Inadequate Pres. Tank
                                                                                                                       48 01/14/82
Rock Island Co. - Lemon Street Well Cmpny (1615550)
                                                                                  Inadequate Pres. Tank
                                                                                                                      470
                                                                                                                            03/20/81
Rock Island Co. - Park Hill Ests Well 1 (1617806)
                                                                                 Inadequate Pres. Tank
                                                                                                                            06/18/82
Rock Island Co. - Rock Island Arsn (1615387)
                                                                                                                   9,000
                                                                                 Trihalomethane
                                                                                                                            06/15/92
Rock Island Co. - Silvis Heights Wtr Corp (1615750)
                                                                                                                            03/20/82
                                                                                 Inadequate Pres. Tank
                                                                                                                   1,680
Rock Island Co. - Suburban Heights Sbdv (1615800)
                                                                                 Inadequate Pres. Tank
                                                                                                                     114
                                                                                                                            12/16/83
Rock Island Co. - Suburban Heights Stav (1615600)
Rock Island Co. - Tindalls Addn Wtr Sys (1617956)
Rock Island Co. - Tindalls 3rd & 6th Addns (1617376)
Rock Island Co. - Turkey Hollow Well Corp (1615686)
Rock Island Co. - WSCO Dvl-Ridgewood (1615670)
                                                                                                                            06/18/82
                                                                                 Inadequate Pres. Tank
                                                                                                                       32
                                                                                 Inadequate Pres. Tank
                                                                                                                       28
                                                                                                                            06/18/82
                                                                                 Inadequate Pres. Tank
                                                                                                                       32
                                                                                                                            06/18/82
                                                                                                                     475
                                                                                 Inadequate Pres. Tank
                                                                                                                            03/20/81
Roseville (Warren Co. - 1870200)
Rosiclare (Hardin Co. - 0690150)
                                                                                                                            03/17/89
                                                                                 Nitrate
                                                                                                                   1,254
                                                                                 Trihalomethane
                                                                                                                   1,791
                                                                                                                            09/17/92
Schram City (Montgomery Co. - 1350600)
                                                                                 Trihalomethane
                                                                                                                     690
                                                                                                                            06/16/94
Shannon (Carroll Co. - 0150300)
Shipman (Macoupin Co. - 1170950)
                                                                                 Nitrate
                                                                                                                      887
                                                                                                                            03/15/94
                                                                                 Trihalomethane
                                                                                                                     695
                                                                                                                            06/16/94
Sims (Wayne Co. - 1910400)
Sorento (Bond Co. - 0050300)
                                                                                 Atrazine
                                                                                                                       71
                                                                                                                            06/16/94
                                                                           6
                                                                                 Atrazine
                                                                                                                     710
                                                                                                                            06/15/92
South Pekin (Tazewell Co. - 1790650)
                                                                                 Nitrate
                                                                                                                   1,400
                                                                                                                            06/15/93
South Wilmington ( Grundy Co. - 0630650)
                                                                                 Radium
                                                                                                                            03/15/93
Spring Valley (Bureau Co. - 0111000)
St. Clair Co. - Save Site (1635289)
                                                                                 Radium
                                                                                                                   5,850
                                                                                                                            09/17/92
                                                                                 Trihalomethane
                                                                                                                            06/15/92
                                                                                                                     375
St. Peter (Fayette Co. - 0510300)
                                                                                 Trihalomethane
                                                                                                                      807
                                                                                                                            06/15/92
Standard (Putnam Co. -1550300)
                                                                                                                     280 09/16/91
                                                                                 Radium
Steeleville (Randolph Co. - 1570650)
Steeleville (Randolph Co. - 1570650)
Stephenson Co. - Park Crest Wtr Cmpny (1775100)
Sycamore (DeKalb Co. - 0370550)
Table Grove (Fulton Co. - 0570900)
                                                                                 Radium
                                                                                                                   2,305
                                                                                                                            03/17/86
                                                                                                                            09/14/84
                                                                                 Inadequate Pres. Tank
                                                                                                                   1,200
                                                                                 Barium
                                                                                                                   9.900
                                                                                                                            09/16/94
                                                                                 Radium & Radiological
                                                                                                                      500 03/20/81
Taylor Springs (Montgomery Co. - 1350650)
                                                                                 Trihalomethane
                                                                                                                      671 03/17/92
Tazewell Co. - Beverly Mnr Cntrl Imp Assn (1795120)
                                                                                 Inadequate Pres. Tank
                                                                                                                     525 03/17/89
```

```
Tazewell Co. - Beverly Mnr-Grant (1795100)
Tazewell Co. - Breezeway Sbdv (1795150)
Tazewell Co. - Hickory Hls Sbdv Assn 1 (1795386)
Tazewell Co. - Hickory Hls Sbdv Assn 2 (1795396)
Tazewell Co. - Mayfair Sbdv (1795750)
Tazewell Co. - Oakhaven Sbdv (1795760)
Tazewell Co. - Prairie View Wtr Assn (1795900)
                                                                                         Inadequate Pres. Tank
                                                                                                                                 610 03/20/81
                                                                                         Inadequate Pres. Tank
                                                                                                                                 175 09/17/82
                                                                                         Inadequate Pres. Tank
                                                                                                                                  31 06/14/85
                                                                                         Inadequate Pres. Tank
                                                                                                                                   30 06/14/85
                                                                                                                                 150 03/16/90
                                                                                         Inadequate Pres. Tank
                                                                                         Inadequate Pres. Tank
                                                                                                                                   35 05/25/81
                                                                                         Inadequate Pres. Tank
                                                                                                                                   55 03/20/81
Union Co. - Lick Creek PWD (1815100)
                                                                                         Inadequate Treatment
                                                                                                                                 816 09/15/89
                                                                                         Plant & Source
Vermilion Co. - North Fork Well Assn (1835186)
                                                                                         Inadequate Pres. Tank
                                                                                                                                   66 06/17/83
Vernon (Marion Co. - 1210550)
Viola (Mercer Co. - 1310450)
                                                                                         Trihalomethane
                                                                                                                                207 09/16/94
                                                                                  6
                                                                                         Radium
                                                                                                                              1,144
                                                                                                                                        09/17/92
Westfield (Clark Co. - 0230200)
                                                                                         Inadequate Water Source
                                                                                                                                 700 06/15/93
                                                                                         Trihalomethane
White City (Macoupin Co. - 1171150)
White Hall (Greene Co. - 0610400)
                                                                                                                                 280 06/15/93
                                                                                                                                        06/15/93
                                                                                                                              2,950
                                                                                  6
                                                                                         Atrazine
Whiteside Co. - Lakeview Sbdv (1955150)
                                                                                         Inadequate Pres. Tank &
                                                                                                                                 146 03/20/81
                                                                                         Nitrate
Will Co. - Bel-Air Sbdv (1975130)
                                                                                         Inadequate Pres. Tank
Will Co. - Clearview Sbdv (1975360)
Will Co. - Dixie Dells (1977850)
                                                                                         Inadequate Pres. Tank
                                                                                                                                 420 01/13/82
                                                                                         Inadequate Pres. Tank
                                                                                                                                 550 09/17/82
Will Co. - East Moreland Wtr Assn (1975600)
                                                                                         Inadequate Pres. Tank
                                                                                                                                 753 03/20/81
Will Co. - Fair Acres Sbdv (1975680)
                                                                                                                                 185 10/19/81
                                                                                         Inadequate Pres. Tan k
                                                                                                                                  62 09/15/89
Will Co. - Garden Street Imprv Assn (1975376)
                                                                                         Inadequate Pres. Tank
Will Co. - Greenfield Cmnty Well Cmpny (1975760)
                                                                                         Inadequate Pres. Tank
                                                                                                                                   25 12/16/83
Will Co. - Hillview Sbdv (1975800)
                                                                                                                                   99 03/15/85
                                                                                         Inadequate Pres. Tank
Will Co. - Huntley Cmnty Sbdv (1975840)
Will Co. - Ingalls Park Sbdv (1975880)
                                                                                         Inadequate Pres. Tank
                                                                                                                                   48
                                                                                                                                        03/16/84
                                                                                         Inadequate Pres. Tank
                                                                                                                                 690 09/16/83
Will Co. - Ingalis Fark SLOV (1975930)
Will Co. - Lakewood Shores Imprv Assn (1975930)
Will Co. - Oakview Avenue Wtrwks Inc (1977210)
Will Co. - Park Road Wtr Assn (1977330)
Will Co. - Ridgewood Sbdv (1977650)
Will Co. - Scribner Street Sbdv (1977660)
                                                                                         Radium
                                                                                                                                   93 03/17/86
                                                                                         Inadequate Pres. Tank
                                                                                                                                 350 03/20/81
                                                                                         Inadequate Pres. Tank
                                                                                                                                   60 12/17/82
                                                                                                                                 315 06/18/82
                                                                                         Inadequate Pres. Tank
                                                                                         Inadequate Pres. Tank
                                                                                                                                   50 03/18/83
Will Co. - Shawnita Trc Wtr Assn (1977690)
                                                                                         Inadequate Pres. Tank
                                                                                                                                 125
Will Co. - Sunnyland Sbdv (1977730)
Williamson (Madison Co. - 1191100)
                                                                                         Inadequate Pres. Tank
                                                                                                                                 350 09/16/83
                                                                                                                                 350 06/15/92
                                                                                         Trihalomethane
Williamson Co. - Devils Kitchen Wtr Dst (1995160)
                                                                                         Inadequate Treatment Plt1,330 09/15/89
                                                                                         & Source & Trihalomethane
                      - Lake of Egypt PWD (1995200)
                                                                                         Inadequate Treatment 7,743 09/15/89
Williamson Co.
Wilsonville (Macoupin Co. - 1171200) 5
Winnebago Co. - Blue & Gold Homeowners Assn (2015250) 1
                                                                                         Trihalomethane
                                                                                                                                 609 06/15/92
                                                                                         Inad. Press. Tank &
Inad. Source of Supply
                                                                                                                                 170 06/17/83
Winnebago Co. - Bradley Heights Sbdv (2015050)
Winnebago Co. - Briar Garden Apts (2015190)
                                                                                         Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                 192 09/13/85
                                                                                                                                  60 12/17/82
Winnebago Co. - Cherry Vale East Apts (2015470)
Winnebago Co. - Cherry View Apts (2015278)
Winnebago Co. - Great Oaks & Beacon Hls Apts (2015488)
                                                                                         Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                 180 01/14/82
                                                                                                                                 60 06/17/83
                                                                                  1
                                                                                                     Inadequate Pres. Tank
Winnebago Co. - Kishwaukee -Kilbuck Assn (2010010)
                                                                                         Inadequate Pres. Tank
                                                                                                                                   42 03/16/90
                                                                                        | Inadequate Pres. Tank | 12 | 03/16/90 |
| Inadequate Pres. Tank | 106 | 06/17/83 |
| Inadequate Pres. Tank | 225 | 03/14/91 |
| Inadequate Pres. Tank | 90 | 12/16/94 |
| Inadequate Pres. Tank | 240 | 03/20/81 |
| Radium and Inadequate | 1,614 | 03/17/86 |
| Radium and Inadequate | 900 | 03/20/81 |
Winnebago Co. - Kishwaukee - Kiibuck Assii (2010010
Winnebago Co. - Larchmont Sbdv (2015290)
Winnebago Co. - Legend Lakes Wtr Assn (2015300)
Winnebago Co. - The Mill (2010040)
Woodford Co. - Oak Ridge Sndst (2035300)
Wyoming (Stark Co. - 1750200)
Yates City (Knox Co. - 0950700)
                                                                                         Pressure Tank
```

Public Water Supplies Removed from Previous List

```
Buda (Bureau Co. - 0110100)

DuBois (Washington Co. - 1890150)

Elmwood (Peoria Co. - 1430300)

Henry Co. - Pine Ridg e Utl Inc (0735400)

Kangley (LaSalle Co. - 0990250)

Lake Co. - Blan Mar Hills Homeowners Assn (0970090)

Madison Co. - Forest Home Maple Park PWD (1195100)

Marshall Co. - Hopewell Wtr Wks (1235150)

McHenry Co. - C & A Wtr Corp (1115270)

McHenry Co. - Hunters Knoll Sbdv (1130030)

Smithboro (Bond Co. - 0050250)

Waterloo (Monroe Co. - 1330300)
```

DES:sp/0046g/5 -22

Illinois Environmental Protection Agency

Division of Public Water Supplies

Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of January 1, 1995.

- Indicates public water supplies which have been added to the list since the previous publication. Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/4

Illinois Environmental Protection Agency Division of Public Water Supplies Critical Review List -- Public Water Supplies January, 1995

		POP. LISTING
NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM SERVED DATE
Baylis (Pike Co 1490100)	5	Source Capacity 300 09/13/85 Low System Pressure 465 03/20/81
Bluford (Jefferson Co 0810100)	7	Low System Pressure 465 03/20/81
Camargo (Douglas Co 0410100)	4	Inadequate Treatment Plant 400 12/16/91
Carlyle (Clinton Co 0270300)		Inadequate Treatment Plant 400 12/15/93
Caseyville (St. Clair Co 1630250)		Low System Pressure 12,338 09/14/84
Clinton (DeWitt Co 0390050)		Inadequate Plant Capacity 7,437 06/14/91
DePue (Bureau Co 0110300)		Inadequate Treatment Plant 1,93012/15/93
Dieterich (Effingham Co 0490150)	1	Inadequate Source 568 03/15/94
DuPage Co Highland Hls Sndst (0435560)	2	Inadequate Pressure Tank 1,100 09/17/92
Edwardsville (Madison Co 1190250)	6	Inad. Treatment Plant 30,581 12/15/93
Evansville (Randolph Co 1570250)	6	Plant Capacity 1,838 05/25/81
Georgetown (Vermilion Co 1830350)	4	Inadequat e Wtr Plant 3,678 06/15/93
Hardin (Calhoun Co 0130200)	6	Low System Pressure 1,175 11/25/81
Homer (Champaign Co 0190300)	4	Inadequate Source 1,300 03/15/94
Jackson Co South Highway PWD (0775400)	7	Low System Pressure 8,189 06/15/92
Kane Co Lake Marian Wtr Corp (0895200)	2	Low System Pressure & 800 09/14/84
		Inadequate Pres. Storage
Kincaid (Christian Co 0210250)	5	Plant Capacity 2,640 06/14/85
Lewistown (Fulton Co 0570600)	5	Plant Capacity 2,640 06/14/85 Inadequate Source 2,700 06/15/88
McHenry Co McHenry S hores Wtr Cmpny (1115020)	2	LOW System Pressure 1/0 09/1//92
McHenry Co Whispering Hills Wtr Cmpny (1115700)	2	Low System Pressure 6,000 06/15/93
McHenry Co - Wonder Lake Wtr Cmpny (1115750)	2	Inadequate Storage 1,080 12/14/90
Millstadt (St. Clair Co 1630850)	6	Low System Pressure 2,750 12/16/91
North Utica (LaSalle Co 0990650)	1	Low System Pressure 3,943 03/18/84
Patoka (Marion Co 1210400)	6	Inadequate Treatment Plant 820 12/15/93
Pearl (Pike Co.1490650)	5	Inadequate Pres. Tank 322 09/17/82
Pecatonica (Winnebago Co2010250)	1	Low System Pres. 1,830 06/15/90
Ramsey (Fayette Co 0510200)	6	Source Capacity & 1,350 09/13/85
		Low System Pres.
Richland Co West Liberty Dundas Wtr Dist (1595050)	7	Low System Pres. & 693 12/14/84
		Inadequate Source
Rock Island Co Tower Ridge Sbdv (1615780)	1	Inadequate Pres. Tank 70 03/15/94
Stockton (Jo Daviess Co 0850450)	1	Low System Pressure 1,900 06/15/84
Sumner (Lawrence Co 1010300)	7	Low System Pressure 1,553 12/13/85
Taylor Spri ngs (Montgomery Co 1350650)	5	Low System Pressure 650 02/20/81
Walnut Hill (Marion Co 1210600)	6	Low System Pressure 1,200 06/14/85
Will Co Metro Utl Chickasaw Dvn (1975320)	2	Low System Pressure 7,700 09/17/92

Public Water Supplies Removed from Previous List
Davis (Stephenson Co. - 1770150)

Printed by Authority of the State of Illinois, January, 1995, 2,000 copies, order #57701.

The Illinois Pollution Control Board is an independent seven member board which adopts the environmental control standards for the State of Illinois and rules on enforcement actions and other environmental disputes. The Board Members are:

Claire A. Manning, Chairman Springfield, Illinois

Emmett E. Dunham II Ronald C. Flemal G. Tanner Girard Elmhurst, Illinois DeKalb, Illinois Grafton, Illinois

Marili McFawn J. Theodore Meyer Joseph Yi

Palatine, Illinois Chicago, Illinois Park Ridge, Illinois

The Environmental Register is a newsletter published by the Board monthly. The Register provides updates on rulemakings and other information, lists final actions, and contains the Board's hearing calendar. The Register is provided free of charge.

Illinois Pollution Control Board State of Illinois Center, 11-500 100 West Randolph Street Chicago, Illinois 60601 (312) 814-3620

Address Correction Requested.

Bulk Rate U.S. Postage PAID Chicago, IL Permit No.2088