

**BEFORE THE ILLINOIS POLLUTION CONTROL
BOARD**

PAUL CHRISTIAN PRATAPAS,)
)
 Complainant,)
)
 v.) PCB 2023-083
)
 STEEPLE RUN ELEMENTARY SCHOOL)
 And OZYNGA CONCRETE YARD #281,)
)
 Respondents.)


AGREED MOTION
FOR VOLUNTARY DISMISSAL OF COMPLAINT
AGAINST NAPERVILLE CUSD NO. 203

NOW COMES Complainant, Paul Christian Pratapas and Respondent, Steeple Run Elementary School, also known as Naperville CUSD No. 203, and moves the Illinois Pollution Board for an Order voluntarily dismissing the Complaint against Respondent Steeple Run Elementary School, also known as Naperville CUSD No. 203 without prejudice.

WHEREFORE, Complainant, Paul Christian Pratapas and Respondent, Steeple Run Elementary School, also known as Naperville CUSD No. 203, pray that the Illinois Pollution Board enter an Order voluntarily dismissing its Complaint against Respondent Steeple Run Elementary School, also known as Naperville CUSD No. 203 (“District”) without prejudice and with leave to reinstate, and without costs awarded.

Dated: 7/13/2023

**COMPLAINANT
PAUL CHRISTIAN PRATAPAS**


By: 

Prepared by:

**Paul Christian Pratapas
1779 Kirby Parkway, Ste. 1-92
Memphis, TN 38135**

CERTIFICATE OF SERVICE

I, Paul Christian Pratapas, certifies that I caused a copy of this Notice of Filing and the documents referenced therein to be served upon the below named individuals by electronic mail, this 13th day of July, 2023.

By: 

Service List

Illinois Pollution Control Board
Attn: Don Brown – Clerk of the Board
100 W. Randolph Street, Suite 11-500
Chicago, IL 60601
don.brown@illinois.gov

Kenneth M. Florey
Robbins, Schwartz, Nicholas,
Lifton & Taylor, Ltd.
kflorey@robbins-schwartz.com
(312)332-7760

JR Wydra Ozinga Concrete
Associate General Counsel
jrwydra@ozinga.com
(708) 326-4225