Environmental Register

No. 493 Illinois Pollution Control Board News April, 1995

APPELLATE UPDATE

FIFTH DISTRICT REMANDS LANDFILL SITING APPEAL FOR DETERMINATION OF NOTICE ISSUES

In a recent Rule 23 order, *C.O.A.L. v. PCB* (5th Dist. April 3, 1995), No. 5-93-0282, the Fifth District Appellate Court reversed the Board decision in *C.O.A.L. v. Laidlaw Waste Systems, Inc.* (Feb. 4 & Mar. 25, 1993), PCB 92-131, which affirmed the Section 39.2 grant by the Perry County Board of local siting approval for a proposed landfill. The court held that the county board had lacked jurisdiction to grant siting approval because property owners within 250 feet of the proposed facility had not received 14 days prior notice of the filing of the petition for approval.

The siting approval applicant, Laidlaw Waste Systems, mailed notices on March 4, 1992 to the owners of property within 400 feet of the proposed site, as indicated in the records of the Perry County Supervisor of Assessments. Laidlaw filed its petition with the Perry County Board on March 17, 1992. The county board held that it had jurisdiction and approved the siting for the facility. Third party challengers appealed that determination to the Board, arguing for the first time, *inter alia*, that the county Board lacked jurisdiction because not all owners within 250 feet had been properly served with notice pursuant to Section 39.2(b) of the Act. The Board held that the county board had jurisdiction and affirmed the local siting approval.

On appeal, the Fifth District initially noted that the issue of statutory notice was jurisdictional, and a challenger could raise it at any point in the siting approval process. The challengers first raised the issue of jurisdiction during the hearing before the Board on review of the county board's decision. The Fifth District proceeded to the jurisdictional issue and held that the Board had erred by finding that the Supervisor of Assessments' records were the "authentic tax records" of Perry County without having first received evidence on this issue. The court believed that the Board should have considered a deed for mineral rights and tax bills as evidence on the issue of ownership within 250 of the proposed site. Thus, the court held that the Board should not have granted Laidlaw's motion to strike that evidence. It reversed the Board's affirmance of the Perry County board approval and remanded the case to the Board for further proceedings to determine whether all property owners within 250 feet had been served with notice of the petition for siting approval.

The Fifth District noted that the issue of whether the notices were timely sent was raised on appeal but did not decide the issue. The challengers argued that the property owners must receive the notices 14 days before the filing; Laidlaw contended that posting the

notices 14 days before the filing of the petition was sufficient, since the "mail-box" rule applied. The court deferred on this issue in order that the Board make the determination on remand. The court did not consider the substantive determinations on siting approval according to the manifest weight standard, limiting its reversal to the jurisdictional issue.

STATUTORY AMENDMENT COULD NOT BE APPLIED RETROACTIVELY TO DENY REGISTRATION OF USTs

In a February 1, 1995 decision involving the Office of the State Fire Marshal (OSFM), rather than the Board, an Illinois appellate court held that the trial court erred when it applied a statutory amendment retroactively to deny registration of an underground storage tanks (USTs). The *First of America Trust Co. v. Armstead* (3d Dist. Feb. 1, 1995), No. 3-94-0193, court found nothing in P.A. 87-1088 indicating an intent for retroactive application of the amendments. In the absence of a clear expression of legislative intent, the amendments should have been applied prospectively.

The owner of the USTs applied to the OSFM for registration of the tanks on March 15, 1992. The property was used until 1962 as a gasoline service station. The USTs were not subsequently used to dispense petroleum products, but did continue to contain small quantities of those materials after that time. At the time of application, Section 4(b)(1)(A) of the Gasoline Receptacle Labeling Act, now the Gasoline Storage Act [430 ILCS 15/4(b)(1)(A)], allowed registration of USTs that contained petroleum at any time between January 1, 1974 and September 24, 1987. The OSFM denied registration of the tanks on September 9, 1992 because it construed "contained" to mean that the tanks must have been in use during that time. The tank owner appealed this determination to the circuit court of Peoria County.

P.A. 87-1088 amended Section 4(b)(1)(A) on September 15, 1992 to add that the UST must not have been taken out of operation before January 2, 1974 as a precondition to registration. The circuit court agreed with the UST owner that the OSFM erred in interpreting "contained" as requiring use or operation of the tanks. Nevertheless, the court affirmed the denial of registration based on the intervening amendments of P.A. 87-1088.

The Third District reversed the trial court's decision, observing that prior to P.A. 87-1088, the statute included no language relating to use or operation of the tanks as a precondition to registration. It held that P.A. 87-1088 could not be given retroactive effect, and if the OSFM had granted registration on September 9, 1992, as it should have, the tanks would have been registered. The court concluded that P.A. 87-1088 applies only to applications for registration submitted after September 15, 1992 and reversed the

denial of registration. Determining that the denial of registration was not the adoption of a rule within the meaning of Section 10-55(c) of the Administrative Procedure Act [5 ILCS 100/10-55(c)], which allows fees and costs when a rule is invalidated by a court, the Third District affirmed the circuit court's denial of an award of attorney's fees and costs.

(Editor's note: This outcome is very similar to that of the Cook County Circuit Court involving the amendments of P.A. 87-323, effective September 6, 1991, to Section 4(b)(1)(B) in Board of Education v. Armstead (Sept. 11, 1992), No. 91 CH 4963, in which the court ordered registration of the USTs involved. The Board of Education case is presently on appeal in the First District appellate court.)

SUPREME COURT HOLDS THAT AN APPELLANT MUST NAME THE AGENCY AND ALL PARTIES OF RECORD OR FACE DISMISSAL OF THE APPEAL

In a recent decision not involving the Board or environmental matters, the Illinois Supreme Court held that a failure to name the agency and all parties of record below would require dismissal of an appeal under Supreme Court Rule 335. *McGaughy v. Illinois Human Rights Commission* (Mar. 23, 1995), Nos. 75571 & 75917, heard appeals from two different decisions of appellate courts that involved decisions of the Department of Human Rights and the Illinois Human Rights Commission. It held that the failure to name "that agency and all other parties of record", as required by Supreme Court Rule 335(a), deprived the appellate courts of the ability to hear the appeals.

In one of the cases, the appellant had failed to name the Department of Human Rights in its appeal; the Third District appellate court denied dismissal of the appeal. In the other case, the appellant had failed to name the Commission, the Department, and her former employer, instead captioning the appeal, "In the Matter of the Request for Review ...". The Fourth District dismissed that appeal for lack of jurisdiction. In both instances, the appeals were timely filed pursuant to Section 8-111(A)(1) of the Human Rights Act [775 ILCS 5/8-111(A)(1) (1992)] and Supreme Court Rule 335, as referenced in Section 8-111(A)(1). Further, the appellants had timely served all the necessary respondents with copies of the appeal.

The Supreme Court examined Lockett v. Chicago Police Board (1990), 133 III. 2d 349, 549 N.E.2d 1266; Cuny v. Annunzio (1952), 411 III. 613, 104 N.E.2d 780; and Winston v. Zoning Board of Appeals (1950), 407 III 588, 95 N.E.2d 864, which held that the failure to name the agency and all parties of record required dismissal under the Administrative Review Law [735 ILCS 5/3-107(a) (1992)]. The court noted that although these Supreme Court decisions and many appellate cases had required dismissal of appeals of administrative decisions under either the administrative review law or some other statutory provision referring to Rule 335. The appellate cases cited included Environmental Control Systems, Inc. v. PCB (5th Dist. 1994), 258 III. App. 3d 435, 630 N.E.2d 554, in which the court dismissed an appeal of a Board decision for failure to name the county board whose determination was appealed to the Board. (See issue 483, June, 1994.) The court observed that in the cited cases, dismissal was required for the failure to name, whether

or not the court used jurisdicational terms or not. Concluding that the result was the same under the Administrative Review Law and Rule 335, the court held that a party seeking review of an administrative decision must strictly adhere to the terms and name the agency and all parties of record, or that party would face dismissal.

RULEMAKING UPDATE

PART VII 15% ROP PROPOSAL PROPOSED FOR SECOND NOTICE, R94-33

On March 16, 1995, the Board proposed Part VII of the 15 percent rate of progress (ROP) plan for Second Notice review by the Joint Committee on Administrative Rules. This part, docketed as R94-33, is a segment of regulatory amendments necessitated by the federal Clean Air Act Amendments of 1990 (CAAA). The CAAA requires a reduction in ozone precursor emissions in areas designated as moderate or severe nonattainment for ozone. In sum, all the ROP plan segments would seek a 15 percent 1990 VOM emissions levels in the Chicago and Metro-East St. Louis areas. The Agency has stated that the state is federally required to reduce VOM emissions by 250 tons per day (tpd) in the Chicago area and by 27 tpd in the Metro-East area. (See issues 483, June, 1994; 484, July, 1994; 485, Aug., 1994; 486, Sept., 1994; 487, Oct., 1994 & 488, Nov., 1994.)

The Board accepted the Part VII 15% ROP plan rulemaking proposal pursuant to the "fast-track" rulemaking provisions of Section 28.5 of the Environmental Protection Act (Act), which requires the Board to proceed within set time-frames toward the adoption of the proposed amendments. The Board lacks any discretion under the statute to adjust these time-frames under any circumstances. Under Section 28.5(o), the Board must have adopted the proposal for Second Notice within 130 days on receipt of the proposal from the Agency. Section 28.5(p) requires that the Board must adopt and file final rules based on the proposal within 21 days of when it receives a Certificate of No Objection from JCAR.

The Part VII proposal contemplates lowering VOM emissions from batch chemical processes having certain standard industrial classifications (SIC) codes in the Chicago and Metro-East areas. The SIC codes involved are 2821, 2833, 2834, 2861, 2865, 2869, and 2879. This includes a broad range of chemical manufacturing activities: plastic materials and resins (SIC 2821), medicinal chemicals and botanical production (SIC 2833), pharmaceutical operations (SIC 2834), gum and wood chemicals (SIC 2861), cyclic crudes and intermediates (SIC 2865), industrial organic chemicals (SIC 2869), and agricultural chemicals (SIC 2879). The Part VII proposal would also regulate emissions from Stepan Chemical Company's Millsdale facility, in Elwood. The proposal would further add definitions for "batch process train", "batch operation", "process vent", and "single unit operation".

The Agency stated that it contemplates that the Part VII amendments would reduce VOM emissions by 12.63 tpd in the Chicago area. The Agency estimate of reduction of VOM emissions in the Metro-East area is 0.36 tpd.

The Agency filed the Part VII ROP proposal on November 14,

1994. On November 18, 1994, the Board proposed the Part VII ROP amendments for First Notice publication in the *Illinois Register*. The Board conducted one public hearing in R94-33 on January 4, 1995. The hearing officer cancelled subsequent scheduled hearings for the statutorily-prescribed reasons due to the low level of public interest in further hearings on the proposal. Notices of Proposed Amendments appeared in the December 16, 1994 *Illinois Register*. The First Notice public comment period ended after 45 days, on January 30, 1995.

JCAR received the Second Notice package on March 22, 1995, and the Second Notice period ends after 45 days, on May 5, 1995. The Board will be free to adopt amendments based on the proposal when it receives a Certificate of No Objection from JCAR or when the Second Notice period ends, whichever comes first. Direct questions on the Part VII proposal to Audrey Lozuk-Lawless, at 312-814-6923. Request copies of of the Board's action on these amendments from Victoria Agyeman, at 312-814-6920. Please refer to docket R94-33.

CONSOLIDATED RCRA AND UIC UPDATE PROPOSED FOR PUBLIC COMMENT, R95-4/R95-6

On March 2, 1995, the Board proposed identical-in-substance amendments to the Illinois RCRA Subtitle C hazardous waste and underground injection control (UIC) regulations. The amendments correspond with U.S. EPA revisions to the two federal programs made during the period July 1 through December 31, 1994. The Board also included corrective amendments made by U.S. EPA on January 3, 1995. The Board consolidated the amendments for the two programs into a single action for the sake of promptly acting on all the amendments and because many of the amendments to the UIC program were closely related to some of the RCRA Subtitle C amendments. The Board had received a request from the regulated community that it proceed to promptly adopt some of the RCRA Subtitle C amendments relating to land disposal of hazardous waste. The UIC amendments are proceeding under docket number R95-4; the RCRA Subtitle C amendments bear the docket number R95-6.

During the update period, U.S. EPA undertook several actions. On July 28, 1994, U.S. EPA excluded certain in-process recycled secondary materials used by the petroleum refining industry from the definition of solid waste. On August 24, 1994, it withdrew an exemption from Subtitle C regulation for certain slag residues from high temperature metal recovery (HTMR) processes that are used in a manner constituting disposal. On September 19, U.S. EPA restored text inadvertently omitted from amendments it undertook on August 31, 1993 (updating chemical test methods). Other amendments made by U.S. EPA on September 19, 1994 included the Phase II land disposal restrictions (LDRs), also called the "universal treatment standards". The Phase II LDRs affected the UIC program. U.S. EPA promulgated organic material emissions standards for hazardous waste tanks, surface impoundments, and containers on December 6, 1994. Finally, on January 3, 1995, U.S. EPA made corrective amendments to the September 19, 1994 Phase II LDRs.

The Board proposed all the necessary amendments to update the Illinois RCRA Subtitle C and UIC programs to include the federal

amendments described. The Board further included a number of corrective and conforming amendments to both programs. Not directly prompted by the federal amendments, yet included by the Board were the repeal of Part 700, which formerly set forth the general provisions for all of the land pollution control regulations, and the update of the tables of hazardous waste delistings to include a recent delisting granted Envirite Corporation on December 14, 1994, under docket number AS 94-10.

The public comment period began on March 24, 1995, when Notices of Proposed Amendments appeared in the *Illinois Register*. The public comment period will end after 45 days, on May 8, 1995. After the public comment period ends, the Board will be free to adopt amendments based on the proposal. The identical-insubstance provisions of the Act provide that the Administrative Procedure Act requirements for First Notice and Second Notice review by the Joint Committee on Administrative Rules do not apply to this proceeding.

Direct questions to Michael J. McCambridge, at 312-814-6924. Request copies of the proposed amendments from Victoria Agyeman, at 312-814-6920. Please refer to consolidated docket R95-4/R95-6.

CONSOLIDATED SDWA UPDATE AMENDMENTS PROPOSED FOR PUBLIC COMMENT, R94-23/R95-3

On March 16, 1995, the Board proposed consolidated amendments to the Illinois Safe Drinking Water Act (SDWA) program regulations to correspond with federal amendments that occurred in the periods January 1 through June 30, 1994 and July 1 through December 31, 1994. Docket number R94-23 applies to the period up to June 30, 1994, and docket number R95-3 applies to the period beginning July 1. The Board consolidated the two sets of amendments because some of the R95-3 amendments directly affected the disposition of many of the earlier R94-23 amendments.

U.S. EPA amended the federal regulations on June 30, 1994, to correct certain segments of the lead and copper rules. Among the federal corrections and clarifications were amendments related to the monitoring and chemical analytical requirements. On July 1, 1994, U.S. EPA similarly corrected errors int he unregulated contaminant monitoring requirements and the Phase II, Phase IIB, and Phase V regulations. On December 5, 1994, U.S. EPA consolidated nearly all of the inorganic chemical analytical requirements into a single table, updating all of the methods to later versions of the available references. Some of the later actions relating to chemical analytical methods affected the earlier amendments. Finally, the Board proposed amendment of the regulations to note a recent federal case, *American Water Works Association v. EPA*, 40 F.3d 1266 (D.C. Cir. 1994), which invalidated the federal regulation underlying a segment of the Illinois regulations.

Direct questions to Michael J. McCambridge, at 312-814-6924. Request copies of the proposed amendments from Victoria Agyeman, at 312-814-6920. Please refer to consolidated docket R94-23/R95-3.

BOARD GRANTS EXPEDITED CONSIDERATION OF AMENDMENTS TO THE DEFINITION OF VOM, R95-2

On March 16, 1995, the Board granted the Agency's request for expedited consideration of the latest identical-in-substance update to the definition of volatile organic material (VOM). Attached to the Agency's March 7 letter were letters directed to the Agency from Occidental Chemical Corporation and Dow Corning Corporation requesting that Illinois amend our definition of VOM to include new exemptions from the definition.

Docket R95-2 is reserved for any federal amendments to the federal definition of VOM, now codified as 40 CFR 51.100(s). U.S. EPA amended that definition on October 5, 1994, at 59 Fed. Reg. 50696, by adding one compound and one class of compounds to the list of those exempted from consideration as VOM. The newly-exempted compounds are parachlorobenzotrifluoride (PCBTF) and the class of compounds called cyclic, branched, or linear completely-methylated siloxanes. The effect of this action was to exempt the emissions of these materials from controls for the purposes of state implementation plans for ozone--i.e., industries no longer needed to control emissions of these materials.

Direct questions to Michael J. McCambridge, at 312-814-6924. Request copies of the proposed amendments from Victoria Agyeman, at 312-814-6920. Please refer to docket R95-2.

(Editor's note: As of the writing of this issue, the Board had intended to place a proposal for public comment on its April 20, 1995 decisions agenda for consideration.)

RCRA SUBTITLE D AND UST UPDATE DOCKETS DISMISSED, R95-5 & R95-7

On March 16, 1995, the Board dismissed two identical-insubstance update dockets because U.S. EPA had not amended the corresponding federal regulations during the relevant period in any way that would require Board action. R95-5 was reserved for amendments to the federal RCRA Subtitle D (municipal solid waste landfill) program that would have occurred in the period July 1 through December 31, 1994. R95-7 was reserved for U.S. EPA amendments to its underground storage tank (UST; RCRA Subtitle I) regulations. Since no Board action was required, the Board promptly dismissed both dockets.

Direct questions to Michael J. McCambridge, at 312-814-6924. Request copies of the proposed amendments from Victoria Agyeman, at 312-814-6920. Please refer to docket R95-5 or R95-7, as appropriate.

SPECIAL WASTE VEHICLE NUMBER RULEMAKING OPENED, R95-11

On March 16, 1995, the Board opened a docket to consider an amendment to the special waste hauler requirements of the land pollution control regulations. The new proceeding concerns the requirements that special waste haulers mark transport vehicles with a special waste hauler permit number.

The Board received a letter from the American Trucking Association (ATA) dated February 22, 1995 indicating that Section 809.401 of the special waste hauling regulations may have been preempted by the federal Hazardous Materials Transportation Act

(HMTA; 49 U.S.C. §§ 1801 *et seq.*), as interpreted by the U.S. Department of Transportation (U.S. DOT) on February 9, 1994 (at 59 *Fed. Reg.* 6186). The U.S. DOT had interpreted a Michigan requirement very similar to Illinois Section 809.401 and determined that the HMTA had preempted the Michigan requirement. ATA suggested an amendment to Section 809.401 that was jointly drafted with the Agency. This amendment would replace the vehicle marking requirement with a requirement that the operator maintain a photocopy of the hauling permit in the vehicle available for inspection on demand.

By its March 16 order, the Board authorized two hearings in this matter and invited ATA and the Agency to testify at hearing. Direct questions to Musette H. Vogel, at 217-524-8509. Request copies of the Board's order from Victoria Agyeman, at 312-814-6920. Please refer to docket R95-11.

FOR YOUR INFORMATION

TWO ATTORNEYS JOIN BOARD STAFF

The Board recently filled vacancies in its staff with two attorneys. Both will work primarily out of the Board's Chicago office. New to the Board is Katheryn Carney (K.C.) Doyle, attorney-assistant to Member J. Theodore Meyer. Audrey Lozuk-Lawless, formerly a law clerk for the Board, has accepted the position of attorney-assistant to Board Member Dr. Ronald C. Flemal.

Ms. Lozuk-Lawless received her J.D. with a certificate in environmental and energy law, from Chicago-Kent Law School, Illinois Institute of Technology. Ms. Lozuk-Lawless also graduated magna cum laude from Vermont Law School with a Masters of Studies in Environmental Policy Law and a B.A. in Economics from the University of Illinois at Urbana-Champaign, where she also completed a one-year intensive studies program in economics at the University of Bath, England. While attending law school, Ms. Lozuk-Lawless worked as a law clerk for the Board, the Illinois EPA, and the Illinois Attorney General Environmental Control Division. Prior to entering law school, Ms. Lozuk-Lawless was a buyer for the Hawaiian outlets of a major national restaurant chain. Ms. Lozuk-Lawless is a member of the Illinois and Chicago Bar Associations.

K.C. Doyle joined Board staff in the beginning of April. She is a 1993 graduate of the Illinois Institute of Technology, Chicago-Kent College of Law, with an Environmental Law Certificate. While attending law school, Ms. Doyle researched Constitutional issues under Professor David Rudstein. She also served an environmental law internship with the Office of the Illinois Attorney General and worked as a Law Clerk for the law firms of Anesi, Ozmon & Rodin, Ltd., and the Law Offices of Michael Cascino, in Chicago, who were engaged in general civil litigation, including toxic tort litigation. Since becoming an attorney, Ms. Doyle worked for the law firm of Ryan, Miller & Trafelet, of Chicago, engaged in family law practice; for the City of Chicago, performing various

legal duties; and she wrote a brief to the Seventh Circuit that recently won on appeal. K.C. Doyle is a current member of the Lawyers Round Table, Sierra Club and the Young Lawyers Section, Chicago Bar Association. She has also served as a Special Events Coordinator for the Multiple Sclerosis Society, in Chicago, and for the Boys & Girls Clubs of Chicago.

The Board and staff warmly welcome these new colleagues.

BOARD CHAIRMAN TO SPEAK AT CONFERENCE

Board Chairman Claire A. Manning will speak at the sixth annual convention of the Illinois Association of Environmental Service Companies. She will deliver a keynote speech setting forth a current regulatory overview and highlighting regulatory trends. The speech is scheduled for May 13, 1995, at The Prairie Capital Convention Center, in Springfield.

BOARD AND STAFF TOUR POWER PLANT

On March 21, 1995, the Central Illinois Light Company (CILCO) conducted members of the Board and staff on a tour of its Duck Creek power plant, near Clinton. The tour of the CILCO coal-fired electric generating facility involved the boilers, the flue gas desulfurizing scrubbers, the cooling water and ash ponds, the continuous air monitoring equipment, and other aspects of plant operations.

RESTRICTED STATUS AND CRITICAL REVIEW LISTS FOR PUBLIC WATER SUPPLIES IN THIS ISSUE

The Illinois Environmental Protection Agency, Division of Public Water Supplies, is publishing copies of the Division's Restricted Status and Critical Review lists at the end of this issue of the Environmental Register. These lists reflect the status as of April 1, 1995.

SIGNIFICANT RECENT FEDERAL ACTIONS

The Board will be, in this and future issues, reporting recent federal actions from the Federal Register that are of interest to the Board and the regulated community. Below are highlighted 12 such actions:

Conditional U.S. EPA Approval of Illinois PM₁₀ SIP

On November 18, 1994 (59 Fed. Reg. 59653), U.S. EPA granted conditional approval of the Illinois PM₁₀ SIP for Lake Calumet, McCook, and Granite City. These areas are designated nonattainment for particulate material. The Board adopted the particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM₁₀) amendments to the particulate matter rules on April 9, 1992, in docket R91-22. (See issue 450, Apr. 22, 1992.)

- U.S. EPA granted the approval on a conditional basis after receiving a March 2, 1994 commitment letter by the Illinois EPA (Agency) to correct certain deficiencies in the program within one year. U.S. EPA conditioned the approval because it perceived certain deficiencies in the Illinois PM₁₀ SIP submittal. These deficiencies were described by U.S. EPA (and are summarized) as follows:
 - 1. Illinois has underestimated certain emissions of Granite City Steel, Acme Steel, LTV Steel, CWM Chemical Services, CPC International, and GM Electromotive Division;
 - 2. Illinois' submittal did not adequately address maintenance of the national ambient air quality standard (NAAQS) for PM₁₀ in the nonattainment areas;
 - 3. Section 212.443(a) exempts coke ovens from the opacity limitations, which served to delay enforcement of mass loading violations by LTV Steel;
 - 4. The rules that apply to electric arc furnace roof vents of American Steel Foundries are unenforceable because the stacks cannot be tested;
 - 5. Section 212.107 could be misinterpreted as requiring the use of Method 22 to test opacity limits;
 - 6. The measurement methods in each of Sections 212.107 through 212.110 are not always consistent (and should be integrated into Section 212.110 in the mind of U.S. EPA); and
 - 7. Several exemptions from mass limitations intended for small, well-controlled sources with no visible emissions could be misinterpreted to exclude other sources (and should be clarified as to what sources and when they apply in the opinion of U.S. EPA).

U.S. EPA SIP Approval of Part I 15% ROP

On January 27, 1995 (60 Fed. Reg. 5318), U.S. EPA approved a SIP revision as a direct final rule that included the R94-12 Part I 15% ROP rules. The Board adopted the Part I ROP proposal on September 15, 1994. The approved segments of the Part I amendments, which were effective on September 21, 1994, require the use of pressure-vacuum relief valves on vent tubes at gasoline dispensing operations in both the Chicago and Metro-East areas. The vacuum-pressure relief aspects of these amendments are anticipated to reduce emissions by 4 tpd in the Chicago area and by 0.4 tpd in the Metro-East area. (See issue 487, Oct., 1994.)

On March 23, 1995 (60 Fed. Reg. 15233), U.S. EPA approved the remaining segments of the Illinois Part I ROP amendments as a revision to the Illinois ozone SIP. The approval came in the form of a direct final rule effective May 22, 1995. The Board adopted R94-12 on September 15, 1994, and it involved the use of 7.2 RVP fuel. U.S. EPA stated that the lowered RVP will reduce emissions 8.5 tpd in the Metro-East St. Louis area.

Approval of Part II ROP Amendments

On April 3, 1995 (60 Fed. Reg. 16801), U.S. EPA approved the Illinois Part II 15% reduction of pollution (ROP) amendments of R94-14. (See issue 448, Nov., 1994.) U.S. EPA made this a direct final rule effective June 2, 1995. R94-15 involved the marine vessel off-loading rules, requiring VOM controls operating at 95% efficiency during the period May 1 through September 15 each year in the metropolitan Chicago and Metro-East U.S. EPA reiterated the Agency's projected emissions reductions of 1.3 tons per day (tpd) in the Chicago area and 11.82 tpd int he Metro-East area. The projected emissions reductions necessary for these areas for Illinois to meet the federal 15% ROP are 11.82 tpd for Metro-East and 250 tpd for Chicago. U.S. EPA stated that the Part II ROP amendments will account for 44% of the necessary reductions for the Metro-East area and 1% for the Chicago area.

NO_x Exemption for Lake Michigan States

On March 6, 1995 (60 Fed. Reg. 12180), U.S. EPA proposed granting an exemption from the reasonably available control technology (RACT), new source review (NSR), vehicle inspection and maintenance (I/M), and conformity requirements for nitrogen oxides (NO_x). The covered area includes portions of Illinois, Indiana, Michigan, and Wisconsin that bound Lake Michigan. Generally, the NO_x requirements apply in ozone nonattainment areas. The NSR, RACT, I/M, and conformity requirements apply to major stationary sources of NO_x in these areas.

A July 13, 1994 petition by the Lake Michigan Air Directors Consortium, on behalf of the four states, requested relief from the Clean Air Act (CAA) § 182 NO_x requirements in the Lake Michigan Ozone Study modeling domain. CAA § 182(f) allows an exemption from the RACT and NSR requirements if U.S. EPA determines either that air quality benefits are actually greater without further NO_x reductions or that further reductions would not contribute to attainment of the national ambient air quality standard (NAAQS) for ozone. U.S. EPA concluded based on the petition that the Chicago, Grand Rapids, Milwaukee, and other areas included are affected by ozone and precursors transported into the area from outside. U.S. EPA believes that the broader area's ozone problem is regional and requires a regional solution.

U.S. EPA proposed approval of the petition the Urban Airshed Model (UAM-V) tested whether VOC-plus-NO_x controls, VOC-only controls, or NO_x-only controls resulted in the least ozone peak concentrations and concluded that VOC-only controls indicated the smallest area with peak ozone concentrations above the primary National Ambient Air Quality Standard (NAAQS) of 120 ppb. U.S. EPA stated that the model indicated that further NO_x reductions would not contribute to attainment of the NAAQS for

ozone. Although the petition did not expressly request relief from the I/M requirements with regard to NO_x, U.S. EPA included that program in the proposed approval. U.S. EPA views these approvals as subject to reversal in the event further information so warrants, so it reserved the right to reverse its approval if further modeling indicates a benefit for ozone attainment.

U.S. EPA stated that the 24-month sanctions clocks that are running for the states' failures to submit a complete NO_x RACT SIP submittal will stop if it approves the petition. However, U.S. EPA stated that the sanctions clock would continue to run pending approval.

Interim Approval of Illinois Air Operating Permit Program

On March 7, 1995 (60 Fed. Reg. 12478), U.S. EPA approved certain elements of the Illinois CAA operating permit program (CAAPP). U.S. EPA granted a non-renewable interim approval of the Illinois operating permit program, which expires March 7, 1997. U.S. EPA stated that Illinois must cure certain perceived deficiencies in its operating permit program to gain full approval from U.S. EPA:

- 1. Illinois must correct certain deficiencies in the insignificant activities regulations,
- 2. The state must amend Section 39.5(13)(c)(vi) of the Act to require the use of the significant modification procedure to incorporate emissions trades into CAAPP permits,
- 3. Illinois must develop regulations defining enhanced NSR for implementing 40 CFR 70.7(d)(1)(v), and
- 4. The state must incorporate the federal acid rain provisions into the Act by reference.

The one-year time period for submittal of permit applications and three-year period for application processing began with the interim approval. Illinois must submit a complete corrected program package for U.S. EPA review by September 9, 1996. If U.S. EPA disapproves that package, U.S. EPA will be required to apply sanctions to the state, and could be required to promulgate a federal implementation plan for the state.

U.S. EPA also approved Illinois' federally enforceable state operating permit program (FESOP) for limitations on hazardous air pollutants (HAPs) under CAA § 112 and the preconstruction permitting program for the purposes of implementing the federal CAA § 112(g) rules between when U.S. EPA promulgates final regulations and when Illinois adopts § 112(g) regulations.

Site-Specific RACT for Reynolds Metals, McCook

On March 10, 1995 (60 Fed. Reg. 13043), U.S. EPA promulgated a site-specific RACT rule for volatile organic compound (VOC) emissions from the Reynolds Metals plant in McCook, in Cook County. U.S. EPA reconsidered its earlier decision of June 29, 1990 (55 Fed. Reg. 26814) to subject major non-control technique guideline (non-CTG) sources to the federal implementation plan (FIP) requirements of 40 CFR 52.741(x) (other sources). New 40 CFR 52.741(x)(7) applies effective July 7, 1995 to Reynolds' use of certain organic lubricants in its hot and cold rolling mills. Reynolds Metals has an adjusted standard based on this rule presently pending before the Board under docket number AS 91-8.

Approval of Illinois 1990 Base Year Emissions

U.S. EPA approved the 1990 base year ozone precursor emissions inventories for the Chicago and Metro-East ozone nonattainment areas on March 14, 1995 (60 Fed. Reg. 13631). U.S. EPA originally published its approval as a direct final rule as a revision to the SIP on September 13, 1994 (at 59 Fed. Reg. 46920), subject to a 30-day public comment period and the possibility of subsequent withdrawal (59 Fed. Reg. 46948). In the March 14, 1995 action, U.S. EPA responded to the comments received and decided to approve the inventory.

Redesignation of Jersey County to Ozone Attainment Area

On March 14, 1995 (60 Fed. Reg. 13634), U.S. EPA approved redesignation of Jersey County to attainment status for ozone by the addition of 40 CFR 52.726(h) and amendment of 40 CFR 81.314. This was accompanied by approval of a maintenance plan for the area. Jersey County was formerly designated by U.S. EPA as a marginal nonattainment area on November 6, 1991 (at 56 Fed. Reg. 56694). The redesignation was based on 1990 through 1992 monitoring data.

Chicago Ozone FIP Site-Specific Revisions

On March 21, 1995 (60 Fed. Reg. 14899), U.S. EPA amended the Chicago FIP for ozone for a number of manufacturing facilities. U.S. EPA approved the use of production and operational limitations as a way to keep emissions below the applicability cutoff rule (100 tons per year). Production limits restrict the amount of final product produced; operational limits restrict the way a source is operated, including hours of operation and raw materials use. The facilities for which U.S. EPA established a site-specific rule are General Motors Corporation, Electro-Motive Division, in LaGrange; Minnesota Mining and Manufacturing (3M), in Bedford Park; Replogle Globes, Inc., in Broadview; Candle Corporation of America (CCA), in Chicago; Nalco Chemical Company, Illinois Clearing Plant, in Bedford Park; Parisian Novelty Company, in

Chicago; Meyercord Corporation, in Carol Stream; Wallace Computer Services, Inc., Printing and Binding Plant, in Hillside; and General Packaging Products, Inc., in Chicago.

Redesignation of Peoria and Tazewell Counties as Attainment for Sulfur Dioxide

On April 4, 1995 (60 Fed. Reg. 16996), U.S. EPA published a direct final rule approving the redesignation of the Peoria and Tazewell County areas (Peoria and Hollis Townships in Peoria County and Groveland Township in Tazewell County) as attainment for sulfur dioxide (SO₂), effective June 5, 1995. The approval also embraced the approval of a maintenance plan for those areas.

In discussing the approval, U.S. EPA stated that it could now approve the redesignation and maintenance plans because the Illinois SIP allows sources to show that they would not contribute to a violation of the National Ambient Air Quality Standard (NAAQS) for SO₂ by a stack test or a two-month average of fuel sulfur content. U.S. EPA stated that no violations of the primary NAAQS of 0.14 parts per million (ppm) for SO₂ have occurred in the affected areas since 1977, but in 1988 a single exceedance of the primary NAAQS occurred in Tazewell County. The state is allowed a single exceedance of the NAAQS in a year before it is deemed to have failed to attain the standards. Actual 1993 SO₂ emissions in the area were 23% lower than allowed by the 1986 approved SO₂ SIP as a result of controls and permanent source closures.

Approval of SIP Revision for Smaller Source Permit Rules

On April 5, 1995 (60 Fed. Reg. 17229), U.S. EPA published a direct final rule approving the Illinois smaller source permit rules of R93-11. (See issue 478, Jan., 1994.) The SIP approval will become effective on June 5, 1995. The specific rules affected are Sections 201.162, 201.163, 201.180, 201.181, and 211,5500 of the Illinois air pollution control regulations.

U.S. EPA noted that the smaller source permit rules are intended to lessen the regulatory permitting burden on smaller pollutant sources. They reduce the frequency of permit renewal for sources that emit less than 25 tpy total regulated pollutants (volatile organic material, nitrogen oxides, sulfur dioxide, particulate matter, and carbon monoxide). The sources are not exempted from other requirements, such as annual reporting and construction permit requirements, and for accounting for emissions of hazardous air pollutants. U.S. EPA noted that an estimated 6,000 sources in Illinois are eligible for the smaller source program. However, U.S. EPA stated that smaller source permits are not federally-enforceable permits because they are not subject to federal public comment and U.S. EPA

review. Thus, a smaller source permit cannot be used like a federally-enforceable permit for such things as limiting the source's potential to emit in order to remain below the major source thresholds.

Approval of the Quantum Chemical VOM Adjusted Standard

On April 3, 1995 (60 Fed. Reg. 16803), U.S. EPA granted direct final approval of the SIP revision embodying the adjusted standard allowed the Quantum Chemical Corporation Morris facility in AS 92-14, effective June 2, 1995. The Quantum Chemical adjusted standard applies to certain units in the low density polyethylene (LDPE), linear low density polyethylene (LLDPE), and polypropylene plants and six water cooling towers at the facility. The plants produce polymers in high pressure reactors using ethane, propane, and butane as feedstocks. During the course of manufacture, unreacted feedstock becomes entrained in the polymer resins under high pressure, and it is later emitted in conveying air at exhaust points. standard established alternative limitations than those that would otherwise apply by regulation to sources in the Chicago ozone nonattainment

U.S. EPA stated that emissions from the cooling towers were negligible at 3.4 tons per year. It observed that federal new source regulations exempt vent streams whose VOM concentration is below one-tenth of one percent by weight, which is higher than the emissions allowed from those sources under the adjusted standard. The total emissions from the cooling towers and loading and unloading facilities, which are the only emissions in the plant that are not subject to a NSPS cutoff, are expected to total less than 10 tons per year. U.S. EPA noted that Quantum Chemical estimated the cost of control of the emissions at \$7,500 per year. In view of the cost of control and the low amounts emitted, U.S. EPA agreed that plant operations under the adjusted standard could be assumed as reasonably available control technology (RACT).

POLLUTION CONTROL BOARD ELECTRONIC BULLETIN BOARD SYSTEM (BBS)

The Pollution Control Board operates an electronic BBS at 312-814-1590. The BBS is available 24 hours a day, 7 days a week, to anyone with access to a computer and a modem - there is no charge for access to the BBS. The best communications settings are 8 data bits (or data length 8), no parity (or parity = none) and 1 stop bit, i.e., 8-N-1. The best terminal emulation is ANSI-BBS or just ANSI. The BBS contains Board Agendas, Environmental Registers, Annual Reports, and various documents about the Board. You may download these documents to your computer. For additional information contact Don Brown at the Board Offices 312-814-3461.

FINAL ACTIONS - March 2, 1995 SPECIAL BOARD MEETING

	voluntary withdrawal of this petition for a land variance involving a Lake County facility.		PCB 94-356 and PCB 95-33 from the air pollution control regulations that require the installation and operation of Stage II vapor
95-53	Prairie Packaging, Inc. v. IEPA - The Board		recovery equipment.
	granted voluntary withdrawal of this land permit appeal involving a Cook County facility.	95-69	Runnfeldt & Belmont v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing
95-66	Car Care Center v. IEPA - Upon receipt of an Agency recommendation, the Board granted this McHenry County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in PCB 94-341 and PCB 95-18 from the air pollution control regulations that require the installation and		facility a 45-day extension of the previous provisional variances granted in PCB 94-293 and PCB 95-9 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
	operation of Stage II vapor recovery equipment.	95-70	S&S Enterprises v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a
95-67	Illinois Petroleum Marketers Association v. IEPA (Representing 62 facilities located in the Chicago ozone nonattainment area) v. IEPA - Upon receipt of an Agency recommendation, the Board granted 62 gasoline dispensing facilities located in Cook, DuPage, Kane,		45-day extension of the previous provisional variances granted in PCB 94-317 and PCB 95-34 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
	Lake, McHenry, and Will Counties a 45-day extension of the previous provisional variance granted in PCB 94-366 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.	95-71	Ted's Mini Mart v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in PCB 94-319 and PCB 95-36 from the air pollution control regulations that require the installation and operation of
95-68	Oak Park and Madison 76 v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in		Stage II vapor recovery equipment.

<u>NEW CASES - March 2, 1995 SPECIAL BOARD MEETING</u>

95-63	<u>Union Oil Company of California, d/b/a</u> <u>Unocal Corporation v. IEPA</u> - The Board held this petition on behalf of a Will County facility for a variance from certain of the particulate		Allen, Inc The Board accepted this land enforcement action against a Perry facility for hearing.
	matter emissions standards of the air pollution control regulations.	95-66	<u>Car Care Center v. IEPA</u> - See Final Actions.
		95-67	Illinois Petroleum Marketers Association v.
95-64	People of the State of Illinois v. Donald Pointer, Mitchell Holder, and Whiteway Sanitation, Inc. (Pointer Landfill) - The Board accepted this land enforcement action against a		IEPA (Representing 62 facilities located in the Chicago ozone nonattainment area) v. IEPA - See Final Actions.
	Jersey facility for hearing.	95-68	Oak Park and Madison 76 v. IEPA - See Final Actions.
95-65	People of the State of Illinois v. Everett Allen, d/b/a Allen Waste Management, Everett Allen, d/b/a Perry County Landfill, Everett	95-69	Runnfeldt & Belmont v. IEPA - See Final Actions.

94-384

AC 95-8 Sangamon County v. ESG Watts, Inc. - The 95-70 S&S Enterprises v. IEPA - See Final Actions. Board accepted an appeal of administrative citation against a Sangamon 95-71 Ted's Mini Mart v. IEPA - See Final Actions. County respondent. 95-72 AS 95-2 Burwell Oil Services, Inc., d/b/a Total G. B. In the Matter of: The Joint Petition of the Oil v. IEPA - The Board accepted this IEPA and the City of Metropolis for an underground storage tank fund reimbursement Adjusted Standard From 35 Ill. Adm. Code 304 for Suspended Solids, 5-Day Biological determination appeal involving a Tazewell County facility for hearing. Oxygen Demand (BOD5), and Ammonia Nitrogen - The Board held this petition for an 95-73 Dennis Manarchy, Mary Beth Manarchy, adjusted standard from certain suspended Chris Mandoline, Beverly Kagy-Mandoline, solids, biochemical oxygen demand, and Surrounding Neighbors v. The Gotham ammonia nitrogen effluent standards of the Nightclub, JJJ & Associates, Inc. - The Board water pollution control regulations. held this citizen's noise enforcement action against a Cook County facility for a frivolous and duplicitous determination.

FINAL ACTIONS - March 9, 1995 SPECIAL BOARD MEETING

			P
	Wood River v. IEPA - On motion of the		installation and operation of Stage II vapor
	petitioner and upon receipt of an Agency		recovery equipment.
	recommendation, the Board granted modifica-		
	tion of the 30-day provisional variance from	95-82	Go For It v. IEPA - Upon receipt of an
	the biochemical oxygen demand (CBOD ₅) and		Agency recommendation, the Board granted
	suspended solids (TSS) effluent requirements		this Cook County gasoline dispensing facility a
	of the water pollution control regulations		45-day extension of the previous provisional
	granted this Madison County facility on		variances granted in PCB 94-358 and PCB 95-
	December 16, 1994.		24 from the air pollution control regulations
			that require the installation and operation of
05.70	Dhilling 66 vy IEDA II. un require of on		Cto as II year on no seveny a swimm and

- 95-79 Phillips 66 v. IEPA - Upon receipt of an Agency recommendation, the Board granted 95-83 this DuPage County gasoline dispensing facility a 45-day provisional variance from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- 95-80 Alden Quick Mart v. IEPA - Upon receipt of an Agency recommendation, the Board granted this McHenry County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in PCB 94-365 and PCB 95-14 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.

The Amoco Oil Company and the City of

95-81 Leo's Union 76 v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day extension of the previous provisional variance granted in PCB 94-336 from the air

ons of Stage II vapor recovery equipment. Berkley Auto Service v. IEPA - Upon receipt

pollution control regulations that require the

- of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in PCB 94-363 and PCB 95-17 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- 95-84 Denny's Standard Service v. IEPA - Upon receipt of an Agency recommendation, the Board granted this Lake County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in PCB 94-354 and PCB 95-20 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- 95-85 Pettice Auto Electric v. IEPA - Upon receipt

of an Agency recommendation, the Board
granted this Cook County gasoline dispensing
facility a 45-day extension of the previous
provisional variance granted in PCB 94-355
from the air pollution control regulations that
require the installation and operation of Stage
II vapor recovery equipment.

County, from the air pollution control regulations that require the installation and

95-86 Shell Oil Company v. IEPA - Upon receipt of an Agency recommendation, the Board granted a 45-day extension of the previous provisional variances granted in PCB 94-319 and PCB 95-35, for three of Shell Oil's gasoline dispensing facilities located in Cook

operation of Stage II vapor recovery equipment.

The UNO-VEN Company v. IEPA - Upon receipt of an Agency recommendation, the Board granted UNO-VEN Company a 45-day provisional variance for its Will County facility from the effluent cyanide limitation requirements of the water pollution control regulations, subject to conditions.

NEW CASES - March 9, 1995 SPECIAL BOARD MEETING

95-87

94-371	City of Elgin v. IEPA - The Board accepted a supplement to this petition for a water well setback exception for a Kane and Cook County facility and accepted this matter for hearing.	95-78	County regional pollution control facility (recycling and disposal facility) for hearing and requested an amended petition. Vogue Tyre & Rubber Company v. Office of
95-63	Union Oil Company of California, d/b/a <u>Unocal</u> - The Board ordered this Will County facility to file a supplemental petition for a variance from certain of the particulate matter		the State Fire Marshal - The Board accepted this underground storage tank fund reimbursement determination appeal involving a Cook County facility for hearing.
	emissions standards of the air pollution control regulations.	95-79	Phillips 66 v. IEPA - See Final Actions.
95-74	Kalo Gasoline Company v. IEPA - The Board,	95-80	Alden Quick Mart v. IEPA - See Final Actions.
	on its own motion, consolidated this underground storage tank appeal involving a Cook County facility with PCB 95-41 and	95-81	<u>Leo's Union 76 v. IEPA</u> - See Final Actions.
	accepted it for hearing.	95-82	Go For It v. IEPA - See Final Actions.
95-75	Medical Disposal Services, Inc. (Harvey Site) v. IEPA - The Board granted consolidation	95-83	Berkley Auto Service v. IEPA - See Final Actions.
	with PCB 95-76 and accepted this air permit appeal involving a Cook County facility for hearing.	95-84	<u>Denny's Standard Service v. IEPA</u> - See Final Actions.
95-76	Medical Disposal Services, Inc. (Harvey Site) v. IEPA -The Board granted consolidation	95-85	Pettice Auto Electric v. IEPA - See Final Actions.
	with PCB 95-75 and accepted this medical waste permit appeal involving a Cook County facility for hearing. Consolidated with PCB	95-86	Shell Oil Company v. IEPA - See Final Actions.
95-77	95-75. Keith Tiberend v. Waste Management of	95-87	The UNO-VEN Company v. IEPA - See Final Actions.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Illinois, Inc. and the Village of Marissa - The Board accepted this third party appeal of local siting approval for a proposed St. Clair	AC 95-11	IEPA v. Gordon McCann and Larson Foundation - The Board accepted an appeal of

this administrative citation against Logan County respondents.

- AC 95-18 Sangamon County v. ESG Watts, Inc. The Board received an administrative citation against a Sangamon County facility.
- AC 95-19 <u>County of Will v. CDT Landfill</u> The Board received an administrative citation against a Will County facility.
- AS 94-18 In the Matter of: Petition of Central Can
 Company for an Adjusted Standard From 35
 Ill. Adm. Code Part 218 The Board accepted
 an amended petition filed on behalf of a Cook
 County facility for an adjusted standard from
 certain of the volatile organic material
 emissions limitations of the air pollution
 control regulations for hearing.
- AS 95-1 <u>In the Matter of: Petition of Tommy House</u> Tire Company, Inc. for an Adjusted Standard

from 35 Ill. Adm. Code 848.202(b)(1)(2) and (b)(5) - The Board requested that this Macon County retreading facility file an amended petition for an adjusted standard from certain of the used and waste tire building separation and 14-day storage limitation requirements of the land pollution control regulations.

FINAL ACTIONS - March 16, 1995 BOARD MEETING

95-92

- 93-150

 Robert Miehle v. Chicago Bridge and Iron
 Company The Boardaccepted a settlement
 agreement, ordered the parties to effectuate
 their agreement, and dismissed this underground storage tank enforcement action
 against a Cook County facility.
- 94-224 Stickney-Forest View Public Library District
 v. Office of the Fire Marshal The Board
 granted summary judgment and affirmed the
 OSFM's determination that this Cook County
 facility was ineligible for reimbursement in
 this underground storage tank fund
 reimbursement determination appeal.
- 94-327

 Certified Performer, Inc. d/b/a Keith's Union
 76 v. IEPA The Board granted this Kendall
 County facility a 17-month variance, subject to
 conditions, from the requirement of the air
 pollution control regulations that it install and
 operate Stage II gasoline vapor recovery
 equipment.
- 94-328 W.R. Grace & Co. Conn. v. IEPA The Board granted this Cook County facility a 12-month variance, subject to conditions, from the volatile organic material emission limitations of the air control regulations.
- 94-372 Monee/Monee Auto Body-Wes Kochel v.

- <u>IEPA</u> The Board granted voluntary withdrawal of this underground storage tank fund reimbursement determination appeal involving a Will County facility.
- 94-380 The Southland Corporation (Palatine and Wilmette Facilities) v. IEPA The Board granted one Cook County facility a three-and-a-half month a variance, and another a five-month variance, subject to conditions, from the requirement of the air pollution control regulations that they install and operate Stage II gasoline vapor recovery equipment.
- 95-4 City of Paris, Illinois v. IEPA The Board granted this Edgar County public water supply a variance, subject to conditions, from the standards for issuance and restrict status requirements of the public water supplies regulations until January 1, 1996, as they relate to the standard for Atrazine. Board Member J. Theodore Meyer dissented.
 - Alamo Rent-A-Car, Inc. v. IEPA Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in PCB 94-353 and PCB 95-13 from the air pollution control regulations that require the installation

and operation of Stage II vapor recovery equipment.

- Marcley's v. IEPA Upon receipt of an Agency recommendation, the Board granted this Kane County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in PCB 94-357 and PCB 95-30 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- 95-94 Tahoe Mobil, Inc. v. IEPA Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day extension of the previous provisional variances granted in PCB 94-304 and PCB 95-7 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- Olark Refining and Marketing v. IEPA Upon receipt of an Agency recommendation, the Board granted 36 Cook, DuPage, Kane, Lake, McHenry, and Will County facilities a 45-day extension of the previous provisional variances granted in PCB 94-350 and PCB 95-19 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- 95-96 Kean Oil Company v. IEPA Upon receipt of an Agency recommendation, the Board granted five Cook, DuPage, and McHenry County facilities a 43-day extension of the previous provisional variance granted in PCB 95-29 from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- 95-101 American Nickeloid Company v. IEPA Upon receipt of an Agency recommendation, the Board granted this LaSalle County facility a 19-day provisional variance from the ninety 90-day limitation on the accumulation of hazardous wastes.
- AC 95-9 IEPA v. Robert L. Buck, Marie M. Buck, and Darrell Buck The Board entered a default order, finding that the Greene County respondents had violated Section 21(p)(1) of the Act and ordering them to pay a civil penalty of \$500.00.

- AC 95-10 <u>IEPA v. William Kenney</u> The Board entered a default order, finding that the Cook County respondent had violated Section 21(p)(1) of the Act and ordering it to pay a civil penalty of \$500.00.
- AC 95-12 <u>IEPA v. Joe Perry</u> The Board entered a default order, finding that the Cook County respondent had violated Section 21(p)(1) of the Act and ordering it to pay a civil penalty of \$500.00.
- AS 95-2

 In the Matter of: The Joint Petition of the IEPA and the City of Metropolis for an Adjusted Standard From 35 Ill. Adm. Code Part 304 for Suspended Solids, 5-Day Biological Oxygen Demond (BOD-5), and Ammonia Nitrogen Finding that the Massac County petitioner had not complied with the notice publication requirements, the Board dismissed this petition for adjusted standard relief from the suspended solids, biochemical oxygen demand, and ammonia nitrogen effluent standards of the water pollution control regulations.

NEW CASES - March 16, 1995 BOARD MEETING

05.50			
95-73	Dennis Manarchy, Mary Beth Manarchy, Chris Mandoline, Beverly Kagy-Mandoline, Surrounding Neighbors v. The Gotham Nightclub, JJJ & Associates, Inc The Board accepted this citizens' noise enforcement action against a Cook County facility for hearing.	95-98	BTL Specialty Resins Corporation v. IEPA - The Board accepted this petition for a variance for a Cook County facility from the hazardous waste management requirements of the RCRA regulations or, in the alternative, for a declaration that the requirements do not apply for hearing.
95-88	Field Container Company, L.P. Elk Grove Facility v. IEPA - The Board accepted this air permit appeal involving a Cook County facility for hearing.	95-99	DRG Medical Packaging, Inc. v. IEPA - The Board accepted this petition for a variance for a Lake County facility from the printing and publishing volatile organic material emissions
95-89	Eugene W. Graham (Libertyville Citgo) v. IEPA - The Board accepted this underground storage tank fund reimbursement		requirements of the air pollution control regulations for hearing.
	determination appeal involving a Lake County facility for hearing.	95-100	<u>C&S Recycling, Inc. v. IEPA</u> - The Board, having received a request for a 90-day extension of time to file a permit appeal
95-90	Minnesota Mining and Manufacturing Company (Bedford Park Plant) v. IEPA - The Board accepted this petition for a variance for a Cook County facility from certain of the coatings operations volatile organic emissions		pursuant to P.A. 88-690, reserved this docket for any appeal of the land permit denial for this planned Cook County waste transfer station.
	requirements of the air pollution control regulations for hearing.	95-101	<u>American Nickeloid Company v. IEPA</u> - See Final Actions.
95-91	People of the State of Illinois v. Bell Sports, Inc., and Waste Hauling Landfill, Inc., and Waste Hauling, Inc The Board accepted this RCRA enforcement action against a Macon facility for hearing.	95-102	Shell Oil Company v. IEPA - The Board held this petition for a variance for numerous Cook facilities from the requirements of the air pollution control regulations for the installation and operation of Stage II gasoline vapor recovery equipment.
95-92	<u>Alamo Rent-A-Car, Inc. v. IEPA</u> - See Final Actions.	95-103	Polyfoam Packers Corporation v. IEPA - The
95-93	Marcley's v. IEPA - See Final Actions.		Board accepted this petition for a variance for
95-94	<u>Tahoe Mobil, Inc. v. IEPA</u> - See Final Actions.		
95-95	<u>Clark Refining and Marketing v. IEPA</u> - See Final Actions.		
95-96	Kean Oil Company v. IEPA - See Final Actions.		
95-97	Town & Country Gas & Food Mart, Inc. v. IEPA - he Board accepted this petition for variance for this Cook County facility from the requirements of the air pollution control regulations for installation and operation of Stage II gasoline vapor recovery equipment for hearing.		

- a Cook County facility from the volatile organic material other emission units emissions and recordskeeping and reporting requirements of the air pollution control regulations for hearing.
- AC 95-15 <u>County of Will v. CDT Landfill</u> The Board accepted an appeal of this administrative citation against a Will County respondent.
- AC 95-20 County of Jackson v. Greg Burris, individually, d/b/a Burris Disposal Service The Board received an administrative citation against a Jackson County facility.
- AS 94-20 In the Matter of: The Galesburg Sanitary

 District Petition for an Adjusted Standard

 From 35 Ill. Adm. Code 304.105 The Board
 accepted a petition for an adjusted standard
 from the prohibition against violating the
 stream water quality standard, as it applies to
 this Knox County facility's ammonia nitrogen
 discharges to Cedar Creek for hearing.
- AS 95-2 In the Matter of: The Joint Petition of EPA and the City of Metropolis for an Adjusted Standard From 35 III. Adm. Code Part 304, for Suspended Solids, 5-Day Biological Oxygen Demand (BOD₅), and Ammonia Nitrogen See Final Actions.
- R95-11 In the Matter of: Special Waste Hauling
 Vehicle Numbers: Amendment to 35 Ill.
 Adm. Code 809.401 See Rulemaking
 Update.

FINAL ACTIONS - March 23, 1995 SPECIAL BOARD MEETING

- Paubs Landfill, Inc., d/b/a Wayne County
 Regional Landfill, a subsidiary of MidAmerican Waste Systems, Inc. v. County
 Board of Wayne County, Illinois The Board
 interpreted a joint stipulation and motion to
 dismiss as a motion to withdraw and granted
 withdrawal of this regional pollution control
 facility siting appeal involving a proposed
 Wayne County landfill.
- 94-255 <u>Marion Pepsi Cola v. EPA</u> The Board interpreted a motion to dismiss as a motion to withdraw and granted withdrawal of this reimbursement determination appeal involving a Williamson County facility for hearing.
- 94-279 Inspiration Development Company v. EPA

 The Board granted voluntary withdrawal of this petition for a variance for a Jo Daviess County facility from certain of the water pollution control regulations for the Agency's recommendation.
- AC 94-100<u>County of Macon v. Macon County Landfill</u> The Board granted voluntary withdrawal of the petition for review and entered a default order, finding that the Macon County respondent had violated Section 21(o)(5) of the Act and ordering it to pay a civil penalty of \$500.00.
- AC 95-14 IEPA v. Ken Lomax and Ken Lomax

Enterpri	ses - The	e Board	entered	a default
order,	finding tl	nat the	Jefferson	n County
responde	ent had vio	olated Se	ections 21	(p)(1) and
21(p)(3)	of the A	ct and o	rdering in	t to pay a
civil ner	nalty of \$1.	.000.00		

AC 95-17 Sangamon County v. The Illinois National Bank of Springfield, n/k/a First America

Truste under the provisions of a Trust Agreement dated January 19, 1990, and known as Trust Number 894-6418-002; and Ray Landers - The Board granted voluntary dismissal of this administrative citation against a Sangamon County facility.

NEW CASES - March 23, 1995 SPECIAL BOARD MEETING

95-102	Shell Oil Company v. IEPA - The Board accepted this petition for a variance for		88-690 involving a Saline County facility.
	numerous Cook facilities from the requirements of the air pollution control regulations for the installation and operation of Stage II gasoline vapor recovery equipment for hearing.	95-106	People of the State of Illinois v. Claude F. Perry and Martha Perry - The Board accepted this land enforcement (used and waste tires) action against a St. Claire County facility for hearing.
95-104	Glen Ellyn Storage Corporation v. IEPA - The Board accepted this underground storage tank fund reimbursement appeal involving a DuPage County facility for hearing.	95-107	People of the State of Illinois v. American Steel Container Corporation - The Board accepted this air enforcement action against a Cook facility for hearing.
95-105	Saline County Landfill v. IEPA - The Board held this request for a 90-day extension of time to file a permit appeal pursuant to P.A.	AC 95-21	Sangamon County v. ESG Watts, Inc The Board received an administrative citation against a Sangamon County facility.

CALENDAR OF HEARINGS

All hearings held by the Board are open to the public. All Pollution Control Board Meetings (highlighted) are open to the public but public participation is generally not allowed. Times and locations are subject to cancellation and rescheduling without notice. Confirmation of hearing dates and times is available from the Clerk of the Board at 312-814-6931.

April 3	R 95-9	In the Matter of: Petition for Amendments to 35 Ill. Adm. Code 810.103 (Solid Waste
10:00 a.m.	R, Land	Disposal: General Provisions) - DeKalb County Farm Bureau, 315 North 6th Street,
		Lower Auditorium, DeKalb.
April 6		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph
10:30 a.m.		St., Conference Room 2-025, Chicago
10.50 a.m.		5t., Comerciae Room 2 025, Cineago
April 7	AS 94-2	In the Matter of: Petition of Solar Corporation and the IEPA for an Adjusted Standard
11:00 a.m.	Air	from 35 Ill. Adm. Code 218. Subpart PP - Libertyville Village Hall, Board Room, 118
11.00 a.m.	All	West Cook Street, Libertyville.
		West Cook Street, Libertyvine.
April 10	AS 94-8	In the Matter of: Petition of Acme Steel Company and LTV Steel Company for an
10:00 a.m.		
10:00 a.III.	Water,	Adjusted Standard from 35 Ill. Adm. Code 302.211 - James R. Thompson Center,
	NPDES	Room 9-040, 100 West Randolph Street, Chicago.
	D 07 0	7 d 26 d 27 d 27 d 27 d 27 d 27 d 27 d 2
April 10	R 95-9	In the Matter of: Petition for Amendments to 35 Ill. Adm. Code 810.103 (Solid Waste
10:00 a.m.	R, Land	<u>Disposal: General Provisions</u>) - Illinois Dep't of Agriculture State Fairgrounds,
		Agricultural Building, Springfield.

April 13 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Suite 11-500, Chicago
April 18 1:00 p.m.	AS 94-3 Air	In the Matter of: Petition of Outboard Marine Corporation (OMC Waukegan Facility) for an Adjusted Standard from 35 Ill. Adm. Code 218 - Lake County Courthouse, County Board Room, 10th Floor, 18 North County Street, Waukegan.
April 19 10:00 a.m.	AC 94-92 AC	County of DuPage v. Waste Management of Illinois, Inc. (Greene Valley Landfill) - DuPage County Courthouse, Courtroom 2003, Second Floor, 505 North County Farm Road, Wheaton.
April 20 10:00 a.m.	AC 95-7 AC	Sangamon County v. Hart of Illinois, Inc. (Laomi/Hart of Illinois, Inc.) - Illinois Pollution Control Board, Suite 402, 600 South Second Street, Springfield.
April 20 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
April 21 10:00 a.m.	AC 94-92 AC	County of DuPage v. Waste Management of Illinois, Inc. (Greene Valley Landfill) - DuPage County Courthouse, Courtroom 2003, Second Floor, 505 North County Farm Road, Wheaton.
April 21 11:00 a.m.	AS 94-15 Land	In the Matter of: Petition of Lone Star Industries, Inc. for an Adjusted Standard from 35 Ill. Adm. Code 811.320(d) - LaSalle County Courthouse, Courtroom 305, 119 West Madison Street, Ottawa.
April 24 10:00 a.m.	PCB 95-77 L-S-R, 3d P	Keith Tiberend v. Waste Management of Illinois, Inc. and Village of Marissa - M.A.C.C. Building (Old High School), North Borders Street, Marissa.
April 25 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - James R. Thompson Center, 100 West Randolph Street, Room 9-040, Chicago.
April 26 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - James R. Thompson Center, 100 West Randolph Street, Room 9-040, Chicago.
April 27 10:00 a.m.	PCB 94-273 EPCRA-E	People of the State of Illinois v. Metals Technology Corp Elmhurst City Hall, Second Floor, Conference Room No. 2, 209 North York Street, Elmhurst.
May 1 10:00 a.m.	PCB 95-75 P-A, Air	Medical Disposal Services, Inc. (Harvey Site) v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago. (Consolidated with PCB 95-76.)
May 3 10:00 a.m.	PCB 94-270 A-E	People of the State of Illinois v. Spraying Systems Company - DuPage County Courthouse, Courtroom 212, 505 North County Farm Road, Wheaton.
May 4 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
May 4 10:30 a.m.	PCB 95-88 P-A, Air	Field Container Company, L.P. Elk Grove Facility v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
May 8 1:00 p.m.	AS 94-19 PWS	In the Matter of: Petition of Hepworth U.S. Holdings, Inc. for an Adjusted Standard from 35 Ill. Adm. Code 620.410 - LaSalle County Downtown Courthouse, Room 206, Ottawa.

May 8 8:30 a.m.	PCB 94-240 RCRA-E, Citizens	International Union, United Automobile, Aerospace and Agricultural Implement Workers of America and UAW Local 974; and Citizens for a Better Environment v. Catepillar, Inc.; EPA, Party-in-Interest - Federal Building, Court Room 121, 100 Northeast Monroe, Peoria.
May 9 8:30 a.m.	PCB 94-240 RCRA-E, Citizens	International Union, United Automobile, Aerospace and Agricultural Implement Workers of America and UAW Local 974; and Citizens for a Better Environment v. Catepillar, Inc.; EPA, Party-in-Interest - Federal Building, Court Room 121, 100 Northeast Monroe, Peoria.
May 9 9:00 a.m.	PCB 94-371 WWSE	<u>City of Elgin v. EPA</u> - Kane County Courthouse, Courtroom 110, 100 South Third Street, Geneva.
May 10 8:30 a.m.	PCB 94-240 RCRA-E, Citizens	International Union, United Automobile, Aerospace and Agricultural Implement Workers of America and UAW Local 974; and Citizens for a Better Environment v. Catepillar, Inc.; EPA, Party-in-Interest - Federal Building, Court Room 121, 100 Northeast Monroe, Peoria.
May 10 10:00 a.m.	PCB 95-89 UST-FRD	Eugene W. Graham (Libertyville Citgo) v. EPA - Libertyville Village Hall, Board Room, 118 West Cook Street, Libertyville.
May 11 8:30 a.m.	PCB 94-240 RCRA-E, Citizens	International Union, United Automobile, Aerospace and Agricultural Implement Workers of America and UAW Local 974; and Citizens for a Better Environment v. Catepillar, Inc.; EPA, Party-in-Interest - Federal Building, Court Room 121, 100 Northeast Monroe, Peoria.
May 15 10:00 a.m.	PCB 95-103 A-V	Polyfoam Packers Corporation v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
May 18 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
May 19 10:00 a.m.	PCB 93-15 N-E, Citizens	Dorothy Furlan and Michael Furlan v. University of Illinois School of Medicine - Winnebago County Courthouse, County Board Room 817, 400 West State Street, Rockford.
May 19 10:00 a.m.	R 95-12 R, Air	In the Matter of: Clean Fuel Program, Proposed 35 Ill. Adm. Code 241 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
May 22 10:00 a.m.	PCB 95-73 N-E, Citizens	Dennis Manarchy, Mary Beth Manarchy, Chris Mandoline, Beverly Kagy-Madoline, Surrounding Neighbors v. The Gotham Nightclub & JJJ Associates, Inc James R. Thompson Center, Room 11-500, 100 West Randolph Street, Chicago.
May 25 1:00 p.m.	PCB 95-97 A-V	Town & Country Gas & Food Mart, Inc. v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
May 25 9:00 a.m.	PCB 95-102 A-V	Shell Oil Company v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
May 26 9:00 a.m.	PCB 95-117 A-V	<u>Kean Brothers, Inc. v. EPA</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
May 31 10:00 a.m.	PCB 94-312 UST-FRD	<u>Spraylat Corporation v. EPA</u> - James R. Thompson Center, Room 11-500, 100 West Randolph Street, Chicago.

May 31 10:00 a.m. June 1 10:30 a.m.	PCB 95-118 P-A, Mining	<u>Jack Pease, d/b/a Glacier Lake Extraction v. EPA</u> - McHenry County Government Center, B170, 2200 North Seminary Avenue, Woodstock. Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
June 1 1:00 p.m.	PCB 94-370 A-V	The Dow Chemical Company (Dow Joliet Site) v. EPA - Illinois Pollution Control Board, 600 South Second Street, Suite 402, Springfield.
June 2 11:00 a.m.	PCB 95-39 A-V	W.R. Grace & Co Conn, Grace Construction Products v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
June 6 11:00 a.m.	PCB 95-111 A-V	Thomas Brown (Tom's Corner Facility v. EPA - Waukegan Public Library, Auditorium, 128 North County Street, Waukegan.
June 9 10:00 a.m.	PCB 92-60 UST-FRD	<u>Kean Oil Company v. EPA</u> - McHenry County Government Center, Room B-164, 2200 North Seminary, Woodstock.
June 14 10:00 a.m.	PCB 94-191 P-A, NPDES	<u>Arco Products Company, a division of Atlantic Richfield Company v. EPA</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
June 15 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
June 16 10:00 a.m.	R 95-12 R, Air	<u>In the Matter of: Clean Fuel Program, Proposed 35 Ill. Adm. Code 241</u> - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
June 21 1:00 p.m.	PCB 94-136 UST-FRD	Elmhurst-Chicago Stone Company v. EPA - DuPage County Board Office, Third Floor, 421 North County Farm Road, Wheaton.
June 30 10:00 a.m.	R 95-12 R, Air	<u>In the Matter of: Clean Fuel Program, Proposed 35 Ill. Adm. Code 241</u> - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.

Calendar Code

3d P	Third Party Action	A-CAdministrative Citation
A-E	Air Enforcement	A-SAdjusted Standard
A-V	Air Variance	CSOCombined Sewer Overflow Exception
GW	Groundwater	HW DelistRCRA Hazardous Waste Delisting
L-E	Land Enforcement	L-S-RLandfill Siting Review
L-V	Land Variance	MWMedical Waste (Biological Materials)
N-E	Noise Enforcement	N-VNoise Variance
P-A	Permit Appeal	PWS-EPublic Water Supply Enforcement
PWS-V	Public Water Supply Variance	RRegulatory Proceeding proceeding (hazardous waste only)
RCRA	Resource Conservation and Recovery Act	S0 ₂ S0 ₂ Alternative Standards (35 ILL. ADM. CODE 302.211(f)))
SWH-E	Special Waste Hauling Enforcement	SWH-VSpecial Waste Hauling Variance
T	Thermal Demonstration Rule	T-CTax Certifications
T-S	Trade Secrets	UST-AppealUnderground Storage Tank Corrective Action Appeal
UST-E	Underground Storage Tank Enforcement	UST-FRDUnderground Storage Tank Fund Reimbursement Determination
W-E	Water Enforcement	W-VWater Variance
WWS	Water-Well Setback Exception	

Illinois Environmental Protection Agency

Division of Public Water Supplies

Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of April 1, 1995.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046q/2

Illinois Environmental Protection Agency Division of Public Water Supplies Restricted Status List -- Public Water Supplies April, 1995

				POP.	LISTING
	NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	SERVED	DATE
	Altamont (Effingham Co 0170050)	4	Trihalomethane	2,400	06/15/92
	Arenzville (Cass Co 0170050)	5	Nitrate	400	03/20/81
	Ashley (Washington Co 1890100)	6	Trihalomethane		06/15/92
*	Bardolph (McDonough - 1090050)	5	Trihalomethane	299	03/15/95
	Bellwood (Cook Co 0310150)	2	Radium	20,000	12/14/90
	Benld (Macoupin Co 1170050)	8	Trihalomethane	2,174	06/16/94
	Biggsville (Henderson Co 0710050)	5	Radium & Radiological		03/17/86
*	Blue Mound (Macon Co 1150100)	4	Nitrate		03/15/95
	Bond Co Royal Lake Wtr Dstrct (0055100)	6	Trihalomethane		06/15/92
	Bradford (Stark Co 1750050)	1	Radium		03/17/86
	Brownstown (Fayette Co 0510100)	6	Trihalomethane		06/15/92
*	Bryant (Fulton Co 0570200)	5	Radium & Radiological		03/15/95
	Buckingham (Kankakee Co 0910250)	2	Inadequate Pres. Tank		03/17/89
*	Bunder Hill (Macoupin Co 1170100)	5	Trihalomethane		03/15/95
	Bureau Co Bailey Sbdv (0115100)	1	Inadequate Pres. Tank		01/13/82
	Byron (Ogle Co 1410100)	1	Radium		06/15/93
**	Campus (Livingston Co 1050050)	4	Inadequate Pres. Tank		03/20/81
* *	carrori co. carrori nes oci empriy (0155200)	1	Inadequate Pres. Tank		03/20/81
	Carroll Co Century Pines Apts (0150020)	1 5	Inadequate Pres. Tank		12/14/90
	Carthage (Hancock Co 0670250) Cedar Point Wtr Cmpny (LaSalle Co 0995040)	1	Atrazine Radium		12/16/94
	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	Inadequate Pres Tank		03/17/86 09/16/93
	Champaign Co D&R Apts (0190030) Chandlerville (Cass Co 0170200)	5	Nitrate		03/17/86
	Coalton (Montgomery Co 1350100)	5	Low System Pressure		03/17/86
	Coffeen (Montgomery Co 1350100)	5	Trihalomethane		03/20/81
	Concord (Morgan Co 1370100)	5	Nitrate		03/17/86
	Cook Co Mission Brook Sndst (0315920)	2	Radium		03/14/91
	Cook Co Orland Hills Sbdv (0317000)	2	Inadequate Pres. Tank		08/31/81
	Cook Co Plum Creek Condos (0317080)	2	Radium		03/17/86
	Coulterville (Randolph Co 1570150)	6	Trihalomethane		06/15/92
	Creal Springs (Williamson Co 1990300)	7	Inadequate Treatment	1,020	
			Plant & Source	_,	
	Crystal Clear Wtr Cmpny (McHenry Co 1115150)	2	Inadequate Pres. Tank	900	09/16/88
*	Cuba (Fulton Co 5070300)	5	Trihalomethane	1,440	03/15/95
	DeKalb Co Buck Lake Ests Sbdv (0375100)	1	Inadequate Pres. Tank	200	09/14/84
	DeKalb Co DeKalb Univ Dvl Corp (0375148)	1	Inadequate Pres. Tank	950	12/16/92
	DePue (Bureau Co 0110300)	1	Radium	1,725	09/16/94
	DeWitt Co DeWitt Cnty Nursing Home (0395129)	4	Inadequate Pres. Tank		06/17/83
	Dorchester (Macoupin Co 1170250)	5	Trihalomethane	531	06/16/94
	Dover (Bureau Co 0110350)	1	Inadequate Pres. Tank	200	05/25/81
	DuPage Co Belmont- Highwood PWD (0435180)	2	Trichloroethylene	498	09/16/93
	DuPage Co Clarendon Wtr Cmpny (0435300)	2	Inadequate Pres. Tank		03/20/81
	DuPage Co Ctzns Lombard Heights Dvn (0435700)	2	Inadequate Pres. Tank		12/17/82
	DuPage Co Liberty Park Homeowners Assn (0435600)	2	Inadequate Pres. Tank		09/17/92
	DuPage Co Maple Hill Imprv Assn (0435800)	2	Inadequate Pres. Tank		08/31/81
	DuPage Co Metro UtilLiberty Ridge (0435650)	2	Inadequate Pres. Tank	2,510	
	DuPage Co Northside Peterson Wlfnd (0435866)	2	Inadequate Pres. Tank	30	12/15/89

```
DuPage Co. - Northwest Belmont Imprv Assn (0435900)
                                                                         Inadequate Pres. Tank
                                                                                                          115 09/29/81
DuPage Co. - Pleasant Hill Cmnty Assn (0435980)
                                                                         Inadequate Pres. Tank
                                                                                                          180 03/17/89
DuPage Co. - Polo Drive & Saddle Rd Sbdv (0437000)
                                                                         Inadequate Pres. Tank
                                                                                                           95 12/17/82
DuPage Co. - St Charles Cmsn Wlfnd 3 (0437040)
                                                                         Inadequate Pres. Tank
                                                                                                           30
                                                                                                                12/15/89
DuPage Co. - South Burdette Wtr (0437320)
                                                                                                                06/16/89
                                                                         Inadequate Pres. Tank
DuPage Co. - York Center Coop (0437550)
                                                                          Inadequate Pres. Tank
                                                                                                          240
                                                                                                                06/15/88
Eagerville (Macoupin Co. - 1170300)
Ellis Grove (Randolph Co. - 1570200)
                                                                         Trihalomethane
                                                                                                                06/16/94
                                                                                                          453
                                                                                                                12/16/94
                                                                         Trihalomethane
                                                                         Radiological, Radium &
Fairview (Fulton Co. - 0570450)
                                                                                                               03/20/81
                                                                         Inadequate Pressure Tank
Fulton Co. - Dunfermline-St. David Wtr Cmsn (0575150) 5
                                                                         Trihalomethane
                                                                                                          850 03/15/95
Goreville (Johnson Co. - 0870200)
                                                                         Inadequate Treatment
                                                                                                          978 09/15/89
                                                                         Plant & Source
Greene Co. - Mt. Gilead Shcrhm (0615129)
                                                                         Inadequate Pres. Tank
                                                                                                           28 09/16/83
Grundy Co. - Heatherfield Sbdv (0635150)
Grundy Co. - Lisbon North Inc (0631000)
                                                                                                                09/17/82
                                                                         Inadequate Pres. Tank
                                                                         Inadequate Pres. Tank
                                                                                                                09/14/90
                                                                                                           30
Grundy Co. - Ridgecrest North Sbdv (0635250)
                                                                                                                09/16/93
                                                                         Inadequate Pres Tank
                                                                                                           85
Henry (Marshall Co. - 1230050)
Henry Co. - Country Ests Sbdv (0735050)
                                                                                                                06/15/90
                                                                         Nitrate
                                                                                                        2,740
                                                                                                                06/15/90
                                                                         Nitrate
                                                                                                          250
Henry Co. - Hazelwood 1st Addn Well 2 (0735446)
Henry Co. - Hazelwood 2nd Addn Well 2 (0735666)
                                                                         Inadequate Pres. Tank
                                                                                                                09/17/82
                                                                                                           32
                                                                         Inadequate Pres. Tank
                                                                                                                09/17/82
Henry Co. - Hazelwood 2nd Addn Well 3 (0735686)
                                                                         Inadequate Pres. Tank
                                                                                                           32
                                                                                                                09/17/82
Henry Co. - Hazelwood West Sbdv (0735250)
                                                                         Inadequate Pres. Tank
                                                                                                                03/19/84
Henry Co. - Lake Lynwood Wtr Sys (0735330)
                                                                         Inadequate Pres. Tank
                                                                                                                08/31/81
Henry Co. - Lynn Cntr (0735100)
                                                                         Inadequate Pres. Tank
                                                                                                                03/15/95
                                                                                                          147
Henry Co. - Ophiem PWS (0735150)
Henry Co. - Osco Mutual Wtr Supply Cpy Inc (0735200)
                                                                         Inadequate Pres. Tank
                                                                                                          150
                                                                                                                06/18/82
                                                                         Inadequate Pres. Tank
                                                                                                          115 12/15/89
Hettick (Macoupin Co. - 1170500)
                                                                         Atrazine
                                                                                                          250 03/15/95
                                                                         Atrazine & Trihalomethane 7,249 12/16/94
Hillsboro (Montgomery Co. - 1350300)
Iroquois Co. - Spring Creek Campground II Inc. (0750030)
                                                                                   Inadequate Pres. Tank
Island Lake Wtr Cmpny (Lake Co. - 0975080)
JoDaviess Co. - Bahl Wtr/Pioneer Acres (0855200)
                                                                                                        2,250 06/15/90
                                                                         Iron
                                                                         Inad. Pres. Storage
                                                                                                          700 12/15/93
Kane Co. - Broadview Academy (0895149)
Kane Co. - Highland Sbdv (0895530)
                                                                         Radium
                                                                                                                09/19/86
                                                                         Inadequate Pres. Tank
                                                                                                                09/16/83
Kane Co. - Melrose Rental Apts (0895228)
Kane Co. - Moecherville Sbdv (0895300)
                                                                         Inadequate Pres. Tank
                                                                                                           38
                                                                                                                03/15/94
                                                                         Inadequate Pres. Tank
                                                                                                                03/20/81
                                                                                                        1,120
Kane Co. - Park View Wtr Corp (0895500)
                                                                         Inadequate Pres. Tank
                                                                                                          150
                                                                                                                12/17/82
Kane Co. - Pleasant Village (0895228)
                                                                         Inadequate Pres. Tank
                                                                                                                06/18/82
                                                                                                          N/A
Kane Co. - Silver Glen Ests (0890040)
                                                                         Radium
                                                                                                                06/15/93
                                                                                                           10
Kane Co. - St Charles Skyline Swr-Wtr Cpy (0895030)
                                                                                                        1,300
                                                                                                                09/19/86
                                                                         Inadequate Pres. Tank
Kane Co. - Wermes Sbdv (0895750)
                                                                         Inadequate Pres. Tank
                                                                                                          150
                                                                                                                12/16/88
Kankakee Co. - Good Shepherd Manor (0915189)
Kankakee Co. - Olivet Nazarene College (0915279)
Kankakee Co. - Skyview Sbdv (0915526)
                                                                                                                03/17/89
                                                                         Inadequate Pres. Tank
                                                                         Inadequate Pres. Tank
                                                                                                        1,450
                                                                                                                03/15/94
                                                                                                               09/14/84
                                                                         Inadequate Pres. Tank
                                                                                                          65
Kankakee Co. - Skyview Sbdv (0915526)

Kendall Co. - Bonnie Lane Wtr (0930010)

Kendall Co. - Farm Colony (0935140)

Kendall Co. - Fox Lawn Utl Cmpny (0935150)

Kendall Co. - Metro Utl Valley Dvn (0935100)

Kingston Mines (Peoria Co. - 1430450)

Kincaid (Christian Co. - 0210250)
                                                                         Inadequate Pres. Tank
                                                                                                           49
                                                                                                                09/16/93
                                                                         Radium
                                                                                                                03/17/86
                                                                         Radium
                                                                                                          240
                                                                                                                03/17/86
                                                                                                                03/16/90
                                                                         Inadequate Pres. Tank
                                                                                                        2,200
                                                                         Radium
                                                                                                          350
                                                                                                                03/17/86
                                                                         Trihalomethane
                                                                                                        2,285
                                                                                                                03/15/95
Kinsman (Grundy Co. - 0630450)
Kirkwood (Warren Co. - 1870050)
                                                                                                                03/17/86
                                                                         Radium
                                                                                                          150
                                                                         Radium & Radiological
                                                                                                                07/23/93
                                                                                                        1,008
Ladd (Bureau Co. - 0110450)
                                                                         Radium
                                                                                                        1,350
                                                                                                                10/04/85
Lake Co. - Acorn Acres Sbdv (0975020)
                                                                         Inadequate Pres. Tank
                                                                                                                12/16/83
Lake Co. - Bluff Lake Lodges, Inc (0970240)
                                                                         Inad. Pres. Storage
                                                                                                      25,200
                                                                                                                12/15/93
Lake Co. - Briarcrest Sbdv Hmownrs Assn (0971060)
                                                                         Radium & Gross Alpha
                                                                                                          120
                                                                                                                12/16/92
Lake Co. - D L Well Owners Assn (0975380)
                                                                         Inadequate Pres. Tank
                                                                                                          125
                                                                                                                03/18/83
Lake Co. - Echo Lake Block IV Water Assn (0970130)
Lake Co. - Echo Lake Wtr Sys Block 7 (0975820)
Lake Co. - Elm Oak Mutual Wtr Sys (0975736)
                                                                         Inadequate Pres. Tank
                                                                                                                06/15/88
                                                                         Inadequate Pres. Tank
                                                                                                                09/16/83
                                                                                                           48
                                                                         Inadequate Pres. Tank
                                                                                                               06/13/86
                                                                                                           45
                                                                         & Radium
Lake Co. - Forest Lake Addn (0975500)
                                                                         Inadequate Pres. Tank
                                                                                                          180 12/16/83
Lake Co. - Glenkirk Campus North (0977189)
                                                                         Inadequate Pres. Tank
                                                                                                           64
                                                                                                                06/15/88
Lake Co. - Glenkirk Campus South (0977199)
                                                                         Inadequate Pres. Tank
                                                                                                           36
                                                                                                                06/15/88
Lake Co. - Hawthorn Woods (0970450)
                                                                         Inadequate Pres. Tank
                                                                                                          800
                                                                                                                03/15/95
Lake Co. - Highland Lake Sbdv (0975750)
                                                                                                                03/20/81
                                                                         Inadequate Pres. Tank
Lake Co. - Lakewood Wtr Sys (0975400)
                                                                         Inadequate Pres. Tank
                                                                                                                12/16/83
Lake Co. - Maple Hill Nursing Ctr (0971090)
                                                                         Inadequate Pres. Tank
                                                                                                          204 06/15/93
Lake Co. - Sturm Sbdv (0977010)
                                                                         Inadequate Pres. Tank
                                                                                                           63
                                                                                                                03/16/84
Lake Co. - Summit Homeowners Assn (0975280)
                                                                                                                03/16/84
                                                                         Inadequate Pres. Tank
                                                                                                           48
Lake Co. - Sylvan Lake 1st Sbdv (0977100)
Lake Co. - Towner Sbdv (0977250)
                                                                          Inadequate Pres. Tank
                                                                                                          210
                                                                                                                06/14/91
                                                                         Inadequate Pres. Tank
                                                                                                                01/14/82
Lake Co. - Wadsworth Oaks Sbdv (0977320)
Lake Co. - West Shoreland Sbdv (0977050)
                                                                         Radium
                                                                                                           80
                                                                                                                09/19/86
                                                                                                                06/14/91
                                                                         Inadequate Pres. Tank
Lake Co. - Wynstone Wtr Cmpny (0970080)
                                                                         Radium
                                                                                                          450
                                                                                                                03/15/95
LaSalle Co. - Cedar Point Water Company (0995110)
LaSalle Co. - Four Lakes Sbdv (0995110)
LaSalle Co. - Il Prairie Est Sbdv (0995300)
LaSalle Co. - Lynnwood Water Corp (0995336)
LaSalle Co. - Woodsmoke Ranch Assn (0990030)
                                                                         Radiological
                                                                                                                09/16/94
                                                                         Radium
                                                                                                           35
                                                                                                                09/19/86
                                                                         Radium
                                                                                                                06/15/88
                                                                                                           45
                                                                         Inadequate Pres. Tank
                                                                                                          114
                                                                                                                03/18/83
                                                                         Inadeq. Pres. Tank & Radium 350 06/15/90
Little York (Warren Co. - 1870100)
Livingston Co. - Salem Childrens Hm (1055229)
                                                                         Radium
                                                                                                          356 12/16/91
                                                                         Inadequate Pres. Tank
                                                                                                           66 03/18/83
Logan Co. - Bartmann Health Care Center (1075169)
                                                                                                           93 12/16/83
                                                                         Inadequate Pres. Tank
London Mills - (Fulton County - 0574620)
                                                                                                          670 12/14/84
                                                                         Inadequate Pres. Tank
```

	Lostant (LaSalle Co 0990450)	1	Radium & Radiological	550	03/17/86
*	Macoupin Co Palmyra-Modesto Wtr Cmsn (1175150)	5	Atrazine	1,140	03/15/95
	Macoupin Co RR 1 - Il Wtr Assn (1175260)	5	Trihalomethane		06/15/92
	Macoupin Co Spring Creek Water Assn (1175450)	5	Trihalomethane		06/16/94
	Macoupin Co Staunton Res. Rd Wtr Corp (1175250)	5	Trihalomethane		12/16/94
	Mapleton (Peoria Co 1430500)	5	Radium		03/17/86
*	Marseilles (LaSalle Co 0990500)	1	Radium		03/17/00
		5			
	McDonough Co Emmett Utl Inc (1095200)		Inadequate Pres. Tank		12/17/82
	McHenry Co Community Srvc Corp (1115350)	2	Inadequate Pres. Tank		09/16/83
	McHenry Co Deering Oaks Sbdv (1115200)	2	Inadequate Pres. Tank	60	12/17/82
	McHenry Co Prairie Ridge Assn (1115730)	2	Inadequate Pres. Tank	140	03/16/90
	McHenry Co Walk-Up-Woods Wtr Cmpny (1115800)	2	Inadequate Pres. Tank	763	03/16/90 12/17/82
	McHenry Co Wonder Lake Water Company (1115750)	2	Inadequate Pres. Tank	1,161	06/16/94
	McLean Co Cropsey Cmnty Wtr (1135150)	4	Inadequate Pres. Tank		03/20/81
	Media (Henderson Co 0710250)	5	Nitrate	150	03/17/86
	Mercer Co M C L W Sys Inc (1315150)	1	Inadequate Source	100	03/20/81
	Mercer Co Swedona Wtr Assn (1315200)	1			06/15/90
*	Modesto (Macoupin Co 1170600)	5	Atrazine		03/15/95
	Monmouth (Warren Co 1870150)	5	Radium		12/15/93
	Monroe Co Maple Leaf Ests Wtr Corp (1335100)	6	Inadequate P res. Tank	2,300	02/20/93
		5	Tribal amothers	050	03/20/01
	Mount Clare (Macoupin Co 1170650)	5	Trinaromethane	000	03/11/92
	Mount Olive (Macoupin Co 1170700)	5	Trinalomethane	2,380	09/16/94
	Naplate (LaSalle Co 0990600)	1	Radium	281	03/17/86
	Neponset (Bureau Co - 0110700)	1	Radium	640	09/14/90
	New Boston (Mercer Co 1310250)	1	Nitrate	750	12/14/84
	Norris (Fulton Co 0570750)	5	Inadequate P res. Tank Trihalomethane Trihalomethane Radium Nitrate Trihalomethane Trihalomethane Radium Nitrate Trihalomethane Trihalomethane Radium Inadequate Pres. Tank	250	12/16/94
	Oakland (Coles Co 0290300)	4	Trihalomethane	996	12/16/94
	Odell (Livingston Co 1050550)	4	Radium	1,100	03/17/86
	Ogle Co Lindenwood Wtr Assn (1415300)	i	Inadequate Pres. Tank	50	01/13/82
*	Palmyra (Macoupin Co 1170800)	5	Atrazine		01/13/02
		6	Mulazine		
	Panama (Bond Co 0054720)		Trihalomethane Atrazine		06/16/94
	Paris (Edgar Co 0450300)	1	Atrazine		09/16/94
	Peoria Co Brookview Sbdv (1435100)	5	Nitrate		09/16/93
	Peoria Co Edelstein Wtr Coop (1435150)	5	Radium & Radiological		06/13/86
	Peoria Co Fahnstock Court Sbdv (1435200)	5	Inadequate Pres. Tank	30	05/25/81
	Peoria Co Galena Knolls Sbdv (1435300)	5	Nitrate	180	06/15/88
	Peoria Co Trivoli PWD (1435510)	5	Inadequate Dres Tank	350	06/17/83
	Peoria Co Vet's Place Sbdv (1435650)	5	Inadequate Pres Tank	85	12/16/94
	Peoria Co Woodland Hts Ests Sbdv (1435760)	5	Inadequate Pres. Tank Inadequate Pres. Tank Inadequate Pres. Tank	245	03/20/91
	Radom (Washington Co 1890450)	6	trihalomethane	17/	12/16/94
			CI IIIa I OIIIE CII ai IE	T / T	12/10/94
	Ransom (LaSalle Co 0990900)	1	Radium		03/17/86
	Reddick (Kankakee Co 0914780)	2	Radium		09/16/93
	Richview (Washington Co 1890500)	6	Inadequate Pres. Tank		09/19/86
	Rockdale (Will Co 1970850)	2	Radium	1,500	03/17/86
	Rock Island Co Byron Hls Sbdv Well 6 (1617266)	1	Inadequate Pres. Tank	32	12/17/82
	Rock Island Co Country Club Mnr Well 1 (1617286)	1	Inadequate Pres. Tank	32	01/14/82
	Rock Island Co Croppers 2nd & 3rd Addn (1615200)	1	Inadequate Pres. Tank		12/16/83
	Rock Island Co Eberts 2nd Addn (1615280)	1	Inadequate Pressure Tank		09/15/89
	Rock Island Co Evergreen Vlg Sbdv (1615310)	ī	Inadequate Pres Tank	250	03/20/81
	Rock Island Co Larson Court Rentals (1615728)	1	Inadequate Pres. Tank Trihalomethane	10	01/11/01
		1	Inadequate Pres. Tank	470	01/14/02
	Rock Island Co Lemon Street Well Cmpny (1615550)		Inadequate Pres. Tank	470	05/20/01
	Rock Island Co Park Hill Ests Well 1 (1617806)	1	Inadequate Pres. Tank	34	06/18/82
	Rock Island Co Rock Island Arsn (1615387)	1	Trihalomethane	9,000	06/15/92
	Rock Island Co Silvis Heights Wtr Corp (1615750)	1	Inadequate Pres. Tank Inadequate Pres. Tank	1,680	03/20/82
	Rock Island Co Suburban Heights Sbdv (1615800)	1	Inadequate Pres. Tank	114	12/16/83
	Rock Island Co Tindalls 3rd & 6th Addns (1617376)	1	Inadequate Pres. Tank	28	06/18/82
	Rock Island Co Turkey Hollow Well Corp (1615686)	1	Inadequate Pres. Tank	32	06/18/82
	Rock Island Co WSCO Dvl-Ridgewood (1615670)	1	Inadequate Pres. Tank	475	03/20/81
	Roseville (Warren Co 1870200)	5	Nitrate		03/17/89
	Rosiclare (Hardin Co 0690150)	7	Trihalomethane		09/17/92
	Schram City (Montgomery Co 1350600)	5	Trihalomethane		06/16/94
*	Scottville RWC (Macoupin Co 1170010)	5	Atrazine		03/15/95
		1			
	Shannon (Carroll Co 0150300)		Nitrate		03/15/94
	Shipman (Macoupin Co 1170950)	5	Trihalomethane		06/16/94
	Sims (Wayne Co 1910400)	7	Atrazine		06/16/94
	Sorento (Bond Co 0050300)	6	Atrazine		06/15/92
	South Pekin (Tazewell Co 1790650)	5	Nitrate		06/15/93
	South Wilmington (Grundy Co 0630650)	2	Radium	750	03/15/93
	Spring Valley (Bureau Co 0111000)	1	Radium	5,850	09/17/92
	St. Clair Co Save Site (1635289)	6	Trihalomethane		06/15/92
	St. Peter (Fayette Co 0510300)	6	Trihalomethane		06/15/92
	Standard (Putnam Co1550300)	1	Radium		09/16/91
	Steeleville (Randolph Co 1570650)	6	Radium		03/17/86
	Stephenson Co Park Crest Wtr Cmpny (1775100)	1			
			Inadequate Pres. Tank		09/14/84
	Table Grove (Fulton Co 0570900)	5	Radium & Radiological		03/20/81
	Taylor Springs (Montgomery Co 1350650)	5	Trihalomethane		03/17/92
	Tazewell Co Beverly Mnr Cntrl Imp Assn (1795120)	5	Inadequate Pres. Tank		03/17/89
	Tazewell Co Beverly Mnr-Grant (1795100)	5	Inadequate Pres. Tank		03/20/81
	Tazewell Co Breezeway Sbdv (1795150)	5	Inadequate Pres. Tank		09/17/82
	Tazewell Co Hickory Hls Sbdv Assn 1 (1795386)	5	Inadequate Pres. Tank		06/14/85
	Tazewell Co Hickory Hls Sbdv Assn 2 (1795396)	5	Inadequate Pres. Tank		06/14/85
	Tazewell Co Mayfair Sbdv (1795750)	5	Inadequate Pres. Tank		03/16/90
	Tazewell Co Oakhaven Sbdv (1795760)	5	Inadequate Pres. Tank		05/25/81
	Tazewell Co Prairie View Wtr Assn (1795900)	5	Inadequate Pres. Tank Inadequate Pres. Tank		03/20/81
	Table. Co. Frattic view wer Abbit (170000)	_	TIMACMAGE TIES, TAIM	23	JJ, 20, UI

```
Union Co. - Lick Creek PWD (1815100)
                                                                         Inadequate Treatment
                                                                                                          816 09/15/89
                                                                         Plant & Source
Vermilion Co. - North Fork Well Assn (1835186)
                                                                         Inadequate Pres. Tank
                                                                                                           66 06/17/83
                                                                         Trihalomethane
Vernon (Marion Co. - 1210550)
Viola (Mercer Co. - 1310450)
                                                                                                          207 09/16/94
                                                                    6
                                                                                                        1,144 09/17/92
                                                                         Radium
Westfield (Clark Co. - 0230200)
                                                                         Inadequate Water Source
                                                                                                          700 06/15/93
                                                                         Trihalomethane
White City (Macoupin Co. - 1171150)
White Hall (Greene Co. - 0610400)
                                                                                                          280 06/15/93
                                                                                                        2,950 06/15/93
                                                                         Atrazine
                                                                    6
Whiteside Co. - Lakeview Sbdv (1955150)
                                                                         Inadequate Pres. Tank &
                                                                                                          146 03/20/81
                                                                         Nitrate
Will Co. - Bel-Air Sbdv (1975130)
                                                                         Inadequate Pres. Tank
                                                                                                           91 08/04/81
Will Co. - Clearview Sbdv (1975360)
Will Co. - Dixie Dells (1977850)
Will Co. - East Moreland Wtr Assn (1975600)
                                                                         Inadequate Pres. Tank
                                                                                                          420 01/13/82
                                                                         Inadequate Pres. Tank
                                                                                                          550 09/17/82
                                                                         Inadequate Pres. Tank
                                                                                                          753 03/20/81
Will Co. - Fair Acres Sbdv (1975680)
                                                                                                          185 10/19/81
                                                                         Inadequate Pres. Tank
Will Co. - Garden Street Imprv Assn (1975376)
                                                                         Inadequate P res. Tank
                                                                                                           62 09/15/89
Will Co. - Greenfield Cmnty Well Cmpny (1975760)
                                                                                                           25 12/16/83
                                                                         Inadequate Pres. Tank
Will Co. - Hillview Sbdv (1975800)
                                                                                                           99
                                                                         Inadequate Pres. Tank
                                                                                                                03/15/85
Will Co. - Huntley Cmnty Sbdv (1975840)
Will Co. - Ingalls Park Sbdv (1975880)
Will Co. - Lakewood Shores Imprv Assn (1975930)
                                                                         Inadequate Pres. Tank
                                                                                                            48 03/16/84
                                                                         Inadequate Pres. Tank
                                                                                                          690 09/16/83
                                                                         Radium
                                                                                                           93 03/17/86
Will Co. - Oakview Avenue Wtrwks Inc (1977210)
                                                                         Inadequate Pres. Tank
                                                                                                          350 03/20/81
Will Co. - Park Road Wtr Assn (1977330)
                                                                         Inadequate Pres. Tank
                                                                                                           60 12/17/82
will Co. - Ridgewood Sbdv (1977650)
Will Co. - Scribner Street Sbdv (1977660)
                                                                         Inadequate Pres. Tank
                                                                                                          315 06/18/82
                                                                                                           50 03/18/83
                                                                         Inadequate Pres. Tank
Will Co. - Shawnita Trc Wtr Assn (1977690)
                                                                         Inadequate Pres. Tank
                                                                                                          125
                                                                                                                09/17/92
Will Co. - Sunnyland Sbdv (1977730)
Williamson (Madison Co. - 1191100)
                                                                         Inadequate Pres. Tank
                                                                                                          350 09/16/83
                                                                         Trihalomethane
                                                                                                          350 06/15/92
Williamson Co. - Devils Kitchen Wtr Dst (1995160)
                                                                         Inadequate Treatment Plt1,330 09/15/89
                                                                         & Source & Trihalomethane
Inadequate Treatment 7
                  - Lake of Egypt PWD (1995200)
Williamson Co.
Wilsonville (Macoupin Co. - 1171200)
                                                                         Trihalomethane
                                                                                                          609 06/15/92
Winnebago Co. - Blue & Gold Homeowners Assn (2015250) 1
                                                                                                          170 06/17/83
                                                                         Inad. Press. Tank &
                                                                         Inad. Source of Supply
Winnebago Co. - Bradley Heights Sbdv (2015050)
Winnebago Co. - Briar Garden Apts (2015190)
Winnebago Co. - Cherry Vale East Apts (2015470)
Winnebago Co. - Cherry View Apts (2015278)
                                                                         Inadequate Pres. Tank
                                                                                                          60 12/17/82
180 01/14/82
                                                                         Inadequate Pres. Tank
                                                                         Inadequate Pres. Tank
                                                                         Inadequate Pres. Tank
                                                                                                           60 06/17/83
Winnebago Co. - Great Oaks & Beacon Hls Apts (2015488)
                                                                                  Inadequate Pres. Tank
Winnebago Co. - Kishwaukee -Kilbuck Assn (2010010)
Winnebago Co. - Larchmont Sbdv (2015290)
Winnebago Co. - Legend Lakes Wtr Assn (2015300)
                                                                         Inadequate Pres. Tank
                                                                                                           42 03/16/90
                                                                                                          106 06/17/83
                                                                         Inadequate Pres. Tank
                                                                                                          225 03/14/91
                                                                         Inadequate Pres. Tank
                                                                         Inadequate Pres. Tank
Winnebago Co. - The Mill (2010040)
Woodford Co. - Oak Ridge Sndst (2035300)
                                                                                                           90 12/16/94
                                                                         Inadequate Pres. Tank
                                                                                                          240 03/20/81
Woodland (Iroquois Co. - 0751000)
Yates City (Knox Co. - 0950700)
                                                                                                          333 03/15/95
                                                                         Nitrate
                                                                         Radium and Inadequate
                                                                                                          900 03/20/81
                                                                         Pressure Tank
```

Public Water Supplies Removed from Previous List

Dallas City (Hancock Co. - 0674300)
Diamond (Grundy Co. - 0630250)
Iroquois Co. - A Merkle-C Kniprath Home (0755389)
Lake Co. - Glenstone Sbdv (0970160)
Prairie City (McDonough Co. - 1090400)
Raritan (Henderson Co. - 0710350)
Rock Island Co. - Tindalls Addn Wtr Sys (1617956)
Sycamore (DeKalb Co. - 0370550)
Wyoming (Stark Co. - 1750200)

DES:sp/0046g/5 -22

Illinois Environmental Protection Agency

Division of Public Water Supplies

Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of April 1, 1995.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

Illinois Environmental Protection Agency Division of Public Water Supplies Critical Review List -- Public Water Supplies April, 1995

		POP. LISTING		
	RGN	NATURE OF PROBLEM SERVED DATE		
Baylis (Pike Co 1490100)	5	Source Capacity 300 09/13/85 Low System Pressure 465 03/20/81		
Bluford (Jefferson Co 0810100)	7	Low System Pressure 465 03/20/81		
Carlyle (Clinton Co 0270300)	6	Inadequate Treatment Plant 400 12/15/93		
Carlyle (Clinton Co 0270300) Caseyville (St. Clair Co 1630250)	6	Low System Pressure 12,338 09/14/84		
Clinton (DeWitt Co 0390050)	4	Inadequate Plant Capacity 7,437 06/14/91		
DePue (Bureau Co 0110300)	1	Inadequate Treatment Plant 1,93012/15/9		
Dieterich (Effingham Co 0490150)	1	Inadequate Source 568 03/15/94		
DuPage Co Highland Hls Sndst (0435560)	2	Inadequate Pressure Tank 1,100 09/17/92		
Edwardsville (Madison Co 1190250)	6	Inad. Treatment Plant 30,581 12/15/93		
Evansville (Randolph Co 1570250)	6	Plant Capacity 1,838 05/25/81		
Georgetown (Vermilion Co 1830350)	4	Inadequate Wtr Plant 3,678 06/15/93		
Hardin (Calhoun Co 0130200)	6	Low System Pressure 1,175 11/25/81		
Homer (Champaign Co 0190300) Jackson Co South Highway PWD (0775400)	4	Low System Pressure 1,175 11/25/81 Inadequate Source 1,300 03/15/94 Low System Pressure 8,189 06/15/92		
Jackson Co South Highway PWD (0775400)	7	Low System Pressure 8,189 06/15/92		
Kane Co Lake Marian Wtr Corp (0895200)	2	Low System Pressure & 800 09/14/84		
		Inadequate Pres. Storage		
Kincaid (Christian Co 0210250)	5	Plant Capacity 2,640 06/14/85		
Lewistown (Fulton Co 0570600)	5	Inadequate Source 2,700 06/15/88		
Macon Co Long Creek Twsp (1155150)	4	Inadequate Plant Capacity 5,000 03/15/95		
Kincaid (Christian Co 0210250) Lewistown (Fulton Co 0570600) Macon Co Long Creek Twsp (1155150) McHenry Co McHenry Shores Wtr Cmpny (1115020) McHenry Co Whispering Hills Wtr Cmpny (1115700)	2	Low System Pressure 1,170 09/17/92 Low System Pressure 6,000 06/15/93 Inadequate Storage 1,080 12/14/90		
McHenry Co Whispering Hills Wtr Cmpny (1115700)	2	Low System Pressure 6,000 06/15/93		
McHenry Co - Wonder Lake Wtr Cmpny (1115/50)	2	Inadequate Storage 1,080 12/14/90		
Millstadt (St. Clair Co 1630850)	6	Low System Pressure 2,750 12/16/91		
North Utica (LaSalle Co 0990650)	1	Low System Pressure 3,943 03/18/84		
Patoka (Marion Co 1210400)	6	Inadequate Treatment Plant 820 12/15/93		
Pearl (Pike Co.1490650)	5	Inadequate Pres. Tank 322 09/17/82		
Pecatonica (Winnebago Co2010250)	1	Low System Pres. 1,830 06/15/90		
Millstadt (St. Clair Co 1630850) North Utica (LaSalle Co 0990650) Patoka (Marion Co 1210400) Pearl (Pike Co.1490650) Pecatonica (Winnebago Co2010250) Ramsey (Fayette Co 0510200)	6	Source Capacity & 1,350 09/13/85		
		Low System Pres.		
Richland Co West Liberty Dundas Wtr Dist (1595050)	7	Low System Pres. Low System Pres. & 693 12/14/84		
•		Inadequate Source		
Rock Island Co Tower Ridge Sbdv (1615780)	1	Inadequate Pres. Tank 70 03/15/94		
Stockton (Jo Daviess Co 0850450)	1	Low System Pressure 1,900 06/15/84 Low System Pressure 1,553 12/13/85		
Sumner (Lawrence Co 1010300)	7	Low System Pressure 1,553 12/13/85		
Taylor Springs (Montgomery Co 1350650)	5	Low System Pressure 650 02/20/81		
Walnut Hill (Marion Co 1210600)	6	Low System Pressure 1,200 06/14/85		
Will Co Metro Utl Chickasaw Dvn (1975320)	2	Low System Pressu re 7,700 09/17/92		
olin Makan Campling Removal from Province Tink				
blic Water Supplies Removed from Previous List Camargo (Douglas Co 0410100)	4	Inadequate Treatment Plant 400 12/16/91		
Camargo (Doagras Co 0110100)	7	THATCHAGE TEACHETIC FLATIC 400 12/10/91		

Printed by Authority of the State of Illinois, April, 1995, 2,000 copies, order #57701.

The Illinois Pollution Control Board is an independent seven member board which adopts the environmental control standards for the State of Illinois and rules on enforcement actions and other environmental disputes. The Board Members are:

Claire A. Manning, Chairman Springfield, Illinois

Emmett E. Dunham II Ronald C. Flemal G. Tanner Girard Elmhurst, Illinois DeKalb, Illinois Grafton, Illinois

Marili McFawn J. Theodore Meyer Joseph Yi

Palatine, Illinois Chicago, Illinois Park Ridge, Illinois

The Environmental Register is a newsletter published by the Board monthly. The Register provides updates on rulemakings and other information, lists final actions, and contains the Board's hearing calendar. The Register is provided free of charge.

Illinois Pollution Control Board State of Illinois Center, 11-500 100 West Randolph Street Chicago, Illinois 60601 (312) 814-3620

Address Correction Requested.

Bulk Rate U.S. Postage PAID Chicago, IL Permit No.2088