

ENVIRONMENTAL REGISTER



No. 500 ♦ A Publication of the Illinois Pollution Control Board ♦ January, 1996

RULEMAKING UPDATE

ART I 15% ROP CLEANUP AMEND-MENTS PROPOSED FOR SECOND NOTICE, R96-2

The Board proposed Part I cleanup amendments to the 15% reduction of pollution (ROP) plan regulations for Second Notice review for Second Notice review by the Joint Committee on Administrative Rules (JCAR) on December 7, 1995. The amendments would change the 15% ROP plan to revise the annual deadline for compliance with the 7.2 pounds per square inch (psi) Reid vapor pressure (RVP) requirement for certain gasoline suppliers from May 1 to June 1. The Board adopted the 7.2 psi RVP requirements as a portion of the Part I 15% ROP rules on September 15, 1994. (See issue 486, Sept., 1994.) The presentlyproposed cleanup amendments would make an emergency rule that delayed the annual effective date, of February 23, 1995, in R95-10, into a permanent rule. The second change is to correct the identification number for the Clark Oil terminal in the metropolitan East St. Louis area, which is subiect to the marine vessel loading rules. The marine vessel loading regulations were involved in the Part II 15% (Cont'd on p. 2)



OVERNOR EDGAR ANNOUNCES EXPANSION OF THE "CLEAN BREAK" PROGRAM

Governor Jim Edgar, in his State of the State Address announced that a joint, small business-oriented amnesty program operated by the Illinois EPA and the Illinois Department of Com-

LEGISLATIVE UPDATE

merce (Cont'd on p. 6)

OVERNOR EDGAR SIGNS PROPORTIONATE SHARE LIABLITY BILL INTO LAW

Governor Jim Edgar signed P.A. 89-443 (formerly H.B. 901) into law on December 21, 1995. Effective on July 1, 1996, P.A. 89-443 re-establishes those segments of the P.A. 89-431 (formerly H.B. 544) "Brownfields" legislation that the Governoramendatorily vetoed last August. (See issues 496, Aug.-Sept., 1995 & 498, Nov., 1995.) Those provisions relate to propotionate share liability--i.e., limiting the liability of a responsible party to its own proportionate share of responsibility for contamination at the site. As previously reported, Governor Edgar vetoed those sements of the Brownfields bill that dealt with proportionate share ilability because the (Cont'd on p.6)

Inside This Issue♦ Appellate Updatep7♦ Final Actionsp8♦ New Casesp11♦ Calendar of Hearingsp15♦ IEPA Restricted Status Listp18

RULEMAKING UPDATE

(Cont'd from p. 1)

ROP proceeding, which the Board adopted on October 20, 1994, under docket number R94-15. (See issue 487, Oct., 1994.)

The Board initially accepted and proposed the Part I 15% ROP cleanup proposal pursuant to the "fast-track" rulemaking provisions of Section 28.5 of the Environmental Protection Act (Act) on September 7, 1995. However, after closer scrutiny of the proposal, on September 21, 1995, the Board corrected this and accepted and proposed the amendments as a Section 27 general rulemaking. (See issue 497, Oct., 1995.) A First Notice Notice of Proposed Amendments appeared in the October 31, 1995 issue of the Illinois Register. The Second Notice review period began on December 12, when JCAR received the Second Notice package, and it will end when JCAR submits its Certificate of No Objection or after 45 days, whichever comes first. After the Second Notice period expires, the Board will be free to adopt the amendments. The Board held two hearings on the Part I cleanup proposal on October 25, 1995, in Springfield, and October 26, 1995, in Edwardsville.

The Board adopted the 15% ROP regulations in seven parts, as submitted by the Agency, between September 15, 1994 and May 4, 1995. The aggregate of the seven parts are intended to reduce emissions of ozone-forming volatile organic compounds in the Chicago and metropolitan East St. Louis areas, as required by federal law. The federal Clean Air Act Amendments of 1990 (CAAA) require a reduction in ozone precursor emissions in areas that are nonattainment for ozone. (See issue 495, June-July, 1995.)

Direct questions to Audrey Lozuk-Lawless, at 312-814-6923 (Internet address: alozukla@pcb016r1.state.il.us). Request copies from Victoria Agyeman, at 312-814-3620. Please refer to docket R96-2 (Internet address: vagyeman@pcb016r1.state.il.us). ◆

ART II 15% ROP CLEANUP PROPOSAL FILED, SET FOR HEARING, AND PROPOSED FOR FIRST NOTICE, R96-13

The Illinois EPA (Agency) filed its Part II 15 percent ROP cleanup proposal on December 13, 1995 pursuant to the "fast-track" procedure of Section 28.5 of the Act. The Board accepted the proposal and proposed the amendments without substantive review for First Notice publication in the *Illinois Register* on December 20, 1995. The Board has scheduled public hearings on the

proposal in February and March, as required by Section 28.5.

The Part II 15% ROP cleanup proposal would make seven minor corrections to the 15% ROP Plan as submitted by the Agency and adopted by the Board between September 15, 1994 and May 4, 1995 in seven parts. (See accompanying item on the Part I cleanup proposal.) The seven corrections are listed as follows:

- 1. Add language to Part 219 relating to "equivalent alternative control plans" that appears in Part 218;
- 2. Revise certain vapor pressure equations in Subpart A;
- 3. Clarify the record keeping and reporting requirements for coating operations in Subpart F;
- 4. Correct a *Federal Register* citation and typographic errors in Subpart Q;
- 5. Incorporate the legislative repeal of P.L. 89-79 of the bakery oven rules;
- 6. Amend the exemption for polyethylene manufacturing facilities in Subpart TT; and
- 7. Correct a typographic error in Appendix G.

The statute requires the Board to schedule three hearing dates, each for a prescribed purpose. The first day of hearing is reserved for presentations by the Agency and questions of Agency witnesses. The second scheduled day of hearing, if it occurs, is reserved for presentations by affected entities and all other interested persons. The third scheduled day of hearing, if it occurs, is reserved for any Agency response and responses of other parties. The hearings will be continued from day to day, as necessary, until all business is completed. However, the second and third hearing dates are subject to cancellation if the level of public interest and participation so warrant. The public hearings are scheduled to occur at the James R. Thompson Center, 100 West Randolph Street, in Chicago as follows:

10:00 a.m., Tuesday, February 6, 1996: Room 9-040 10:00 a.m., Thursday, March 7, 1996: Room 9-025 10:00 a.m., Thursday, March 21, 1996: Room 9-025

The hearing officer has ordered the submission of pefiled testimony and exhibits to all persons on the service list by specified deadlines. These are January 28, 1996 for the first day of hearing, February 26, 1996 for the second day, and March 11, 1996 for the third.

The First Notice public comment period began for the proposed amendments to Parts 218 and 219 when the Notices of Proposed Amendment appeared in the January 5, 1996 issue of the *Illinois Register* (415 ILCS 5/122 &

155), and it will expire after 45 days-i.e., on February 19, 1996. The Board will then be free to propose the amendments for Second Notice review by the Joint Committee on Administrative Rules (JCAR). Direct questions to the hearing offi

RULEMAKING UPDATE

(Cont'd from p. 2)

cer, K.C. Doyle, at 312-814-3665 (Internet address: kdoyle@pcb016r1.state.il.us). Request copies of Board orders from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb016r1.state.il.us). Please refer to docket R96-13. ◆

OARD GRANTS EXPEDITED CONSIDERATION OF HAZARDOUS WASTE AMEND-MENTS, R95-20

On December 7, 1995, the Board granted expedited consideration to certain federal hazardous waste amendments in the latest RCRA Subtitle C update docket, R95-20, which nominally includes federal amendments during the period January 1 through June 30, 1995. The federal amendments for which the Board granted expedited consideration were the November 13, 1995 stay of the Subpart CC organic material emissions rules applicable to hazardous waste tanks, containers, and surface impoundments. U.S. EPA delayed the effective date of those rules from December 6, 1995 to June 6, 1996. The Chemical Industry Council of Illinois (CICI) filed a request for expedited consideration of the federal stay on November 29, 1995. Although the November 13 federal stay was outside the six-month time-frame of docket R95-20, the Board granted consideration in this docket, stating as follows: "[T]he Board does not desire to prolong the time between federal promulgation and our adoption of corresponding identical-in-substance amendments. This is especially true during a time when Illinois regulations are temporarily more stringent on their face than the corresponding federal rules."

The Board once before granted expedited consideration of federal amendments in docket R95-20, on October 19, 1995. (See issue 498, Oct., 1995.) On October 13, 1995, TDI Batteries, an Illinois manufacturer of nickel-cadmium cells submitted a request for expedited Board consideration of the federal universal waste rules, a segment of the amendments that occurred during the time-frame of the docket. TDI stated that it wants to begin a program for recycling or recovery of waste nickel-cadmium batteries, and the current general RCRA Subitle C standards stand as an impediment to such a program. It was on this basis that the Board granted the

request for expedited consideration. At the same time, the Board published a reason for delay in completing the amendments because the present work-load did not allow immediate attention to this docket.

During the R95-20 update period of the first half of 1995, U.S. EPA amended and corrected its RCRA Subitle C regulations 13 times. The Board included the federal amendments of January 3 and May 19, 1995 in the prior consolidated update docket R95-4/R95-6, on June 1 and 15, 1995. The January 3 federal amendments dealt with corrections to the Phase II land disposal restrictions, and the May 19 amendments dealt with postponement of the effective date of the Subpart CC organic material emissions requirements for tanks, containers, and surface impoundments. The base subject matter of both sets of amendments was the primary subject matter of the R95-4/R95-6 docket. The other 11 first-half, 1995 federal actions will be dealt with in docket R95-20. These 11 actions included the following: updated testing and monitoring methods (January 13 and two April 4 xtions); a response to the judicial decision in City of Chicago v. Environmental Defense Fund, -- U.S. --, 114 S. Ct. 1588, 128 L. Ed. 2d 302 (1994) (February 3); an administrative determination that additional regulation will be necessary for cement kiln dust (February 7); new hæardous waste listings for six carbamate production wastes (February 9, April 17, and May 12); the new universal waste rules (May 11); the delisting of a hazardous waste generated in Illinois by a Pennsylvania company (June 13); and the deletion of obsolete, redundant, and outdated rules (June 29).

Of the amendments involved in the nominal R95-20 time-frame, the single most significant set is the new "universal waste" rule. The universal waste rule establishes an alternative set of regulations for persons recycling, recovering, or seeking alternative disposal of certain wastes from municipal solid waste streams. Under the general RCRA Subtitle C regulations, certain wastes, called "universal wastes" would become hazardous wastes when removed from municipal solid waste and accumulated for recycling, recovery, or alternative disposal. U.S. EPA established the alternative universal waste regulations to avoid this disincentive to the recycling, recovery, and alternative disposal activities, which essentially remove these environmentally deleterious materials from waste bound for landfills. In this initial installment of alternative universal waste regulations, U.S. EPA included batteries, thermostats, and waste pesticides. U.S. EPA stated that it will later establish more universal waste management standards for other mateirals, such as waste fluorescent light bulbs. By granting expedited consideration of the further federal stay of the Subpart CC rules, the Board has included an equally inportant action in this docket.

Direct questions to Michael J. McCambridge, at 312-814-6924 (Internet address: mmccambr@pcb016r1.state.il.us). Request copies of the proposed amendments from Victoria Agyeman, at 312-814-3620. Please refer to docket R95-20 (Internet address: vagyeman@pcb016r1.state.il.us). ◆

RULEMAKING UPDATE

(Cont'd from p. 3)

PECIAL WASTE VEHICLE NUMBER AMENDMENTS PROPOSED FOR SECOND NOTICE, R95-11

The Board proposed amendments on Dæmber 20, 1995 to the Illinois special waste hauling regulations for Second Notice review by the Joint Committee ondA ministrative Rules (JCAR). The amendments woulder place the existing requirement for marking transporter hicles with a special waste hauler permit number with a requirement that documentation indicating the permit number accompany the vehicle. A letter from the American Trucking Association (ATA) prompted this proceeding. The letter raised the issue of whether Section 809.401 of the special waste hauling regulations may have been preempted by the federal law, as interpreted by the U.S. Department of Transportation. The ATA segregested an amendment to Section 809.401 that was jointly drafted with the Agency.

On March 16, 1995, the Board opened a docket to consider amendment of the special waste hauler requirements of the land pollution control regulations and authorized two hearings in the matter. (See issue 493, Apr., 1995.) The Board held public hearings on the proposed amendments on June 7, 1995, in Chicago, and June 21, 1995, in Springfield, and proposed the amendments for First Notice publication in the Illinois Register on September 7, 1995. (See issue 497, Oct., 1995.) A Notice of Proposed Amendments appeared in the September 22, 1995 issue of the Register.

The Second Notice JCAR review period began on January 9, 1996, when JCAR received the Second Notice package. It will conclude when JCAR issues a Certificate of No Objection or after 45 days have elapsed, whichever comes first. After the Second Notice period, the Board will be free to adopt the amendments.

Direct questions to Musette H. Vogel, at 217-524-8509 (Internet address: mvogel@pcb084r1.state.il.us). Request copies from Victoria Agyeman, at 312-814-6920

(Internet address: vageyman@pcb016r1.state.il.us). Please refer to docket R95-11. ♦

FOR SECOND NOTICE FOR MWRDGC, R95-

On December 7, 1995, the Board proposed a site-specific rule for Second Notice review by the Joint Committee on Administrative Rules (JCAR) that would regulate the maximum allowable cyanide content of the Metropolitan Water Reclamation District of Greater Gh cago (MWRDGC) John E. Egan and James C. Kirie treatment plant effluents. Associated proposed ameh ments include changes to reflect the change in the Bi trict's name to MWRDGC, which still appears in the water pollution control regulations as the Metropolitan Sanitary District of Greater Chicago. The proposed new weak acid dissociable (WAD) cyanide standard of 10 micrograms per liter (µg/l) would apply to both plants instead of their respective existing permitted limitations of 5.2 and 5.0µg/l, which were based on the existing state-wide general use water quality standards. The MWRDGC posited four basic justifications for the sitespecific rule in its April 28, 1995 petition. It firsts serted that the indigenous species used to calculate the state-wide water quality standards are not relevant to the streams receiving its effluents. MWRDGC stated second that the use of WAD cyanide is not directly associated with water toxicity. Third, the MWRDGC maintained that chlorine interferes with the WAD cyanide test. iF nally, MWRDGC contended that the present regulatory limits are at or below the limit of detection for WAD cvanide.

The Board proposed the amendments on August 24, 1995 for First Notice publication in the *Illinois Register*. A Notice of Proposed amendments appeared in the September 8, 1995 issue of the *Register*. The Second Notice review period began on December 12, when JCAR eccived the Second Notice package, and it will end when JCAR submits its Certificate of No Objection or after 45 days, whichever comes first. After the Second Notice period expires, the Board will be free to adopt the amendments.

Direct questions to Audrey Lozuk-Lawless, at 312-814-6923 (Internet address: alozukla@pcb016r1.state.il.us). Request copies of the Board's opinion and order from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb016r1.state.il.us). Please refer to docket R95-14. ◆

PROPOSED, R95-22

On December 20, 1995, the Board proposed update amendments to the wastewater pretreatment regulations for public comment. The amendments, proposed under docket R95-22, are based on revisions to the federal regulations that occurred in the period January 1 through June 30, 1995. During this time, U.S. EPA undertook two actions, on April 4 and June 29, 1995. The April 4 federal amendments updated the analytical procedures of 40 CFR 136, which apply to Clean Water Act programs. The Illi

RULEMAKING UPDATE

(Cont'd from p. 4)

nois wastewater pretreatment regulations incorporate 40 CFR 136 by reference. The June 29, 1995 federal amendments were the deletion of obsolete, redundant, and outdated rules by U.S. EPA. The Board based amendments on both sets of federal amendments.

A Notice of Proposed Amendments will appear in a January issue of the Illinois Register. The public comment period will end 45 days after the date of publication, at which time the Board will be free to adopt the amendments. Direct questions to Diane F. O'Neill, at 312-814-6062 (Internet address: doneill@pcb016r1.state.il.us). Request copies of the Board's opinion and order from Victoria Agyeman, at 312-814-3620 (Internet address: vagyeman@pcb016r1.state.il.us). Please refer to docket number R95-22. ♦

EARING SCHEDULED ON TRIENNIAL WATER QUALITY REVIEW, R94-1(B)

The Board has scheduled a public hearing on the subdocket in the triennial water quality review proceeding relating to ammonia nitrogen, R94-1(B). The hearing will occur as follows:

10:00 a.m., Thursday, February 22, 1996 James R. Thompson Center, Room 9-040 100 West Randolph Street Chicago

The hearing officer order scheduling the hearing required the filing of pre-filed testimony by January 26, 1996 and the filing of pre-filed questions by February 9, 1996. That order outlines 14 specific questions in four informational categories that the Board wants addressed at the hearing. The informational categories relate to the current position of U.S. EPA on ammonia nitrogen, sister

states' standards, regulatory impact, and technical aspects of the proposal.

The larger Illinois EPA (Agency) water quality proposal, docketed by the Board as R94-1, proceeded from a mandatory triennial review of the Illinois stream water quality regulations required under the federal Clean Water Act (33 U.S.C. §§ 1251 *et seq.*). The Agency filed the proposal on February 24, 1994, and the Board æcepted it on March 17, 1994. The Board decided to proceed on the proposal as a Section 28.2 federally required rule on May 5, 1994. The larger proposal would amend Parts 302 and 304 of the Water Pollution Control regulations to revise the standards for ammonia nitrogen, macury, and lead general water quality standards; secondary contact and indigenous aquatic life standards; and other regulations.

The Board proposed amendments based on the R94-1 proposal for First Notice publication in the *Illinois Register* on September 15, 1994, and Notices of Proposed Amendments appeared in the *Register* on September 30, 1994. The Board held a pre-hearing conference on the proposal in Chicago on November 8, 1995. As observed in the hearing officer order scheduling the pre-hearing conference, those Notices have since expired, and the Board will have to consider the proposal again for First Notice publication. The Board has already conducted three public hearings on the proposal, on November 10, 1994 and January 26, 1995, in Chicago, and on November 22, 1994, in Springfield. (*Issues 481, April, 1994; 483, June, 1994, 487, Oct., 1994 & 497, Oct., 1995.*)

The Board severed the docket on January 4, 1996, creating subdocket A for those portions of the larger proposal pertaining to lead and mercury. Subdocket B pertains to ammonia nitrogen. Also on January 4, 1996, the Board proposed the subdocket A lead and mercury amendments for First Notice publication in the *Illinois Register*.

Direct questions to Diane F. O'Neill, at 312-814-6062. Please refer to docket R94-1. ♦

OUTINE IDENTICAL-IN-SUBSTANCE UP-DATE DOCKETS RESERVED, R96-6 THROUGH R96-12

At its meeting of December 20, 1995, the Board reserved seven dockets for the routine identical-insubstance updates to various programs. The update dockets would include all federal amendments to the programs that occurred in the period July 1 through December 31, 1995. If indeed amendment of the Illinois regulations is required by a federal action, the Board will propose those amendments under the reserved docket num-

ber at some future time. If no amendments are required, the Board will dismiss the reserved docket. The reserved dockets and the associated regulatory program for each are as follows:

R96-6	Exemptions from the definition of volatile
	organic material (VOM) (air pollution con-
	trol regulations)
R96-7	Drinking water (SDWA) update
R96-8	Underground injection control (UIC) update
R96-9	Municipal solid waste landfill (RCRA Sub-
	title D) update
R96-10	Hazardous waste (RCRA Subtitle C) update
R96-11	Underground storage tank (UST) update
R96-12	Wastewater pretreatment update
	- ·

RULEMAKING UPDATE

(Cont'd from p. 5)

Direct questions to Michael J. McCambridge, at 312 814-6924 (Internet: mmccambr@pcb016r1.state.il.us). Please refer to the appropriate docket number. ◆

LEGISLATIVE UPDATE

(Cont'd from p.1)

General Assembly had failed to provide an alternative mechanism for funding site cleanups. P.A. 89-443

P.A. 89-443 gives the Board 18 months after its effective date--i.e., until January 1, 1998--to adopt proportionate share liability regulations. Although the bill requires the Board to consider the recommendations of the Illinois EPA and the Site Remediation Advisory Committee, it does not require the submission of a rulemaking proposal from outside the Board. ◆

CLEAN BREAK

(cont'd from p. 1)

and Community Affairs (DCCA) recently expanded a joint statewide voluntary amnesty program to help certain small businesses achieve environmental compliance. The Agency and DCCA conceived the program as a way to assist Illinois small businesses, which may otherwise lack the means to obtain technical assistance in achieving environmental compliance. Under the program, entitled "Clean Break", a participant can use Agency technical assistance to correct present vibations and explore compliance and pollution prevention alternatives, including waste minimization options. The program applies to be-

OARD DISMISSES SITE-SPECIFIC RULE-MAKING FOR FAILURE TO FILE AN AMENDED PETITION, R94-29

On December 20, 1995, the Board dismissed a site-specific rulemaking petition filed on behalf of the Indian Refining Limited Partnership. Indian Refining filed the petition, relating to the opacity and rate of emissions from the fluidized catalytic cracking unit at this Lawrence County facility, on October 6, 1994, and the Board issued an order on October 20, 1994 directing hdian Refining to cure certain defects in the petition within 45 days. The Board dismissed the petition because Indian Refining had failed to submit the required documents in response to the Board order.

Direct questions to Kevin Desharnais, at 312-814-6929 (Internet address: kdesharn@pcb016r1.state.il.us). Request copies from Victoria Agyeman, at 312-814-3620. Please refer to docket R94-29 (Internet address: vagyeman@pcb016r1.state.il.us).

vironmental compliance under all media: air, water, and land.

The small businesses to which the program appliesie., presently those in the printing and automobile maintenance business sector employing 200 or fewer persons--can contact the Agency or DCCA to discuss their environmental compliance problems and explore compliance alternatives. If desired, the business can make the contact with the Agency and negotiate a compliance agreement anonymously. Persons uneasy with cortacting the Agency directly may contact DCCA, who will not disclose the identity of the caller.

The program, as presently implemented, includes four basic steps:

Step 1: Initial contact, by the business calling either the Agency or DCCA;

Step 2: Either a <u>preliminary assessment meeting</u> with Agency personnel or a <u>compliance assessment visit</u> to the facility by Agency personnel;

<u>Step 3</u>: Development of an <u>amnesty/compliance agreement</u>, wherein the business agrees to follow certain steps to achieve compliance and the Agency agrees to not refer the business to the Illinois Attorney General, the State's Attorney, or U.S. EPA for enforcement; and

<u>Step 4</u>: The business works with the continued assistance of the Agency under the agreement to <u>achieve</u> compliance.

The Clean Break program was a pilot study in the Rockford area in April through July, 1995. The Agency and DCCA have now modified and expanded program state-wide based on the success of the pilot program. The Agency stated that as the program develops, it will further modify it and expand it in 1996 to include additional business sectors.

A recent article that appeared in *Environmental Compliance* publicized the Clean Break program, listing the Board as the source of further information. The Board is not involved in Clean Break. Rather, interested persons should contact either of the following for more information:

Illinois EPA Office of Small Business: 217-524-2743

<u>Department of Commerce and Community Affairs: 800-</u> 252-3998

The Agency and DCCA intend to give educational sessions on the program, and have invited interested persons to contact them at either of the above numbers for further information on attending.

APPELLATE UPDATE

SECOND DISTRICT HOLDS THAT UST RE-MOVED IN 1982 WAS NOT REGISTERABLE IN 1986

In an unpublished order pursuant to Supreme Court Rule 23, the First District held that an underground storage tank removed in 1982 was not registerable in 1986. In *City of Wheaton v. PCB* (1st Dist. Dec. 8, 1995), No. 2-95-0338, the court held that the appellant could not register the tank because no part of it was beneath the surface of the ground when it attempted to register it.

The appellant owned and operated two underground storage tanks at its police headquarters. It removed its tank number 1, a 2,000-gasoline storage tank, from the ground in 1982. Tank number 2, a 3,000-gallon diesel fuel tank, remained in the ground. In 1986, the appellant registered a single 2,000-gallon gasoline storage tank with the Office of the State Fire Marshal (OSFM). In 1991, in the course of seeking a permit to remove tank number 2, the appellant amended its registration to indicate that its tank was a 1,000-gallon diesel fuel tank. It further indicated that tank number 1 had been removed from the ground in 1982. It later corrected the declared volume of tank number 2. In the course of removing

tank number 2, soil contamination was found, and the appellant engaged remedial action.

The appellant sought reimbursement from the Underground Storage Tank Fund. On November 22, 1993, the OSFM disallowed registration of tank number 1 because it was removed from the ground prior to 1987. The OSFM letter indicated that the appellant had 10 days to challenge that determination, but the appellant did not do so. On December 6, 1993, the OSFM disallowed reimbursement of corrective action costs as to tank number 1 because it was unregistered and, thus, ineligible for reimbursement. The OSFM imposed a \$100,000 deductible as to tank number 2.

The appellant appealed the OSFM decision to the Board. The appellant argued that a \$15,000 deductible should apply. It asserted that it had attempted in good faith to comply with the regulations; it had intended to register tank number 2 in 1986 but erred in indicating tank number 1. Alternatively, the appellant argued that the registration of tank number 1 was valid. In City of Wheaton v. OSFM (Dec. 1, 1994), PCB 94-18, the Board granted summary judgment in favor of the OSFM. Noting that the appellant had not challenged the November 22, 1993 order in which the OSFM had determined that tank number 1 was not registerable, the Board held that the \$100,000 deductible applied because there was not registered tank on the site. The Board denied reconsideration, and the appellant appealed the Board's decision.

The First District stated that under the plain language of Section 57.9(b) of the Act, a \$100,000 deductible applies where the tank owner or operator did not register its tanks prior to 1989, and a \$15,000 deductible applies where the owner or operator had registered at least one but fewer than all of its tanks prior to that date. The appellant argued that language added in 1992 to Section 4(b)(1)(A) of the Gasoline Storage Act (420 ILCS 15/4(b)(1)(A)), which prohibits the registration of tanks removed from the ground prior to 1987 could not be applied to block registration of its tank number 1. It argued that this would constitute retroactive application of the statute. Relying on OK Trucking v. Armstead (1st Dist. 1995), 274 Ill. App. 3d 376, 653 N.E.2d 863, in which a tank owner had removed tanks in 1986 and sought registration in 1992, the court held that tank number 1 was not registerable because it had been removed from the ground before the appellant sought to register it. The First district held that the

OSFM therefore had the authority to revoke the registration of tank number 1, and the appellant had not properly registered either of its tanks. The First District affirmed the Board's grant of summary judgement in favor of the OSFM.

FINAL ACTIONS

December 7, 1995 BOARD MEETING

- 93-126 People of the State of Illinois v. Mechanical Plating Company The Board granted voluntary dismissal of this air enforcement action against a Cook County facility without prejudice.
- 93-152 <u>Delta Air Lines, Inc. v. EPA</u> The Board granted voluntary withdrawal of this RCRA permit appeal involving a Cook County facility.
- 93-165 Connecticut Mutual Life Insurance
 Company v. EPA The Board granted
 voluntary dismissal of this underground
 storage tank fund reimbursement determination appeal involving a Winnebago
 County facility.
- People of the State of Illinois v. Everett Allen, d/b/a Allen Waste Management,

 Everett Allen d/b/a Perry County Landfill, and Everett Allen, Inc. The Board granted voluntary dismissal of this land enforcement action against a Perry County facility.
- People of the State of Illinois v. Terminal Railroad Association of St. Louis The Board accepted a stipulation and settlement agreement in this RCRA enforcement action against a Madison County facility, ordered the respondent to pay a civil penalty of \$10,000.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer dissented.
- 96-36 Town of Cortland v. EPA The Board granted this DeKalb County facility a five-year variance from the standards of issuance and restricted status provisions of the public water supplies regulations, subject to conditions, as they would otherwise relate to the radium content of the petitioner's drinking water, in order to

allow the continued operation and possible expansion of the facility's water supply and distribution system.

- Village of LaGrange, City of Countryside, Christine Radogno, Laureen Dunne
 Silver, Michael Turlek, and Donald
 Younker v. McCook Cogeneration Station, L.L.C. and the Board of Trustees of
 the Village of McCook The Board affirmed the local grant of siting approval
 for a proposed Cook County pollution
 control facility (waste wood processing
 and wood-fired electrical cogeneration
 project).
- People of the State of Illinois Ex Rel,
 State's Attorney of Cook County v.
 Scholle Chemical Corporation, Inc. The
 Board granted voluntary dismissal of this
 RCRA, air, and water enforcement action against a Cook County facility.
- 96-65

 City of Altamont v. EPA The Board granted this Effingham County facility an eighteen-month variance from the standards of issuance and restricted status provisions of the public water supplies regulations, subject to conditions, as they relate to the drinking water standards for total trihalomethanes (TTHM), in order to allow the continued operation of the facility's water supply and distribution system.
- 96-72 City of Ottawa v. EPA The Board granted this LaSalle County facility a five-year extension, subject to conditions, of the variance previously granted on November 8, 1990 in PCB 90-100, from the standards of issuance and restricted status provisions of the public water supplies regulations, as they would otherwise relate to the radium content of drinking water, in order to allow the continued operation of the facility's supply and distribution system.
- **96-90** <u>Graham C-Stores, Inc. v. EPA</u> The Board granted voluntary withdrawal of

this air variance petition filed on behalf of a DuPage County facility.

- AC 94-98 County of Will v. CDT Landfill The Board dismissed this administration, finding that the Will County respondent had not violated Section 21(o)(9) of the Act as alleged. (Consolidated with AC 95-1 and AC 95-2.) Board Members M. McFawn and J. Theodore Meyer dissented.
- AC 95-1 County of Will v. CDT Landfill The Board found after hearing that this Will County respondent had violated Section 21(o)(9) of the Act as alleged and ordered it to pay a civil penalty of \$1,000.00 and hearing costs of \$882.67. (Consolidated with AC 94-98 and AC 95-2.) Board Members M. McFawn and J. Theodore Meyer dissented.
- AC 95-2 County of Will v. CDT Landfill The Board found after hearing that this Will County respondent had violated Section 21(o)(11) of the Act as alleged and ordered it to pay a civil penalty of \$1,000.00 and hearing costs of \$882.67. (Consolidated with AC 94-98 and AC 95-1.) Board Members M. McFawn and J. Theodore Meyer dissented.
- AC 96-12 EPA v. RCS, Inc. and Michael Duvall The Board found that the Agency had failed to properly serve the Jersey County respondents within the 60 days, as required pursuant to Section 31.1(B) of the Act, and dismissed this administrative citation as to both respondents.
- AC 96-13 EPA v. Otho Tate The Board entered a default order, finding that the Henderson County respondent had violated Section 21(p)(1) of the Act and ordering him to pay a civil penalty of \$500.00.
- AC 96-16 County of Vermilion v. First National
 Bank of Danville The Board entered a
 default order, finding that this Vermilion
 County respondent had violated Section

21(a) of the Act and ordering it to pay a civil penalty of \$500.00.

AS 94-3 In the Matter of: Joint Petition of Outboard Marine Corporation and the EPA for an Adjusted Standard From 35 Ill.

Adm. Code Part 21, Subpart TT - The Board granted this Lake County facility an adjusted standard, subject to conditions, from certain of the volatile organic material (VOM) emissions and record keeping requirements of the air pollution control regulations applicable to "other units" (a marine engine die casting operation) in the Chicago metropolitan area.

FINAL ACTIONS

December 20, 1995 BOARD MEETING

- In the Matter of: Petition of the City of
 LaSalle for Exception to the Combined
 Sewer Overflow Regulations The
 Board denied this LaSalle County a permanent exception to the combined sewer
 overflow regulations due to water quality
 effects of the discharge and closed this
 docket.
- 94-136 Elmhurst-Chicago Stone Company v.

 EPA The Board granted voluntary dismissal of this underground storage tank fund reimbursement determination involving a DuPage County facility.
- People of the State of Illinois v. Feeney
 Oil Company, Inc. The Board accepted
 a stipulation and settlement agreement in
 this air enforcement action against a
 Woodford County facility, ordered the
 respondent to pay a civil penalty of
 \$5,000.00, and ordered it to cease and
 desist from further violation. Board
 Member J. Theodore Meyer concurred.
- 94-256 <u>DoAll Company, DoAll Credit Corporation, and the Rams-Head Company v.</u>

Skokie Valley Asphalt Company - The Board granted voluntary dismissal of this citizens' land enforcement action against a Cook County facility as to the single respondent, Steptran, Inc.

- Larry Slates, Lonnie Seymour, James Klaber, Faye Mott and Hoopeston Community Memorial Hospital The Board granted voluntary dismissal of this third-party pollution control facility siting appeal involving a proposed Vermiliion County landfill.
- Aviation Services Group v. EPA Having previously granted a request for a 90-day extension of time to file, the Board dismissed this docket because no underground storage tank fund reimbursement determination appeal was timely filed on behalf of this Cook County facility.
- The Galesburg Sanitary District v. EPA

 The Board interpreted that a certain water quality requirement of the water pollution control regulations prohibited this Knox County wastewater treatment plant's effluent from causing or contributing to a water quality violation, and, having previously found this petition for a variance deficient, it dismissed the petition.
- 96-52 <u>Kean Brothers, Inc. v. EPA</u> Having previously granted a request for a 90-day extension of time to file, the Board dismissed this docket because no underground storage tank fund reimbursement determination appeal was timely filed on behalf of this Cook County facility.
- National Supermarkets v. EPA Having previously granted a request for a 90-day extension of time to file, the Board dismissed this docket because no underground storage tank appeal was timely filed on behalf of this Madison County facility.

- Cosmos Realty, Inc. (Title XVI) v. EPA

 Having previously granted a request for a 90-day extension of time to file, the Board dismissed this docket because no underground storage tank appeal was timely filed on behalf of this Cook County facility.
- 96-77 <u>Land & Lakes Company v. EPA</u> Having previously granted a request for a 90-day extension of time to file, the Board dismissed this docket because no land permit appeal was timely filed on behalf of this Cook County facility.
- Osmos Realty, Inc. (Old Law) v. EPA Having previously granted a request for a 90-day extension of time to file, the Board dismissed this docket because no underground storage tank appeal was timely filed on behalf of this Cook County facility.
- Kean Oil Company (Chicago Ridge Facility) v. EPA Having previously granted a request for a 90-day extension of time to file, the Board dismissed this docket because no underground storage tank fund reimbursement determination appeal was timely filed on behalf of this Cook County facility.
- 96-101 Horsehead Resource Development Company, Inc. v. EPA The Board granted voluntary withdrawal of this RCRA permit appeal involving a Cook County facility.
- People of the State of Illinois v. Central

 Decal Company The Board accepted a
 stipulation and settlement agreement in
 this air enforcement action involving a
 DuPage County facility, ordered the respondent to pay a civil penalty of
 \$12,000.00, and ordered it to cease and
 desist from further violation. Board
 Member J. Theodore Meyer concurred.
- 96-106 People of the State of Illinois v. Beloit Corporation - The Board accepted a

stipulation and settlement agreement in this air enforcement action involving a Winnebago County facility, ordered the respondent to pay a civil penalty of \$29,000.00, and ordered it to cease and desist from further violation. Board Member J. Theodore Meyer concurred.

- Park Facility) v. EPA The Board dismissed this underground storage tank fund reimbursement determination appeal involving a Cook County facility as untimely filed.
- AC 96-20 EPA v. James O. Weir The Board entered a default order, finding that this Rock Island County respondent had violated Section 21(p)(1) of the Act and ordering it to pay a civil penalty of \$500.00.
- AC 96-21 EPA v. Envirofil of Illinois, Inc. The Board entered a default order, finding that this McDonough County respondent had violated Section 21(o)(5) of the Act and ordering it to pay a civil penalty of \$500.00.
- AC 96-22 EPA v. James Ethridge The Board entered a default order, finding that this Rock Island County respondent had violated Section 21(p)(1) of the Act and ordering it to pay a civil penalty of \$500.00.
- AS 96-4 In the Matter of: Laidlaw Waste Systems, Inc. (Coles County Landfill) Petition for an Adjusted Standard From 35 Ill. Adm. Code 811.319(d)(3)(A) and 811.317(b) The Board granted voluntary dismissal, without prejudice, of this petition for an adjusted standard from certain of the groundwater impact assessment and assessment monitoring requirements of the land pollution control (landfill) regulations.

R94-29 <u>In the Matter of: Petition of Indian Refining Limited Partnership for a Site-Specific Rule</u> - *See Rulemaking Update*.

NEW CASES

December 7, 1995 BOARD MEETING

- 96-107 People of the State of Illinois v. ESG
 Watts, Inc. The Board received this air,
 water, and land enforcement action
 against a Rock Island County facility for
 hearing.
- 96-108 Allied Tube & Conduit Corporation
 (Harvey Facility) v. EPA The Board
 accepted this air permit appeal involving
 a Cook County facility for hearing.
- 96-109 <u>Hickman, Williams & Company of Kentucky v. EPA</u> Having received a notice of 90-day extension of time to file, the Board reserved this docket for any air permit appeal that may be filed on behalf of this Cook County facility.
- 96-110 Sara Scarpinio and Margaret Scarpinio
 v. Henry Pratt Company The Board
 held this citizen's noise enforcement action against a Kane County facility for a
 frivolous and duplicitous determination.
- People of the State of Illinois v. John
 Chalmers, individually and d/b/a John
 Chalmers Hog Farm The Board received this water enforcement action against a Menard County facility for hearing.
- 96-112 <u>City of Chester v. EPA</u> The Board accepted this NPDES permit appeal involving a Randolph County facility for hearing.
- 96-113 Wynstone Property Owners' Association
 v. EPA The Board held this petition filed on behalf of a Lake County facility

for a variance from the restricted status and standards for issuance provisions of the public water supply regulations for an Agency recommendation.

- Pete Georges Chevrolet, Inc. (For period from December 1, 1992 through February 28, 1995) v. EPA The Board accepted this underground storage tank fund reimbursement determination appeal involving a Cook County facility for hearing. Consolidated with PCB 96-115 and PCB 96-116.
- Pete Georges Chevrolet, Inc. (For period from May 1, 1992 through November 30, 1992) v. EPA The Board accepted this underground storage tank fund reimbursement determination appeal involving a Cook County facility for hearing. Consolidated with PCB 96-114 and PCB 96-116.

96-114

- Pete Georges Chevrolet, Inc. (For period from May 1, 1992 through November 30, 1992) v. EPA The Board accepted this underground storage tank fund reimbursement determination appeal involving a Cook County facility for hearing. Consolidated with PCB 96-114 and PCB 96-115.
- LaSalle National Trust, N.A., Trust No. 34565 v. Standard Bank and Trust Co. Trust No. 14929 and Capitol Bank And Trust, Trust No. 2421 The Board held this citizen's land enforcement action against a Cook County facility for a frivolous and duplicitous determination.
- People of the State of Illinois v. Dennis
 Fults, d/b/a St. Clair Construction and
 Paving The Board received this air enforcement action against a Madison
 County facility for hearing.
- 96-119 People of the State of Illinois v. We Shred It, Incorporated The Board received this land enforcement action

against a Christian County facility for hearing.

- People of the State of Illinois v. Dealers
 Ready Mix Company, d/b/a Frams Material Corporation Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this air and mining enforcement action against a McHenry County facility, the Board ordered publication of the required newspaper notice.
- AT & T Communications, Inc. (Oak Brook Facility) v. EPA Having received a notice of 90-day extension of time to file, the Board reserved this docket for any underground storage tank appeal that may be filed on behalf of this DuPage County facility.
- 96-122 People of the State of Illinois v. Eugene
 Grothaus The Board received this air
 enforcement action against a Macoupin
 County facility for hearing.
- 96-123 <u>Incobrasa Industries, Inc. v. EPA</u> The Board accepted this air permit appeal involving a Iroquois County facility for hearing.
- Park Facility) v. EPA The Board held this underground storage tank fund reimbursement determination appeal involving a Cook County facility.
- AC 96-19 County of Will v. CDT Landfill The Board accepted an appeal of this administrative citation filed against a Will County facility for hearing.
- AC 96-25 County of Will v. RWS Development
 Corporation The Board received an administrative citation against a Will County respondent.
- AC 96-26 EPA v. Richard Vaughn, d/b/a Richard's Tire Hauling - The Board received an

administrative citation against a Hamilton County respondent.

- AC 96-27 EPA v. Richard Vaughn, d/b/a Richard's
 Tire Hauling The Board received an administrative citation against a Williamson County respondent.
- AC 96-28 County of DuPage v. Joseph F. Cantore The Board received an administrative citation against a DuPage County respondent.
- AS 96-4

 In the Matter of: Laidlaw Waste Systems, Inc. (Coles County Landfill) Petition for an Adjusted Standard From 35

 Ill. Adm. Code 811.319(d)(3)(A) and 811.317(b) The Board held this petition filed on behalf of a Coles County facility for an adjusted standard from certain of the groundwater monitoring and impact assessment requirements of the land pollution control (landfill) regulations

New cases

December 20. 1995 BOARD MEE TNG

- 96-58 Effingham Tire Center v. EPA Having previously granted a 90-day extension of time to file, the Board accepted this underground storage tank fund reimbursement determination appeal involving a Effingham County facility for hearing.
- 96-64 <u>City of Auburn v. EPA</u> Having previously granted a 90-day extension of time to file, the Board accepted this underground storage tank appeal involving a Sangamon County facility for hearing.
- A.E. Staley Manufacturing Company v.

 EPA The Board accepted an amended petition filed on behalf of a Macon County facility for a variance from certain conditions of its NPDES permit for hearing.

- Forest Preserve District of DuPage
 County v. Mineral and Land Resources
 Corporation, Southwind Financial, Ltd.,
 formerly known as Abbott Contractors,
 Inc., Bluff City Materials, Inc. The
 Board found that this citizen's land and
 water enforcement action against a Cook
 County facility was neither frivolous nor
 duplicitous and accepted it for hearing.
- 96-110 Sara Scarpino and Margaret Scarpino v.

 Henry Pratt Company The Board found that this citizen's noise enforcement action against a Kane County facility was neither frivolous nor duplicitous and accepted it for hearing.
- 96-125 <u>Color Communications, Inc. v. EPA</u> The Board accepted this air permit appeal involving a Cook County facility for hearing.
- People of the State of Illinois v. Bennett Industries, Inc. The Board received this air enforcement action against a Will County facility.
- People of the State of Illinois v. Dynaweld, Inc. - The Board received this air enforcement action against a Kane County facility.
- 96-128 People of the State of Illinois v. Ronald Workman, d/b/a Ron's Service Center The Board received this public water supply and land enforcement action against a Sangamon County facility.
- People of the State of Illinois v. Siciliano, Inc. The Board received this air enforcement action against a Sangamon County facility.
- People of the State of Illinois v. Parco
 Asbestos Removal Co., Inc. The Board
 received this air enforcement action
 against a Cook and Lake County facility.
- 96-131 <u>People of the State of Illinois v. Fenton</u> Press, Inc. - The Board received this air

- enforcement action against a DuPage County facility.
- People of the State of Illinois v. Burlington Northern Railroad Company,
 Beazer East, Inc., and Koppers Industries, Inc. The Board received this RCRA enforcement action against a Knox County facility.
- 96-133 People of the State of Illinois v. Village of Tilton The Board received this water enforcement action against a Vermilion County facility.
- AC 96-29 County of Will v. James Mallette The Board received an administrative citation against a Will County respondent.
- AC 96-30 EPA v. Richard Vaughn, d/b/a Richard's Tire Hauling The Board received an administrative citation against a Williamson County respondent.
- AC 96-31 EPA v. Fred Honaker The Board accepted an appeal for hearing in this administrative citation filed against a Moultrie County facility.
- AS 96-4 In the Matter of: Laidlaw Waste Systems, Inc. (Coles County Landfill) Petition for an Adjusted Standard From 35 Ill. Adm. Code 811.319(d)(3)(A) and 811.317(b) See Final Actions.
- AS 96-5

 In the Matter of: Petition of Illinois Department of Transportation, District 8

 for an Adjusted Standard From 35 Ill.

 Adm. Code 304.124 (Sludge Application) The Board accepted an amended petition, filed under previously-dismissed docket AS 95-8, as a new petition for an adjusted standard from certain effluent standards of the water pollution control regulations.
- R95-22 <u>In the Matter of: Pretreatment Update</u>
 (January 1, 1995 through June 30, 1995)
 See Rulemaking Update.

- R96-6 In the Matter of: Exemptions From The Definitions of VOM, USEPA Amendments (July 1, 1995 through December 31, 1995) See Rulemaking Update.
- R96-7 In the Matter of: SDWA Update,
 USEPA Regulations (July 1, 1995)
 through December 31, 1995) Phase V
 Rules See Rulemaking Update.
- R96-8 In the Matter of: UIC Update, USEPA
 Regulations (July 1, 1995 through December 31, 1995) See Rulemaking
 Update.
- R96-9 In the Matter of: RCRA Subtitle D Update, USEPA Regulations (July 1, 1995) through December 31, 1995) See Rulemaking Update.
- R96-10 In the Matter of: RCRA Subtitle C Update, USEPA Regulations (July 1, 1995) through December 31, 1995) See Rulemaking Update.
- R96-11 In the Matter of: UST Update, USEPA
 Regulations (July 1, 1995 through December 31, 1995) See Rulemaking
 Update.
- R96-12 In the Matter of: Wastewater Pretreatment Update, USEPA Regulations (July 1, 1995 through December 31, 1995) -See Rulemaking Update.
- R96-13 In the Matter of: 15% ROP Plan: Clean-Up Part II: Amendments to 35 Ill. Adm. Code Parts 218 and 219 See Rulemaking Update.

CALENDAR OF HEARINGS

All hearings held by the Board are open to the public. Pollution Control Board Meetings (highlighted) are usually open to the public but public participation is generally not allowed. Times and locations are subject to cancellation and rescheduling without notice. Confirmation of hearing dates and times is available from the Clerk of the Board at 312-814-6931.

January 4 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
January 5 9:30 a.m.	PCB 95-112 P-A, Air	<u>John C. Justice, d/b/a Microcosm v. EPA</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
January 5 10:00 a.m.	R 96-5 R, Air	In the Matter of: Visible and Particulate Matter Emissions - Conditional Approval and Clean Up: Amendments to 35 Ill. Adm. Code 211 and 212 - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
January 8 9:30 a.m.	PCB 96-91 L-S-R, 3d P	SPILL, Madison County Conservation Alliance, Sierra Club, Nameoki Township Clerk Helen Hawkins, Kathy Andria, Shirley Crain, Glenda Fulkerson, John Gall, Thelma Orr, Ron Shaw and Pearl Stogsdill v. City of Madison and Metro-East, L.L.C Regional State Headquarters Complex, IDOT Classroom, 1100 East Port Plaza Drive, Collinsville.
January 18 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
January 19 10:00 a.m.	PCB 95-150 A-V	<u>Marathon Oil Company v. EPA</u> - Crawford County Courthouse, Grand Jury Room, Robinson.
January 19 9:30 a.m.	PCB 95-155 A-V	General Business Forms, Inc. v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
January 26 9:30 a.m.	PCB 95-122 UST-E, Ciú- zens	Olive Streit and Lisa Streit v. Oberweis Dairy, Inc., Richard J. Fetzer and Johnnie W. Ward, d/b/a Serve-N-Save, and Richard J. Fetzer, individually, Amoco Oil Company, Mobil Oil Corporation - Old Kane County Courthouse, Courtroom 110, 100 South Third Street, Geneva.
February 1 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
February 2 10:00 a.m.	R 96-5 R, Air	In the Matter of: Visible and Particulate Matter Emissions - Conditional Approval and Clean Up: Amendments to 35 Ill. Adm. Code 211 and 212 - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
February 6 10:00 a.m.	R 96-13 R, Air	In the Matter of: 15% ROP Plan: Clean-Up Part II: Amendments to 35 Ill. Adm. Code 218 and 219 - James R. Thompson Center, Suite 9-040, 100 West Randolph Street, Chicago.

February 9 9:30 a.m.	PCB 95-119 P-A, Land	West Suburban Recycling and Energy Center v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago. (Consolidated with PCB 95-125.)
February 15 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
February 16 10:00 a.m.	PCB 96-85 P-A, Land	The County of Kane, Illinois and Waste Management of Illinois, Inc. (Settler's Hill Facility) v. EPA - Old Kane County Courthouse, Room 110, 100 South Third, Geneva.
February 16 10:00 a.m.	R 96-5 R, Air	In the Matter of: Visible and Particulate Matter Emissions - Conditional Approval and Clean Up: Amendments to 35 Ill. Adm. Code 211 and 212 - Law Enforcement Training Building, 600 South Second Street, Third Floor, Conference Room, Springfield.
February 22 10:00 a.m.	R 94-1(B) R, Water	In the Matter of: Triennial Water Quality Review: Amendments to 35 Ill. Adm. Code 302.202, 302.212, 302.213, 304.122 & 304.301 (Ammonia Nitrogen) - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
February 23 9:30 a.m.	R 96-4 R, Air	In the Matter of: Listing of Federal Hazardous Air Pollutants, Great Lakes Commission's Toxic Compounds and Great Waters Program Toxic Compounds, and Source Reporting for Illinois Toxic Air Contaminants: Amendments to 35 Ill. Adm. Code 232 - Illinois Police Training Board, Conference Room, Third Floor, 600 South Second Street, Springfield.
February 27 10:00 a.m.	R 96-1 R, Land	<u>In the Matter of: Proposed Alternative Standards for New Utility Waste Landfills: Amendments to 35 Ill. Adm. Code 816</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
March 7 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
March 7 10:00 a.m.	R 96-13 R, Air	In the Matter of: 15% ROP Plan: Clean-Up Part II: Amendments to 35 Ill. Adm. Code 218 and 219 - James R. Thompson Center, Suite 9-025, 100 West Randolph Street, Chicago.
March 21 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
March 21 10:00 a.m.	R 96-13 R, Air	In the Matter of: 15% ROP Plan: Clean-Up Part II: Amendments to 35 Ill. Adm. Code 218 and 219 - James R. Thompson Center, Suite 9-025, 100 West Randolph Street, Chicago.

April 4 Pollution Control Board Meeting, James R. Thompson Center, 100 W. 10:30 a.m. Randolph St., Conference Room 9-040, Chicago

April 18 Pollution Control Board Meeting, James R. Thompson Center, 100 W.

10:30 a.m. Randolph St., Conference Room 9-040, Chicago

May 2 Pollution Control Board Meeting, James R. Thompson Center, 100 W.

10:30 a.m. Randolph St., Conference Room 9-040, Chicago

May 16 Pollution Control Board Meeting, James R. Thompson Center, 100 W.

10:30 a.m. Randolph St., Conference Room 9-040, Chicago

June 6 Pollution Control Board Meeting, James R. Thompson Center, 100 W.

10:30 a.m. Randolph St., Conference Room 9-040, Chicago

June 20 Pollution Control Board Meeting, James R. Thompson Center, 100 W.

10:30 a.m. Randolph St., Conference Room 9-040, Chicago

Calendar Code

3d P	Third Party Action	A-C	Administrative Citation
A-E	Air Enforcement	A-S	Adjusted Standard
A-V	Air Variance	CSO	Combined Sewer Overflow Exception
GW	Groundwater	HW Delist	RCRA Hazardous Waste Delisting
L-E	Land Enforcement	L-S-R	Landfill Siting Review
L-V	Land Variance	MW	Medical Waste (Biological Materials)
N-E	Noise Enforcement	N-V	Noise Variance
P-A	Permit Appeal	PWS-E	Public Water Supply Enforcement
PWS-V	Public Water Supply Variance	R	Regulatory Proceeding (hazardous waste
			only)
RCRA	Resource Conservation and Recovery	$S0_2$	S0 ₂ Alternative Standards (35 ILL.
	Act		ADM. CODE 302.211(f)))
SWH-E	Special Waste Hauling Enforcement	SWH-V	Special Waste Hauling Variance
T	Thermal Demonstration Rule	T-C	Tax Certifications
T-S	Trade Secrets	UST-Appeal	Underground Storage Tank Corrective
			Action Appeal
UST-E	Underground Storage Tank Enforcement	UST-FRD	Underground Storage Tank Fund Reim-
			bursement Determination
W-E	Water Enforcement	W-V	Water Variance
WWS	Water-Well Setback Exception		

POP.

LISTING

Illinois Environmental Protection Agency

Division of Public Water Supplies

Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of January 1, 1996.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/2

Illinois Environmental Protection Agency Division of Public Water Supplies Restricted Status List -- Public Water Supplies January, 1996

			FOF.	TITOITING
NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	SERVED	DATE
Acorn Acres Sbdv (Lake Co 0975020)	2	Inadequate Pres. Tank	250	12/16/83
Ashley (Washington Co 1890100)	6	Trihalomethane	825	06/15/92
Bahl Wtr/Pioneer Acres (JoDaviess Co 0855200)	i	Inad. Pres. Storage	700	
Bardolph (McDonough - 1090050)	5	Trihalomethane	299	
Bartmann Health Care Center (Logan Co 1075169)	5	Inadequate Pres. Tank	93	
Bel-Air Sbdv (Will Co 1975130)	2	Inadequate Pres. Tank	91	
Bellwood (Cook Co 0310150)	2	Radium	20,000	12/14/90
Belmont-Highwood PWD (DuPage Co 0435180)	2	Trichloroethylene	498	
Benld (Macoupin Co 1170050)	5	Trihalomethane	2,174	
Beverly Mnr Cntrl Imp Assn (Tazewell Co 1795120)	5	Inadequate Pres. Tank	525	
Beverly Mnr-Grant (Tazewell Co 1795120)	5	Inadequate Pres. Tank	610	
Biggsville (Henderson Co 0710050)	5	Radium & Radiological	400	
Blue & Gold Homeowners Assn (Winnebago Co 2015250)	1	Inadequate Press. Tank &	170	06/17/83
Bide & Gold Homeownells Assir (Williebago Co. 2013230)	_	Source of Supply	170	00/17/03
Blue Mound (Macon Co 1150100)	4	Nitrate	1,350	09/15/95
Bluff Lake Lodges, Inc (Lake Co 0970240)	2	Inad. Pres. Storage	25-200	12/15/93
Bonnie Lane Wtr (Kendall Co 0930010)	2	Inadequate Pres. Tank	49	09/16/93
Bradford (Stark Co 1750050)	1	Radium	920	03/17/86
Bradley Heights Sbdv (Winnebago Co 2015050)	1	Inadequate Pres. Tank	192	09/13/85
Breezeway Sbdv (Tazewell Co 1795150)	5	Inadequate Pres. Tank	175	
Briar Garden Apts (Winnebago Co 2015190)	1	Inadequate Pres. Tank	60	
Briarcrest Sbdv Hmownrs Assn (Lake Co 0971060)	2	Radium & Gross Alpha	120	12/16/92
Broadview Academy (Kane Co 0895149)	2	Radium	304	
Brookview Sbdv (Peoria Co 1435100)	5	Nitrate	300	
Brownstown (Fayette Co 0510100)	6	Trihalomethane	820	
Bryant (Fulton Co 0570200)	5	Radium & Radiological	310	
Buck Lake Ests Sbdv (DeKalb Co 0375100)	1	Inadequate Pres. Tank	200	
Buckingham (Kankakee Co 0910250)	2	Inadequate Pres. Tank	330	
Byron Hills Subdiv. Well 6 (Rock Island Co 1617266)	1	Inadequate Pres. Tank	32	
Cambridge (Henry Co 0730300)	1	Radium	2,100	
Campus (Livingston Co 1050050)	4	Inadequate Pres. Tank	230	
Carroll Hts Utl Cmpny (Carroll Co 0155200)	ī	Inadequate Pres. Tank	80	
Century Pines Apts (Carroll Co 0150020)	1	Inadequate Pres. Tank	50	, - , -
Cherry Vale East Apts (Winnebago Co 2015470)	1	Inadequate Pres. Tank	180	
Cherry View Apts (Winnebago Co 2015278)	1	Inadequate Pres. Tank	60	. , , .
Clarendon Wtr Cmpny (DuPage Co 0435300)	2	Inadequate Pres. Tank	1,953	
Clearview Sbdv (Will Co 1975360)	2	Inadequate Pres. Tank	420	
Coalton (Montgomery Co 1350100)	5	Low System Pressure	325	03/20/81
Coffeen (Montgomery Co 1350150)	5	Trihalomethane	800	
Community Srvc Corp (McHenry Co 1115350)	2	Inadequate Pres. Tank	750	
Cortland (DeKalb Co 0370051)	1	Radium	1,500	
Country Club Mnr Well 1 (Rock Island Co 1617286)	1	Inadequate Pres. Tank	32	
Croppers 2nd & 3rd Addn (Rock Island Co 1615200)	1	Inadequate Pres. Tank	29	
Cropsey Cmnty Wtr (McLean Co 1135150)	4	Inadequate Pres. Tank Inadequate Pres. Tank	60	03/20/81
Crystal Clear Wtr Cmpny (McHenry Co 1115150)	2	Inadequate Pres. Tank Inadequate Pres. Tank	900	09/16/88
CIADEAL CICAL WEL CHIPTY (PICHETTY CO. 1113130)	ے	inacquate ries. idik	200	07/10/00

Ctzns Lombard Heights Dvn (DuPage Co 0435700)	2	Inadequate Pres. Tank	980	12/17/82
D and R Apts (Champaign Co 0190030)	4	Inadequate Pres Tank	26	09/16/93
Deering Oaks Sbdv (McHenry Co 1115200)	2	Inadequate Pres. Tank	60	12/17/82
DeKalb Univ Dvl Corp (DeKalb Co 0375148)	1	Inadequate Pres. Tank	950	12/16/92
DePue (Bureau Co 0110300)	1	Radium	1,725	09/16/94
DeWitt Cnty Nursing Home (DeWitt Co 0395129)	4	Inadequate Pres. Tank	80	06/17/83
DL Well Owners Assn (Lake Co 0975380)	2	Inadequate Pres. Tank	125	03/18/83
Dongola (Union Co 1810200)	7	Trihalomethane	841	09/15/95
Dover (Bureau Co 0110350)	1	Inadequate Pres. Tank	200	05/25/81
East Moreland Wtr Assn (Will Co 1975600)	2	Inadequate Pres. Tank	753	03/20/81
Eberts 2nd Addn (Rock Island Co 1615280)	1	Inadequate Pressure Tank	35	
Echo Lake Black IV Water Assn (Lake Co 0970130)	2	Inadequate Pres. Tank	50	06/15/88
Echo Lake Wtr Sys Block 7 (Lake Co 0975820)	2	Inadequate Pres. Tank	48	09/16/83
	5	Radium & Radiological	115	
Edelstein Wtr Coop (Peoria Co 1435150)	2	_		06/13/86
Elburn (Kane Co 0890300)		Radium	1,450	09/15/95
Ellis Grove (Randolph Co 1570200)	6	Trihalomethane	453	12/16/94
Elm Oak Mutual Wtr Sys (Lake Co 0975736)	2	Inadequate Pres. Tank	45	06/13/86
	_	& Radium	2.0	10/15/00
Emmett Utl Inc (McDonough Co 1095200)	5	Inadequate Pres. Tank	39	12/17/82
Evergreen Vlg Sbdv (Rock Island Co 1615310)	1	Inadequate Pres. Tank	250	03/20/81
Fahnstock Court Sbdv (Peoria Co 1435200)	5	Inadequate Pres. Tank	30	05/25/81
Fair Acres Sbdv (Will Co 1975680)	2	Inadequate Pres. Tank	185	
Fairview (Fulton Co 0570450)	5	Radiological, Radium &	620	03/20/81
		Inadequate Pressure Tank		
Farm Colony (Kendall Co 0935140)	2	Radium	25	03/17/86
Forest Lake Addn (Lake Co 0975500)	2	Inadequate Pres. Tank	180	12/16/83
Fox Lawn Utl Cmpny (Kendall Co 0935150)	2	Radium	240	03/17/86
Galena Knolls Sbdv (Peoria Co 1435300)	5	Nitrate	180	06/15/88
Garden Street Imprv Assn (Will Co 1975376)	2	Inadequate Pres. Tank	62	09/15/89
Gardner (Grundy Co 0630400)	2	Radium & Radiological	1,237	9/15/95
Geneva (Kane Co 0890350)	5	Radium	180	12/15/95
Glenkirk Campus North (Lake Co 0977189)	2	Inadequate Pres. Tank	64	06/15/88
	2			
Glenkirk Campus South (Lake Co 0977199)		Inadequate Pres. Tank	36	06/15/88
Good Shepherd Manor (Kankakee Co 0915189)	2	Inadequate Pres. Tank	140	03/17/89
Great Oaks & Beacon Hls Apts (Winnebago Co 2015488)	1	Inadequate Pres. Tank	43	12/17/82
Greenfield Cmnty Well Cmpny (Will Co 1975760)	2	Inadequate Pres. Tank	25	12/16/83
Hawthorn Woods (Lake Co 0970450)	2	Inadequate Pres. Tank	800	03/15/95
Hazelwood 1st Addn Well 2 (Henry Co 0735446)	1	Inadequate Pres. Tank	32	09/17/82
Hazelwood 2nd Addn Well 2 (Henry Co 0735666)	1	Inadequate Pres. Tank	32	09/17/82
Hazelwood 2nd Addn Well 3 (Henry Co 0735686)	1	Inadequate Pres. Tank	32	09/17/82
Heatherfield Sbdv (Grundy Co 0635150)	2	Inadequate Pres. Tank	91	09/17/82
Hettick (Macoupin Co 1170500)	5	Atrazine	250	03/15/95
Hickory Hls Sbdv Assn 1 (Tazewell Co 1795386)	5	Inadequate Pres. Tank	31	06/14/85
Hickory Hls Sbdv Assn 2 (Tazewell Co 1795396)	5	Inadequate Pres. Tank	30	06/14/85
Highland Lake Sbdv (Lake Co 0975750)	2	Inadequate Pres. Tank	294	03/20/81
Highland Sbdv (Kane Co 0895530)	2	Inadequate Pres. Tank	50	09/16/83
Hillsboro (Montgomery Co 1350300)	5	Atrazine & Trihalomethane	7.249	12/16/94
Hillview Sbdv (Will Co 1975800)	2	Inadequate Pres. Tank	99	03/15/85
Homeowners Assn of Four Lakes Subdiv. (LaSalle - 0995110)	1	Radium	45	09/19/88
Hopewell (Marshall Co 1235150)	1	Radiological	350	09/15/95
Huntley (McHenry C 1110350)	2	Barium	2,453	12/15/95
Huntley Cmnty Sbdv (Will Co 1975840)	2	Inadequate Pres. Tank	48	
	1	-		03/16/84
Ill. Prairie Est. Sbdv (LaSalle Co 0995300)		Radium	45	06/15/88
Ingalls Park Sbdv (Will Co 1975880)	2	Inadequate Pres. Tank	690	09/16/83
Island Lake Wtr Cmpny (Lake Co 0975080)	2	Iron	2,250	06/15/90
Kingston Mines (Peoria Co 1430450)	5	Radium	350	03/17/86
Kinsman (Grundy Co 0630450)	2	Radium	150	03/17/86
Kirkwood (Warren Co 1870050)	5	Radium & Radiological		
Ladd (Bureau Co 0110450)	1	Radium	1,350	10/04/85
Lake Lynwood Wtr Sys (Henry Co 0735330)	1	Inadequate Pres. Tank	98	08/31/81
Lakeview Sbdv (Whiteside Co 1955150)	1	Inadequate Pres. Tank	146	03/20/81
Lakewood Shores Imprv Assn (Will Co 1975930)	2	Radium	93	03/17/86
Lakewood Wtr Sys (Lake Co 0975400)	2	Inadequate Pres. Tank	49	12/16/83
Dakewood Wil Bys (Dake Co 09/3400)		Inadequate Pres. Tank	106	06/17/83
Larchmont Sbdv (Winnebago Co 2015290)	1	illadequate Fies. Talik		
Larchmont Sbdv (Winnebago Co 2015290)		Inadequate Pres. Tank Inadequate Pres. Tank	48	01/14/82
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728)	1	Inadequate Pres. Tank		01/14/82 03/14/91
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300)	1 1 1	Inadequate Pres. Tank Inadequate Pres. Tank	225	03/14/91
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550)	1 1 1	Inadequate Pres. Tank Inadequate Pres. Tank Inadequate Pres. Tank	225 470	03/14/91 03/20/81
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600)	1 1 1 2	Inadequate Pres. Tank Inadequate Pres. Tank Inadequate Pres. Tank Inadequate Pres. Tank	225 470 1,092	03/14/91 03/20/81 09/17/92
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300)	1 1 1 2 1	Inadequate Pres. Tank Inadequate Pres. Tank Inadequate Pres. Tank Inadequate Pres. Tank Inadequate Pres. Tank	225 470 1,092 50	03/14/91 03/20/81 09/17/92 01/13/82
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000)	1 1 1 2 1 2	Inadequate Pres. Tank	225 470 1,092 50 30	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100)	1 1 1 2 1 2 5	Inadequate Pres. Tank Radium	225 470 1,092 50 30 356	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620)	1 1 1 2 1 2 5	Inadequate Pres. Tank	225 470 1,092 50 30 356 670	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450)	1 1 1 2 1 2 5 5	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological	225 470 1,092 50 30 356 670 550	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450) Lynn Cntr (Henry Co 0735100)	1 1 1 2 1 2 5 5	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological Inadequate Pres. Tank	225 470 1,092 50 30 356 670 550 147	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86 03/15/95
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450) Lynn Cntr (Henry Co 0735100) Lynnwood Water Corp (LaSalle Co 0995336)	1 1 1 2 1 2 5 5 1 1	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological Inadequate Pres. Tank Inadequate Pres. Tank	225 470 1,092 50 30 356 670 550 147 114	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86 03/15/95 03/18/83
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450) Lynn Cntr (Henry Co 0735100) Lynnwood Water Corp (LaSalle Co 0995336) M C L W Sys Inc (Mercer Co 1315150)	1 1 1 2 1 2 5 5 5 1 1 1	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological Inadequate Pres. Tank Inadequate Pres. Tank Inadequate Pres. Tank	225 470 1,092 50 30 356 670 550 147 114 100	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86 03/15/95 03/18/83 03/20/81
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450) Lynn Cntr (Henry Co 0735100) Lynnwood Water Corp (LaSalle Co 0995336)	1 1 1 2 1 2 5 5 1 1	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological Inadequate Pres. Tank	225 470 1,092 50 30 356 670 550 147 114	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86 03/15/95 03/18/83
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450) Lynn Cntr (Henry Co 0735100) Lynnwood Water Corp (LaSalle Co 0995336) M C L W Sys Inc (Mercer Co 1315150) Maple Hill Imprv Assn (DuPage Co 0435800)	1 1 1 2 1 2 5 5 5 1 1 1 2	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological Inadequate Pres. Tank	225 470 1,092 50 30 356 670 550 147 114 100 234	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86 03/15/95 03/18/83 03/20/81 08/31/81
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450) Lynn Cntr (Henry Co 0735100) Lynnwood Water Corp (LaSalle Co 0995336) M C L W Sys Inc (Mercer Co 1315150) Maple Hill Imprv Assn (DuPage Co 0435800) Maple Hill Nursing Ctr (Lake Co 0971090)	1 1 1 2 2 5 5 5 1 1 1 2 2	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological Inadequate Pres. Tank	225 470 1,092 50 30 356 670 550 147 114 100	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86 03/15/95 03/18/83 03/20/81
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450) Lynn Cntr (Henry Co 0735100) Lynnwood Water Corp (LaSalle Co 0995336) M C L W Sys Inc (Mercer Co 1315150) Maple Hill Imprv Assn (DuPage Co 0435800) Maple Hill Nursing Ctr (Lake Co 0971090) Maple Leaf Ests Wtr Corp (Monroe Co 1335100)	1 1 1 2 1 2 5 5 5 1 1 1 2 2	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological Inadequate Pres. Tank	225 470 1,092 50 30 356 670 550 147 114 100 234	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86 03/15/95 03/18/83 03/20/81 08/31/81
Larchmont Sbdv (Winnebago Co 2015290) Larson Court Rentals (Rock Island Co 1615728) Legend Lakes Wtr Assn (Winnebago Co 2015300) Lemon Street Well Cmpny (Rock Island Co 1615550) Liberty Park Homeowners Assn (DuPage Co 0435600) Lindenwood Wtr Assn (Ogle Co 1415300) Lisbon North Inc (Grundy Co 0631000) Little York (Warren Co 1870100) London Mills - (Fulton County - 0574620) Lostant (LaSalle Co 0990450) Lynn Cntr (Henry Co 0735100) Lynnwood Water Corp (LaSalle Co 0995336) M C L W Sys Inc (Mercer Co 1315150) Maple Hill Imprv Assn (DuPage Co 0435800) Maple Hill Nursing Ctr (Lake Co 0971090)	1 1 1 2 2 5 5 5 1 1 1 2 2	Inadequate Pres. Tank Radium Inadequate Pres. Tank Radium & Radiological Inadequate Pres. Tank	225 470 1,092 50 30 356 670 550 147 114 100 234	03/14/91 03/20/81 09/17/92 01/13/82 09/14/90 12/16/91 12/14/84 03/17/86 03/15/95 03/18/83 03/20/81 08/31/81

	Media (Henderson Co 0710250)	5	Nitrate	150	03/17/86
	Melrose Rental Apts (Kane Co 0895228)	2	Inadequate Pres. Tank	38	03/15/94
	Metro UtilLiberty Ridge (DuPage Co 0435650)	2	Inadequate Pres. Tank	2,510	03/15/94
	Metro Utl Valley Dvn (Kendall Co 0935100)	2	Inadequate Pres. Tank	2,200	03/16/90
	Mission Brook Sndst (Cook Co 0315920)	2	Radium	3,200	03/14/91
	Modesto (Macoupin Co 1170600)	5 2	Atrazine	240	03/15/95
	Moecherville Sbdv (Kane Co 0895300)	∠ 5	Inadequate Pres. Tank Radium	1,120	03/20/81
*	Monmouth (Warren Co 1870150) Mount Carroll (Carroll Co 0150200)	1	Radium	9,500 1,726	12/15/93 12/15/95
	Mount Gilead Shorhm (Greene Co 0615129)	6	Inadequate Pres. Tank	28	09/16/83
	Nauvoo (Hancock Co 0670500)	5	Trihalomethane	1,200	8/13/93
	Neponset (Bureau Co - 0110700)	1	Radium	640	09/14/90
	New Holland (Logan Co 1070450)	5	Nitrate	325	09/15/95
	Nokomis (Montgomery Co 1350450)	5	Trichloroethylene	2,908	09/15/95
	Northside Peterson Wlfnd (DuPage Co 0435866)	2	Inadequate Pres. Tank	30	12/15/89
	Northwest Belmont Imprv Assn (DuPage Co 0435900)	2	Inadequate Pres. Tank	115	09/29/81
	Oak Ridge Sndst (Woodford Co 2035300)	1	Inadequate Pres. Tank	240	03/20/81
	Oakhaven Sbdv (Tazewell Co 1795760)	5	Inadequate Pres. Tank	35	05/25/81
	Oakview Avenue Wtrwks Inc (Will Co 1977210)	2	Inadequate Pres. Tank	350	03/20/81
	Odell (Livingston Co 1050550)	4	Radium	1,100	03/17/86
	Olivet Nazarene College (Kankakee Co 0915279)	2	Inadequate Pres. Tank		03/15/94
	Ophiem PWS (Henry Co 0735150)	1	Inadequate Pres. Tank		06/18/82
	Osco Mutual Wtr Supply Cpy Inc (Henry Co 0735200)	1	Inadequate Pres. Tank		12/15/89
*	Oswego (Kendall Co 0930150)	2	Radium	4,500	15/15/95
	Palmyra (Macoupin Co 1170800)	5	Atrazine	850	03/15/95
*	Palmyra-Modesto Wtr Cmsn (Macoupin Co 1175150)	5	Atrazine	1,140	03/15/95
^	Pana (Christian Co 0210500)	5 1	Atrazine	6,330	12/15/95
	Park Crest Wtr Cmpny (Stephenson Co 1775100)	1	Inadequate Pres. Tank Inadequate Pres. Tank	1,200 32	09/14/84
	Park Hill Ests Well 1 (Rock Island Co 1617806)	2	Inadequate Pres. Tank Inadequate Pres. Tank		06/18/82 12/17/82
	Park Road Wtr Assn (Will Co 1977330) Park View Wtr Corp (Kane Co 0895500)	2	Inadequate Pres. Tank Inadequate Pres. Tank		12/17/82
	Pleasant Hill Cmnty Assn (DuPage Co 0435980)	2	Inadequate Pres. Tank	180	
	Pleasant Village (Kane Co 0895228)	2	Inadequate Pres. Tank	N/A	06/18/82
	Plum Creek Condos (Cook Co 0317080)	2	Radium	570	03/17/86
	Polo Drive & Saddle Rd Sbdv (DuPage Co 0437000)	2	Inadequate Pres. Tank	95	12/17/82
	Prairie Ridge Assn (McHenry Co 1115730)	2	Inadequate Pres. Tank	140	03/16/90
	Prairie View Wtr Assn (Tazewell Co 1795900)	5	Inadequate Pres. Tank	55	03/20/81
	Ransom (LaSalle Co 0990900)	1	Radium	450	03/17/86
	Reddick (Kankakee Co 0914780)	2	Radium	208	09/16/93
	Ridgecrest North Sbdv (Grundy Co 0635250)	2	Inadequate Pres Tank	85	09/16/93
	Ridgewood Sbdv (Will Co 1977650)	2	Inadequate Pres. Tank	315	06/18/82
	Rock Island Arsn (Rock Island Co 1615387)	1	Trihalomethane	9,000	06/15/92
	Rockdale (Will Co 1970850)	2	Radium	1,500	03/17/86
	Rome Farms #9 (Peoria Co 1435500)	5	Nitrate	200	09/15/95
	Royal Lake Wtr Dstrct (Bond Co 0055100)	6	Trihalomethane	228	06/15/92
	RR 1 - Il Wtr Assn (Macoupin Co 1175260)	5 4	Trihalomethane	81	06/15/92
	Salem Childrens Hm (Livingston Co 1055229)	6	Inadequate Pres. Tank	66	03/18/83
	Save Site (St. Clair Co 1635289)	5	Trihalomethane Trihalomethane	375 690	06/15/92
	Schram City (Montgomery Co 1350600) Scottville RWC (Macoupin Co 1170010)	5	Atrazine	510	06/16/94 03/15/95
	Scribner Street Sbdv (Will Co 1977660)	2	Inadequate Pres. Tank		03/13/93
	Shawnita Trc Wtr Assn (Will Co 1977690)	2	Inadequate Pres. Tank		09/17/92
	Silvis Heights Wtr Corp (Rock Island Co 1615750)	1	Inadequate Pres. Tank		03/20/82
	Skyview Sbdv (Kankakee Co 0915526)	2	Inadequate Pres. Tank	65	09/14/84
	South Burdette Wtr (DuPage Co 0437320)	2	Inadequate Pres. Tank	30	06/16/89
	South Wilmington (Grundy Co 0630650)	2	Radium	750	03/15/93
	Spring Valley (Bureau Co 0111000)	1	Radium	5,850	09/17/92
	Springcreek Campground II Inc. (Iroquois Co 0750030)	4	Inadequate Pres. Tank	·	12/16/91
	St. Charles Cmsn Wlfnd 3 (DuPage Co 0437040)	2	Inadequate Pres. Tank	30	12/15/89
	St. Charles Skyline Swr-Wtr Cpy (Kane Co 0895030)	2	Inadequate Pres. Tank	1,300	09/19/86
	St. Peter (Fayette Co 0510300)	6	Trihalomethane	807	06/15/92
	Standard (Putnam Co1550300)	1	Radium	280	09/16/91
	Staunton Res. Rd Wtr Corp (Macoupin Co 1175250)	5	Trihalomethane	60	12/16/94
	Steeleville (Randolph Co 1570650)	6	Radium	2,305	03/17/86
	Sturm Sbdv (Lake Co 0977010)	2	Inadequate Pres. Tank	63	03/16/84
	Suburban Heights Sbdv (Rock Island Co 1615800)	1	Inadequate Pres. Tank	114	12/16/83
	Summit Homeowners Assn (Lake Co 0975280)	2	Inadequate Pres. Tank	48	03/16/84
	Sunnyland Sbdv (Will Co 1977730)	2	Inadequate Pres. Tank	350	09/16/83
	Swedona Wtr Assn (Mercer Co 1315200) Sylvan Lake 1st Sbdv (Lake Co 0977100)	1 2	Inadequate Pres. Tank	100 210	06/15/90
	Table Grove (Fulton Co 0570900)	∠ 5	Inadequate Pres. Tank	500	06/14/91
	Table Grove (Fulton Co 05/0900) Taylor Springs (Montgomery Co 1350650)	5	Radium & Radiological Trihalomethane	671	03/20/81 03/17/92
	Taylor Springs (Montgomery Co 1350650) The Mill (Winnebago Co 2010040)	1	Inadequate Pres. Tank	90	12/16/94
	Tindalls 3rd & 6th Addns (Rock Island Co 1617376)	1	Inadequate Pres. Tank Inadequate Pres. Tank	28	06/18/82
	Towner Sbdv (Lake Co 0977250)	2	Inadequate Pres. Tank Inadequate Pres. Tank	238	01/14/82
	Trivoli PWD (Peoria Co 1435510)	5	Inadequate Pres. Tank	350	06/17/83
	Turkey Hollow Well Corp (Rock Island Co 1615686)	1	Inadequate Pres. Tank	32	06/18/82
	Vermont (Fulton Co 0570950)	5	Atrazine	808	09/15/95
	Vernon (Marion Co 1210550)	6	Trihalomethane	207	09/16/94
	Vet's Place Sbdv (Peoria Co 1435650)	5	Nitrate & Inadequate	85	12/16/94
			Pres. Tank		

POP

LISTING

	Wadsworth Oaks Sbdv (Lake Co 0977320)	2	Radium	80	09/19/86
	Walk-Up Woods Wtr Cmpny (McHenry Co 1115800)	2	Inadequate Pres. Tank	763	12/17/82
	Wermes Sbdv (Kane Co 0895750)	2	Inadequate Pres. Tank	150	12/16/88
	West Shoreland Sbdv (Lake Co 0977050)	2	Inadequate Pres. Tank	220	06/14/91
	Westfield (Clark Co 0230200)	4	Inadequate Water Source	700	06/15/93
	Williamson (Madison Co 1191100)	6	Trihalomethane	350	06/15/92
	Wonder Lake Water Company (McHenry Co 1115750)	2	Inadequate Pres. Tank 1	1,161	06/16/94
	Woodland Hts Ests Sbdv (Peoria Co 1435760)	5	Inadequate Pres. Tank	245	03/20/81
	Woodsmoke Ranch Assn (LaSalle Co 0990030)	1	Inadeq. Pres. Tank & Radium	350	06/15/90
	WSCO Dvl-Ridgewood (Rock Island Co 1615670)	1	Inadequate Pres. Tank	475	03/20/81
	Wynstone Wtr Cmpny (Lake Co 0970080)	2	Radium	450	03/15/95
	Yates City (Knox Co 0950700)	5	Radium, Inadequate Pres. Tank	900	03/20/81
			& Radiological		
	York Center Coop (DuPage Co 0437550)	2	Inadequate Pres. Tank	240	06/15/88
*	2nd Street Water Assn (Lake Co 0971140)	2	Inadequate Pres. Tank	33	12/15/95
Dula I dan 1	Water Complies Demond from Duraniana Tiet				
Public	Water Supplies Removed from Previous List Altamont (Effingham Co 0170050)		Hazelwood West Sbdv (Henry Co	. 0-	725250\
	Bailey Sbdv (Bureau Co 0115100) Barry (Pike Co 1490050)		Holiday Shores Sndsst (Madiso		- 1135110)
			Mapleton (Peoria Co 143050 Marseilles (LaSalle Co 099		
	Bunker Hill (Macoupin Co 1170100) Byron (Ogle Co 1410100)		Norris (Fulton Co 0570750)		
			Orland Hills Sbdv (Cook Co		2001
	Cary (McHenry Co 1110100)		The state of the s)00)
	Cedar Point Water Company (LaSalle Co 0995110)		Shipman (Macoupin Co 11709	50)	
	Coulterville (Randolph Co 1570150)		Viola (Mercer Co 1310450)		
	Cuba (Fulton Co 5070300)		White City (Macoupin Co 11		
	Dixie Dells (Will Co 1977850)		Wilsonville (Macoupin Co 1	.171200	J)
	Dunfermline-St. David Wtr Cmsn (Fulton Co 0575150)				

Illinois Environmental Protection Agency

Division of Public Water Supplies

Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of January 1, 1996.

- Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/4

Illinois Environmental Protection Agency Division of Public Water Supplies Critical Review List -- Public Water Supplies January, 1996

			POP.	TISIING
NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	SERVED	DATE
Baylis (Pike Co 1490100)	5	Source Capacity	300	09/13/85
Bluford (Jefferson Co 0810100)	7	Low System Pressure	465	03/20/81
Carlyle (Clinton Co 0270300)	6	Inadequate Treatment Plant	7,978	12/15/93
Caseyville (St. Clair Co 1630250)	6	Low System Pressure	12,338	09/14/84
Clinton (DeWitt Co 0390050)	4	Inadequate Plant Capacity	7,437	06/14/91
DePue (Bureau Co 0110300)	1	Inadequate Treatment Plant	1,930	12/15/93
Dieterich (Effingham Co 0490150)	4	Inadequate Source	568	03/15/94
Edwardsville (Madison Co 1190250)	6	Inad. Treatment Plant	30,581	12/15/93
Evansville (Randolph Co 1570250)	6	Plant Capacity	1,838	05/25/81
Georgetown (Vermilion Co 1830350)	4	Inadequate Water Plant	3,678	06/15/93
Hardin (Calhoun Co 0130200)	6	Low System Pressure	1,175	11/25/81
Highland Hls Sndst (DuPage Co 0435560)	2	Inadequate Pressure Tank	1,100	09/17/92
Homer (Champaign Co 0190300)	4	Inadequate Source	1,300	03/15/94
Kincaid (Christian Co 0210250)	5	Plant Capacity	2,640	06/14/85
Lake Marian Wtr Corp (Kane Co 0895200)	2	Low System Pressure &	800	09/14/84
		Inadequate Pres. Storage		
Lewistown (Fulton Co 0570600)	5	Inadequate Source	2,700	06/15/88
McHenry Shores Wtr Cmpny (McHenry Co 1115020)	2	Low System Pressure	1,170	09/17/92
Metro Utl Chickasaw Dvn (Will Co 1975320)	2	Low System Pressure	7,700	09/17/92
Millstadt (St. Clair Co 1630850)	6	Low System Pressure	2,750	12/16/91
North Utica (LaSalle Co 0990650)	1	Low System Pressure	3,943	03/18/84
Patoka (Marion Co 1210400)	6	Inadequate Treatment Plant	820	12/15/93

Pearl (Pike Co.1490650)	5	Inadequate Pres. Tank	322	09/17/82
Pecatonica (Winnebago Co2010250)	1	Low System Pressure	1,830	06/15/90
Ramsey (Fayette Co 0510200)	6	Source Capacity & Low System Pressure	1,350	09/13/85
South Highway PWD (Jackson Co 0775400)	7	Low System Pressure	8,189	06/15/92
Stockton (Jo Daviess Co 0850450)	1	Low System Pressure	1,900	06/15/84
Sumner (Lawrence Co 1010300)	7	Low System Pressure	1,553	12/13/85
Taylor Springs (Montgomery Co 1350650)	5	Low System Pressure	650	02/20/81
Tower Ridge Sbdv (Rock Island Co 1615780)	1	Inadequate Pres. Tank	70	03/15/94
Walnut Hill (Marion Co 1210600)	6	Low System Pressure	1,200	06/14/85
West Liberty Dundas Wtr Dist (Richland Co 1595050)	7	Low System Pressure &	693	12/14/84
		Inadequate Source		
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Storage	1,080	12/14/90

Public Water Supplies Removed from Previous List
Whispering Hills Wtr Cmpny (McHenry Co. - 1115700)