

Environmental Register

NUMBER 540

JUNE 1999



A PUBLICATION OF THE ILLINOIS POLLUTION CONTROL BOARD

FEDERAL ACTIONS

United States Environmental Protection Agency Promulgates National Emission Standards for Hazardous Air Pollutants for New and Existing Lead Smelters

On June 4, 1999, the United States Environmental Protection Agency (USEPA) adopted national emission standards for hazardous air pollutants (NESHAPs) for new and existing primary lead smelters pursuant to Section 112 of the Clean Air Act (42 U.S.C. § 7412 (1990)). 64 Fed. Reg. 30193 (June 4, 1999). Primary lead smelters have been identified by the USEPA as significant emitters of lead compounds, and other metal NESHAPs including arsenic, antimony, and cadmium. Exposure to lead compounds may result in adverse effects of the blood, central nervous system, and kidneys. Chronic exposure to arsenic is associated with skin, bladder, liver, and lung cancer and other developmental and reproductive problems. The USEPA states that these new standards provide protection to the public by requiring all primary lead smelters to meet emission standards that reflect the application of maximum achievable control technology. The standards became effective June 4, 1999.

These amendments are directly applicable, without further rulemaking, in Illinois in accordance with Section 9.1(b) of the Environmental Protection Act (415 ILCS 5/9.1(b) (1998)).

For further information concerning these standards and technical aspects of primary lead smelting emissions and control, contact Kevin Cavender, USEPA, Research Triangle Park, NC 27711, or call him at 919/541-2364.

 FEDERAL ACTIONS CONTINUED ON PAGE TWO

RULEMAKING UPDATE

Board Adopts for Second Notice Amendments in In the Matter of: Permitting Procedures for the Lake Michigan Basin: 35 Ill. Adm. Code 301, 302, and 309.141, R99-8

On June 17, 1999, the Board adopted for second-notice review by the Joint Committee on Administrative Rules (JCAR) amendments to 35 Ill. Adm. Code 301, 302, and 309.141 regarding permitting procedures for the Lake Michigan Basin. On July 28, 1998, the Illinois Environmental Protection Agency (IEPA) filed a rulemaking proposal which amends portions of the Board's rules dealing with the issuance permits under the National Pollution Discharge Elimination System (NPDES). The IEPA stated that these amendments were necessary to implement the federal Great Lakes Initiative (GLI) which was previously adopted by the Board. See In the Matter of: Conforming Amendments for the Great Lakes Initiative: 35 Ill. Adm. Code 302.101, 302.105, 302.Subpart E, 303.443, and 304.222 (December 18, 1997), R97-25. The proposal was filed pursuant to Section 27 of the Environmental Protection Act (Act) (415 ILCS 5/27 (1996)).

The IEPA's amendments to the Board's rules update the citation to the Code of Federal Regulations at Section 301.105, add specialized definitions that are contained in the IEPA's rule at Section 352.104, and add implementation procedures under Section 309.141(h). The amendments to the incorporations by reference under Section 301.105(c) update the citation to 40 C.F.R. § 136 to reflect the 1996 edition of the federal rules, which contain approved test methods, and add a new incorporation by reference to a test procedure specified at 40 C.F.R. § 132. The definitions proposed at first notice were, for the most part, derived from the federal GLI regulations at 40 C.F.R. § 132.2.

 RULEMAKING UPDATE CONTINUED ON PAGE TWO

INSIDE THIS ISSUE

BOARD ACTIONS	P. 4
NEW CASES	P. 8
BOARD CALENDAR	P. 9
IEPA RESTRICTED STATUS LIST	P. 10
IEPA CRITICAL REVIEW LIST	P. 14

FEDERAL ACTIONS CONTINUED

President of the United States of America Issues Executive Order 13123 Regarding Greening the Government Through Efficient Energy Management

On June 8, 1999, pursuant to the National Energy Conservation Policy Act (42 U.S.C. §§ 8251 *et seq.* (1992)), the President of the United States of America issued executive order 13123 regarding "greening" the government through efficient energy management. 64 Fed. Reg. 30851 (June 8, 1999). In the executive order, the President stated that the federal government, as the nation's largest energy consumer, must significantly improve its energy management in order to save taxpayer dollars and reduce emissions that contribute to air pollution and global climate change. With more than 500,000 buildings, the federal government is directed to lead the nation in energy efficient building design, construction, and operation. The President set forth the following goals: achieve greenhouse gases reduction; make energy efficient improvements; promote energy efficient industries and laboratories; promote renewable energy; reduce petroleum use; diminish total energy use; and reduce water consumption. Each federal agency is directed to annually request any necessary implementation plans and measure and report its progress to the President.

United States Environmental Protection Agency Reaches Proposed Administrative Settlement with Samuels Recycling Company for the Standard Scrap Site, a/k/a Standard Scrap Metal/Chicago International Exporting Site, Chicago, Cook County, Illinois

On June 28, 1999, the United States Environmental Protection Agency (USEPA) reached a proposed administrative settlement with Samuels Recycling Company (Samuels) for the Standard Scrap Site, a/k/a Standard Scrap Metal/Chicago International Exporting Site, located in Chicago, Cook County, Illinois. 64 Fed. Reg. 34654 (June 28, 1999). The proposed administrative settlement for recovery of past response costs was made pursuant to Section 122(i) of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) (42 U.S.C. § 9622(i) (1990)). The proposed administrative settlement requires Samuels to pay \$74,771.45 to the Hazardous Substance Superfund. The proposed administrative settlement includes a covenant not to sue Samuels pursuant to Section 107(a) of CERCLA (see 42 U.S.C. § 9607(a) (1986)).

The USEPA is accepting comments regarding this proposed administrative settlement. All written comments must be submitted on or before July 28, 1999, and should be sent to: Attention: Standard Scrap Site, USEPA Docket Number V-W-'99-C-550, Mr. Mike Anastasio, USEPA, Office of Regional Counsel, Mail Code C-14J, 77 W. Jackson Blvd., Chicago, Illinois 60604.

United States Environmental Protection Agency Approves Site-Specific Revision to Illinois State Implementation Plan for W.R. Grace, Chicago, Cook County, Illinois

On June 18, 1999, the United States Environmental Protection Agency (USEPA) approved a site-specific revision to the Illinois State Implementation Plan (Illinois SIP) for volatile organic materials (VOMs). 64 Fed. Reg. 32810 (June 18, 1999). This revision is an exemption from the otherwise applicable Illinois SIP VOM requirements for W.R. Grace's facility located at 6050 West 51st Street, Chicago, Cook County, Illinois. The W.R. Grace facility manufactures container sealants, lubricant fluids, and concrete additives. The Board granted W.R. Grace an exemption from the VOM control requirements at 35 Ill. Adm. Code 218, Subpart Q on July 8, 1998. See In the Matter of: W.R. Grace & Company - Connecticut and the Illinois Environmental Protection Agency for Site-Specific Air Regulation: 35 Ill. Adm. Code 218.940(h) (July 8, 1998), R98-16. On September 17, 1998, the Illinois Environmental Protection Agency submitted the Illinois SIP revision request to the USEPA.

RULEMAKING UPDATE CONTINUED

The proposed procedures for the implementation of the federal GLI are set forth at 35 Ill. Adm. Code 309.141(h). Section 309.141(h)(1) provides that the Total Maximum Daily Loads (TMDLs) or the Waste Load Allocation (WLA) will be set either through the Lake Michigan Lakewide Management Plan or the remedial action plan for an area of concern. This proposed provision is consistent with the federal GLI procedure concerning TMDL and WLA at 40 C.F.R. § 132.

Section 309.141(h)(2) specifies an acceptable additive risk level of one in 100,000 for establishing Tier I criteria and Tier II values for combinations of substances exhibiting carcinogenic or other nonthreshold toxic mechanism. Section 309.141(h)(3) sets forth the conversion factors for determining the dissolved concentration of metals from the total recoverable concentration.

Section 309.141(h)(4) together with 35 Ill. Adm. Code 352.Subpart D, provides guidance to the IEPA in choosing which pollutants require water quality based effluent limits and, if required, at what level in NPDES permits. Subsection (h)(4)(A) specifically provides the first step in the process which involves the estimation of projected effluent quality (PEQ) of a pollutant in the discharge of a facility, taking into account the chronic or acute exposure periods of the standard, criteria or value. If the PEQ for a parameter is greater than the water quality standard, criteria or value for that parameter, the next step involves the consideration of dilution and mixing in accordance with Section 309.141(h)(5), which allows for such consideration based on the degree of treatment.

Section 309.141(h)(6), the next step in the process, sets forth a simple mass balance formula for calculating a projected effluent limitation (PEL) giving consideration to the water quality standard, relative flowrates of effluent and receiving water, dilu-

tion allowance and the background concentration of the pollutant. Section 309.141(h)(7) sets forth the conditions under which a water quality based effluent limit or certain monitoring requirements must be included in the NPDES permit based upon a comparison of PEQ and PEL.

Finally, the Board proposed amendments to 35 Ill. Adm. Code 302 because at the close of the rulemaking in docket R97-25, JCAR submitted a list of typographical errors which occurred in the text of Part 302. The Board therefore proposed only nonsubstantive typographical amendments to Part 302.

Two hearings were held in this matter: the first, on October 5, 1998, in Chicago; and the second, on December 8, 1998, in Springfield. On December 17, 1998, the Board denied a motion to dismiss this docket filed by the Illinois Environmental Regulatory Group and supported by the Chemical Industry Council of Illinois. On March 4, 1999, the Board adopted the amendments for first-notice publication in the *Illinois Register* (see 22 Ill. Reg. 3563 (March 26, 1999)). JCAR is scheduled to consider these rules at its July 20, 1999 meeting.

Please direct any questions regarding this rulemaking to Marie Tipsord at 312/814-4925; e-mail address: mtipsord@pcb084r1.state.il.us

Board Adopts Amendments in Identical-in-Substance Rulemaking, In the Matter of: RCRA Update, USEPA Regulations (July 1, 1998, through December 31, 1998), R99-15

On June 17, 1999, the Board adopted amendments to the Illinois regulations that are "identical-in-substance" to hazardous waste regulations that the United States Environmental Protection Agency (USEPA) adopted to implement Subtitle C of the federal Resource Conservation and Recovery Act of 1976 (RCRA Subtitle C) (42 U.S.C. §§ 6921 *et seq.* (1998)). The rules incorporate several amendments that the USEPA adopted during the period from July 1, 1998, through December 31, 1998. See 63 Fed. Reg. 42109 (August 6, 1998); 63 Fed. Reg. 47409 (September 4, 1998); 63 Fed. Reg. 50387 (September 21, 1998); 63 Fed. Reg. 51253 (September 24, 1998); 63 Fed. Reg. 56709 (October 22, 1998); 63 Fed. Reg. 65873 (November 30, 1998); and 63 Fed. Reg. 71225 (December 24, 1998). The rules also include amendments adopted by the USEPA in 1999. See 64 Fed. Reg. 6806 (February 11, 1999).

Section 22.4(a) of the Environmental Protection Act (Act) (415 ILCS 5/22.4(a) (1996)) provides for quick adoption of regulations that are "identical-in-substance" to federal regulations that the USEPA adopts to implement Sections 3001 through 3005 of RCRA (42 U.S.C. §§ 6921-6925 (1998)). The federal RCRA Subtitle C regulations are found at 40 C.F.R. 260 - 266, 268, 270, 271, 273, and 279. Section 22.4(a) also provides that Title VII of the Act and Section 5 of the Administrative Procedure Act (5 ILCS 100/5-35, 5-40 (1996)) do not apply to the Board's adoption of identical-in-substance regulations.

Accordingly, this rulemaking is not subject to first or second-notice review by the Joint Committee on Administrative Rules.

The adopted amendments add new waste listings and land disposal restrictions (LDRs) for petroleum wastes, as well as certain exclusions from regulations as hazardous waste. The amendments also change the effective dates and adopted emergency amendments to the LDRs applicable to certain carbamate wastes and waste constituents. The rules also amend the LDR treatment standards applicable to spent potliners from primary aluminum production.

The adopted amendments modify the treatment, storage, and disposal facility standards to allow states to use mechanisms other than permits to approve facility post-closure care plans and to allow the closure of certain units through the corrective action program. Further, the amendments adopt new remedial action plan requirements applicable to the treatment, storage, or disposal of hazardous remediation wastes during cleanup actions.

The amendments also adopt corrective and clarifying amendments to the May 11, 1995 (60 Fed. Reg. 25492) universal waste rule. The amendments correct aspects of the standards for spent lead-acid battery management and the definition of small quantity universal waste handler, and they clarify the export requirements for destination facilities that are universal waste handlers.

Finally, the rules amend the exclusions from the definition of hazardous waste that will have the effect of deferring regulation of certain materials as hazardous waste until February 13, 2001. The wastes affected are landfill leachate and landfill gas condensate derived from previously-disposed petroleum refining wastes.

On April 8, 1999, the Board adopted the amendments for publication in the *Illinois Register* (see 22 Ill. Reg. 4700 (April 23, 1999)).

Please direct any questions regarding this proposal to Michael McCambridge at 312/814-6924; e-mail address: mmccambr@pcb084r1.state.il.us

Board Dismisses Reserved Identical-In-Substance Rulemaking Docket, R99-14

On June 17, 1999, the Board dismissed reserved identical-in-substance rulemaking docket in In the Matter of: RCRA Subtitle D Update, USEPA Regulations (July 1, 1998, through December 31, 1998), R99-14. The United States Environmental Protection Agency (USEPA) did not amend its rules during the period from July 1, 1998, through December 31, 1998. Accordingly, no Board action was required. Section 7.2 of the Environmental Protection Act (Act) (415 ILCS 5/7.2 (1996)) requires the Board to adopt regulations which are identical in substance to regulations adopted by the USEPA. The term identical in substance is defined at Section 7.2 of the Act (415 ILCS 5/7.2 (1996)).

BOARD ACTIONS

JUNE 3, 1999
CHICAGO, ILLINOIS

RULEMAKING

R99-18 In the Matter of: Amendments to Permitting for Used Oil Management and Used Oil Transport: 35 Ill. Adm. Code 807 and 809 - The Board denied the Illinois Environmental Protection Agency's motion to strike the supplementary comments of National Oil Recyclers Association and Lenz Oil. **Vote: 7-0**

ADJUDICATORY CASES

PROVISIONAL VARIANCE

PCB 99-179 Oakbrook Maintenance Company v. IEPA - Upon receipt of an Illinois Environmental Protection Agency recommendation, the Board granted a 30-day provisional variance to this DuPage County facility from the 90-day limitation on the accumulation of hazardous wastes, as set forth in 35 Ill. Adm. Code 722.134(b). **Vote: 7-0**

MOTIONS AND OTHER MATTERS

PCB 95-119 | PCB 95-125 West Suburban Recycling and Energy Center v. IEPA - The Board ordered the Illinois Environmental Protection Agency to issue air and land permits to the petitioner consistent with the Illinois Appellate Court First District mandate issued May 13, 1999, in West Suburban Recycling and Energy Center, L.P. v. Illinois Environmental Protection Agency and Illinois Pollution Control Board, 1-96-3923, 1-96-4399 (consolidated), slip op. (1st Dist. November 16, 1998). **Vote: 7-0**

PCB 96-242 American Roofing & Repair Company v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this underground storage tank appeal involving a DuPage County facility. **Vote: 7-0**

PCB 97-147 People of the State of Illinois v. J.D. Plating Works, Inc. - The Board granted respondent's motion for extension of time to file a response to the motion for summary judgment. **Vote: 7-0**

PCB 99-142 American National Bank and Trust Company of Chicago a/t/u Trust No. 10357705 v. Robert Dunham individually and d/b/a Dunham Cleaners - The Board found that the allegations in this matter were not duplicitous or frivolous, denied respondent's motion to dismiss and accepted this citizen's Resource Conservation Recovery Act enforcement action involving a Cook County facility for hearing. **Vote: 7-0**

PCB 99-145 Hobert and Karen Jones, Robert Smith, Jodi and Tim Leeper, Cassandra and Cheryl Vaughn, Anita Rice, Peggy Eberhardt, Matthew Andriola, Matt Miller, Lynn Devlin, Edward Stolinski, and Pete Calzavara v. Heritage Tool and Die Mold The Board found that the allegations in this matter were not duplicitous, dismissed the alleged violation of Section 23 of the Illinois Environmental Protection Act (415 ILCS 5/23) as frivolous, denied respondent's motion to dismiss, and accepted this citizen's noise enforcement action involving a Cook County facility for hearing. The complainants were ordered to file an amended complaint with the Clerk of the Board by June 25, 1999. **Vote: 7-0**

PCB 99-151 Land-O-Sun Dairies, L.L.C. v. IEPA - The Board granted petitioner's motion for admission *pro hac vice*. **Vote: 7-0**

PCB 99-159 Mater Dei High School v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Clinton County facility. **Vote: 7-0**

PCB 99-167 Vonco Products, Inc. v. IEPA - The Board accepted for hearing this air variance request involving a Lake County facility. **Vote: 7-0**

PCB 99-170 Bema Film Systems, Inc. v. IEPA - The Board accepted for hearing this air variance request involving a DuPage County facility. **Vote: 7-0**

PCB 99-171 Harbor Motors v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Lake County facility. **Vote: 7-0**

PCB 99-172 Remote Services, Inc. v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a McLean County facility. **Vote: 7-0**

PCB 99-173 Z-Frank Oldsmobile, Inc. v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility. **Vote: 7-0**

PCB 99-174 Village of Oak Lawn v. IEPA - The Board dismissed this request for a 90-day extension as moot because on May 25, 1999, the Board received petitioner's petition for review, which was docketed as PCB 99-177. **Vote: 7-0**

PCB 99-175 Prairie Central Co-Op v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Livingston County facility. **Vote: 7-0**

PCB 99-176 C&J Auto Parts, Inc. v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility. **Vote: 7-0**

PCB 99-177 Village of Oak Lawn v. IEPA - The Board accepted for hearing this underground storage tank appeal involving a Cook County facility. **Vote: 7-0**

PCB 99-178 Stahly Cartage Company v. IEPA - The Board accepted for hearing this underground storage tank appeal involving a Madison County facility. **Vote: 6-1 Girard dissented**

JUNE 17, 1999 CHICAGO, ILLINOIS

RULEMAKINGS

R99-8 In the Matter of: Permitting Procedures for the Lake Michigan Basin: 35 Ill. Adm. Code 301 and 309.141 - The Board adopted a second-notice opinion and order in this proposed rulemaking to amend the Board's water regulations. **Vote: 7-0**

R99-14 In the Matter of: RCRA Subtitle D Update, USEPA Regulations (July 1, 1998, through December 31, 1998) - The Board dismissed this reserved identical-in-substance docket because the single United States Environmental Protection Agency amendment to its regulations during the update period of July 1, 1998, through December 30, 1998, did not require Board action. **Vote: 7-0**

R99-15 In the Matter of: RCRA Subtitle C Update, USEPA Regulations (July 1, 1998, through December 31, 1998) - The Board adopted a final opinion and order in this "identical-in-substance" rulemaking to amend the Board's hazardous waste disposal regulations. **Vote: 7-0**

ADMINISTRATIVE CITATIONS

AC 98-4 County of Sangamon v. ESG Watts, Inc. - The Board entered an interim opinion and order finding respondent violated Sections 21(o)(6) and (o)(9) of the Environmental Protection Act (415 ILCS 5/21(o)(6), (o)(9) (1996)) and assessing a penalty of \$1,000. The Board ordered the Clerk of the Board and the County of Sangamon to file within 15 days a statement of hearing costs, supported by affidavit, with service on respondent. **Vote: 7-0**

AC 99-42 IEPA v. Fred and Anne Hood - In response to a joint stipulation and settlement agreement in this administrative citation action involving a Macoupin County facility, the Board found respondents violated Section 21(p)(1) of the Environmental Protection Act (415 ILCS 5/21(p)(1) (1996)) and ordered respondents to pay a civil penalty of \$500. **Vote: 7-0**

ADJUDICATORY CASES

DECISIONS

PCB 97-192 People of the State of Illinois v. Sundale Sewer Corporation and Howard Spurgeon - The Board granted relief from the hearing requirement of Section 31(c)(2) of the Environmental Protection Act (415 ILCS 5/31(c)(2) (1996)), accepted a stipulation and settlement agreement in this water enforcement action involving a Tazewell County facility, ordered respondent to pay a civil penalty of \$15,000, and to cease and desist from further violations. **Vote: 7-0**

PCB 98-2 ESG Watts, Inc. (Sangamon Valley Landfill) v. Sangamon County Board - The Board vacated the May 31, 1997 decision of the Sangamon County Board. **Vote: 7-0**

PCB 99-73 People of the State of Illinois v. J.L. Clark, Inc. - The Board vacated its order of January 21, 1999, granted relief from the hearing requirement of Section 31(c)(2) of the Environmental Protection Act (415 ILCS 5/31(c)(2) (1996)), and accepted an amended stipulation and settlement agreement in this air enforcement action involving a DuPage County facility. Respondent was ordered to pay a total civil penalty of \$30,000, and to cease and desist from further violations. **Vote: 7-0**

PCB 99-93 People of the State of Illinois v. South Palos Township Sanitary District - The Board granted relief from the hearing requirement of Section 31(c)(2) of the Environmental Protection Act (415 ILCS 5/31(c)(2) (1996)), accepted a stipulation and settlement agreement in this water enforcement action involving a DuPage County facility, ordered respondent to pay a civil penalty of \$4,000, and to cease and desist from further violations. **Vote: 7-0**

PROVISIONAL VARIANCE

PCB 99-185 City of Knoxville v. IEPA - Upon receipt of an Illinois Environmental Protection Agency recommendation, the Board granted this Knox County facility a 45-day provisional variance, subject to conditions, from the excess flow limits set in 35 Ill. Adm. Code 304.141 and National Pollutant Discharge Elimination System Permit No. IL0022209. **Vote: 7-0**

MOTIONS AND OTHER MATTERS

PCB 91-162 Minnesota Mining and Manufacturing Company v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this request for an air variance involving a Cook County facility. **Vote: 7-0**

PCB 96-164 CGE Ford Heights, L.L.C. v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this tax certification appeal involving a Cook County facility. **Vote: 7-0**

PCB 97-166 Swearingin Services, Inc. v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this underground storage tank appeal involving a Jersey County facility. **Vote: 7-0**

PCB 97-230 People of the State of Illinois v. Standard T. Chemical Company, Inc. - Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this Emergency Preparedness and Community Right to Know Act enforcement action against a Cook County facility, the Board ordered publication of the required newspaper notice. **Vote: 7-0**

PCB 99-37 Sun Chemical Corporation v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this request for an air variance involving a Cook County facility. **Vote: 7-0**

PCB 99-89 MDI Limited Partnership v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this underground storage tank appeal involving a Boone County facility. **Vote: 7-0**

PCB 99-115 General Electric Company v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this permit appeal involving a LaSalle County facility. **Vote: 7-0**

PCB 99-122 Central C&D Recycling, Inc. v. IEPA - The Board denied petitioner's motion for sanctions, granted respondent's motion for leave to file the administrative record instantaner, and granted respondent's motion to strike in part. **Vote: 7-0**

PCB 99-128 Meccon Industries, Inc. v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Cook County facility. **Vote: 7-0**

PCB 99-129 Montgomery Ward & Company, Inc. v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this underground storage tank appeal involving a Cook County facility. **Vote: 7-0**

PCB 99-131 Dynachem, Inc. v. IEPA - The Board granted petitioner's motion for voluntary dismissal of this permit appeal involving a Vermilion County facility. **Vote: 7-0**

PCB 99-132 Ted Harrison Oil Company v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Cass County facility. **Vote: 7-0**

PCB 99-133 Bulkoa, Inc. v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Cook County facility. **Vote: 7-0**

PCB 99-135 Remote Services, Inc. (Dairy Mart Store #551) v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Vermilion County facility. **Vote: 7-0**

PCB 99-137 Seitz Corporation v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Lake County facility. **Vote: 7-0**

PCB 99-147 Remote Services, Inc. (Dairy Mart Store #535) v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this McLean County facility. **Vote: 7-0**

PCB 99-156 CGB Waterfront Services, Inc. v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no permit appeal was timely filed on behalf of this Alexander County facility. **Vote: 7-0**

PCB 99-180 Muellermist Irrigation Company v. Office of the State Fire Marshal - The Board accepted for hearing this underground storage tank appeal involving a Cook County facility. **Vote: 6-1 Girard dissented**

PCB 99-182 Bob and Sharon Lamma v. Office of the State Fire Marshal - The Board accepted for hearing this underground storage tank appeal involving a Sangamon County facility. **Vote: 7-0**

PCB 99-183 Blake Oil Company v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of an Ogle County facility. **Vote: 7-0**

PCB 99-184 National Fiber Glass Products n/k/a National Bathing Products, Inc. - The Board granted this request for a 90-day extension of time to file a permit appeal on behalf of a Will County facility. **Vote: 7-0**

NEW CASES

JUNE 3, 1999

99-167 Vonco Products, Inc. v. IEPA - The Board accepted for hearing this air variance request involving a Lake County facility.

99-170 Bema Film Systems, Inc. v. IEPA - The Board accepted for hearing this air variance request involving a DuPage County facility.

99-171 Harbor Motors v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Lake County facility.

99-172 Remote Services, Inc. v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a McLean County facility.

99-173 Z-Frank Oldsmobile, Inc. v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.

99-174 Village of Oak Lawn v. IEPA - The Board dismissed this request for a 90-day extension as moot because on May 25, 1999, the Board received petitioner's petition for review, which was docketed as PCB 99-177.

99-175 Prairie Central Co-Op v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Livingston County facility.

99-176 C&J Auto Parts, Inc. v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.

99-177 Village of Oak Lawn v. IEPA - The Board accepted for hearing this underground storage tank appeal involving a Cook County facility.

99-178 Stahly Cartage Company v. IEPA - The Board accepted for hearing this underground storage tank appeal involving a Madison County facility.

99-179 Oakbrook Maintenance Company v. IEPA - Upon receipt of an Illinois Environmental Protection Agency recommendation, the Board granted a 30-day provisional variance to this DuPage County facility from the 90-day limitation on the accumulation of hazardous wastes, as set forth in 35 Ill. Adm. Code 722.134(b).

AC 99-46 County of LaSalle v. Knights of the Altar, International c/o Joe DeSilvestro - The Board accepted an administrative citation against this LaSalle County respondent.

AC 99-47 IEPA v. City of Sesser - The Board accepted an administrative citation against this Franklin County respondent.

AC 99-48 IEPA v. Rodney Wynn - The Board accepted an administrative citation against this Marion County respondent.

AC 99-49 IEPA v. American Disposal Services of Illinois, Inc. - The Board accepted an administrative citation against this Livingston County respondent.

AC 99-50 IEPA v. Streator Area Landfill, Inc. and Brian N. Holcomb - The Board accepted an administrative citation against these Livingston County respondents.

JUNE 17, 1999

99-180 Muellermist Irrigation Company v. Office of the State Fire Marshal - The Board accepted for hearing this underground storage tank appeal involving a Cook County facility.

99-181 People of the State of Illinois v. Siciliano, Inc. The Board accepted for hearing this air enforcement action against a Sangamon County facility.

99-182 Bob and Sharon Lamma v. Office of the State Fire Marshal - The Board accepted for hearing this underground storage tank appeal involving a Sangamon County facility.

99-183 Blake Oil Company v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of an Ogle County facility.

99-184 National Fiber Glass Products n/k/a National Bathing Products, Inc. - The Board granted this request for a 90-day extension of time to file a permit appeal on behalf of a Will County facility.

99-185 City of Knoxville v. IEPA - Upon receipt of an Illinois Environmental Protection Agency recommendation, the Board granted this Knox County facility a 45-day provisional variance, subject to conditions, from the excess flow limits set in 35 Ill. Adm. Code 304.141 and National Pollutant Discharge Elimination System Permit No. IL0022209.

AC 99-51 County of Will v. Antonio Gonzalez - The Board accepted an administrative citation against this Will County respondent.

CALENDAR OF MEETINGS AND HEARINGS

July

21 ❖ 9:00 am - PCB 99-31
Cass County Service Company v. IEPA

Illinois Pollution Control Board
Hearing Room 403
600 S. Second Street
Springfield, IL

21 ❖ 1:00 pm - PCB 99-98
Kendall-Grundy FS, Inc. v. IEPA

Illinois Pollution Control Board
Hearing Room 403
600 S. Second Street
Springfield, IL

22 ❖ 10:30 am
Pollution Control Board Meeting
Chicago, IL

August

5 ❖ 10:30 am
Pollution Control Board Meeting
State of Illinois Building
160 N. LaSalle Street
Room N-505
Chicago, IL

19 ❖ 11:30 am
Pollution Control Board Meeting
Springfield, IL

23 ❖ 10:00 am - R99-18
Amendments to Permitting for Used Oil Management and Used Oil Transport: 35 Ill. Adm. Code 807 and 809 (Record in R98-29 Incorporated)

James R. Thompson Center
100 W. Randolph Street
Room 9-034
Chicago, IL

24 ❖ 10:00 am - R99-18
Amendments to Permitting for Used Oil Management and Used Oil Transport: 35 Ill. Adm. Code 807 and 809 (Record in R98-29 Incorporated)

James R. Thompson Center
100 W. Randolph Street
Room 9-034
Chicago, IL

September

9 ❖ 10:30 am
Pollution Control Board Meeting
Chicago, IL

23 ❖ 10:30 am
Pollution Control Board Meeting
Chicago, IL

October

7 ❖ 10:30 am
Pollution Control Board Meeting
James R. Thompson Center
100 W. Randolph Street
Suite 2-025
Chicago, IL

21 ❖ 10:30 am
Pollution Control Board Meeting
Chicago, IL

November

4 ❖ 11:30 am
Pollution Control Board Meeting
Springfield, IL

8 ❖ 9:30 am - PCB 96-143
People of the State of Illinois v. Michel Grain Company, Inc., d/b/a Michel Fertilizer and Caryle Michel

Illinois Pollution Control Board
Hearing Room 403
600 S. Second Street
Springfield, IL

9 ❖ 9:30 am - PCB 96-143
People of the State of Illinois v. Michel Grain Company, Inc., d/b/a Michel Fertilizer and Caryle Michel

Illinois Pollution Control Board
Hearing Room 403
600 S. Second Street
Springfield, IL

10 ❖ 9:30 am - PCB 96-143
People of the State of Illinois v. Michel Grain Company, Inc., d/b/a Michel Fertilizer and Caryle Michel

Illinois Pollution Control Board
Hearing Room 403
600 S. Second Street
Springfield, IL

18 ❖ 10:30 am
Pollution Control Board Meeting
Chicago, IL

December

2 ❖ 10:30 am
Pollution Control Board Meeting
Chicago, IL

8 ❖ 9:30 am - PCB 93-191
People of the State of Illinois v. Lloyd Wiemann d/b/a Wiemann Ice & Fuel; Lloyd Wiemann, d/b/a Wiemann Ice & Fuel, Cross-Complainants v. Texaco Refining & Marketing, Inc., and Eugene & Cheryl Halbrooks, Cross-respondents

Illinois Pollution Control Board
Hearing Room 403
600 S. Second Street
Springfield, IL

9 ❖ 9:30 am - PCB 93-191
People of the State of Illinois v. Lloyd Wiemann d/b/a Wiemann Ice & Fuel; Lloyd Wiemann, d/b/a Wiemann Ice & Fuel, Cross-Complainants v. Texaco Refining & Marketing, Inc., and Eugene & Cheryl Halbrooks, Cross-respondents

Illinois Pollution Control Board
Hearing Room 403
600 S. Second Street
Springfield, IL

16 ❖ 10:30 am
Pollution Control Board Meeting
Chicago, IL

All Chicago Board Meetings will be held at the James R. Thompson Center, 100 W. Randolph Street, Suite 9-040, unless otherwise noted. All Springfield Board Meetings will be held at 600 S. Second Street, Hearing Room 403, unless otherwise noted.

ENVIRONMENTAL REGISTER

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY DIVISION OF PUBLIC WATER SUPPLIES RESTRICTED STATUS LIST -- PUBLIC WATER SUPPLIES

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of July 1, 1999.

* Indicates public water supplies which have been added to the list since the previous publication.

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RCN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Acorn Acres Sbdv (Lake Co - 0975020)	2	Inadequate Pres Tank	250	12/16/83
Alden Long Grove Nursing Center (Lake Co - 0971090)	2	Inadequate Pres Tank	204	06/15/93
Ashley (Washington Co - 1890100)	6	Trihalomethane	825	06/15/92
Bahl Wtr Corp (Jo Daviess Co - 0855200)	1	Inadequate Pres Storage	700	12/15/93
Belmont-Highwood PWD (DuPage Co - 0435180)	2	Trichloroethylene	498	09/16/93
Biggsville (Henderson Co - 0710050)	5	Adjusted Gross Alpha	350	03/15/98
Blue & Gold Hmownrs Assn (Winnebago Co - 2015250)	1	Inad Pres Tank & Source of Supply	170	06/17/83
Blue Mound (Macon Co - 1150100)	4	Nitrate	1,165	03/15/97
Bonnie Lane Water Supply (Kendall Co - 0930010)	2	Inadequate Pres Tank	49	09/16/93
Bradford (Stark Co - 1750050)	1	Gross Alpha	650	06/15/98
Bradley Hts Sbdv (Winnebago Co - 2015050)	1	Inadequate Pres Tank	192	09/13/85
Bryant (Fulton Co - 0570200)	5	Gross Alpha	310	03/15/98
Buck Lake Ests Sbdv (DeKalb Co - 0375100)	1	Inadequate Pres Tank	200	09/14/84
Buckingham (Kankakee Co - 0910250)	2	Inadequate Pres Tank	330	03/17/89
Byron Woods Sbdv (Rock Island Co - 1610070)	1	Arsenic	150	03/15/98
Campus (Livingston Co - 1050050)	4	Inadequate Pres Tank	230	03/20/81
Carroll Hts Utl Cmpny (Carroll Co - 0155200)	1	Inadequate Pres Tank	80	03/20/81
Century Pines Apts (Carroll Co - 0150020)	1	Inadequate Pres Tank	50	12/14/90
Chester (Randolph Co - 1570100)	6	Total Trihalomethane	5,300	12/15/98
Claremont Hls Sbdv (McHenry Co - 1115080)	2	Inadequate Pres Tank	330	03/15/96
Clearview Sbdv (Will Co - 1975360)	2	Inadequate Pres Tank	420	01/13/82
Coffeen (Montgomery Co - 1350150)	5	Trihalomethane	800	03/17/92
Community Srvc Corp (McHenry Co - 1115350)	2	Inadequate Pres Tank	750	09/16/83
Coyne Cntr Coop (Rock Island Co - 1615150)	1	Inadequate Pres Tank	150	12/15/97
Cropsey Cmnty Wtr (McLean Co - 1135150)	4	Inadequate Pres Tank	60	03/20/81
Crystal Clear Wtr Cmpny (McHenry Co - 1115150)	2	Inadequate Pres Tank	900	09/16/88
Crystal Hts Assn (McHenry Co - 1115100)	2	Inadequate Pres Tank	93	06/17/96
Ctzns Liberty Ridge Dvn (DuPage Co - 0435650)	2	Inadequate Pres Tank	2,510	03/15/94

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RCN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
D and R Apts (Champaign Co - 0190030)	4	Inadequate Pres Tank	26	09/16/93
Deering Oaks Sbdv (McHenry Co - 1115200)	2	Inadequate Pres Tank	60	12/17/82
DeKalb Univ Dvl Corp (DeKalb Co - 0375148)	1	Inadequate Pres Tank	950	12/16/92
DeWitt Cnty NH (DeWitt Co - 0395129)	4	Inadequate Pres Tank	80	06/17/83
DL Well Owners Assn (Lake Co - 0975380)	2	Inadequate Pres Tank	125	03/18/83
Dorchester (Macoupin Co - 1170250)	5	Trihalomethane	480	09/16/96
Dover (Bureau Co - 0110350)	1	Inadequate Pres Tank	200	05/25/81
East Moreland Wtr Assn (Will Co - 1975600)	2	Inadequate Pres Tank	753	03/20/81
East Moreland Wtr Corp (Will Co - 1975640)	2	Inadequate Pres Tank	135	03/15/96
Echo Lake Wtr Sys Block 7 (Lake Co - 0975820)	2	Inadequate Pres Tank	48	09/16/83
Edelstein (Peoria Co - 1435150)	5	Adjusted Gross Alpha	125	03/15/98
Ellis Grove (Randolph Co - 1570200)	6	Trihalomethane	720	12/16/96
Elm Oak Mutual Wtr Syst (Lake Co - 0975736)	2	Inad Pres Tank	45	06/13/86
Emmett Utl Inc (McDonough Co - 1095200)	5	Inadequate Pres Tank	39	12/17/82
Evergreen Vlg Sbdv (Rock Island Co - 1615310)	1	Inadequate Pres Tank	250	03/20/81
Fahnstock Court Sbdv (Peoria Co - 1435200)	5	Inadequate Pres Tank	30	05/25/81
Fair Acres Sbdv (Will Co - 1975680)	2	Inadequate Pres Tank	185	10/19/81
Forest Lake Addn (Lake Co - 0975500)	2	Inadequate Pres Tank	180	12/16/83
Frwrđ-Skyline Cpy (Kane Co - 0895030)	2	Inadequate Pres Tank	1,300	09/19/86
Garden Street Imprv Assn (Will Co - 1975376)	2	Inadequate Pres Tank	62	09/15/89
Glasford (Peoria Co - 1430350)	5	Adjusted Gross Alpha	1,115	12/15/97
Glenkirk Campus North (Lake Co - 0977189)	2	Inadequate Pres Tank	64	06/15/88
Glenkirk Campus South (Lake Co - 0977199)	2	Inadequate Pres Tank	36	06/15/88
Good Shepherd Mnr (Kankakee Co - 0915189)	2	Inadequate Pres Tank	140	03/17/89
Great Oaks&Beacon Hls Apts(Winnebago Co-2015488)	1	Inadequate Pres Tank	943	12/17/82
Greenwood Outback (LaSalle Co - 0990080)	1	Inad Hydropneumatic Storage		12/15/98
Hawthorn Woods (Lake Co - 0970450)	2	Inadequate Pres Tank	800	03/15/95
Heatherfield Sbdv (Grundy Co - 0635150)	2	Inadequate Pres Tank	91	09/17/82
Hettick (Macoupin Co - 1170500)	5	Atrazine	250	03/15/99
Highland Lake Sbdv (Lake Co - 0975750)	2	Inadequate Pres Tank	294	03/20/81
Highland Sbdv (Kane Co - 0895530)	2	Inadequate Pres Tank	50	09/16/83
Hillview Sbdv (Will Co - 1975800)	2	Inadequate Pres Tank	99	03/15/85
Hull (Pike Co - 1490350)	5	Tetrachloroethylene	529	03/15/97
Huntley Cmnty Sbdv (Will Co - 1975840)	2	Inadequate Pres Tank	48	03/16/84
Hutsonville (Crawford Co - 0330100)	4	Nitrate	650	03/15/98
Ingalls Pk Sbdv (Will Co - 1975880)	2	Inadequate Pres Tank	690	09/16/83
Kaho PWD (Macoupin Co - 1170030)	5	Trihalomethane	847	03/15/98
Knoxville (Knox Co - 0950300)	5	Adjusted Gross Alpha	3,243	03/15/98
Lake Lynwood Wtr Sys (Henry Co - 0735330)	1	Inadequate Pres Tank	98	08/31/81
Lakeview Sbdv (Whiteside Co - 1955150)	1	Inadequate Pres Tank	146	03/20/81
Larchmont Sbdv (Winnebago Co - 2015290)	1	Inadequate Pres Tank	106	06/17/83

ENVIRONMENTAL REGISTER

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Larson Court Rentals (Rock Island Co - 1615728)	1	Inadequate Pres Tank	48	01/14/82
Legend Lakes Wtr Assn (Winnebago Co - 2015300)	1	Inadequate Pres Tank	225	03/14/91
Lemon Street Wl Cmpny Inc (Rock Island Co-1615550)	1	Inadequate Pres Tank	470	03/20/81
Liberty Park Homeowners Assn (DuPage Co - 0435600)	2	Inadequate Pres Tank	1,092	09/17/92
Lindenwood Wtr Assn (Ogle Co - 1415300)	1	Inadequate Pres Tank	50	01/13/82
Lisbon North Inc (Grundy Co - 0631000)	2	Inadequate Pres Tank	30	09/14/90
Little Swan Lake Sndst (Warren Co - 1875050)	5	Inad Hydropneumatic Storage	250	03/15/98
London Mills (Fulton Co - 0574620)	5	Inadequate Pres Tank	670	12/14/84
Lynn Cntr (Henry Co - 0735100)	1	Inadequate Pres Tank	147	03/15/95
Lynnwood Water Corp (LaSalle Co - 0995336)	1	Inadequate Pres Tank	114	03/18/83
M C L W Sys Inc (Mercer Co - 1315150)	1	Inadequate Source	100	03/20/81
Maple Hill Imprv Assn (DuPage Co - 0435800)	2	Inad Pres Tank & Trichloroethylene	234	08/31/81
Maple Leaf Ests Wtr Corp (Monroe Co - 1335100)	6	Inadequate Pres Tank	39	03/20/81
Mapleton (Peoria Co - 1430500)	5	Adjusted Gross Alpha	350	03/15/98
*Maquon (Knox Co - 0950350)	5	Fluoride	323	06/15/99
Mayfair Sbdv (Tazewell Co - 1795750)	5	Inadequate Pres Tank	150	03/16/90
McHenry Shores (McHenry Co - 1115020)	2	Iron	1,460	06/13/97
Mound PWD (St Clair Co - 1635050)	6	Inadequate Plant Capacity	1,800	06/17/96
Mount Gilead Shlcrhm (Greene Co - 0615129)	6	Inadequate Pres Tank	28	09/16/83
Northwest Belmont Imprv Assn (DuPage Co - 0435900)	2	Inadequate Pres Tank	115	09/29/81
Oak Ridge Sndst (Woodford Co - 2035300)	1	Inadequate Pres Tank	240	03/20/81
Oakview Avenue Wtrwks Inc (Will Co - 1977210)	2	Inadequate Pres Tank	350	03/20/81
Olivet Nazarene College (Kankakee Co - 0915279)	2	Inadequate Pres Tank	1,450	03/15/94
Opheim PWS (Henry Co - 0735150)	1	Inadequate Pres Tank	150	06/18/82
Oscos Mutual Wtr Supply Cpy Inc (Henry Co-0735200)	1	Inadequate Pres Tank	115	12/15/89
Park Road Wtr Assn (Will Co - 1977330)	2	Inadequate Pres Tank	60	12/17/82
Park View Wtr Corp (Kane Co - 0895500)	2	Inadequate Pres Tank	150	12/17/82
Patoka (Marion Co - 1210400)	6	Inadequate Plant Capacity	731	03/15/97
Polo Dr & Saddle Rd Sbdv (DuPage Co - 0437000)	2	Inadequate Pres Tank	95	12/17/82
*Ports of Sullivan Lake Assn (Lake co - 0971160)	2	Inad Hydropneumatic Storage	638	06/15/99
Prairie Ridge Assn (McHenry Co - 1115730)	2	Inadequate Pres Tank	140	03/16/90
Princeville (Peoria Co - 1430750)	5	Adjusted Gross Alpha	1,815	12/15/97
Ridgecrest North Sbdv (Grundy Co - 0635250)	2	Inadequate Pres Tank	85	09/16/93
Ridgewood Ledges Wtr Assoc(Rock Island Co-1615670)	1	Inadequate Pres Tank	475	03/20/81
Ridgewood Sbdv (Will Co - 1977650)	2	Inadequate Pres Tank	315	06/18/82
Sawyererville (Macoupin Co - 1170850)	5	Trihalomethane	570	09/15/98
Sbdv Wtr Trust No 1 (Kane Co - 0895300)	2	Inadequate Pres Tank	1,120	03/20/81
Shawnita Trc Wtr Assn (Will Co - 1977690)	2	Inadequate Pres Tank	125	09/17/92
Shipman (Macoupin Co - 1170950)	5	Trihalomethane	675	12/16/96
Silvis Heights Wtr Corp (Rock Island Co - 1615750)	1	Inadequate Pres Tank	1,680	03/20/82
Skyview Estates (Kankakee Co - 0915526)	2	Inadequate Pres Tank	65	09/14/84

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Sorento (Bond Co - 0050300)	6	Trihalomethane	750	09/16/96
Spring Creek Wtr Assn (Macoupin Co - 1175450)	5	Trihalomethane	60	09/16/96
St Charles Cmsn Wlfnd 3 (DuPage Co - 0437040)	2	Inadequate Pres Tank	30	12/15/89
Staunton Res Rd Wtr (Macoupin Co - 1175250)	5	Trihalomethane	70	12/16/96
Sturm Sbdv (Lake Co - 0977010)	2	Inadequate Pres Tank	63	03/16/84
Suburban Heights Sbdv (Rock Island Co - 1615800)	1	Inadequate Pres Tank	114	12/16/83
Summit Homeowners Assn (Lake Co - 0975280)	2	Inadequate Pres Tank	48	03/16/84
Sunnyland Sbdv (Will Co - 1977730)	2	Inadequate Pres Tank	350	09/16/83
Swedona Wtr Assn (Mercer Co - 1315200)	1	Inadequate Pres Tank	100	06/15/90
Sylvan Lake 1st Sbdv (Lake Co - 0977100)	2	Inadequate Pres Tank	210	06/14/91
Taylor Springs (Montgomery Co - 1350650)	5	Trihalomethane	650	09/15/98
Towners Sbdv (Lake Co - 0977250)	2	Inadequate Pres Tank	238	01/14/82
Trivoli PWD (Peoria Co - 1435510)	5	Inadequate Pres Tank	350	06/17/83
Turkey Hollow Well Corp (Rock Island Co - 1615686)	1	Inadequate Pres Tank	32	06/18/82
Utl Inc Lake Holiday (LaSalle Co - 0995200)	1	Inad Source & Treat Plt	4,908	09/15/98
Utl Inc Northern Hls Utl Co(Stephenson Co-1775050)	1	Inadequate Pres Tank	290	03/15/96
Utl Inc Walk-Up Woods Wtr Co(McHenry Co - 1115800)	2	Inadequate Pres Tank	763	12/17/82
Wermes Sbdv (Kane Co - 0895750)	2	Inadequate Pres Tank	150	12/16/88
West Salem (Edwards Co - 0470200)	7	Inadequte Treatment Plant	1,058	03/15/99
West Shoreland Sbdv (Lake Co - 0977050)	2	Inadequate Pres Tank	220	06/14/91
Westfield (Clark Co - 0230200)	4	Inadequate Water Source	700	06/15/93
White City (Macoupin Co - 1171150)	5	Trihalomethane	280	12/16/96
Wienen Estates (Jo Daviess Co - 0850030)	1	Inadequate Pres Tank	70	12/15/97
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Pres Tank	1,161	06/16/94
Woodland Hts Ests Sbdv (Peoria Co - 1435760)	5	Inadequate Pres Tank	245	03/20/81
Woodsmoke Ranch Assn (LaSalle Co - 0990030)	1	Inad Pres Tank	350	06/15/90
York Cntr Coop (DuPage Co - 0437550)	2	Inadequate Pres Tank	240	06/15/88
2nd Street Wtr Assn (Lake Co - 0971140)	2	Indaquate Pres Tank	33	12/15/95

PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST

Eagerville (Macoupin Co - 1170300)
 Island Lake Wtr Cmpny (Lake Co - 0975080)
 Joy (Mercer County - 1310100)
 Mount Olive (Macoupin Co - 1170700)
 Save Site (St Clair Co - 1635289)
 Yates City (Knox Co - 0950700)

ENVIRONMENTAL REGISTER

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY DIVISION OF PUBLIC WATER SUPPLIES CRITICAL REVIEW LIST -- PUBLIC WATER SUPPLIES

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of July 1, 1999.

* Indicates public water supplies which have been added to the list since the previous publication.

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Bayles Lake Lot Owners (Iroquois Co - 0755110)	4	Inad Hydropneumatic Storage	442	03/15/98
Bluford (Jefferson Co - 0810100)	7	Low System Pressure	465	03/20/81
Browning (Schuyler Co - 1690050)	5	Inadequate Source	495	03/15/98
Ctzns Chickasaw Hills Div (Will Co - 1975320)	2	Low System Pressure	7,700	09/17/92
Clayton Camp Point Wtr Cmsn (Adams Co - 0015200)	5	Inad Pumping Capacity	1,200	09/15/98
Clinton (DeWitt Co - 0390050)	4	Inad Plant Capacity	7,437	06/14/91
Columbia (Monroe Co - 1330050)	6	Inad Pumping Capacity	5,893	03/15/98
DePue (Bureau Co - 0110300)	1	Inad Treatment Plant	1,930	12/15/93
Dieterich (Effingham Co - 0490150)	4	Inadequate Source	568	03/15/94
*Elizabeth (Jo Daviess Co - 0850150)	1	Low System Pressure	700	06/15/99
Evansville (Randolph Co - 1570250)	6	Low System Pressure	1,838	05/25/81
*Galena (Jo Daviess Co - 0850200)	1	Low System Pressure	3,790	06/15/99
Georgetown (Vermilion Co - 1830350)	4	Inadequate Water Plant	3,678	06/15/93
Hardin (Calhoun Co - 0130200)	6	Low System Pressure	1,175	11/25/81
Highland Hills Sndst (DuPage Co - 0435560)	2	Inadequate Pres Tank	1,100	09/17/92
Homer (Champaign Co - 0190300)	4	Inadequate Source	1,300	03/15/94
*Joy (Mercer Co - 1310100)	1	Low System Pressure	495	06/15/99
Kincaid (Christian Co - 0210250)	5	Plant Capacity	2,640	06/14/85
*LaMoille (Bureau Co - 0110500)	5	Inadequate Plant Capacity	750	06/15/99
Lee (Lee Co - 1034600)	1	Inad Hydropneumatic Storage	350	03/15/98
McHenry Shores Wtr Cmpny (McHenry Co - 1115020)	2	Low System Pressure	1,170	09/17/92
Mechanicsburg Buffalo Wtr (Sangamon Co - 1675150)	5	Inadequate Source	1,030	03/15/98
Pearl (Pike Co - 1490650)	5	Inadequate Pres Tank	322	09/17/82
Pheasant Knolls Sbdv (Lake Co - 0970290)	2	Inad Hydropneumatic Storage	130	09/15/98
Scales Mound (Jo Daviess Co - 0850400)	1	Low System Pressure	400	09/15/97
*Seneca (LaSalle Co - 0991050)	1	Inadequate Plant Capacity	1,937	06/15/99
South Highway PWD (Jackson Co - 0775400)	7	Low System Pressure	8,189	06/15/92
Stockton (Jo Daviess Co - 0850450)	1	Low System Pressure	1,900	06/15/84
Sumner (Lawrence Co - 1010300)	7	Low System Pressure	1,553	12/13/85
Tower Ridge Sbdv (Rock Island Co - 1615780)	1	Inadequate Pres Tank	70	03/15/94

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RCN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Utl Inc Lake Marian Wtr Corp (Kane Co - 0895200)	2	Low Sys Pres & Inad Pres Storage	800	09/14/84
Walnut Hill (Marion Co - 1210600)	6	Low System Pressure	1,200	06/14/85
West Liberty-Dundas Wtr Dst (Richland Co-1595050)	7	Low System Pressure & Inadequate Source	693	12/14/84
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Storage	1,080	12/14/90

PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST

None

THE ILLINOIS POLLUTION CONTROL BOARD (IPCB) IS AN INDEPENDENT SEVEN-MEMBER BOARD WHICH ADOPTS THE ENVIRONMENTAL CONTROL STANDARDS FOR THE STATE OF ILLINOIS AND RULES ON ENFORCEMENT ACTIONS AND OTHER ENVIRONMENTAL DISPUTES.

Illinois Pollution Control Board Members:

Claire A. Manning, Chairman
Springfield

Ronald C. Flemal
DeKalb

G. Tanner Girard
Grafton

Kathleen M. Hennessey
Western Springs

Elena Z. Kezelis
Springfield

Marili McFawn
Inverness

Nicholas J. Melas
Chicago

THE *ENVIRONMENTAL REGISTER* IS A NEWSLETTER PUBLISHED BY THE IPCB MONTHLY, AND CONTAINS UPDATES ON RULEMAKINGS, DESCRIPTIONS OF FINAL DECISIONS, THE BOARD'S HEARING CALENDAR, AND OTHER ENVIRONMENTAL LAW INFORMATION OF INTEREST TO THE PEOPLE OF THE STATE OF ILLINOIS.

Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph, Suite 11-500
Chicago, Illinois 60601
(312) 814-3620
(312) 814-6032 TDD

Illinois Pollution Control Board
600 South Second Street
Suite 402
Springfield, Illinois 62704
(217) 524-8500

WEB SITE:
<http://www.ipcb.state.il.us/>