

BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

JAN 10 2005

STATE OF ILLINOIS
Pollution Control Board

SUTTER SANITATION, INC., and)
 LAVONNE HAKER,)
)
 Petitioners,)
)
 v)
)
 ILLINOIS ENVIRONMENTAL)
 PROTECTION AGENCY,)
)
 Respondent.)

PCB No. 2004-187
(Permit Appeal - Land)


DECISION DEADLINE WAIVER

NOW COMES Petitioner, SUTTER SANITATION, INC., by and through its attorneys, Sorling, Northrup, Hanna, Cullen & Cochran, Ltd., Charles J. Northrup, of counsel, and pursuant to 35 Ill. Adm. Code 101.308 waives the Pollution Control Board's ("Board") deadline for final action in this matter until July 29, 2005. In support Petitioner states:

1. The above-captioned permit appeal was filed with the Board on or about April 26, 2004. The current decision deadline is May 27, 2005.
2. In order for Petitioner to pursue settlement and other matters with the Illinois Environmental Protection Agency, additional time beyond the current decision deadline is required.

Respectfully submitted,

SUTTER SANITATION, INC., and
LAVONNE HAKER, Petitioners

By: 
One of Its Attorneys

PROOF OF SERVICE

The undersigned hereby certifies that an original and ten (10) copies of the foregoing document were served on:


Ms. Dorothy Gunn, Clerk
Pollution Control Board
100 West Randolph Street, Suite 11-500
Chicago, IL 60601

and a copy served upon the following:

Mr. John J. Kim, Attorney
Illinois Environmental Protection Agency
Division of Legal Counsel
1021 N. Grand Avenue, East
Springfield, Il. 62794-9276

Ms. Carol Webb
Hearing Office
Illinois Pollution Control Board
1021 North Grand Ave. East
Post Office Box 19276
Springfield, IL 62794-9274

by depositing same in the United States mail in Springfield, Illinois, on the 7th day of January, 2005, with postage fully prepaid.



Sorling, Northrup, Hanna,
Cullen & Cochran, Ltd.
Charles J. Northrup, of Counsel
Suite 800 Illinois Building
Post Office Box 5131
Springfield, IL 62705
Telephone: (217) 544-1144
Facsimile: (217) 522-3173

Printed on Recycled Paper