## ILLINOIS POLLUTION CONTROL BOARD March 16, 1995

KEAN OIL COMPANY,	)
Petitioner,	)
v.	) PCB 95-96
ILLINOIS ENVIRONMENTAL PROTECTION AGENCY,	) (Provisional Variance-Air) )
Respondent.	)

ORDER OF THE BOARD (by C. A. Manning):

Pursuant to Section 35(b) of the Environmental Protection Act (Act) (415 ILCS 5/35(b)), Kean Oil Company (Kean) has requested that the Illinois Environmental Protection Agency (Agency) recommend that the Board grant a provisional variance to allow several of Kean's gasoline dispensing operations (service stations) to continue operating even though it did not install operational vapor recovery equipment by the expiration of a prior provisional variance on February 1, 1995. Such request for a provisional variance and the Notification of Recommendation was filed with the Board by the Agency on Tuesday, March 14, 1995. Pursuant to Section 35(b) of the Act, the Board must issue the variance within two (2) days of this filing.

Specifically, the Agency recommends that we grant Kean a forty-three (43)-day provisional variance for five (5) of its facilities located in three (3) counties in the Chicago metropolitan statistical area from the Stage II vapor recovery requirements, as set forth in 35 Ill. Adm. Code 218.586, for the period beginning February 17, 1995 and continuing for forty-three (43)-days or until the required vapor recovery equipment is installed, whichever comes first.

The Board previously granted a provisional variance to Kean that expired February 1, 1995. The docket number of the previous provisional variance was PCB 95-29, granted on January 11, 1995.

The Agency's provisional variance recommendation states that Kean has requested a provisional variance on behalf of five of its service stations in the Chicago area, located as follows:

<u>County</u>	Number of Stations	3
Cook	:	3
DuPage	:	L
McHenery	<u>-</u>	l.

The addresses of those stations are listed as follows:

County	City or Village	Street Address						
Cook Cook	Justice Justice	8359 S. Roberts Road 8801 W. 84th Place						
Cook	Posen	3118 W. 147th St.						
DuPage	Addison	17W532 Lake St.						
McHenry	Alogonguin	1001 S. Main St.						

Upon receipt of the request, the Agency issued its recommendation, notifying the Board that the failure to grant the requested forty-five (45)-day provisional variance would impose an arbitrary or unreasonable hardship on the petitioner. The Agency recommendation states that installation of Stage II vapor recovery equipment at the Kean facilities was not possible by the February 1, 1995 deadline for compliance because Kean has contracted for the purchase and installation of vacuum assist vapor recovery equipment, but that equipment and the crews necessary to install it were not available before the compliance deadline.

Provisional variances are by their very nature temporary. The responsibilities of the Agency and the Board in these short-term provisional variances are different from the responsibilities in standard variances. (See 415 ILCS 5/35(b) & 36(c)). In provisional variances it is the responsibility of the Agency to make the technical determinations and finding of arbitrary or unreasonable hardship. The Board's responsibility is to adopt a formal order, to assure the formal maintenance of the record, to assure the enforceability of the variance, and to provide notification of the action by a press release.

Having received the Agency recommendation notifying the Board that a denial of the requested relief would impose an arbitrary or unreasonable hardship, the Board hereby grants the petitioner a provisional variance from 35 Ill. Adm. Code 218.586, subject to the following conditions:

- 1. The duration of the provisional variance is for forty-three (43) days, commencing February 17, 1995, the date the Agency received an acceptable petition for the provisional variance, or until Stage II gasoline vapor recovery equipment can be installed, which ever comes first;
- 2. The petitioner shall notify the Agency of the installation of the vapor recovery equipment, by sending notification addressed as follows:

Mr. Terry Sweitzer, P.E.
Manager, Air Monitoring Section
Illinois Environmental Protection Agency
Division of Air Pollution Control
P.O. Box 19276
Springfield, Illinois 62794-9276

## IT IS SO ORDERED.

I,	Dore	othy	M. Gunn,	Cler	cof	the I	llinois	s Pol	llut	ion	Cont	rol	
Board,	do he	ereby	certify	that	the	above	order	was	ado	pted	on	the	!
16012	day	of _	72200	c /s				199	95,	by a	vot	e o	f
2-0	•												

Dorothy M. Gunn, Clerk

Illinois Pollution Control Board