ENVIRONMENTAL REGISTER

Illinois Pollution Control Board News

No. 488 November, 1994

PROCEDURAL RULES FOR APPEALS FROM STATE FIRE MARSHALL DETERMINATIONS ADOPTED. R94-11

On October 20, 1994, the Board adopted procedural rules for appeals from determinations of the Office of the State Fire Marshall (OSFM). Under recent amendments to the Environmental Protection Act, in P.A. 88-496, effective September 13, 1993 (see issue 475, Oct. 6, 1993.), the OSFM is charged with making two new determinations in the course of remedial action relating to leaking underground petroleum storage tanks. The OSFM now makes the eligibility and deductibility determinations formerly made by the Agency. The Board is charged with hearing appeals of those OSFM determinations. Although the Board has always heard those appeals when the determinations were made by the Agency, these are the first appeals of OSFM determinations that the Board has ever heard.

The adopted rules set forth the information that a petitioner must include in its petition for review. Among the provisions unique to OSFM appeals is the scheduling of hearings only in Chicago and Springfield, unless the petitioner sets forth sufficient reasons in its petition for holding it elsewhere. This will avoid the parties travelling throughout the state. It will further allow scheduling multiple hearings on a single day. Other rules relate to cancelling hearings, staying the proceedings, and motions for summary judgment. Other aspects of the rules either codify existing Board practices or reference segments of the pre-existing procedural rules.

The Board opened this docket on its own subsequent to the passage of P.A. 88-496. On June 30, 1994, the Board proposed the amendments for First Notice publication in the Illinois Register (see issue 484, July, 1994) and conducted a public hearing in Springfield on August 22. The Board proposed the amendments for Second Notice review by the Joint Committee on Administrative Rules (JCAR) on September 15, 1994 (see issue 487, October, 1994) and received the Certificate of No Objection from JCAR on October 21, 1994. The amendments were filed with the Secretary of State and became effective on November 1, 1994.

Direct questions to Deborah Frank, at 217-356-5275. Request copies from Victoria Agyeman, at 312-814-3620. Please refer to docket R94-11.

POLLUTION CONTROL BOARD ELECTRONIC BULLETIN BOARD SYSTEM (BBS)

The Pollution Control Board operates an electronic BBS at 312-814-1590. The BBS is available 24 hours a day, 7 days a week, to anyone with access to a computer and a modem - there is no charge for access to the BBS. The best communications settings are 8 data bits (or data length 8), no parity (or parity = none) and 1 stop bit, i.e., 8-N-1. The best terminal emulation is ANSI-BBS or just ANSI. The BBS contains Board Agendas, Environmental Registers, Annual Reports, and various documents about the Board. You may download these documents to your computer. For additional information contact Don Brown at the Board Offices 312-814-3461.

APPELLATE UPDATE

FOURTH DISTRICT AFFIRMS ADMINISTRATIVE CITATION, REVERSES IMPOSITION OF COSTS; THE BOARD LACKED THE AUTHORITY TO BIFURCATE ITS DECISION ON THE MERITS AND ITS DECISION ON COSTS

In the recent decision of the Fourth District, in *Gerald B. Miller v. PCB* (4th Dist Sept. 30, 1994), Nos. 4-93-0047 & 4-93-0585, the court denied challenges to the imposition of a \$500 penalty in an administrative citation and held that the Board had abused its discretion in assessing \$952.25 in hearing costs.

On December 17, 1992, the Board found after hearing that the respondent had violated Section 21(p)(1) of the Environmental

Protection Act (Act) and assessed the statutory \$500 penalty in *Sangamon County v. Gerald B. Miller*, under docket number AC 92-37(A). The Board ordered the county to submit an affidavit of costs. On February 4, 1994, under docket number AC 92-37(B), the Board assessed \$952.25 in costs against the respondent. This included \$60.00 in attorney's fees for the county, \$20.00 in expert witness' fees for the county inspector who investigated the violation, and \$10.00 for the county's preparation and mailing of the administrative citation documents; \$200.00 in court reporter's attendance fees, \$126.00 in court reporter's travel time, \$49.25 in mileage from Peoria, \$132.00 in transcript fees; and \$300.00 for attendance of the hearing officer, \$45.00 in travel expenses, and a parking fee of \$10.00.

The respondent appealed the decisions in AC 92-37(A) and AC 92-37(B) separately, and the Fourth District consolidated the appeals for decision. The Fourth district affirmed the Board's imposition of the \$500.00 statutory penalty (docket AC 92-37(A)) and reversed the imposition of \$952.25 in costs (docket AC 92-37(B)). In rendering its decision, the court held that the Board was obligated under its interpretation of Section 31.1(d)(2) of the Act to render its decision on both the statutory penalty and the amount of hearing costs in a single decision. The court held that costs in an administrative citation proceeding were not a collateral matter, such as would have permitted the Board to impose them separately, since the authority to assess costs arose from the same statutory provision that authorized imposition of the penalty. determination, however, did not affect the outcome on the substantive decisions on the issues of the penalty and the costs, since, in the opinion of the court, the improper bifurcation did not amount to an improper imposition of costs but to an improper styling of the docket A order as a final order.

The respondent raised a number of constitutional objections on appeal to the administrative citation procedure. The Fourth District noted that the respondent had failed to raise his objections in the administrative hearings and observed that such a failure constituted a waiver of his right to raise the issues on appeal. The court then addressed the merits of each argument and rejected each of these arguments in turn. The court held that the administrative citation procedure does not violate the constitutional separation of powers because the Board was given no discretion under the statute to vary the amount of the penalty, so no statutory guidelines are necessary. It rejected the argument that the administrative citation procedure violates constitutional due process because the \$500 penalty was minimal, so the Board needs not weigh factors in aggravation and mitigation. The court also held that the administrative citation procedure did not violate the federal equal protection clause (U.S. Cost. Art. XIV) due to the fact that it was not possible to use it against certain violations by units of local government because the distinction in the Act did not adversely affect a suspect class, it did not infringe on a fundamental right, and the respondent had failed to prove that the distinction did not serve a legitimate governmental

The Fourth District rejected the argument that the term "litter" was unconstitutionally vague because, given its ordinary meaning, it was capable of being understood to mean "material of little or no value which has not been properly disposed of". Further, examples set forth in the Litter Control Act (415 ILCS 105) lent definiteness to the term, and the court noted that the respondent could not convincingly argue that the term was vague because he conceded at hearing that there was litter on his property. The court rejected the argument that the hearing officer should have suppressed the photographs of the conditions on his property because they were not the result of an unreasonable search and seizure. The initial observations depicted in the pictures were made from a public highway, and the photographs taken on the respondent's land depicted only conditions observable from neighboring lands.

Finally, the Fourth District determined that the administrative citation procedure did not violate due process by requiring unsuccessful challenging respondents to pay hearing costs. The legislative intent in the challenged provision was the permissible

recouping of administrative costs, rather than to penalize a respondent for exercising his right to a hearing.

The Fourth District reversed the Board's decision and remanded on the issue of costs because it held that the Board had abused its discretion in assessing the costs. This was despite the fact that the respondent had failed to object to the costs before the Board. The court noted, "the waiver rule is an admonition to litigants, not a limitation on the jurisdiction of the reviewing court." It proceeded to examine each item of costs individually because the issue of costs was one of public importance and likely to recur. The court began this examination with the premise that it must strictly construe the statutory provision allowing costs.

The Fourth District held that it was not proper for the Board to include the county's attorney's fees (\$60.00) as costs because Section 42(b) of the Act did not expressly include these fees. It held that it was improper to tax the county inspector's time in testifying at hearing (\$20.00) as costs because that employee was under a preexisting obligation to testify. The court noted that although the cost of service of the administrative citation on the respondent by certified mail would have been allowable, the costs of preparing and copying the citation together with the costs of service (\$10.00) was not permissible. Although reasonable court reporter fees were allowable costs, the Fourth District found that the amount assessed by the Board against the respondent was excessive to the Fourth The court looked to statutory provisions specifying allowable costs and concluded that the reporter's attendance and transcript fees (\$200.00 and \$132.00, respectively) were too high to the court, and the Board failed to show that no reporter was available in Springfield, so the reporter's travel time and mileage fees from Peoria (\$126.00 and \$49.25, respectively) was not justified. Finally, the Fourth District held that the Board "offered no explanation regarding why a hearing officer was paid \$300.00 to preside over a 30- to 60-minute hearing." (The court did not directly address the hearing officer's \$45.00 travel expenses and \$10.00 parking fee.)

The Fourth District appellate court affirmed the Board's finding of violation and the imposition of a \$500.00 penalty (docket AC 92-27(A)). It held that the Board had abused its discretion in taxing \$952.25 in costs to the respondent. The court reversed the decision on costs and remanded the case to the Board (docket AC 92-27(B)).

FOR YOUR INFORMATION

RESTRICTED STATUS AND CRITICAL REVIEW LISTS FOR PUBLIC WATER SUPPLIES IN THIS ISSUE

The Illinois Environmental Protection Agency, Division of Public Water Supplies, is publishing copies of the Division's Restricted Status and Critical Review lists at the end of this issue of the Environmental Register. These lists reflect the status as of October 1, 1994.

RULEMAKING UPDATE

PART II AND PART III 15% ROP PLANS FOR VOM EMISSIONS ADOPTED, R94-15 & R94-16; PART V AND PART VI 15% ROP PROPOSALS FILED, SET FOR HEARING, R94-31 & R94-32

On October 20, 1994, the Board undertook two separate actions relating to two parts of the Illinois 15 percent reduction of pollution (15% ROP) plan. Additionally, the Illinois Environmental Protection Agency filed two new 15% ROP rulemaking proposals on October 28, 1994. The Agency has filed six separate 15% ROP Plan proposals to date, which the Board is dealing with under six separate docket numbers. In sum, all the ROP plan segments would seek a 15 percent 1990 VOM emissions levels in the Chicago and Metro-East St. Louis areas, in order to fulfill requirements under the federal Clean Air Act (CAA). The state is federally required to reduce VOM emissions by 159 tons per day (tpd) in the Chicago area and by 36 tpd in the Metro-East area. (See issues 483, June, 1994; 484, July, 1994; 485, Aug., 1994; 486, Sept., 1994 & 487, Oct., 1994.)

The Board accepted each of the four 15% ROP plan rulemaking proposals pursuant to the "fast-track" rulemaking provisions of Section 28.5 of the Environmental Protection Act (Act). Section 28.5 requires the Board to proceed within set time-frames toward the adoption of the proposed amendments. The Board lacks any discretion under the statute to adjust these time-frames under any circumstances. Under Section 28.5(o), the Board must have adopted the proposal for Second Notice within 130 days on receipt of the proposal from the Agency. Section 28.5(p) requires that the Board must adopt and file final rules based on the proposal within 21 days of when it receives a Certificate of No Objection from the Joint Committee on Administrative Rules (JCAR).

(Editor's note: The Board adopted the Part I ROP proposal on September 15, 1994. As of this writing, the Part IV proposal, docketed as R94-21, is still pending. The Board has scheduled hearings to occur in R94-21 at the James R. Thompson Center, 100 West Randolph Street, Chicago, as follows:

Room 9-040: 10:00 a.m., Friday, November 4, 1994 Room 9-025: 10:00 a.m., Friday, December 2, 1994 Room 9-040: 10:00 a.m., Friday, December 16, 1994

Direct questions on the Part IV proposal to Marie E. Tipsord, at 312-814-4925 or 618-498-9803. Please refer to docket R94-21. See issue 487, Oct., 1994.

Also, immediately before this issue went to press, the Agency filed R94-33, the Part VII 15% ROP proposal. Part VII relates to control of emissions from batch chemical process leaks. Direct questions to Audrey Lozuk-Lawless, at 312-814-3473.)

Part II Proposal, R94-15

On September 15, 1994, the Board adopted amendments based on the Agency's Part II ROP plan proposal under docket R94-15. The proposed Part II amendments contemplate extending VOM emissions control measures to the loading of marine vessels and deletion of the exemption for barge loading from the regulations applicable to "Miscellaneous Fabricated Product Manufacturing Processes", "Miscellaneous Formulated Manufacturing Processes",

"Miscellaneous Organic Chemical Manufacturing Processes", and "Other Emissions Units" source categories. The record indicated that the Part II proposal would reduce the VOM emissions by 1.3 tpd in the Chicago area and by 11.82 tpd in the Metro-East area.

The Agency filed the Part II proposal with the Board on May 26, 1994. The Board held public hearings on the proposal on July 12 and August 9, 1994 in Collinsville. On June 2, 1994, the Board proposed a new Clean Air Act (CAA) rulemaking for First Notice publication in the *Illinois Register*. The Board cancelled a third scheduled hearing because the level of public interest did not warrant holding it. On September 15, 1994, the Board proposed the Part II amendments for Second Notice review by JCAR and received the Certificates of No Objection on October 20, 1994. Direct questions on the Part II proposal to Marie E. Tipsord, at 312-814-4925 or 618-498-9803. Request copies from Victoria Agyeman, at 312-814-6924. Please refer to docket R94-15.

Part III Proposal, R94-16

The Board proposed amendments for Second Notice review by JCAR based on the Agency's Part III ROP plan proposal under docket R94-16. The proposed Part III amendments contemplate making the standards of Parts 218 and 219, Subpart B, "Organic Emissions from Storage and Loading Operations", and Subpart V, "Total Resource Effectiveness" (TRE), more stringent. The proposed Part III plan rules would add the federal Control Technology Guidelines (CTG) and Alternative Control Technology (ACT) recommended controls for volatile organic liquids (VOLs) and volatile petroleum liquids (VPLs). The Agency anticipates that the TRE amendments will reduce VOM emissions by 4.05 tpd in the metropolitan Chicago area by 1996 and by an additional 1.58 tpd by 1999. The VOL/VPL amendments are anticipated to reduce the VOM emissions by 2.18 tpd in the Chicago area. The Agency expects no reductions in the Metro-East area.

The Agency filed the Part III ROP plan proposal on June 15, 1994. The Board proposed the Part III amendments for First Notice publication in the *Illinois Register* on June 23, 1994. The Board conducted a public hearing on the Part III plan on August 4, 1994 in Chicago. The Board cancelled two later scheduled hearings because the level of public interest did not warrant conducting them. On September 15, 1994, the Board proposed the Part II amendments for Second Notice review by JCAR and received the Certificates of No Objection on October 21, 1994. Direct questions on the Part II proposal to Diane F. O'Neill, at 312-814-6062. Request copies from Victoria Agyeman, at 312-814-6924. Please refer to docket R94-16.

Part V Proposal, R94-31

The Agency filed the Part V ROP plan proposal on October 28, 1994. The Part V proposal contemplates lowering the VOM emissions from lithographic printing operations in the Chicago and Metro-East areas. The Part V proposal would add definitions of non-heatset and sheet-fed lithographic printing, as-applied foundation solution, and alcohol. The proposal would further establish control measures for VOM emissions from lithographic printers in the Chicago and Metro-East areas. The Part IV proposal would also make minor corrective amendments to the existing regulations.

The Agency stated that the federal Clean Air Act Amendments of 1990 required U.S. EPA to publish a control technology guideline (CTG) for the lithographic printing category within three years. U.S. EPA published a draft CTG in September, 1993, which is not yet finalized. In June, 1994, U.S. EPA published alternative control techniques (ACT) to aid the states in developing control regulations. according to the Agency, U.S. EPA has taken the position that the lack of final federal action on a CTG does not relieve the states from their obligation to impose controls.

The Agency stated that it contemplates that the Part V amendments would affect about 113 facilities in the Chicago area and one source in the Metro-East area. It estimated that the Part V proposal would reduce VOM emissions by 4.0 tpd in the Chicago area and by minimal amounts in the Metro-East area.

The statute requires the Board to schedule three hearing dates, each for a prescribed purpose. The first day of hearing is reserved for presentations by the Agency and questions of Agency witnesses. The second scheduled day of hearing, if it occurs, is reserved for presentations by affected entities and all other interested persons. The third scheduled day of hearing, if it occurs, is reserved for any Agency response and responses of other parties. The hearings will be continued from day to day, as necessary, until all business is completed. However, the second and third hearing dates are subject to cancellation if the level of public interest and participation so warrant. The Board has scheduled hearings to occur in R94-31 at the James R. Thompson Center, 100 West Randolph Street, Chicago, as follows:

Room 9-040: 10:00 a.m., Thursday, December 15, 1994 Room 9-040: 10:00 a.m., Monday, January 9, 1995 Room 9-040: 10:00 a.m., Tuesday, January 24, 1995

Direct questions on the Part V proposal to Kevin Desharnais, at 312-814-6926. Request copies of any November 3, 1994 Board action from Victoria Agyeman, at 312-814-6920. Please refer to docket R94-31.

(Editor's note: As of this writing, the Board had accepted the Part V ROP proposal for hearing and had adopted a First Notice opinion and order at its November 3, 1994 meeting.)

Part VI Proposal, R94-32

The Agency filed the Part VI ROP plan proposal on October 28, 1994. The Part VI proposal contemplates lowering VOM emissions from motor vehicle refinishing operations in the Chicago and Metro-East areas. The Part VI proposal would impose limitations on the VOM content of coatings and surface preparation materials, require the use of specific coatings applicators and applicator cleaning equipment, and provide a control equipment alternative. The proposal would further impose recordkeeping and reporting requirements on refinishers.

The Agency stated that it contemplates that the Part VI amendments would reduce VOM emissions by 16.3 tpd in the Chicago area. The Agency estimate of reduction of VOM emissions in the Metro-East area is 1.2 tpd.

The statute requires the Board to schedule three hearing dates, each for a prescribed purpose. The first day of hearing is reserved for presentations by the Agency and questions of Agency witnesses. The second scheduled day of hearing, if it occurs, is

reserved for presentations by affected entities and all other interested persons. The third scheduled day of hearing, if it occurs, is reserved for any Agency response and responses of other parties. The hearings will be continued from day to day, as necessary, until all business is completed. However, the second and third hearing dates are subject to cancellation if the level of public interest and participation so warrant. The Board has scheduled hearings to occur in R94-32 at the James R. Thompson Center, 100 West Randolph Street, Chicago, as follows:

Room 9-040: 10:00 a.m., Friday, December 16, 1994 Room 9-040: 10:00 a.m., Friday, January 13, 1995 Room 9-040: 10:00 a.m., Wednesday, January 25, 1995

Direct questions on the Part VI proposal to Audrey Lozuk, at 312-814-3473. Request copies of any November 3, 1994 Board action from Victoria Agyeman, at 312-814-6920. Please refer to docket R94-32.

(Editor's note: As of this writing, the Board had accepted the Part VI ROP proposal for hearing and had adopted a First Notice opinion and order at its November 3, 1994 meeting.)

CATEGORIES OF INSIGNIFICANT ACTIVITIES OR LEVELS AT CAAPP SOURCES RULEMAKING ADOPTED, R94-14

On October 6, 1994, the Board adopted certain amendments to the air permit regulations. The rulemaking, docketed as R94-14, amended various of the air permit regulations to set forth informational requirements for sources subject to Section 39.5 of the Environmental Protection Act (Act), in order to meet federal Clean Air Act (CAA) requirements. The purpose is to define insignificant activities and emissions for the purposes of permitting under the air permit regulations.

The CAA mandates that the state develop and submit a CAAPP to U.S. EPA by November 15, 1993 that meets Title V of the CAA. The CAA requires a source to submit detailed activities and emissions information in its application for a CAA permit program (CAAPP) permit, but that certain insignificant activities and emissions may be submitted as a list. Section 39.5(5)(w) of the Act, which the Illinois General Assembly adopted to fulfill the federal requirements, required the Illinois Environmental Protection Agency (Agency) to propose regulations that define insignificant activities or emission levels by March 26, 1994. Section 39.5(5)(w) then required the Board to conduct proceedings on the proposal and adopt final regulations in this regard within nine months of receiving the proposal from the Agency.

The Agency filed this CAA rulemaking proposal with the Board on May 11, 1994. On May 19, 1994, the Board accepted the proposal as a Section 28.5 "fast-track" rulemaking proceeding and set it for hearings. The Board also proposed the amendments for First Notice publication in the *Illinois Register* without substantive review on May 19. (See issue 483, June, 1994.) The Board conducted a public hearing on the proposal on June 28, 1994 and received the transcript of that hearing on an expedited basis on July 7. The Board cancelled two later scheduled hearings because the level of public interest did not warrant conducting them. This means that under Section 28.5(I), the record formally closed on July 21, 1994.

The Board proposed the amendments for Second Notice review by the Joint Committee on Administrative Rules (JCAR) on August 11, 1994. (See issue 486, September, 1994.) The Board received Certificates of No Objection from JCAR on September 19, 1994.

Section 28.5 required the Board to proceed within set time-frames toward the adoption of the proposed amendments. The Board lacked any discretion under the statute to adjust these time-frames under any circumstances. Under Section 28.5(o), the Board was required to have adopted the proposal for Second Notice within 130 days on receipt of the proposal from the Agency, by September 18, 1994, and under Section 28.5(p), to have adopted the amendments within 21 days of receiving a Statement of No Objection from JCAR, by October 10, 1994. The amendments became effective on October 17, upon filling with the Secretary of State.

Direct questions to Diane F. O'Neill, at 312-814-6062. Request copies from Victoria Agyeman, at 312-814-3620. Please refer to docket R94-14.

VEHICLE INSPECTION AND MAINTENANCE AMENDMENTS PROPOSED FOR SECOND NOTICE, R94-19

On October 20, 1994, the Board proposed amendments to the Illinois vehicle inspection and maintenance regulations for Second Notice review by the Joint Committee on Administrative Rules. The proposed amendments are intended to help implement an enhanced vehicle inspection and maintenance (I/M) program in certain areas in Illinois. The amendments would establish the federal dynamic-load "IM 240" engine exhaust emissions test for 1991 and later light duty vehicles and light duty trucks. The existing static "idle" test would remain the test used for older vehicles and for those newer vehicles for which the "IM 240" test is unsuitable.

Section 182(b) and (c) of the CAA, as amended in 1990, requires the use of "inspection and maintenance" (I/M) programs in areas not meeting the national ambient air quality standards (NAAQS) for ozone and/or carbon monoxide. The CAA specifies the use of "basic" I/M programs in "moderate" nonattainment areas and "marginal" nonattainment areas with existing I/M programs. It requires the use of "enhanced" I/M programs in "serious", "severe", and "extreme" ozone nonattainment areas with urbanized populations of 200,000 or more. In Illinois, the Chicago and Metro-East St. Louis (Metro-East) areas are classified as "severe" and "moderate" nonattainment for ozone, respectively, and as such are subject to the I/M requirement.

The General Assembly enacted the Vehicle Emissions Inspection Law of 1995 (625 ILCS 5/13B) effective January 18, 1994. (P.A. 88-533.) That statute provides authority for the Agency to implement an enhanced I/M program and meet the United States Environmental Protection Agency's (U.S. EPA's) requirements for such a program. P.A. 88-533 mandates enhanced I/M testing for the Metro-East area and certain portions of the Chicago nonattainment area. Section 13B-20 mandates that the Agency propose and the Board adopt implementing regulations using identical-in-substance procedures.

On July 20, 1994, the Illinois Environmental Protection Agency (Agency) filed two proposals for Clean Air Act (CAA) rulemaking to implement the Vehicle Inspection Law. The Board proposed the

amendments for First Notice publication in the *Illinois Register* on July 21, 1994 and conducted a public hearing in Chicago on September 8, 1994. Later scheduled hearings were cancelled on request of the Agency because the Board had not received an objection to the amendments from U.S. EPA or a request to hold the hearings pursuant to Section 28.5 of the Environmental Protection Act. JCAR received the proposed amendments on October 21, 1994, beginning the Second Notice period, and it was placed on the agenda for the November 15 JCAR meeting. The Board will be free to adopt amendments based on the proposed rules when 45 days have elapsed since submittal to JCAR or when the Board receives a Certificate of Not Objection, whichever comes first.

The R94-19 proposal dealt with engine exhaust emissions testing. It is a Section 28.5 "fast-track" rulemaking largely based on federal guidance documents. As previously reported for earlier-filed CAA proceedings, (See Environmental Register issues 461 (Dec. 2, 1992), 462 (Dec. 16, 1992), 465 (Feb. 24, 1993), 467 (Mar. 24, 1993), 468 (Apr. 7, 1993), 478 (Jan., 1994) & 482 (May, 1994).), Section 28.5 requires the Board to proceed within set time-frames toward the adoption of the proposed amendments. The Board lacks any discretion under the statute to adjust these time-frames under any circumstances. Section 28.5(o) required the Board to propose the Amendments for Second Notice review by JCAR within 130 days after receiving the proposal, by November 27, 1994. Section 28.5(p) will require the Board to adopt amendments based on the proposal within 21 days of when it receives the Certificate of No Objection from JCAR.

The companion rulemaking, docketed as R94-20, deals with fuel evaporative emissions control system testing. It is a Section 28.4 "identical-in-substance" rulemaking based on codified U.S. EPA emissions standards concerning evaporative system pressure and purge testing. (See issue 485, Aug., 1994.)

(Editor's note: As of this writing, the Board had placed the R94-19 and R94-20 amendments on its November 3, 1994 for discussion and for adoption at the December 1, 1994 meeting.

Direct questions to Michael J. McCambridge, at 312-814-6924. Request copies from Victoria Agyeman, at 312-814-3620. Please refer to docket R94-19.

RCRA SUBTITLE C UPDATE AMENDMENTS ADOPTED, R94-17

The Board adopted identical-in-substance amendments to the Illinois Resource Conservation and Recovery Act (RCRA) Subtitle C hazardous waste regulations on October 20, 1994. amendments are intended to include amendments to the federal RCRA Subtitle C regulations adopted by U.S. EPA during the period January 1 through June 30, 1994. During this period, U.S. EPA undertook a handful of major regulatory actions of interest. It determined not to regulate certain wood surface protection wastes as hazardous wastes and expanded the exemption from regulation for certain hazardous wastes used in conducting treatability studies. U.S. EPA also clarified aspects of the used oil regulations and responded to a U.S. Supreme Court remand that determined that certain municipal incinerator ash wastes must be managed under RCRA Subtitle C. The Board also used this opportunity to adopt corrective amendments to the Illinois RCRA Subtitle C rules. The primary corrections related to correcting a federal error in citation to

its own Spill Control and Countermeasures regulations in various locations.

The Board proposed the amendments for public comment on August 11, 1994. (See issue 486, Sept., 1994.) This identical-insubstance proceeding was not subject to Second Notice review by the Joint Committee on Administrative Rules before the Board adopted the amendments. The Board will hold the amendments for 30 days after the date of adoption before filing them with the Secretary of State, in order to allow U.S. EPA review and comment on the adopted amendments. Direct questions to Michael J. McCambridge, at 312-814-6924. Request copies from Victoria Agyeman, at 312-814-3620. Please refer to docket R94-17. (Editor's note: At the time of this writing, the Board had placed a supplemental opinion and order relating to the amendments on its November 3, 1994 agenda. That supplemental opinion and order would restore three words omitted from the original amendments and update the listing of hazardous waste delistings granted by the Board to date.)

ROUTINE IDENTICAL-IN-SUBSTANCE UPDATE DOCKETS DISMISSED, R94-22, R94-24, R94-25, R94-26 & R94-28

On October 6, 1994, the Board simultaneously opened and dismissed a series of routine identical-in-substance update dockets because no Board action was required in each of the programs involved. The time-frame for all of the dockets was January 1 through June 30, 1994.

The reasons for the dismissals varied slightly from one docket to another. The Board dismissed the dockets relating to the definition of volatile organic material (VOM) (R94-22), underground storage tanks (R94-26), and wastewater pretreatment (R94-28) because U.S. EPA did not amend its regulations during the update period. The Board dismissed the underground injection control (UIC) docket (R94-24) because the only federal action involved (June 10, 1994) was so closely related to parallel RCRA Subtitle C (hazardous waste) amendments that the Board included the UIC amendments with the RCRA Subtitle C amendments in docket R94-17. The Board dismissed the RCRA Subtitle D (municipal solid waste landfill) docket (R94-25) because the only federal action (January 3, 1994) related to federal authorization of the Illinois RCRA Subtitle D program, so no amendments were required. The Board dismissed the underground storage tank (UST) docket (R94-26) because although U.S. EPA amended its financial responsibility regulations, those amendments fell outside the Board's statutory identical-insubstance mandate.

Two identical-in-substance dockets remain open. The Board has already adopted amendments in docket R94-17, the RCRA Subtitle C docket mentioned above. *(See item this issue.)* The Board reserved docket R94-23 for the federal SDWA (drinking water) amendments of June 30, 1994. The Board intends to propose amendments based on

that federal action in the near future.

Direct questions to Michael J. McCambridge, at 312-814-6924. Please refer to the appropriate docket number.

In an interim opinion and order, in *In the Matter of: Petition of Illinois Wood Energy Partners, L.P. for an Adjusted Standard from 35 Ill. Adm. Code 807 or, in the Alternative, a Finding of Inapplicability* (Oct. 6, 1994), No. AS 94-1, the Board determined that a proposed waste-to-energy facility would burn "solid waste", as that term is defined in the Environmental Protection Act and Board regulations. The Board ordered the petitioner to submit additional information to proceed with its petition for an adjusted standard from the solid waste management facility permit requirements of Part 807 of the Illinois land pollution control regulations.

On February 8, 1994, Illinois Wood Energy Partners filed a petition before the Board for a declaration that the solid waste facility regulations do not apply or for an adjusted standard from the solid waste facility permit requirements of Part 807. The petitioner plans to construct a facility in Bloom Township, in southern Cook County that would receive about 220,000 tons of waste wood per year from industry, construction, demolition, forest land management, general land clearing operations, sawmills, wood product manufacturers, and other "urban waste wood". It intends to process this material and burn it to generate electric energy for sale to the local electric utility. The petitioner proposes to regulate the composition and variety of material it receives and to control the burning process.

Previous to the Board's decision Wood Energy was deemed by the Illinois Commerce Commission (ICC) to be a "qualified solid waste energy facility" in Commission orders of June 3, 1993 and a supplemental order of February 8, 1994.

The Board determined by a March 17, 1994 order that the petition for adjusted standard was deficient. However, the Board proceeded with a hearing to determine whether the discarded waste wood being put through Wood Energy's process would subject the incinerator facility to the Part 807 regulations for which they were seeking relief. The hearing, held on May 11, 1994, was limited to the issues of whether the materials burned by the proposed facility were "waste" within the meaning of the Act; whether any portion of the materials received would become "waste"; and whether an adjusted standard would grant the desired relief, considering that Section 21(d) of the Act requires permits of solid waste management facilities. Interested persons, the Environmental Action Coalition (EAC), and the Citizens for a Better Environment (CBE) attended and participated at the hearing.

The facility argued before the Board that the wood fuel it intends to use is not discarded material. EAC, citing federal cases, argued that the wood received would be a waste even if later used because it would be discarded by the original owner and because it is generated from discarded material. CBE argued that the hazardous waste regulations would apply to the facility and that the record included no information relating to the availability of relief from those regulations. CBE further argued that the petitioner was estopped from arguing that the wood material would not be a waste because it had argued before the ICC that the facility was a solid waste management facility under the Local Solid Waste Disposal Act (415 ILCS 10/2).

The Board noted that the issue was whether the wood material would be a "waste" within the meaning of the Environmental Protection Act. The Board compared the definition of "solid waste" under the Local Solid Waste Disposal Act with that of the Environmental Protection Act. The Board observed that the Local Solid Waste Disposal Act definition is "virtually identical" to that of "waste" in Section 3.53 of the Environmental Protection Act. Highlighting the phrase "other discarded material" from that definition, and citing its own prior decisions, the Board noted that it had determined that material intended for reuse was not "discarded material" when retained in the possession of the original generator or when sent directly for reuse without further processing. The Board distinguished those earlier decisions from the petitioner's planned activities because the petitioner would not generate the wood material it intends to burn, and the wood material would not be "part of its ongoing process". The Board determined that the wood would be a "waste", as defined by the Act, and the incinerator would be a waste treatment process subject to the Part 807 regulations. It ordered the petitioner to submit certain additional information in support of its petition for an adjusted standard.

FINAL ACTIONS - October 6, 1994 BOARD MEETING

People of the State of Illinois v. Robert D. Fosnock, d/b/a Fos Auto and Truck Parts - The Board having previously found on September 15, 1994 that this Macoupin County respondent had violated the used tire management and land pollution control provisions of the Act and Board regulations in this land pollution control enforcement action and ordering him to pay a \$156,250.00 civil penalty and to cease and desist from further violation, ordered him to pay \$1,300 in Office of the Attorney General attorney's fees. Member Meyer concurred.

94-107 Illico Independent Oil Company v. IEPA - The Board granted voluntary dismissal of this underground storage tank fund reimbursement

determination appeal involving a Sangamon County facility.

94-145

PACE - Suburban Bus Division of the RTA v.

IEPA - The Board reversed the Agency's determination that a \$100,000 deductible applied in this underground storage tank fund reimbursement determination appeal involving a Cook County facility, and remanded the matter to the Agency.

94-152 <u>Madison Avenue Venture v. IEPA</u> - The Board granted voluntary withdrawal of this underground storage tank fund reimbursement determination appeal involving a DuPage County facility.

- 94-193 First Colonial Bank-Rosemont v. IEPA The Board granted voluntary dismissal of this underground storage tank fund reimbursement determination appeal involving a Cook County facility.
- 94-210 Violet Miksa, as authorized representative of Holiday Bakers v. Office of the State Fire Marshal The Board granted voluntary withdrawal of this underground storage tank fund reimbursement determination appeal involving a Cook County facility.
- 94-211 City of Spring Valley v. IEPA printed the Bureau County petitioner a variance for a maximum of five years from the restricted status and standards for issuance provisions of the public water supply regulations as they pertain to radium-226 and radium-228 content of drinking water.
- 94-212 Waste Management of Illinois, Inc. v. IEPA The Board granted this Kane County facility a variance until March 18, 1995 from the requirement of the landfill regulations that the petitioner file by September 18, 1994 a permit application demonstrating compliance with the regulations. Members Dunham, Flemal, and Girard concurred.
- 94-223 J. I. Case Company v. IEPA or The Board dismissed this underground storage tank voluntary cleanup objectives appeal involving a Rock Island County facility for lack of subject matter jurisdiction.
- People of the State of Illinois v. ABC Rail
 Products Corporation The Board accepted a
 proposed stipulation and settlement agreement
 in this air enforcement action against a Cook
 County facility, ordered the respondent to pay
 a civil penalty of \$20,000, and ordered it to
 cease and desist from further violation.
 Member Meyer concurred.
- 94-241 <u>Crop Production Services, Inc. v. EPA</u> The Board granted voluntary withdrawal of this underground storage tank fund reimbursement determination appeal involving a Randolph County facility.
- 94-283 Koppers Industries, Inc. v. EPA Upon receipt of an Agency recommendation, the Board granted this Knox County facility a 30-day provisional variance from the 90-day limitation on accumulation of hazardous waste.
- 94-285 Metropolitan Water Reclamation District of Greater Chicago v. EPA Upon receipt of an Agency recommendation, the Board granted this Cook County petitioner a 45-day provisional variance from certain of the water pollution control regulations during a period of facility modifications.

The UNO-VEN Company v. EPA - Upon receipt of an Agency recommendation, the Board granted this Will County facility a 45-day provisional variance from certain of the water pollution control regulations pertaining to cyanide discharges during a period of total refinery startup.

94-286

- AC 94-56

 EPA v. Walter J. Griminger, d/b/a Land of Lincoln Motel, a Division of Aaro Management Inc. The Board granted withdrawal of a petition for review and entered a default order, finding that the Livingston County respondent had violated Section 21(o)(5) of the Act and ordering him to pay a civil penalty of \$500.00.
- AC 94-66 County of Macon and EPA v. Macon County Landfill Corp. The Board denied a waiver of the recycled paper requirement and dismissed this administrative citation against a Macon County respondent.
- AC 94-69 EPA v. Gallatin National Company The Board entered a default order, finding that the Fulton County respondent had violated Section 21(o)(5) of the Act and ordering it to pay a civil penalty of \$500.00.
- AC 94-70 County of Madison v. Leroy Beck The Board entered a default order, finding that the Madison County respondent had violated Section 21(p)(1) of the Act and ordering him to pay a civil penalty of \$500.00.
- AC 94-72 EPA v. Carl J. Lingo and Mary Lingo The Board entered a default order, finding that the Logan County respondents had violated Sections 21(p)(1) and 21(p)(3) of the Act and ordering them to pay a civil penalty of \$1,000.00.
- AC 94-74 County of Vermilion v. Brickyard Disposal and Recycling, Inc., and Roy Larson The Board entered a default order, finding that the Vermilion County respondents had violated Section 21(o)(5) of the Act and ordering them

to pay a civil penalty of \$500.00.

AC 94-75	County of DuPage v. Waste Management of
	Illinois - The Board entered a default order,
	finding that the DuPage County respondents
	had violated Section 21(0)(5) of the Act and
	ordering them to pay a civil penalty of
	\$500.00.

- R94-14 In the Matter of: Categories of Insignificant Activities or Emission Levels at a CAAPP Source, Amendments to 35 Ill. Adm. Code Parts 201 and 211 See Rulemaking Update.
- R94-22 In the Matter of: Exemptions From the Definition of VOM, USEPA Amendments (January 1, 1994 through June 30, 1994) See Rulemaking Update.
- R94-24 In the Matter of: UIC Update, USEPA Regulations (January 1, 1994 through June 30, 1994) See Rulemaking Update.
- R94-25 In the Matter of: RCRA Subtitle D Amendments (January 1, 1994 through June 30, 1994) - See Rulemaking Update.
- R94-26 In the Matter of: UST Update, USEPA Regulations (January 1, 1994 through June 30, 1994) See Final Actions.
- R94-28 In the Matter of: Pretreatment Update (NPDES) USEPA Regulations (July 1, 1993) through December 31, 1993) See Rulemaking Update.

NEW CASES - October 6, 1994 BOARD MEETING

94-236	J. R. Meyers Company, Inc. v. IEPA - The
	Board accepted this underground storage tank
	fund reimbursement determination appeal
	involving a Lake County facility for hearing.

94-240

International Union, United Automobile,
Aerospace and Agricultural Implement
Workers of America and UAW Local 974;
and Citizens For a Better Environment v.
Caterpillar, Inc. - The Board granted an
extension of time to file a response in this citizens' RCRA enforcement action against a
Tazewell County facility, presently pending
for a frivolous and duplicitous determination.

94-244
Rodney B. Nelson, M.D. v. Kane County
Forest Preserve, Bradley Sauer, Chairman;
Kane County Board, Warren Kammerer,
Chairman - The Board found that this citizen's
water enforcement action against a Kane
County facility was neither frivolous nor
duplicitous and accepted it for hearing.

94-247 Rodney B. Nelson, M.D. v. Kane County Forest Preserve, Bradley Sauer, Chairman; Kane County Cougars, William Larsen, General Manager - The found that this citizen's air and noise enforcement action against a Kane County facility was neither frivolous nor duplicitous and accepted it for hearing. Chairman Manning and Member Meyer dissented.

94-255 <u>Marion Pepsi Cola v. EPA</u> - The Board accepted this reimbursement determination appeal involving a Williamson County facility for hearing.

94-256

DoAll Company, DoAll Credit Corporation, and the Rams-Head Company v. Mobil Oil Company, Skokie Valley Asphalt Company, and Steptran, Inc. - The Board held this citizens' land enforcement action against a Cook County facility.

94-257 Waste Professionals, Inc., d/b/a Pekin Metro
Landfill v. EPA - The Board held this petition
for a variance for a Tazewell County facility
from certain of the land pollution control
requirements for the Agency's
recommendation.

94-258	Northern FS, Inc. v. EPA - The Board accepted this underground storage tank fund reimbursement determination appeal involving a McHenry County facility for hearing.		<u>Company</u> - The Board received a complaint and a proposed stipulation and settlement agreement in this EPCRA enforcement action against a Winnebago County respondent and ordered publication of the required newspaper
94-259	Atkinson Landfill Company v. EPA - The Board held this petition for a variance from certain of the land pollution control (landfill) regulations for a Henry County facility for the Agency's recommendation.	94-268	People of the State of Illinois v. American Generator and Armature Company - The Board received a complaint and a proposed stipulation and settlement agreement in this
94-260	People of the State of Illinois v. Components Corporation of America - The Board received a land enforcement complaint against a Crawford County respondent for which a hearing is mandatory.	94-269	EPCRA enforcement action against a Cook County respondent and ordered publication of the required newspaper notice. People of the State of Illinois v. American
94-261	Chemetco, Inc. v. EPA - The Board accepted this air permit appeal involving a Madison County facility for hearing.		Rack Company - The Board received a complaint and a proposed stipulation and settlement agreement in this EPCRA enforcement action against a Cook County respondent and ordered publication of the
94-262	Concerned Citizens of Williamson County, Rev. Paul Crain, and Rose Rowell v. Bill Kibler Development Corporation, a/k/a Kibler Development Corporation, and Williamson County Board of Commissioners - The Board accepted this first party appeal of local siting	94-270	required newspaper notice. People of the State of Illinois v. Spraying Systems Company - The Board received an air enforcement action against a DuPage County respondent for which a hearing is mandatory.
	approval for a proposed regional pollution control facility for hearing and ordered the submission of a copy of the respondent's decision and the record before the county board.	94-271	People of the State of Illinois v. National Interchem Corporation - The Board received an EPCRA enforcement action against a Cook County respondent for which a hearing is mandatory.
94-263	Amoco Oil Company v. EPA - The Board accepted this petition for a variance for multiple facilities located in Cook, Lake, DuPage, Will, and Kane Counties from certain of the air pollution control regulations (the Stage II gasoline vapor recovery	94-272	People of the State of Illinois v. Allied Metal Company - The Board received an EPCRA enforcement action against a Cook County respondent for which a hearing is mandatory.
94-264	People of the State of Illinois v. First Baptist Church of Marseilles - The Board received a complaint and a proposed stipulation and	94-273	People of the State of Illinois v. Metals Technology Corporation - The Board received an EPCRA enforcement action against a DuPage County respondent for which a hearing is mandatory.
	settlement agreement in this air enforcement action against a LaSalle County respondent and ordered publication of the required newspaper notice.	94-274	People of the State of Illinois v. Chicago Steel Rule Die and Fabricators Company - The Board received an air enforcement action against a Cook County respondent for which a
94-265	People of the State of Illinois v. Work Area Protection - The Board received a complaint and a proposed stipulation and settlement agreement in this air and EPCRA enforcement action against a Kane County respondent and ordered publication of the required newspaper notice.	94-275	People of the State of Illinois v. Boyd Brothers, Inc The Board received a water enforcement action against a Williamson County respondent for which a hearing is mandatory.
94-266	People of the State of Illinois v. Automatic Anodizing Corporation - The Board received a complaint and a proposed stipulation and settlement agreement in this EPCRA enforcement action against a Cook County	94-276	City of Batavia v. EPA - The Board held this petition for a variance for a Kane County facility from certain of the air pollution control regulations for the Agency's recommendation.
	respondent and ordered publication of the required newspaper notice.	94-277	Jerry Gleason Buick, Inc. v. EPA - The Board accepted this underground storage tank fund reimbursement determination appeal involving
94-267	People of the State of Illinois v. Dean Foods		a Cook County facility for hearing.

94-278	Reichhold Chemicals, Inc. v. EPA - The Board accepted this underground storage tank fund reimbursement determination appeal involving a Cook County facility for hearing.	R94-23	In the Matter of: SDWA Update, USEPA Regulations (January 1, 1994 through June 30, 1994) - See Rulemaking Update.
94-279	Inspiration Development Company v. EPA - The Board held this petition for a variance for a Jo Daviess County facility from certain of the water pollution control regulations for the	R94-24 R94-25	In the Matter of: UIC Update, USEPA Regulations (January 1, 1994 through June 30, 1994) - See Rulemaking Update. In the Matter of: RCRA Subtitle D Amend-
	Agency's recommendation.	K)4-23	ments (January 1, 1994 through June 30, 1994) - See Rulemaking Update.
94-280	<u>Charles Gatewood v. EPA</u> - The Board accepted this underground storage tank fund reimbursement determination appeal involving a Cook County facility for hearing.	R94-26	In the Matter of: UST Update, USEPA Regulations (January 1, 1994 through June 30,
94-281	Resourceful Environmental Ideas v. EPA - The Board held this land permit appeal involving a St. Clair County facility.		
94-282	<u>UNO-VEN Company v. EPA</u> - The Board accepted this petition for a variance for a DuPage County facility from certain of the air pollution control regulations for hearing.		
94-283	<u>Koppers Industries, Inc. v. EPA</u> - See Final Actions.		
94-284	Illico Independent Oil Company v. EPA - The Board accepted this underground storage tank fund reimbursement determination appeal involving a Cook County facility for hearing.		
94-285	Metropolitan Water Reclamation District of Greater Chicago v. EPA - See Final Actions.		
94-286	The UNO-VEN Company v. EPA - See Final Actions.		
AS 94-14	In the Matter of: Petition of City of Wood River for an Adjusted Standard from Treatment of Overflows and Bypass Regulations, 35 III. Adm. Code 306.305(a) and (b) - The Board held this petition for an adjusted standard for a Madison County facility from certain of the water pollution control regulations pertaining to treatment of treatment plant overflow and bypass effluent for the Agency's recommendation.		
AS 94-15	In the Matter of: Petition of Lone Star Industries, Inc. for an Adjusted Standard from 35 Ill. Adm. Code 811.320(d) - The Board held this petition for an adjusted standard for a LaSalle County facility from certain of the land pollution control (landfill) regulations pertaining to establishing the background concentration of contaminants in the groundwater at the facility for the Agency's recommendation.		
R94-22	In the Matter of: Exemptions From the Definition of VOM, USEPA Amendments (January 1, 1994 through June 30, 1994) - See Rulemaking Update.		

1994) - See Final Actions.

R94-27 Contingency Plan Update (CERCLA), USEPA Regulations (January 1, 1994 through June 30, 1994) - See Rulemaking Update.

R94-28 In the Matter of: Pretreatment Update (NPDES) USEPA Regulations (July 1, 1993) through December 31, 1993) - See Rulemaking Update.

FINAL ACTIONS - October 20, 1994 BOARD MEETING

94-289

93-58	People of the State of Illinois v. L. Keller Oil
	Company - The Board found that the
	respondent had failed to timely report a release
	of petroleum, in violation of Sections
	731.162(b) and 731.163(b) of the land
	pollution control regulations, in this
	underground storage tank enforcement action
	involving an Jefferson County facility.
	Member McFawn concurred.

- 93-196 TRW, Inc. v. EPA The Board granted this Clark County facility a variance, with conditions, until September 30, 1995, from certain of the air pollution control regulations limiting emissions of volatile organic material.
- 94-25 Shell Oil Company v. County of DuPage and EPA The Board granted voluntary withdrawal of this water well setback proceeding involving a DuPage County facility.
- 94-26 <u>Marathon Oil Company v. EPA</u> The Board granted voluntary withdrawal of this air permit appeal involving a Crawford County facility.
- Burlington Environmental, Inc. v. IEPA The Board granted this Monroe County facility a variance, with conditions, from certain of the RCRA hazardous waste regulations limiting the quantity of hazardous waste used for treatability studies that is exempted from RCRA Subtitle C regulation, until the Board can adopt identical-in-substance amendments to the hazardous waste regulations that will permanently exempt that quantity of waste used for study.
- 94-194 Freeman Unit Coal Mining Company v. IEPA
 The Board granted this Jefferson County
 petitioner a variance, with conditions, from
 certain of the mine pollution control
 regulations that would limit the chloride
 content of its wastewater discharges into Buck
 Creek.
- 94-208

 A.E. Staley Manufacturing Company v. IEPA

 The Board granted voluntary withdrawal of this air permit appeal involving a Macon County facility.

- Montgomery Ward & Company v. EPA The Board dismissed this underground storage tank fund reimbursement determination appeal involving a Cook County facility for lack of jurisdiction, since it was not timely filed within 35 days of the date of the Agency's determination letter. Member Flemal dissented.
- 94-293

 Runnfeldt & Belmont v. EPA Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- 94-294 Mobil Oil Corporation v. EPA Upon receipt of an Agency recommendation, the Board granted seven of this petitioner's gasoline dispensing facilities in Cook, DuPage, and Lake Counties a 45-day provisional variance from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.
- 94-298

 Amoco Oil Company v. EPA Upon receipt of an Agency recommendation, the Board granted this Cook County facility a 45-day provisional variance from certain of the water pollution control regulations wastewater effluent requirements during a period of tank hydrostatic testing.
- 94-300

 Borden Chemicals and Plastics v. EPA Upon receipt of an Agency recommendation, the Board granted this Cook County facility a 45-day provisional variance from certain of the water pollution control regulations wastewater effluent requirements to allow it to continue operating during a period of wastewater treatment plant malfunction.
- AC 94-42 IEPA v. Wayne D. Alberts and Sharon J.

 Alberts The Board corrected its order of
 August 11, 1994 to read that the Logan
 County respondents had violated Sections
 21(p)(1) and 21(p)(3) of the Act and ordering
 them to pay a civil penalty of \$1,000.00.
- AC 94-77 EPA v. Robert L. Best The Board entered a

Environ	mental Register No. 488		November, 1994/Page 13
R94-11	default order, finding that the Macon County respondent had violated Sections 21(p)(1) and 21(p)(3) of the Act and ordering him to pay a civil penalty of \$1,000.00. In the Matter of: Procedural Rules for Ap-	R94-15	peals from the Office of the State Fire Marshal Eligibility/Deductibility Determination: 35 Ill. Adm. Code 107 - See Rulemaking Update. In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart II: Marine Vessel Loading: Amendments to 35
		R94-16	Ill. Adm. Code 211, 218 & 219 - See Rule-making Update. In the Matter of: 15% ROP Plan Control
		10 10	Measures for VOM Emissions-Part III: Air Oxidation and organic Emissions From Storage and Loading Operations: Amendments to 35 Ill. Adm. Code Parts 211, 218, and 219 - See Rulemaking Update.
		R94-17	In the Matter of: RCRA Subtitle C Update, USEPA Regulations (January 1, 1994 through June 30, 1994) - See Rulemaking Update.
	NEW CASES - October 20	, 1994 B	OARD MEETING
94-259	Atkinson Landfill Company v. EPA - The Board accepted this petition for a variance from certain of the land pollution control (landfill) regulations for a Henry County		action against a Cook County respondent and ordered publication of the required newspaper notice.
94-279	facility for hearing. Inspiration Development Company v. EPA - The Board ordered the submission of an amended petition in this proceeding for a variance for a Jo Daviess County facility from	94-292	Ernie and Frank Tagliere, d/b/a Ravinia Auto Service Center v. EPA - The Board accepted this underground storage tank fund reimbursement determination appeal involving a Lake County facility for hearing.
	certain of the water pollution control regulations.	94-293	Runnfeldt & Belmont v. EPA - See Final Actions.
94-287	Indian Refining Limited Partnership v. EPA - The Board accepted this petition for a variance for a Lawrence County facility from certain of	94-294	Mobil Oil Corporation v. EPA - See Final Actions.
0.4.200	the air pollution control regulations for hearing.	94-295	RTC Industries, Inc. v. EPA - The Board accepted this underground storage tank fund reimbursement determination appeal involving
94-288	People of the State of Illinois v. Grayslake Gelatin Company; Blidso, Inc.; ACME Construction Company; and Diversified Abatement Contractors, Inc The Board received a complaint in this air enforcement action against Lake County respondents and	94-296	a Cook County facility for hearing. People of the State of Illinois v. American Circuit Systems, Inc The Board received a complaint and a proposed stipulation and settlement agreement in this RCRA

94-289 Montgomery Ward & Company v. EPA - See Final Actions.

\$1,000.00.

ordering them to pay a civil penalty of

94-290 Bank of Illinois in DuPage v. EPA - The Board accepted this underground storage tank fund reimbursement determination appeal involving a DuPage County facility for hearing.

<u>People of the State of Illinois v. The Art Institute of Chicago</u> - The Board received a complaint and a proposed stipulation and 94-291 settlement agreement in this air enforcement

enforcement action against a DuPage County respondent and ordered publication of the required newspaper notice.

94-297 J.M. Sweeney Company v. EPA - The Board accepted this petition for a variance for a Lake County facility for a variance from certain of the air pollution control regulations for hearing.

94-298 Amoco Oil Company v. EPA - See Final Actions.

94-299 P & S, Inc. v. EPA - The Board accepted this petition for a variance for a DuPage County facility from certain of the air pollution control

regulations for hearing.

94-300 Borden Chemicals and Plastics v. EPA - See

Final Actions.

In the Matter of: Petition of Indian Refining Limited Partnership for a Site-Specific Rule - The Board ordered an amended petition inthis site-specific rulemaking proceeding relating to the opacity and rate of emissions from the fluidized catalytic cracking unit at this Lawrence County facility.

R94-30

R94-29

In the Matter of: Petition of Commonwealth Edison Company for a Site-Specific Regulation for Existing Landfills and Units, 35 Ill. Adm. Code 811 through 814 - The Board received a petition for a declaration that a Will County quarry is a surface impoundment, and not a landfill subject to the land pollution control (landfill) regulations, or, in the alternative, for site-specific regulations relating to leachate management, groundwater monitoring, and final cover requirements at this facility.

FINAL ACTIONS - October 27, 1994 SPECIAL BOARD MEETING

94-138

Continental Waste Industries of Illinois, Inc.
v. City of Mt. Vernon, Illinois - The Board found no Constitutional infirmity in the statutory framework, found that the respondent did not deny the petitioner fundamental fairness, and found that the respondent's decision was not against the manifest weight of the evidence, affirming the local approval granted in this regional pollution control facility siting appeal involving an existing Jefferson County facility. Member Meyer concurred.

94-242

People of the State of Illinois v. Central Lake
County Joint Action Water Agency - The
Board accepted a stipulation and settlement
agreement in this water enforcement action,
ordering the Lake County respondent to pay a
civil penalty of \$10,000.00 and to cease and
desist from further violation. Member Meyer
concurred.

94-249

People of the State of Illinois v. Village of Rock City - The Board accepted a stipulation and settlement agreement in this water enforcement action, ordering the Stephenson County respondent to pay a civil penalty of \$300.00 and to cease and desist from further violation.

94-303 Rawlings Towing, Inc. v. EPA - Upon receipt of an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.

94-304 Tahoe Mobil, Inc. v. EPA - Upon receipt of

an Agency recommendation, the Board granted this Cook County gasoline dispensing facility a 45-day provisional variance from the air pollution control regulations that require the installation and operation of Stage II vapor recovery equipment.

AC 93-42 Sangamon County v. Norman Clark and Brenda Bertrand - The Board found that the Sangamon County respondents did not violate Sections 21(p)(1) and 21(p)(3) of the Act and dismissed this administrative citation. Chairman Manning and Member McFawn concurred; Members Meyer and Flemal dissented.

AC 94-56

EPA v. Walter J. Griminger, d/b/a Land of Lincoln Motel, a Division of Aaro Management Inc. - The Board modified its order of October 6, 1994 to read that the Livingston County respondent had violated Sections 21(p)(1) and 21(p)(3) of the Act and

ordering him to pay a civil penalty of \$1,000.00.

NEW CASES - October 27, 1994 SPECIAL BOARD MEETING

94-301	People of the State of Illinois v. Colfax Corporation - The Board received a complaint and a proposed stipulation and settlement agreement in this air enforcement action against a Cook County respondent and ordered	accepted this third party appeal of approval for siting of a proposed Lake C regional pollution control facility (landfihearing.		
	publication of the required newspaper notice.	94-303	Rawlings Towing, Inc. v. EPA - See Final Actions.	
94-302	The Alter Group v. Lake County Board and USA Waste Services, Inc The Board	94-304	Tahoe Mobil, Inc. v. EPA - See Final Actions.	

CALENDAR OF HEARINGS

All hearings held by the Board are open to the public. All Pollution Control Board Meetings (highlighted) are open to the public but public participation is generally not allowed. Times and locations are subject to cancellation and rescheduling without notice. Confirmation of hearing dates and times is available from the Clerk of the Board at 312-814-6931.

November 3 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
November 4 10:00 a.m.	R 94-21 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart IV: Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
November 9 9:30 a.m.	PCB 93-205 P-A, RCRA	<u>Safety-Kleen Corporation (Dolton Recycling Center) v. EPA</u> - James R. Thompson Center, 100 West Randolph Street, Room 11-500, Chicago.
November 10 10:30 a.m.	R 94-1 R, Water	In the Matter of: Amendments to 35 Ill. Adm. Code 302.202, 302.208, 302.212, 302.213, 302.407, 304.122 & 304.301 (Ammonia Nitrogen, Lead, and Mercury) - James R. Thompson Center, Room 2-025, 100 West Randolph Street, Chicago.
November 21 9:00 a.m.	PCB 94-127 L-E	People of the State of Illinois v. James Lee Watts, individually and d/b/a Watts Trucking Service, Inc., and ESG Watts, Inc Illinois Pollution Control Board, Suite 402, 600 South Second Street, Springfield.
November 22 10:00 a.m.	PCB 94-263 A-V	Amoco Oil Company v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
November 22 10:30 a.m.	R 94-1 R, Water	In the Matter of: Amendments to 35 Ill. Adm. Code 302.202, 302.208, 302.212, 302.213, 302.407, 304.122 & 304.301 (Ammonia Nitrogen, Lead, and Mercury) - Law Enforcement Training Center, 600 South 2nd Street, Suite 300, Springfield.
November 23 9:30 a.m.	PCB 92-170 P-A, RCRA	<u>Talley Defense Systems, Inc. v. EPA</u> - Will County Courthouse, 14 West Jefferson Street, Joliet.
November 30 10:00 a.m.	PCB 94-258 UST-FRD	Northern FS, Inc. v. EPA - Woodstock Public Library, Meeting Room, 414 West Judd Street, Woodstock.
December 1 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
December 2 10:30 a.m.	PCB 94-236 UST-FRD	J.R. Meyers Company v. EPA - County Building, Conference Room C, 18 North County Street, Waukegan.

December 2 10:00 a.m.	R 94-21 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart IV: Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 2-025, 100 West Randolph Street, Chicago.
December 7 10:00 a.m.	AC 94-37 AC	County of Ogle v. City of Rochelle, Owner/Operator, and Rochelle Disposal Service, Inc., Operator under Contract ((Rochelle Municipal #2 Landfill) - Ogle County Courthouse, Basement Conference Room #5, 110 South Fourth Street, Oregon.
December 9 10:00 a.m.	PCB 94-150 A&N, Citiz.	Angela M. White v. Terry & Billie Van Tine & Schneider Transport, Inc City Council Chambers, 211 North Hamilton, Monticello.
December 9 1:00 p.m.	PCB 94-259 L-V	<u>Atkinson Landfill Company v. EPA</u> - Macon County Courthouse, Second Floor, Small Court Room, Coourthouse Square, Cambridge.
December 12 10:00 a.m.	PCB 94-191 P-A, NPDES	Arco Products Company, a Division of Atlantic Richfield Company v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
December 12 10:00 a.m.	PCB 94-227 P-A, Land	Western Lion Limited v. EPA - Charleston City Council Chambers, 520 Jackson, Charleston.
December 15 9:00 a.m.	PCB 94-255 UST-Appeal	<u>Marion Pepsi Cola v. EPA</u> - Centralia City Hall, Counsel Chambers, 622 South Poplar Street, Centralia.
December 15 10:00 a.m.	PCB 94-302 L-S-R, 3d P	The Alter Group v. The Lake County Board and USA Waste Services, Inc. (Countryside Landfill) - Lake County Courthouse, Assembly Room, 10th Floor, 18 North County Steet, Waukegan.
December 15 10:00 a.m.	R 94-31 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart V: Control of Volatile Organic Compound Emissions from Lithographic Printing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
December 14 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 2-025, Chicago
December 16 10:00 a.m.	PCB 94-302 L-S-R, 3d P	The Alter Group v. The Lake County Board and USA Waste Services, Inc. (Countryside Landfill) - Lake County Courthouse, Assembly Room, 10th Floor, 18
		North County Steet, Waukegan.
December 16 10:00 a.m.	R 94-21 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart IV: Amendments to 35 Ill. Adm. Code 211, 218 & 219 Room 9-040, 100 West Randolph Street, Chicago.
		In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart IV: Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center,
10:00 a.m. December 16	R, Air R 94-32	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart IV: Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago. In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart VI: Motor Vehicle Refinishing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 -
10:00 a.m. December 16 10:00 a.m. December 19	R, Air R 94-32 R, Air PCB 94-202	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart IV: Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago. In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart VI: Motor Vehicle Refinishing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago. People of the State of Illinois v. Summit Environmental Services, Inc City Hall
10:00 a.m. December 16 10:00 a.m. December 19 1:00 p.m. December 19	R, Air R 94-32 R, Air PCB 94-202 RCRA-E PCB 94-262	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart IV: Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago. In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart VI: Motor Vehicle Refinishing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago. People of the State of Illinois v. Summit Environmental Services, Inc City Hall Building, 1529 3rd Street, Madison. Concerned Citizens of Williamson County, Rev. Paul Crain and Rose Rowell v. Bill Kibler Development Corp., a/k/a Kibler Development Corp., and Williamson County Board of Commissioners - Herrin City hall, Council Chambers, 300 North Park
10:00 a.m. December 16 10:00 a.m. December 19 1:00 p.m. December 19 8:30 a.m.	R, Air R 94-32 R, Air PCB 94-202 RCRA-E PCB 94-262 L-S-R, 3d P	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart IV: Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago. In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart VI: Motor Vehicle Refinishing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago. People of the State of Illinois v. Summit Environmental Services, Inc City Hall Building, 1529 3rd Street, Madison. Concerned Citizens of Williamson County, Rev. Paul Crain and Rose Rowell v. Bill Kibler Development Corp., a/k/a Kibler Development Corp., and Williamson County Board of Commissioners - Herrin City hall, Council Chambers, 300 North Park Avenue, Herrin. P & S, Inc. v. EPA - Wood Dale City Hall, Council Chambers, 404 North Wood Dale

December 22 9:00 a.m.	PCB 93-179 P-A, NPDES	IBP, Inc. (Joslin Facility) v. EPA - County Building, Rock Island County Boardroom, 1504 Third Avenue, Rock Island.
December 22 10:00 a.m.	PCB 94-320 A-V	Dorothy B. Kindy, d/b/a Rex's Service Station, Inc. v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
January 9 10:00 a.m.	R 94-31 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart V: Control of Volatile Organic Compound Emissions from Lithographic Printing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
January 12 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
January 13 10:00 a.m.	R 94-32 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart VI: Motor Vehicle Refinishing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
January 19 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - County Board Chambers, 200 South Ninth Street, 2nd Floor, Springfield.
January 20 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - County Board Chambers, 200 South Ninth Street, 2nd Floor, Springfield.
January 24 10:00 a.m.	R 94-31 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart V: Control of Volatile Organic Compound Emissions from Lithographic Printing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
January 25 10:00 a.m.	R 94-32 R, Air	In the Matter of: 15% ROP Plan Control Measures for VOM EmissionsPart VI: Motor Vehicle Refinishing, Amendments to 35 Ill. Adm. Code 211, 218 & 219 James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
February 16 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
February 22 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
February 23 10:00 a.m.	R 94-2(B) R, Land	In the Matter of: Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732 - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
March 16 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
April 20 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
May 18 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
June 15 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
June 21 1:00 p.m.	PCB 94-136 UST-FRD	Elmhurst-Chicago Stone Company v. EPA - DuPage County Board Office, Third Floor, 421 North County Farm Road, Wheaton.

Calendar Code

3d P	Third Party Action	A-CAdministrative Citation
A-E	Air Enforcement	A-SAdjusted Standard
A-V	Air Variance	CSOCombined Sewer Overflow Exception
GW	Groundwater	HW DelistRCRA Hazardous Waste Delisting
L-E	Land Enforcement	L-S-RLandfill Siting Review
L-V	Land Variance	N-ENoise Enforcement

N-V Noise Variance P-APermit Appeal

PWS-E Public Water Supply Enforcement PWS-VPublic Water Supply Variance

R Regulatory Proceeding RCRAResource Conservation and Recovery Act proceeding

(hazardous waste only

S0₂ S0₂ Alternative Standards (35 ILL. ADM. SWH-ESpecial Waste Hauling Enforcement

CODE 302.211(f)))

SWH-V Special Waste Hauling Variance

T-C Tax Certifications

UST-E Underground Storage Tank Enforcement

W-E Water Enforcement

WWS Water-Well Setback Exception

TThermal Demonstration Rule

T-STrade Secrets

UST-FRDUnderground Storage Tank Fund Reimbursement

Determination

W-VWater Variance

Illinois Environmental Protection Agency

Division of Public Water Supplies

Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of October 1, 1994.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046q/2

Illinois Environmental Protection Agency Division of Public Water Supplies Restricted Status List -- Public Water Supplies October, 1994

	NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
	Arenzville (Cass Co 0170050)	5	Nitrate	400	03/20/81
	Ashley (Washington Co 1890100)	6	Trihalomethane	825	06/15/92
	Bellwood (Cook Co 0310150)	2	Radium	20,000	12/14/90
	Benld (Macoupin Co 1170050)	왕	Trihalomethane	2,174	06/16/94
	Biggsville (Henderson Co 0710050)	5	Radium & Radiological	400	03/17/86
	Bond Co Royal Lake Wtr Dstrct (0055100)	6	Trihalomethane	228	06/15/92
	Bradford (Stark Co 1750050)	1	Radium		03/17/86
	Brownstown (Fayette Co 0510100)	6	Trihalomethane	820	06/15/92
	Buckingham (Kankakee Co 0910250)	2	Inadequate Pres. Tank	330	03/17/89
	Buda (Bureau Co 0110100)	1	Radium		06/15/93
	Bureau Co Bailey Sbdv (0115100)	1	Inadequat e Pres. Tank		01/13/82
	Byron (Ogle Co 1410100)	1	Radium	2,500	06/15/93
	Campus (Livingston Co 1050050)	4	Inadequate Pres. Tank		03/20/81
**	carroir co. carroir hes our emply (0133200)	1	Inadequate Pres. Tank	80	03/20/81
	Carroll Co Century Pines Apts (0150020)	1	Inadequate Pres. Tank	50	12/14/90
	Cedar Point Wtr Cmpny (LaSalle Co 0995040)	1	Radium	800	03/17/86
	Champaign Co D&R Apts (0190030)	4	Inadequate Pres Tank		09/16/93
	Chandlerville (Cass Co 0170200)	5	Nitrate	7,800	03/17/86
	Coalton (Montgomery Co 1350100)	5	Low System Pressure		03/20/81
	Coffeen (Montgomery Co 1350150)	5	Trihalomethane		03/17/92
	Concord (Morgan Co 1370100)	5	Nitrate		03/17/86
	Cook Co Mission Brook Sndst (0315920)	2	Radium	3,200	03/14/91
	Cook Co Orland Hills Sbdv (0317000)	2	Inadequate Pres. Tank		08/31/81
	Cook Co Plum Creek Condos (0317080)	2	Radium	570	03/17/86
	Coulterville (Randolph Co 1570150)	6	Trihalomethane		06/15/92
	Creal Springs (Williamson Co 1990300)	7	Inadequate Treatment Plant & Source		09/15/89
	Crystal Clear Wtr Cmpny (McHenry Co 1115150)	2	Inadequate Pres. Tank		09/16/88
	Dallas City (Hancock Co 0674300)	5	Trihalomethane		06/15/92
	DeKalb Co Buck Lake Ests Sbdv (0375100)	1	Inadequate Pres. Tank		09/14/84
	DeKalb Co DeKalb Univ Dvl Corp (0375148)	1	Inadequate Pres. Tank		12/16/92
*	DePue (Bureau Co 0110300)	1	Radium		09/16/94
	DeWitt Co DeWitt Cnty Nursing Home (0395129)	4	Inadequate Pres. Tank		06/17/83
	Diamond (Grundy Co 0630250)	2	Radium & Radiological		08/21/81
	Dorchester (Macoupin Co 1170250)	5	Trihalomethane		06/16/94
	Dover (Bureau Co 0110350)	1	Inadequate Pres. Tank		05/25/81
	DuBois (Washington Co 1890150)	6	Trihalomethane		06/16/94
	DuPage Co Belmont- Highwood PWD (0435180)	2	Trichloroethylene		09/16/93
	DuPage Co Clarendon Wtr Cmpny (0435300)	2	Inadequate Pres. Tank		03/20/81
	DuPage Co Ctzns Lombard Heights Dvn (0435700)	2	Inadequate Pres. Tank		12/17/82
	DuPage Co Liberty Park Homeowners Assn (0435600)	2	Inadequate Pres. Tank		09/17/92
	DuPage Co Maple Hill Imprv Assn (0435800)	2	Inadequate Pres. Tank		08/31/81
	DuPage Co Metro UtilLiberty Ridge (0435650)	2	Inadequate Pres. Tank		03/15/94
	DuPage Co Northside Peterson Wlfnd (0435866)	2	Inadequate Pres. Tank		12/15/89
	DuPage Co Northwest Belmont Imprv Assn (0435900)	2	Inadequate Pres. Tank		09/29/81
	DuPage Co Pleasant Hill Cmnty Assn (0435980)	2	Inadequate P res. Tank		03/17/89
	DuPage Co Polo Drive & Saddle Rd Sbdv (0437000)	2	Inadequate Pres. Tank	95	12/17/82

```
DuPage Co. - St Charles Cmsn Wlfnd 3 (0437040)
DuPage Co. - South Burdette Wtr (0437320)
DuPage Co. - York Center Coop (0437550)
                                                                                   Inadequate Pres. Tank
                                                                                                                          30 12/15/89
                                                                                                                               06/16/89
                                                                                   Inadequate Pres. Tank
                                                                                   Inadequate Pres. Tank
                                                                                                                        240 06/15/88
Eagerville (Macoupin Co. - 1170300)
                                                                                   Trihalomethane
                                                                                                                        187
                                                                                                                              06/16/94
Elmwood (Peoria Co. - 1430300)
Fairview (Fulton Co. - 0570450)
                                                                                   Radiological & Radium
                                                                                                                     2,117
                                                                                                                              03/17/86
                                                                                   Radiological, Radium &
                                                                                                                         20 03/20/81
                                                                                   Inadequate Pressure Tank
                                                                             7
Goreville (Johnson Co. - 0870200)
                                                                                   Inadequate Treatment
                                                                                                                        978 09/15/89
                                                                                   Plant & Source
Greene Co. - Mt. Gilead Shcrhm (0615129)
Grundy Co. - Heatherfield Sbdv (0635150)
Grundy Co. - Lisbon North Inc (0631000)
                                                                             6
                                                                                   Inadequate Pres. Tank
                                                                                                                         28 09/16/83
                                                                                   Inadequate Pres. Tank
                                                                                                                         91 09/17/82
                                                                                   Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                          30
                                                                                                                             09/14/90
Grundy Co. - Ridgecrest North Sbdv (0635250)
                                                                                                                             09/16/93
                                                                                   Inadequate Pres Tank
                                                                                                                          85
Grundy Co. - Ridgecrest North Sbdv (0635250)

Henry (Marshall Co. - 1230050)

Henry Co. - Country Ests Sbdv (0735050)

Henry Co. - Hazelwood 1st Addn Well 2 (0735446)

Henry Co. - Hazelwood 2nd Addn Well 2 (0735666)

Henry Co. - Hazelwood 2nd Addn Well 3 (0735686)

Henry Co. - Hazelwood West Sbdv (0735250)

Henry Co. - Lake Lynwood Wtr Sys (0735330)

Henry Co. - Ophiem PWS (0735150)

Henry Co. - Osco Mutual Wtr Supply Cpy Inc (0735200)

Henry Co. - Pine Ridge Utl Inc (0735400)

Troquois Co. - A Merkle-C Kniprath Home (0755389)
                                                                                   Nitrate
                                                                                                                     2,740
                                                                                                                               06/15/90
                                                                                                                               06/15/90
                                                                                   Nitrate
                                                                                                                        250
                                                                                   Inadequate Pres. Tank
                                                                                                                               09/17/82
                                                                                   Inadequate Pres. Tank
                                                                                                                              09/17/82
                                                                                   Inadequate Pres. Tank
                                                                                                                               09/17/82
                                                                                   Inadequate Pres. Tank
                                                                                                                              03/19/84
                                                                                   Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                               08/31/81
                                                                                                                        150
                                                                                                                             06/18/82
                                                                                   Inadequate Pres. Tank
                                                                                                                        115 12/15/89
                                                                                   Inadequate Pres. Tank
                                                                                                                         46 09/29/81
Iroquois Co. - A Merkle - C Kniprath Home (0755389)
                                                                                   Inadequate Pres. Tank
                                                                                                                         98 03/16/90
Iroquois Co. - Spring Creek Campground II Inc. (0750030)
                                                                                             Inadequate Pres. Tank
Island Lake Wtr Cmpny (Lake Co. - 0975080)
                                                                                                                      2,250 06/15/90
JoDaviess Co. - Bahl Wtr/Pioneer Acres (0855200)
                                                                                   Inad. Pres. Storage
                                                                                                                        700
                                                                                                                              12/15/93
Kane Co. - Broadview Academy (0895149)
Kane Co. - Highland Sbdv (0895530)
                                                                                   Radium
                                                                                                                        304 09/19/86
                                                                                   Inadequate Pres. Tank
                                                                                                                               09/16/83
Kane Co. - Melrose Rental Apts (0895228)
Kane Co. - Moecherville Sbdv (0895300)
                                                                                                                              03/15/94
                                                                                   Inadequate Pres. Tank
                                                                                                                          38
                                                                                   Inadequate Pres. Tank
                                                                                                                     1.120
                                                                                                                               03/20/81
Kane Co. - Park View Wtr Corp (0895500)
                                                                                                                        150 12/17/82
                                                                                   Inadequate Pres. Tank
Kane Co. - Pleasant Village (0895228)
                                                                                   Inadequate Pres. Tank
                                                                                                                        N/A 06/18/82
Kane Co. - Silver Glen Ests (0890040)
                                                                                                                         10 06/15/93
                                                                                   Radium
Kane Co. - St Charles Skyline Swr-Wtr Cpy (0895030)
Kane Co. - Wermes Sbdv (0895750)
                                                                                   Inadequate Pres. Tank
                                                                                                                     1,300
                                                                                                                               09/19/86
                                                                                                                             12/16/88
                                                                                   Inadequate Pres. Tank
                                                                                                                        150
Kangley (LaSalle Co. - 0990250)
                                                                                   Radium
                                                                                                                        200
                                                                                                                               03/17/86
Kankakee Co. - Good Shepherd Manor (0915189)
Kankakee Co. - Olivet Nazarene College (0915279)
                                                                                   Inadequate Pres. Tank
                                                                                                                             03/17/89
                                                                                   Inadequate Pres. Tank
                                                                                                                     1,450
                                                                                                                               03/15/94
Kankakee Co. - Skyview Sbdv (0915526)
                                                                                   Inadequate Pres. Tank
                                                                                                                        65 09/14/84
Kendall Co. - Bonnie Lane Wtr (093010)
Kendall Co. - Farm Colony (0935140)
                                                                                   Inadequate Pres. Tank
                                                                                                                          49
                                                                                                                               09/16/93
                                                                                                                             03/17/86
Kendall Co. - Fox Lawn Utl Cmpny (0935150)
Kendall Co. - Metro Utl Valley Dvn (0935100)
Kingston Mines (Peoria Co. - 1430450)
                                                                                   Radium
                                                                                                                        240
                                                                                                                              03/17/86
                                                                                                                               03/16/90
                                                                                   Inadequate Pres. Tank
                                                                                                                     2,200
                                                                                   Radium
                                                                                                                        350
                                                                                                                              03/17/86
Kinmundy (Marion Co. - 1210300)
Kinsman (Grundy Co. - 0630450)
Kirkwood (Warren Co. - 1870050)
                                                                                   Atrazine
                                                                                                                     1.923
                                                                                                                              12/15/93
                                                                                   Radium
                                                                                                                        150
                                                                                                                               03/17/86
                                                                                                                     1,008
                                                                                                                              07/23/93
                                                                                   Radium & Radiological
Ladd (Bureau Co. - 0110450)
                                                                                   Radium
                                                                                                                     1,350
                                                                                                                               10/04/85
Lake Co. - Acorn Acres Sbdv (0975020)
Lake Co. - Blan Mar Hills Homeowners
                                                                                                                        250 12/16/83
                                                                                   Inadequate Pres. Tank
                                                    Assn (0970090)
                                                                                                                         18 12/16/91
                                                                                   Radium
Lake Co. - Bluff Lake Lodges, Inc (0970240)
                                                                                   Inad. Pres. Storage
                                                                                                                    25,200 12/15/93
Lake Co. - Briarcrest Sbdv Hmownrs Assn (0971060)
                                                                                   Radium & Gross Alpha
                                                                                                                        120
                                                                                                                               12/16/92
Lake Co. - D L Well Owners Assn (0975380)
                                                                                                                              03/18/83
                                                                                   Inadequate Pres. Tank
Lake Co. - Echo Lake Block IV Water Assn (0970130)
Lake Co. - Echo Lake Wtr Sys Block 7 (0975820)
Lake Co. - Elm Oak Mutual Wtr Sys (0975736)
                                                                                   Inadequate Pres. Tank
                                                                                                                         50 06/15/88
                                                                                   Inadequate Pres. Tank
                                                                                                                             09/16/83
                                                                                   Inadequate Pres. Tank
                                                                                                                         45 06/13/86
                                                                                   & Radium
Lake Co. - Forest Lake Addn (0975500)
                                                                                   Inadequate Pres. Tank
                                                                                                                        180 12/16/83
Lake Co. - Glenkirk Campus North (0977189)
                                                                                   Inadequate Pres. Tank
                                                                                                                        64 06/15/88
Lake Co. - Glenkirk Campus South (0977199)
                                                                                   Inadequate Pres. Tank
                                                                                                                               06/15/88
                                                                                                                          36
Lake Co. - Glenstone Sbdv (0970160)
                                                                                                                               09/17/92
                                                                                   Radium
                                                                                                                        168
Lake Co. - Highland Lake Sbdv (0975750)
Lake Co. - Lakewood Wtr Sys (0975400)
                                                                                   Inadequate Pres. Tank
                                                                                                                        294
                                                                                                                               03/20/81
                                                                                   Inadequate Pres. Tank
                                                                                                                         49 12/16/83
Lake Co. - Maple Hill Nursing Ctr (0971090)
                                                                                   Inadequate Pres. Tank
                                                                                                                        204
                                                                                                                               06/15/93
Lake Co. - Sturm Sbdv (0977010)
                                                                                                                               03/16/84
                                                                                   Inadequate Pres. Tank
                                                                                                                         63
Lake Co. - Summit Homeowners Assn (0975280)
Lake Co. - Sylvan Lake 1st Sbdv (0977100)
                                                                                                                               03/16/84
                                                                                   Inadequate Pres. Tank
                                                                                   Inadequate Pres. Tank
                                                                                                                        210
                                                                                                                             06/14/91
Lake Co. - Towner Sbdv (0977250)
                                                                                   Inadequate Pres. Tank
                                                                                                                        238
                                                                                                                               01/14/82
Lake Co. - Wadsworth Oaks Sbdv (0977320)
Lake Co. - West Shoreland Sbdv (0977050)
                                                                                                                               09/19/86
                                                                                   Radium
                                                                                   Inadequate Pres. Tank
                                                                                                                        220
                                                                                                                               06/14/91
LaSalle Co. - West Shorerain State (097050)
LaSalle Co. - Cedar Point Water Company (0995110)
LaSalle Co. - Four Lakes Sbdv (0995110)
LaSalle Co. - Il Prairie Est Sbdv (0995300)
LaSalle Co. - Lynnwood Water Corp (0995336)
LaSalle Co. - Woodsmoke Ranch Assn (0990030)
                                                                                   Radiological
                                                                                                                               09/16/94
                                                                                   Radium
                                                                                                                          35
                                                                                                                               09/19/86
                                                                                   Radium
                                                                                   Inadequate Pres. Tank
                                                                                                                        114
                                                                                                                               03/18/83
                                                                                   Inadeq. Pres. Tank & Radium 350 06/15/90
Little York (Warren Co. - 1870100)
Livingston Co. - Salem Childrens Hm (1055229)
                                                                                   Radium
                                                                                                                        356 12/16/91
                                                                                                                         66 03/18/83
                                                                                   Inadequate Pres. Tank
                                                                                   Inadequate Pres. Tank
Inadequate Pres. Tank
Radium & Radiological
Logan Co. - Bartmann Health Care Center (1075169)
                                                                                                                         93 12/16/83
London Mills - (Fulton County - 0574620)
                                                                                                                        670 12/14/84
Lostant (LaSalle Co. - 0990450)
Macoupin Co. - RR 1 - Il Wtr Assn (1175260)
Macoupin Co. - Spring Creek Water Assn (1175450)
                                                                                                                        550
                                                                                                                               03/17/86
                                                                                   Trihalomethane
                                                                                                                        81
                                                                                                                              06/15/92
                                                                                                                         60 06/16/94
                                                                                   Trihalomethane
Madison Co. - Forest Home Maple Park PWD (1195100)
                                                                                   Trihalomethane
                                                                                                                     2,000 06/15/94
```

```
Mapleton (Peoria Co. - 1430500)
                                                                                              Radium
                                                                                                                                         235 03/17/86
Marshall Co. - Hopewell Wtr Wks (1235150)
McDonough Co. - Emmett Utl Inc (1095200)
                                                                                              Radium & Radiological
                                                                                                                                         350 03/17/86
                                                                                              Inadequate Pres. Tank
                                                                                                                                         39 12/17/82
McHenry Co. - C & A Wtr Corp (1115270)
McHenry Co. - Community Srvc Corp (1115350)
                                                                                              Inadequate Pres. Tank
                                                                                                                                          33 06/18/82
                                                                                              Inadequate Pres. Tank
                                                                                                                                         750 09/16/83
McHenry Co. - Deering Oaks Sbdv (1115200)
McHenry Co. - Prairie Ridge Assn (1115730)
McHenry Co. - Walk-Up-Woods Wtr Cmpny (1115800)
McHenry Co. - Wonder Lake Water Company (1115750)
                                                                                              Inadequate Pres. Tank
                                                                                                                                          60 12/17/82
                                                                                              Inadequate Pres. Tank
                                                                                                                                         140 03/16/90
                                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                         763
                                                                                                                                               12/17/82
                                                                                                                                     1,161 06/16/94
McLean Co. - Cropsey Cmmty Wtr (1135150)
McLean Co. - Hunters Knoll Sbdv (1130030)
                                                                                                                                         60 03/20/81
                                                                                              1,2-Dichloropropane
                                                                                                                                          25 12/15/93
Media (Henderson Co. - 0710250)
Mercer Co. - M C L W Sys Inc (1315150)
Mercer Co. - Swedona Wtr Assn (1315200)
                                                                                              Nitrate
                                                                                                                                        150 03/17/86
                                                                                                                                        100 03/20/81
                                                                                              Inadequate Source
                                                                                              Inadequate Pres. Tank
                                                                                                                                        100 06/15/90
Monmouth (Warren Co. - 1870150)
                                                                                                                                               12/15/93
                                                                                              Radium
                                                                                                                                     9,500
Monroe Co. - Maple Leaf Ests Wtr Corp (1335100)
Mount Clare (Macoupin Co. - 1170650)
Mount Olive (Macoupin Co. - 1170700)
                                                                                              Inadequate Pres. Tank
                                                                                                                                          39
                                                                                                                                                03/20/81
                                                                                                                                         858
                                                                                                                                                03/17/92
                                                                                              Trihalomethane
                                                                                                                                                09/16/94
                                                                                              Trihalomethane
                                                                                                                                     2,380
Naplate (LaSalle Co. - 0990600)
Neponset (Bureau Co - 0110700)
                                                                                              Radium
                                                                                                                                        581
                                                                                                                                                03/17/86
                                                                                              Radium
                                                                                                                                         640
                                                                                                                                                09/14/90
New Boston (Mercer Co. - 1310250)
Odell (Livingston Co. - 1050550)
                                                                                              Nitrate
                                                                                                                                        750 12/14/84
                                                                                              Radium
                                                                                                                                     1,100
                                                                                                                                                03/17/86
Ogle Co. - Lindenwood Wtr Assn (1415300)
                                                                                              Inadequate Pres. Tank
                                                                                                                                          50 01/13/82
Paris (Edgar Co. - 0450300)
Patoka (Marion Co. - 1210400)
                                                                                                                                     8,990
                                                                                                                                                09/16/94
                                                                                              Atrazine
                                                                                              Atrazine
Trihalomethane
                                                                                                                                        820 12/16/92
Peoria Co. - Brookview Sbdv (1435100)
                                                                                              Nitrate
                                                                                                                                                09/16/93
Peoria Co. - Edelstein Wtr Coop (1435150)
                                                                                              Radium & Radiological
                                                                                                                                                06/13/86
Peoria Co. - Fahnstock Court Sbdv (1435200)
Peoria Co. - Galena Knolls Sbdv (1435200)
Peoria Co. - Trivoli PWD (1435510)
Peoria Co. - Woodland Hts Ests Sbdv (1435760)
                                                                                              Inadequate Pres. Tank
                                                                                                                                          30 05/25/81
                                                                                              Nitrate
                                                                                                                                        180 06/15/88
                                                                                              Inadequate Pres. Tank
                                                                                                                                         350
                                                                                                                                                06/17/83
                                                                                              Inadequate Pres. Tank
                                                                                                                                         245 03/20/81
Prairie City (McDonough Co. - 1090400)
Ransom (LaSalle Co. - 0990900)
                                                                                              Radiological & Radium
                                                                                                                                         620
                                                                                                                                                03/17/86
                                                                                                                                         450 03/17/86
                                                                                              Radium
Raritan (Henderson Co. - 0710350)
Reddick (Kankakee Co. - 0914780)
                                                                                              Radium & Radiological
                                                                                                                                                03/17/86
                                                                                                                                         208 09/16/93
                                                                                              Radium
Richview (Washington Co. - 1890500)
Rockdale (Will Co. - 1970850)
                                                                                                                                               09/19/86
                                                                                              Inadequate Pres. Tank
                                                                                                                                         592
                                                                                                                                     1,500 03/17/86
                                                                                              Radium
Rock Island Co. - Byron Hls Sbdv Well 6 (1617266)
Rock Island Co. - Country Club Mnr Well 1 (1617286)
Rock Island Co. - Croppers 2nd & 3rd Addn (1615200)
Rock Island Co. - Eberts 2nd Addn (1615280)
Rock Island Co. - Evergreen Vlg Sbdv (1615310)
                                                                                              Inadequate Pres. Tank
                                                                                                                                                12/17/82
                                                                                                                                          32
                                                                                              Inadequate Pres. Tank
                                                                                                                                                01/14/82
                                                                                              Inadequate Pres. Tank
                                                                                                                                          29
                                                                                                                                                12/16/83
                                                                                              Inadequate Press ure Tank
                                                                                                                                          35 09/15/89
                                                                                              Inadequate Pres. Tank
                                                                                                                                                03/20/81
                                                                                                                                        250
Rock Island Co. - Larson Court Rentals (1615728)
                                                                                              Inadequate Pres. Tank
                                                                                                                                          48 01/14/82
                                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
Rock Island Co. - Lemon Street Well Cmpny (1615550)
Rock Island Co. - Park Hill Ests Well 1 (1617806)
Rock Island Co. - Rock Island Arsn (1615387)
                                                                                                                                        470 03/20/81
                                                                                                                                          32 06/18/82
                                                                                                                                     9,000
                                                                                              Trihalomethane
                                                                                                                                                06/15/92
Rock Island Co. - Rock Island Arsn (1615387)

Rock Island Co. - Silvis Heights Wtr Corp (1615750)

Rock Island Co. - Suburban Heights Sbdv (1615800)

Rock Island Co. - Tindalls Addn Wtr Sys (1617956)

Rock Island Co. - Tindalls 3rd & 6th Addns (1617376)

Rock Island Co. - Turkey Hollow Well Corp (1615686)

Rock Island Co. - WSCO Dvl-Ridgewood (1615670)
                                                                                              Inadequate Pres. Tank
                                                                                                                                     1,680
                                                                                                                                                03/20/82
                                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                        114
                                                                                                                                                12/16/83
                                                                                                                                         32 06/18/82
                                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Nitrate
                                                                                                                                                06/18/82
                                                                                                                                        32
                                                                                                                                               06/18/82
                                                                                                                                        475
                                                                                                                                                03/20/81
Roseville (Warren Co. - 1870200)
Rosiclare (Hardin Co. - 0690150)
                                                                                                                                     1,254 03/17/89
                                                                                              Nitrate
                                                                                              Trihalomethane
                                                                                                                                    1,791
                                                                                                                                                09/17/92
                                                                                              Trihalomethane
Schram City (Montgomery Co. - 1350600)
                                                                                                                                                06/16/94
Shannon (Carroll Co. - 0150300)
Shipman (Macoupin Co. - 1170950)
                                                                                              Nitrate
                                                                                                                                         887
                                                                                                                                                03/15/94
                                                                                              Trihalomethane
                                                                                                                                       695 06/16/94
Sims (Wayne Co. - 1910400)
Smithboro (Bond Co. - 0050250)
Sorento (Bond Co. - 0050300)
                                                                                              Atrazine
                                                                                                                                          71
                                                                                                                                                06/16/94
                                                                                              Total Trihalomethane
                                                                                                                                                12/15/93
                                                                                              Atrazine
                                                                                       6
                                                                                                                                        710
                                                                                                                                                06/15/92
South Pekin (Tazewell Co. - 1790650)
                                                                                              Nitrate
                                                                                                                                                06/15/93
                                                                                       5
                                                                                                                                     1,400
South Wilmington (Grundy Co. - 0630650)
                                                                                              Radium
                                                                                                                                         750
                                                                                                                                                03/15/93
Spring Valley (Bureau Co. - 0111000)
St. Clair Co. - Save Site (1635289)
                                                                                       1
                                                                                              Radium
                                                                                                                                     5,850
                                                                                                                                                09/17/92
                                                                                       6
                                                                                              Trihalomethane
                                                                                                                                        375
                                                                                                                                                06/15/92
St. Peter (Fayette Co. - 0510300)
                                                                                              Trihalomethane
                                                                                                                                                06/15/92
                                                                                       6
Standard (Putnam Co. -1550300)
Steeleville (Randolph Co. - 1570650)
Stephenson Co. - Park Crest Wtr Cmpny (1775100)
                                                                                              Radium
                                                                                                                                         280
                                                                                                                                                09/16/91
                                                                                                                                                03/17/86
                                                                                              Radium
                                                                                                                                     2,305
                                                                                              Inadequate Pres. Tank
                                                                                                                                     1,200
                                                                                                                                                09/14/84
Sycamore (DeKalb Co. - 0370550)
Table Grove (Fulton Co. - 0570900)
                                                                                              Barium
                                                                                                                                     9,905 09/16/94
                                                                                              Radium & Radiological
                                                                                                                                        500
                                                                                                                                                03/20/81
Taylor Springs (Montgomery Co. - 1350650)
                                                                                                                                                03/17/92
                                                                                              Trihalomethane
Taylor Springs (Montgomery Co. - 1350650)
Tazewell Co. - Beverly Mnr Cntrl Imp Assn (1795120)
Tazewell Co. - Beverly Mnr-Grant (1795100)
Tazewell Co. - Breezeway Sbdv (1795150)
Tazewell Co. - Hickory Hls Sbdv Assn 1 (1795386)
Tazewell Co. - Hickory Hls Sbdv Assn 2 (1795396)
Tazewell Co. - Mayfair Sbdv (1795750)
Tazewell Co. - Oakhaven Sbdv (1795760)
Tazewell Co. - Prairie View Wtr Assn (1795900)
Union Co. - Lick Creek PWD (1815100)
                                                                                              Inadequate Pres. Tank
                                                                                                                                        525
                                                                                                                                                03/17/89
                                                                                              Inadequate Pres. Tank
                                                                                                                                         610 03/20/81
                                                                                              Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                        175
                                                                                                                                                09/17/82
                                                                                              Inadequate Pres. Tank
                                                                                                                                                06/14/85
                                                                                                                                        150 03/16/90
                                                                                                                                     35 05/25/81
                                                                                                                                          55 03/20/81
                                                                                                                                        816 09/15/89
                                                                                              Plant & Source
Vermilion Co. - North Fork Well Assn (1835186)
                                                                                              Inadequate Pres. 1007
Trihalomethane 207 09/10/57
1,144 09/17/92
                                                                                              Inadequate Pres. Tank
                                                                                                                                          66 06/17/83
Vernon (Marion Co. - 1210550)
Viola (Mercer Co. - 1310450)
                                                                                       6
Waterloo (Monroe Co. - 1330300)
                                                                                              Inadequate Treatment Plant 5,67509/16/94
```

```
Westfield (Clark Co. - 0230200)
                                                                           Inadequate Water Source
                                                                                                                  06/15/93
White City (Macoupin Co. - 1171150)
White Hall (Greene Co. - 0610400)
                                                                           Trihalomethane
                                                                                                             280
                                                                                                                  06/15/93
                                                                                                          2,950
                                                                                                                  06/15/93
                                                                     6
                                                                           Atrazine
Whiteside Co. - Lakeview Sbdv (1955150)
                                                                           Inadequate Pres. Tank &
                                                                                                            146 03/20/81
                                                                     1
                                                                           Nitrate
Will Co. - Bel-Air Sbdv (1975130)
                                                                           Inadequate Pres. Tank
                                                                                                                  08/04/81
Will Co. - Clearview Sbdv (1975360)
                                                                           Inadequate Pres. Tank
                                                                                                             420
                                                                                                                  01/13/82
Will Co. - Dixie Dells (1977850)
                                                                                                                  09/17/82
                                                                           Inadequate Pres. Tank
                                                                                                             550
Will Co. - East Moreland Wtr Assn (1975600)
                                                                                                             753 03/20/81
                                                                           Inadequate Pres. Tank
Will Co. - Fair Acres Sbdv (1975680)
                                                                           Inadequate Pres. Tank
                                                                                                             185
                                                                                                                  10/19/81
Will Co. - Garden Street Imprv Assn (1975376)
                                                                           Inadequate Pres. Tank
                                                                                                                  09/15/89
                                                                                                             62
Will Co. - Greenfield Cmnty Well Cmpny (1975760)
                                                                           Inadequate Pres. Tank
                                                                                                              25
                                                                                                                  12/16/83
Will Co. - Hillview Sbdv (1975800)
                                                                                                                  03/15/85
                                                                           Inadequate Pres. Tank
Will Co. - Huntley Cmnty Sbdv (1975840)
Will Co. - Ingalls Park Sbdv (1975880)
                                                                           Inadequate Pres. Tank
                                                                                                              48
                                                                                                                  03/16/84
                                                                                                                  09/16/83
                                                                           Inadequate Pres. Tank
                                                                                                             690
Will Co. - Lakewood Shores Imprv Assn (1975930)
Will Co. - Oakview Avenue Wtrwks Inc (1977210)
                                                                           Radium
                                                                                                              93
                                                                                                                  03/17/86
                                                                                                                  03/20/81
                                                                           Inadequate Pres. Tank
                                                                                                             350
Will Co. - Park Road Wtr Assn (1977330)
Will Co. - Ridgewood Sbdv (1977650)
Will Co. - Scribner Street Sbdv (1977660)
Will Co. - Shawnita Trc Wtr Assn (1977690)
                                                                           Inadequate Pres. Tank
                                                                                                              60
                                                                                                                  12/17/82
                                                                           Inadequate Pres. Tank
                                                                                                             315
                                                                                                                  06/18/82
                                                                           Inadequate Pres. Tank
                                                                                                              50
                                                                                                                  03/18/83
                                                                           Inadequate Pres. Tank
                                                                                                             125
                                                                                                                  09/17/92
Will Co. - Sunnyland Sbdv (1977730)
Williamson (Madison Co. - 1191100)
                                                                           Inadequate Pres. Tank
                                                                                                             350
                                                                                                                  09/16/83
                                                                           Trihalomethane
                                                                                                             350
                                                                                                                  06/15/92
Williamson Co. - Devils Kitchen Wtr Dst (1995160)
                                                                           Inadequate Treatment Plt1,330 09/15/89
                                                                           & Source & Trihalomethane
                  - Lake of Egypt PWD (1995200)
                                                                           Inadequate Treatment
                                                                                                          7.743
                                                                                                                  09/15/89
Williamson Co.
Wilsonville (Macoupin Co. - 1171200)
                                                                                                             609 06/15/92
                                                                           Trihalomethane
Winnebago Co. - Blue & Gold Homeowners Assn (2015250) 1
                                                                           Inad. Press. Tank &
                                                                                                            170 06/17/83
                                                                           Inad. Source of Supply
Winnebago Co. - Bradley Heights Sbdv (2015050)
                                                                           Inadequate Pres. Tank
                                                                                                            192 09/13/85
Winnebago Co. - Briar Garden Apts (2015190)
Winnebago Co. - Cherry Vale East Apts (2015470)
Winnebago Co. - Cherry View Apts (2015278)
                                                                           Inadequate Pres. Tank
                                                                                                             60
                                                                                                                 12/17/82
                                                                           Inadequate Pres. Tank
                                                                                                            180
                                                                                                                  01/14/82
                                                                           Inadequate Pres. Tank
                                                                                                                  06/17/83
                                                                                                             60
Winnebago Co. - Great Oaks & Beacon Hls Apts (2015488)
                                                                                     Inadequate Pres. Tank
Winnebago Co. - Kishwaukee -Kilbuck Assn (2010010)
Winnebago Co. - Larchmont Sbdv (2015290)
Winnebago Co. - Legend Lakes Wtr Assn (2015300)
Woodford Co. - Oak Ridge Sndst (2035300)
                                                                     1
                                                                           Inadequate Pres. Tank Inadequate Pres. Tank
                                                                                                              42 03/16/90
                                                                                                            106 06/17/83
                                                                           Inadequate Pres. Tank
                                                                                                             225
                                                                                                                  03/14/91
                                                                           Inadequate Pres. Tank
                                                                                                             240 03/20/81
Wyoming (Stark Co. - 1750200)
Yates City (Knox Co. - 0950700)
                                                                                                          1,614 03/17/86
                                                                           Radiological & Radium
                                                                           Radium and Inadequate
                                                                                                             900 03/20/81
                                                                           Pressure Tank
```

Public Water Supplies Removed from Previous List Greenfield (Greene Co. - 0610150) Greenville - (Bond Co. - 0050050) Hurst - (Williamson Co. 1990450) Nilwood (Macoupin Co. - 1170750) Panama (Bond Co. - 0054720) St. Elmo (Fayette Co. - 0510250) Virden (Macoupin Co. - 1171100)

DES:sp/0046q/5 -22

Illinois Environmental Protection Agency

Division of Public Water Supplies

Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of October 1, 1994.

- Indicates public water supplies which have been added to the list since the previous publication.
- Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/4

Illinois Environmental Protection Agency Division of Public Water Supplies Critical Review List -- Public Water Supplies October, 1994

		POP. LISTING
NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM SERVED DATE
Baylis (Pike Co 1490100)	5	Source Capacity 300 09/13/85
Bluford (Jefferson Co 0810100)	7	Low System Pressure 465 03/20/81
Camargo (Douglas Co 0410100)	4	Inadequate Treatment Plant 400 12/16/91
Carlyle (Clinton Co 0270300)	6	Inadequate Treatment Plant 400 12/15/93
Caseyville (St. Clair Co 1630250)	6	Low System Pressure 12,338 09/14/84
Clinton (DeWitt Co 0390050)	4	Inadequate Plant Capacity 7,437 06/14/91
Davis (Stephenson Co 1770150)	1	Low System Pressure 600 09/17/92
DePue (Bureau Co 0110300)	1	Inadequate Treatment Plant 1,93012/15/93
Dieterich (Effingham Co 0490150)	1	Inadequate Source 568 03/15/94
DuPage Co Highland Hls Sndst (0435560)	2	Inadequate Pressure Tank 1,100 09/17/92
Edwardsville (Madison Co 1190250)	6	Inad. Treatment Plant 30,581 12/15/93
Evansville (Randolph Co 1570250)	6	Plant Capacity 1,838 05/25/81
Georgetown (Vermilion Co 1830350)	4	Plant Capacity 1,838 05/25/81 Inadequate Wtr Plant 3,678 06/15/93 Low System Pressure 1,175 11/25/81 Inadequate Source 1,300 03/15/94
Hardin (Calhoun Co 0130200)	6	Low System Pressure 1,175 11/25/81
Homer (Champaign Co 0190300)	4	Inadequate Source 1,300 03/15/94
Jackson Co South Highway PWD (0775400)	7	Low System Pressure 8,189 06/15/92
Kane Co Lake Marian Wtr Corp (0895200)	2	Low System Pressure & 800 09/14/84
		Inadequate Pres. Storage
Kincaid (Christian Co 0210250)	5	Plant Capacity 2,640 06/14/85 Inadequate Source 2,700 06/15/88 Low System Pressure 1,170 09/17/92 Low System Pressure 6,000 06/15/93
Lewistown (Fulton Co 0570600)	5	Inadequate Source 2,700 06/15/88
McHenry Co McHenry Shores Wtr Cmpny (1115020)	2	Low System Pressure 1,170 09/17/92
McHenry Co Whispering Hills Wtr Cmpny (1115700)	2	Low System Pressure 6,000 06/15/93
McHenry Co - Wonder Lake Wtr Cmpny (1115750)	2	inadequate Storage 1,080 12/14/90
Millstadt (St. Clair Co 1630850)	6	Low System Pressure 2,750 12/16/91
North Utica (LaSalle Co 0990650)	1	Low System Pressure 3,943 03/18/84
Patoka (Marion Co 1210400)	6	Inadequate Treatment Plant 820 12/15/93
Pearl (Pike Co.1490650)	5	Inadequate Pres. Tank 322 09/17/82 Low System Pres. 1,830 06/15/90
Pecatonica (Winnebago Co2010250)	1	Low System Pres. 1,830 06/15/90
Ramsey (Fayette Co 0510200)	6	Source Capacity & 1,350 09/13/85
		Low System Pres.
Richland Co West Liberty Dundas Wtr Dist (1595050) 7	Low System Pres. & 693 12/14/84
		Inadequate Source
Rock Island Co Tower Ridge Sbdv (1615780)	1	Inadequate Pres. Tank 70 03/15/94 Low System Pressure 1,900 06/15/84 Low System Pressure 1,553 12/13/85
Stockton (Jo Daviess Co 0850450)	1	Low System Pressure 1,900 06/15/84
Sumner (Lawrence Co 1010300)	7	Low System Pressure 1,553 12/13/85
Taylor Springs (Montgomery Co 1350650)	5	Low System Pressure 650 02/20/81
Walnut Hill (Marion Co 1210600)	6	Low System Pressure 1,200 06/14/85
Will Co Metro Utl Chickasaw Dvn (1975320)	2	Low System Pressure 7,700 09/17/92

Public Water Supplies Removed from Previous List

Edgewood (Effingham Co. - 0490200)

Mason (Effingham Co. - 0490300)

Orangeville (Stephenson Co. - 1770350)

DED:sp/0046g/23 -25

Printed by Authority of the State of Illinois, November, 1994, 2,000 copies, order #57701.

The Illinois Pollution Control Board is an independent seven member board which adopts the environmental control standards for the State of Illinois and rules on enforcement actions and other environmental disputes. The Board Members are:

Claire A. Manning, Chairman Springfield, Illinois

Emmett E. Dunham II Ronald C. Flemal G. Tanner Girard Elmhurst, Illinois DeKalb, Illinois Grafton, Illinois

Marili McFawn J. Theodore Meyer Joseph Yi

Palatine, Illinois Chicago, Illinois Park Ridge, Illinois

The Environmental Register is a newsletter published by the Board monthly. The Register provides updates on rulemakings and other information, lists final actions, and contains the Board's hearing calendar. The Register is provided free of charge.

Illinois Pollution Control Board State of Illinois Center, 11-500 100 West Randolph Street Chicago, Illinois 60601 (312) 814-3620

Address Correction Requested.

Bulk Rate U.S. Postage PAID Chicago, IL Permit No.2088