

ILLINOIS POLLUTION CONTROL BOARD

February 2, 2006

LAWRENCE KEITH PADGETT and)	
CHARLOTTE ANN PADGETT,)	
)	
Complainants,)	
)	
v.)	PCB 06-07
)	(Enforcement - Noise, Citizens)
ATTORNEY'S TITLE GUARANTY FUND,)	
INC.,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On February 2, 2006, the parties participated in a telephone status conference with the hearing officer. Respondent has discussed various options with complainant's noise expert. In the expert's opinion, the only solution is geothermal, which is very expensive. Respondent has hired an engineering firm to conduct a study on this issue. The report should be completed within 45 days.

The parties are directed to participate in a telephone status conference with the hearing officer at 3:00 p.m. on April 10, 2006. The status conference shall be initiated by the complainants.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on February 2, 2006, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on February 2, 2006:

Dorothy M. Gunn
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2006-007
Daniel I. Schlade
Arnstein & Lehr
120 South Riverside Plaza
Suite 1200
Chicago, IL 60606-3910

PCB 2006-007
William J. Anaya
Arnstein & Lehr
120 South Riverside Plaza
Suite 1200
Chicago, IL 60606-3910

PCB 2006-007
Lawrence & Charlotte Padgett
#1 Lyndhurst Place
Champaign, IL 61820

PCB 2006-007
Jerry Gorman
Attorney's Title Guaranty Fund, Inc.
2408 Windsor Place
Champaign, IL 61820