

ILLINOIS POLLUTION CONTROL BOARD
June 1, 2006

SANGAMON VALLEY FARM)	
SUPPLY,)	
)	
Petitioner,)	
)	
v.)	PCB 06-43
)	(Water Well Setback Exception)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY and)	
VILLAGE OF SAYBROOK, ILLINOIS,)	
)	
Respondents.)	

HEARING OFFICER ORDER

On June 1, 2006, the petitioner and the Illinois Environmental Protection Agency participated in a telephone status conference with the hearing officer. The Village of Saybrook did not appear. A hearing was set for August 9, 2006. Petitioner is directed to file written responses to the Board's questions by July 26, 2006. The Board's questions are set forth in the hearing officer order dated May 4, 2006.

The parties are directed to participate in a telephone status conference with the hearing officer at 9:00 a.m. on July 25, 2006. The status conference shall be initiated by the petitioner.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on June 1, 2006, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on June 1, 2006:

Dorothy M. Gunn
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2006-043

Joey Logan-Wilkey
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2006-043

Charles J. Northrup
Sorling, Northrup, Hanna, Cullen & Cochran
Suite 800 Illinois Building
607 East Adams, P.O. Box 5131
Springfield, IL 62705

PCB 2006-043

Mayor Ronald Stauffer
Village of Saybrook
234 W. Lincoln Street
P. O. Box 357
Saybrook, IL 61770-0357