ENVIRONMENTAL REGISTER

Illinois Pollution Control Board News

No. 478 January, 1994

INFORMATION SERVICES AVAILABLE FROM THE BOARD

See the inside of this page for details on informational items available from the Board. These items include a subscription service for Board opinions and orders.

The Board also maintains an electronic Bulletin Board System (BBS) at 312-814-1590. There is <u>no charge</u> for access to the BBS. See the inside of this page for details.

RULEMAKING UPDATE

REVISIONS TO FEDERALLY-DERIVED RCRA SUBTITLE D LANDFILL AMENDMENTS ADOPTED, R93-10

On December 16, 1993, the Board adopted a number of revisions to the RCRA Subtitle D amendments to the Illinois nonhazardous waste landfill regulations. The Board originally adopted the amendments on September 15, 1993 based on October 9, 1991 U.S. EPA rules that apply to municipal solid waste landfill facilities (MSWLFs). Federal law requires that the states must adopt regulations that are no less stringent than the new federal regulations on or before October 9, 1993 in order to maintain state primacy in this area, but U.S. EPA revised that date to April 9, 1994. (See issue 475, Oct. 6, 1993 & lead story: "U.S. EPA Extends Deadline".) P.A. 88-496, effective September 13, 1993, mandated that the Board adopt these amendments using identical-insubstance rulemaking procedures. (See issue 475 lead story: "Governor Signs Major Amendments"; see also issue 471 (June 16, 1993).) The Board adopted the amendments on November 16, 1993, but delayed filing the adopted amendments to allow U.S. EPA further opportunity to comment on the rules. (See issue 477, Dec. 1, 1993.) The December 16, 1993 revisions were in response to those comments and others received.

The amendments affect Parts 810, 811, and 814 of the Illinois landfill rules. The amendments to Part 810 add various definitions relating to MSWLF units and incorporate U.S. EPA test methods for evaluating solid waste and an extensive federal listing of numerous of organic and inorganic contaminants for which these facilities must test groundwater. The amendments to Part 811 include several changes to the existing new landfill standards. Briefly, they amend the landfill location, operating, closure and post-closure care, recordkeeping, groundwater monitoring and corrective action, and financial assurance requirements, as they apply to MSWLFs, to make them as stringent as the federal new rules. The amendments to Part 814 include several similar changes to the standards applicable to existing landfills in order to make them also as stringent as the U.S. EPA Subtitle D regulations. Additionally, they clarify the applicability of Part 814 to existing MSWLFs and to lateral expansions, set forth permitting requirements for existing MSWLF units and for lateral expansions, and establish foundation and mass stability standards, and impose groundwater monitoring, quality, and assessment requirements for these facilities. Direct questions to Anand Rao, at 312-814-3956; Michael J. McCambridge, at 312-814-6924; or John Cross, at 217-524-8504. (Please refer to docket

R93-10.)

SMALLER SOURCE PERMIT RULES ADOPTED, R93-11

On December 2, 1993, the Board adopted amendments to the air pollution control regulations that pertain to permitting smaller air pollution sources than previously subjected to the permitting requirements. The proposed amendments to Parts 201 and 211 of the air pollution control regulations would extend the applicability of the air rules to include smaller sources emitting as little as 25 tons per year of pollutants. The proposed amendments would add new Subpart E to Part 201 and Section 211.5500 to Part 211 of the Illinois air pollution control regulations. The previous threshold for the permit requirements was set at 100 tons per year.

This proceeding was driven by an amendment to Section 39(a) of the Environmental Protection Act made simultaneously with the addition of the "fast-track" procedure of Section 39.5 of the Act. (See issue 457, Sept. 16, 1992.) The Agency filed the proposal on April 2, 1993. In accepting the proposal by an order dated April 6, 1993, the Board noted that it would not be able meet the March 31, 1993 statutory deadline for adoption of these

SMALL SOURCE PERMITS continued on page 2

ENVIRONMENTAL INFORMATION SERVICES AVAILABLE FROM THE BOARD

The Board has the following information available:

POLLUTION CONTROL BOARD ELECTRONIC BULLETIN BOARD SYSTEM (BBS). The Pollution Control Board operates an electronic BBS at 312-814-1590. The BBS is available 24 hours a day, 7 days a week, to anyone with access to a computer and a modem - there is no charge for access to the BBS. The best communications settings are 8 data bits (or data length 8), no parity (or parity = none) and 1 stop bit, i.e., 8-N-1. The best terminal emulation is ANSI-BBS or just ANSI. The BBS contains Board Agendas, Environmental Registers, Annual Reports, and various documents about the Board. You may download these documents to your computer. For additional information contact Bill Forcade at the Board Offices 312-814-3620.

SUBSCRIPTION SERVICE OF BOARD OPINIONS AND ORDERS. The subscription service comprises all the Opinions and Orders issued by the Pollution Control Board in a fiscal year (July 1 through June 30). The Board meets approximately twice monthly in order to issue Opinions and Orders.. Usually no later than the end of each month, a volume is issued containing the Opinions and Orders of the Board from the preceding month.

HARD COPIES OF BOARD OPINIONS AND ORDERS FOR FISCAL YEAR 1992 (July 1, 1991 through June 30, 1992) ARE AVAILABLE FOR IMMEDIATE DELIVERY. The cost is \$350.00 per set.

Two formats will be offered starting July 1 of this year (FY93): a hard paper copy for \$350.00 per year and an electronic version for \$275.00 per year. The electronic version will consist of Opinions and Orders in the WordPerfect 5.1 format on either 3.5" or 5.25" inch diskettes. The electronic format will allow for word searches and other useful tools provided by the WordPerfect software.

When ordering, please specify the choice of either the hard copy or electronic version. If ordering the electronic version, please specify 3.5" or 5.25" diskettes.

SUBSCRIPTION SERVICE FOR BOARD OPINIONS AND ORDERS

Enclosed is a check in the amount ofsubscription service to the Board's opinions and orders.	_ made payable to the <u>Illinois Pollution Control Board</u> for the
Name	Fiscal Year Ordered
Address	
City/State/Zip	Hard Copy
Hard Copy Cost per FY: \$350.00	Electronic Copy
Electronic Copy Cost for FY93: \$275.00	
	Disk Size
Please send to:(5.25" 1.2 MB or 3.5" 1.44 MB)	
Joseph D'Alessandro	
Illinois Pollution Control Board	
100 W. Randolph St., Ste. 11-500	
Chicago, IL 60601	

SMALL SOURCE PERMITS continued from page 1

amendments. (See issue 469, Apr. 21, 1993.) The Board proposed these amendments for First Notice on July 22, 1993 (see issue 473, Aug. 4, 1993) and for Second Notice on October 7, 1993

(see issue 476, Nov. 3, 1993). The Board held public hearings in this matter on May 25, 1993, in Chicago, and on May 26, 1993, in DeKalb. For further information contact Michelle C. Dresdow, at

815-753-0947. (Please refer to docket R93-11.)

AMENDMENTS TO EXISTING SITE-SPECIFIC RULE ADOPTED, R93-8

On December 16, 1993, the Board adopted amendments to a site-specific rule. The site-specific water pollution control rule involved applied to UNO-VEN's predecessor-in-interest, Union Oil Co. of California, for the effluent from a refinery located in Will County, near Lemont. The Chicago Sanitary and Ship Canal is the receiving stream.

The adopted amendments change the rule to reflect the change in ownership of the facility to the petitioner, UNO-VEN Co.; they add a monthly-averaged concentration-based effluent limitation for ammonia nitrogen; the amendments require annual reporting of nitrogen in feedstock; and they extend the ultimate expiration date of the rule until December 31, 2001.

The Board proposed the amendments on August 26, 1993 for First Notice publication in the *Illinois Register* and for Second Notice review by the Joint Committee on Administrative Rules (JCAR) on November 18, 1993. (*See issues 474, Sept 9, 1993 & 477 (Dec. 1, 1993.*) Direct questions to Diane O'Neill, at 312-814-6062. (Please refer to docket R93-8.)

CORRECTIONS TO WASTE MANAGEMENT REMAND AMENDMENTS ADOPTED, R92-19

On December 16, 1993, the Board adopted corrections to the amendments to the landfill regulations made in response to a remand by the First District appellate court in *Waste Management of Illinois, Inc. v. IPCB* (1st Dist. 1992), 231 III. App. 3d 278, 595 N.E.2d 1171. The Board order will allow the Board to formally submit a request for expedited correction with the Joint Committee on Administrative Rules (JCAR) pursuant to Section 5-85 of the Administrative Procedure Act. The Board order intended to correct an inadvertent typographical error: the Notices of Adopted Amendments published in the *Illinois Register* indicated the intended deletions, but the copies placed on file with the Secretary of State still included the deleted language.

On June 17, 1993, the Board adopted a final opinion and order deleting three provisions from the Illinois non-hazardous landfill regulations. This was in response to the June 11, 1992 appellate court decision in Waste Management of Illinois, Inc. v. IPCB (1st Dist. 1992), 231 III. App. 3d 278, 595 N.E.2d 1171, which affirmed those regulations in all respects but two. The Waste Management court invalidated two of the landfill provisions: the requirement of Section 811.310(d)(1)(F) for monitoring air toxics, based on a legislatively-mandated but yet then yet-to-be-adopted list of chemicals, and the provision in Section 813.106(b) that provided, for the purposes of an appeal to the Board of an Agency action, the Agency's final action will be that taken on reconsideration if the permittee submitted a request for Agency reconsideration. The appellate court issued its mandate on August 13, 1992, and the Board initiated this proceeding by proposing amendments on October 1, 1992. (See issues 459 (Oct. 15, 1992), 464 (Feb. 3, 1993), 470 (May 19, 1993) & 472 (June 30, 1993).)

In addition to the two provisions held invalid by the First District, the Board also deleted a third provision from the rules. In the initial stages of this proceeding, the Board requested comment as to whether it should do so. That third provision, Section 811.310(c)(5), which related to monitoring air toxics, was closely tied to Section 811.310(d)(1)(F), which the court held invalid. Direct questions to Marie E. Tipsord, at 312-814-4925 or 618-498-9803. (Please refer to docket R92-19.)

HAZARDOUS WASTE PROHIBITIONS DOCKET DISMISSED,

R86-9(B)

On December 16, 1993, the Board dismissed an older proceeding that would have clarified Section 39(h) of the Environmental Protection Act, which requires Agency authorization of the generator's wastestream prior to deposit of the hazardous wastes in a hazardous waste site. The Board dismissed the proceeding because it was dormant for so long with the receipt of no expressions of public interest. The Board further cited that the record included no updated information on Agency implementation of Section 39(h).

In 1986, the Board adopted an emergency rule that essentially circumscribed the Agency's interpretation of Section 39(h) in its implementation of that provision. The Board was concerned that the Agency's implementation would intrude on the industrial processes generating the wastes. The First District appellate court dismissed the emergency rule in an appeal filed by the Citizens for a Better Environment, (CBE v. PCB (1st Dist. 1987), 152 III. App. 3d 105, 504 N.E.2d 166), stating that no emergency existed. In 1990, the Board decided that clarification of Section 39(h) was necessary and opened docket number R86-9(B).

questions to Marie E. Tipsord, at 312-814-4925 or 618-498-9803. (Please refer to docket R86-9(B).)

ARMY CORPS. DREDGING WATER QUALITY RULE PROPOSED FOR SECOND NOTICE, R92-17

On December 2, 1993, the Board proposed a rule for Second Notice review by the Joint Committee on Administrative Rules (JCAR) that would govern the placement of dredged material along the Illinois River between miles 80.2 and 291 by the Army Corps. of Engineers during dredging operations. The Board issued a supplemental opinion on December 16, 1993, in which it considered an additional public comment filed without changing the language of the proposed rule.

The Army Corps. filed a proposal on September 17, 1992, and the Board proposed the rule for First Notice publication in the *Illinois Register* on September 26, 1993. (*See issue 475, Oct. 6, 1993.*) The Board held public hearings on June 22, 1993, in Peoria, and June 23, 1993, in Morris. Following the hearings, the Board received public comments in favor of the proposal.

This rule would impose alternative limitations on the placement of dredged material, in place of the current prohibition against causing offensive conditions or a violation of the water quality limitations for dissolved oxygen, total, lead, total zinc, and ammonia nitrogen and un-ionized ammonia. The alternative limitations would allow bankline deposition during dredging operations, and would govern the percent of fine-grained material in the dredge cut and the area of the water that does not comply with the water quality standards. The limitations would require the Army Corps. to hold a Water Quality Certification for the dredging operations issued by the Agency pursuant to Section 401 of the Clean Water Act (33 U.S.C. § 1341). Direct questions to Michelle C. Dresdow, at 815-753-0947. (Please refer to docket R92-17.)

SECOND FIRST NOTICE PROPOSED FOR STEEL AND FOUNDRY LANDFILL AMENDMENTS, R90-26

On December 2, 1993, the Board proposed corrections to the second First Notice for segments of the proposed steel and foundry industry landfill amendments. The Board did this in response to indications by the staff of the Joint Committee on Administrative Rules (JCAR) that it was possible that two related segments of the regulations were incomplete.

The Board proposed the amendments for second First Notice

without substantive review on September 23, 1993. (Issue 475, Oct. 6, 1993.) In the text of the amendments submitted for First Notice publication in the Illinois Register, the Board inserted terms for later definition, in definitions Section 810.103 and the definitions segments of Section 817.102. The Board felt that addition of the definitions would be necessary for understanding and implementing the proposed amendments, if adopted. In place of the missing definitions for the terms, the Board inserted language, indicated as proposed amendments, that anticipated the provision of the definitions by the proponents of the amendments (members of the steel and foundry industries) before the Board proceeded with the amendments.

After the Notices of Proposed Amendments appeared in the *Illinois Register* on October 15, 1993, JCAR staff communicated to the Board that it understood the Board's desire to enhance the clarity of any amendments that might flow from the proposal, but also indicated that JCAR might ultimately object to any amendments that flowed from an incomplete proposed rule. The Board proposed the corrections so that a Notice of Corrections to Proposed Rules could appear in the *Illinois Register* Direct questions to Kathleen M crowley, at 312-614-6929. (Please refer to docket R90-20.)

RCRA SUBTITLE C HAZARDOUS WASTE UPDATE PROPOSED FOR PUBLIC COMMENT, R93-16

On December 16, 1993, the Board proposed identical-insubstance amendments to the Illinois RCRA Subtitle C regulations for the update period of January 1 through June 30, 1993. During that time U.S. EPA amended its RCRA Subtitle C regulations five times. U.S. EPA adopted its corrective action management unit (CAMU) and temporary unit (TU) regulations applicable to RCRA Subtitle C corrective actions, amended the land disposal restrictions for Third Third wastes, adopted technical amendments to the used and waste oil management standards, renewed a case-by-case capacity variance from the land disposal restrictions for hazardous debris, and amended land disposal restrictions for ignitable and corrosive wastes whose treatment standards were vacated by the court in Chemical Waste Management v. EPA, 976 F.2d 2 (D.C. Cir. 1992). The Board adopted the used and waste oil regulations, the subject of the present amendments, in R93-4, on September 26, 1993. (See issue 475, Oct. 6, 1993.) The Board also adopted the amended land disposal restrictions for ignitable and corrosive wastes in R93-4, thus obviating further action in this docket, except as to certain corrections submitted by U.S. EPA by way of public comment.

Essentially, all the proposed amendments involved some form of relaxation of standards that would otherwise apply to regulated facilities. However, many would impose some requirements as a condition to the relaxation. Direct questions to Michael J. McCambridge, at 312-814-6924. (Please refer to docket R93-16.)

PM₁₀ CONTINGENCY MEASURES RULEMAKING PROPOSAL FILED, R93-30

On December 30, 1993, the Agency filed a new Clean Air Act (CAA) rulemaking proposal with the Board. The new proposal, which is docket R93-30, seeks to add regulations establishing PM_{10} contingency measures. Those measures would provide for additional reductions of PM_{10} emissions for a specific area in the event a PM_{10} nonattainment area attain compliance with the PM_{10} standard by December 31, 1994.

This rulemaking was filed pursuant to the "fast-track" rulemaking provisions of Section 28.5 of the Environmental Protection Act. As previously reported for earlier-filed CAAA proceedings, (See

Environmental Register issues 461 (Dec. 2, 1992), 462 (Dec. 16, 1992), 465 (Feb. 24, 1993), 467 (Mar. 24, 1993), and 468 (Apr. 7, 1993)), Section 28.5 requires the Board to proceed within set time-frames toward the adoption of the proposed amendments. The Board lacks any discretion under the statute to adjust these time-frames under any circumstances.

The statute requires the Board to schedule three hearing dates in this matter, each for a prescribed purpose. The first day of hearing is reserved for presentation by the Agency and questions of Agency witnesses. The second scheduled day of hearing, if it occurs, is reserved for presentation by affected entities and all other interested persons. The third scheduled day of hearing, if it occurs, is reserved for any Agency response and responses of other parties. The hearings will be continued from day to day, as necessary, until all business is completed. However, the second and third hearing dates are subject to cancellation if the level of public interest and participation so warrant. The Board had not yet formally accepted the proposal and set hearings by the end of December. Direct questions to Elizabeth M. Harvey, at 312-814-6921. (Please refer to docket R93-30.)

APPELLATE UPDATE

FIRST DISTRICT REVERSES BOARD: THE LAW IN EFFECT AT THE TIME OF UNDERTAKING REMEDY APPLIES

The First District appellate court reversed a Board denial of eligibility for reimbursement from the Underground Storage Tank Fund, in Chemrex v. PCB (1st Dist. Dec. 28, 1993), No. 1-93-804. In Chemrex v. IEPA (Feb. 4, 1993), PCB 92-123, the Board had affirmed an Agency denial of eligibility for reimbursement for the costs it incurred in undertaking corrective action related to releases from multiple underground tanks.

The tank owner discovered releases from multiple registered tanks in early 1991. The owner promptly reported the releases, complied with all pertinent statutory and other requirements, and undertook corrective action. Later in 1991, the General Assembly amended the reimbursement provisions so that the tanks were no longer eligible for reimbursement based on their prior contents. The Agency denied reimbursement based on the statutory

change. The owner appealed to the Board, stating that the law in effect at the time it notified the Agency of the release should have applied to determine eligibility. The Board agreed with the Agency's interpretation and affirmed the Agency denial.

The owner appealed to the First District, arguing that the application of the later statutory amendments amounted to a retroactive application of the law that deprived it of a vested right. The Board and the Agency countered that rather than retroactive application of the law, the denial applied the law in effect at the time of the reimbursement request. The appellate court agreed with the tank owner. The court stated that where "a law affects vested rights, our public policy against retroactive application must be invoked." It further observed that a general rule of statutory construction requires prospective application of Illinois statutes. The court stated that since the tank owner had "performed every task required by statute and rules", so the Agency should have allowed reimbursement without regard to the intervening statutory changes. The court observed, based on the statutory language, that an Agency grant of reimbursement is a discretionary act. It concluded as follows:

[W]e conclude that [the Board and Agency] abused their discretion in applying the September 1991 amendment retroactively. ChemRex's assertion, that it had a right to reimbursement because it satisfied the eligibility criteria prior to its application and after the casualties occurred, must be sustained.

FOR YOUR INFORMATION

RESTRICTED STATUS AND CRITICAL REVIEW LISTS FOR PUBLIC WATER SUPPLIES IN THIS ISSUE

The Illinois Environmental Protection Agency, Division of Public Water Supplies, is publishing copies of the Division's Restricted Status and Critical Review lists at the end of this issue of the Environmental Register. These lists reflect the status as of January 1, 1994.

FINAL ACTIONS - December 2, 1993 BOARD MEETING

P2-25

Land and Lakes Company, JMC Operations,
Incorporated, and NBD Trust Company of
Illinois as Trustee Under Trust No. 2624EG v.
Village of Romeoville, Respondent; County of
Will, and The People of the State of Illinois,
Intervenors - In this pollution control facility
local siting appeal, remanded to the Board by
the Third District appellate court on appeal,
the Board remanded it to the Village of
Romeoville for a new hearing on the
petitioners' application for expansion of this

Will County landfill.

92-215 Douglas Locke and Nancy Locke v. Biltmore
County Club - The Board granted voluntary
dismissal of this citizen's noise enforcement
complaint against a Lake County facility.

93-66 <u>Illico Independent Oil Company v. EPA</u> - The Board granted voluntary dismissal of this underground storage tank reimbursement appeal involving a Marion County facility.

respondent to cease and desist from further 93-92 People of the State of Illinois v. Elkav violation. The Manufacturing Company Board stipulation People of the State of Illinois v. The Segerdahl accepted a and settlement 93-188 agreement in this land enforcement action Corporation - The Board accepted a stipulation against a Cook County facility, ordered the and settlement agreement in this air respondent to pay a civil penalty of \$7,000.00, enforcement action against a Cook County and ordered the respondent to cease and desist facility, ordered the respondent to pay a civil from further violation. penalty of \$3,000.00, and ordered the respondent to cease and desist from further Marsco Mfg. Co. v. EPA - The Board granted 93-132 violation. voluntary dismissal of this air permit appeal involving a Cook County facility. 93-189 People of the State of Illinois v. Graftek Press, Inc. - The Board accepted a stipulation and 93-166 Mobil Oil Corporation v. EPA - The Board settlement agreement in this air enforcement granted voluntary dismissal of this petition for action against a McHenry County facility, an air variance involving Cook, DuPage, ordered the respondent to pay a civil penalty Lake, Kendall, and Will County facilities. of \$10,000.00, and ordered the respondent to cease and desist from further violation. 93-177 SuperAmerica Group, Inc. v. EPA - The Board granted voluntarily dismissal of this 93-235 Texor Petroleum Company v. EPA - Upon underground storage tank reimbursement receipt of an Agency recommendation, the appeal involving a Knox County facility. Board granted the petitioner a provisional variance that extends the Stage II vapor 93-182 People of the State of Illinois v. Hybrid recovery requirements for 45 days for five of Service Company - The Board accepted a its Cook and DuPage County facilities. stipulation and settlement agreement in this air enforcement action against a LaSalle County 93-236 Kean Oil company v. EPA - Upon receipt of facility, ordered the respondent to pay a civil an Agency recommendation, the Board penalty of \$1,000.00, and ordered the granted the petitioner a provisional variance respondent to cease and desist from further that extends the Stage II vapor recovery requirements for 45 days for its Cook County violation. facility. People of the State of Illinois v. American 93-184 National Can Company - The Board accepted 93-237 Graham C-Stores Company v. EPA - Upon a stipulation and settlement agreement in this receipt of an Agency recommendation, the air enforcement action against a Cook County Board granted the petitioner a provisional facility, ordered the respondent to pay a civil variance that extends the Stage II vapor penalty of \$25,000.00, and ordered the recovery requirements for 45 days for five of its Cook and Lake County facilities. respondent to cease and desist from further violation. 93-238 Boncosky Oil Company v. EPA - Upon 93-185 People of the State of Illinois v. Ownesreceipt of an Agency recommendation, the Brockway Glass Container, Inc. - The Board Board granted the petitioner a provisional accepted a stipulation and settlement variance that extends the Stage II vapor agreement in this air enforcement action recovery requirements for 45 days for five of against a Cook County facility, ordered the its McHenry and Kane County facilities. respondent to pay a civil penalty of \$10,000.00, and ordered the respondent to 93-239 Paul and Bill's Service Center, Inc. v. EPA -Upon receipt of an Agency recommendation, cease and desist from further violation. the Board granted the petitioner a provisional variance that extends the Stage II vapor 93-187 People of the State of Illinois v. Solar Corporation - The Board accepted a stipulation recovery requirements for 45 days for its Kane settlement agreement in this County facility. enforcement action against a Lake County facility, ordered the respondent to pay a civil 93-240 Scott's Unocal 76, Inc. v. EPA - Upon receipt penalty of \$7,000.00, and ordered the of an Agency recommendation, the Board

and Vicki Singh, Arthur and Nellie Reyes, and

	granted the petitioner a provisional variance that extends the Stage II vapor recovery requirements for 45 days for its McHenry		limitation on accumulation of hazardous wastes at its Cook County facility.
	County facility.	AC 92-50	Logan County Health Department v. Lincoln/Logan Landfill - Having previsously
93-241	Thornton Oil Cocmpany v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a provisional variance that extends the Stage II vapor recovery requirements for 45 days for sixteen of its Cook, DuPage, Will, Kane, and Lake		found the Logan County respondent in violation of the Act, the Board ordered the respondent to pay hearing costs in the amount of \$1,431.88 within 30 days of the date of this order.
	County facilities.	AC 93-50	Sangamon County v. Peter Rapacz - The Board granted voluntary withdrawal of the
93-242	Go-Tane Service Stations, Inc. v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a provisional variance that extends the Stage II vapor		administrative citation filed against the Sangamon County respondent, vacating its default order entered November 18, 1993.
	recovery requirements for 45 days for two of its DuPage and Kane County facilities.	AC 93-51	<u>Sangamon County v. Peter Rapacz</u> - The Board granted voluntary withdrawal of the administrative citation filed against the Sanga-
93-243	Gas Mart (Posen Station) v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a provisional		mon County respondent, vacating its default order entered November 18, 1993.
	variance that extends the Stage II vapor recovery requirements for 45 days for its Cook County facility.	AC 93-53	Sangamon County v. Johnco Construction Company and Pontious Brothers Excavating - The Board entered a default order finding violations of Act at the Sangamon County
93-244	Gas Mart (Riverdale Station) v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a provisional		facility and ordered the respondents to pay a civil penalty of \$1,000.00 within 30 days.
	variance that extends the Stage II vapor recovery requirements for 45 days its Cook County facility.	AC 93-56	IEPA v. Knox County Landfill Committee - The Board entered a default order finding violations of the Act at the Knox County facility and ordered the respondent to pay a
93-245	<u>Chicago Extruded Metals Company v. EPA</u> - Upon receipt of an Agency recommendation,		civil penalty of \$1,000.00 within 30 days.
	the Board granted the petitioner a 6-day provisional variance from the ninety-day	R93-11	In the Matter of: Smaller Source Permit Rules: Amendments to 35 Ill. Adm. Code Parts 201 and 211 - See Rulemaking Update.
	<u>NEW CASES - December 2</u>	, 1993 BC	

, , , , ,	121; mer (comm 1 demey) + 2111 1 1 2 curu		and vient singn, rindra and reems reges, and		
	accepted an amended petition for appeal of an		Dan Rodiguez v. Bloomingdale Elementary		
	NPDES permit involving a Henry County		School Distict 13 and FGM, Inc The Board		
	facility for hearing.		denied the motions to dismiss the complaint as		
			frivolous and duplicitous and accepted this		
93-196	TRW, Inc. v. EPA - The Board accepted an		citizens' noise enforcement action against a		
	amended petition for variance from certain of		DuPage County facility for hearing.		
	the air pollution control regulations involving a				
	Cook County facility for hearing.	93-228	Safety-Kleen Corporlation (Elgin Service		
			Center) v. EPA - The Board accepted this land		
93-204	Mark and Jeanne Doruff, William and Marla		permit appeal involving a Cook County facility		
	Bolen, Ralph and Karen Nuzzo, Gary and		for hearing.		
	Valerie Braun, Roman and Geri Maluk, Jagvir				

 $\underline{\text{IBP, inc. (Joslin Facility)}}\ v.\ \underline{\text{EPA}}$ - The Board

93-179

93-229	People of the State of Illinois v. Hydraulic Research Co., d/b/a Accurate Brake and	93-236	<u>Kean Oil company v. EPA</u> - See Final Actions.
	<u>Clutch Exchange</u> - Upon receipt of proposed stipulation and settlement agreement and an agreed motion to request relief from hearing	93-237	Graham C-Stores Company v. EPA - See Final Actions.
	the requirement in this air enforcement action against a Cook County facility, the Board ordered publication of the required newspaper	93-238	Boncosky Oil Company v. EPA - See Final Actions.
	notice.	93-239	Paul Land Bill's Service Center, Inc. v. EPA
93-230	The Village of Hodgkins v. EPA - The Board		See Final Actions.
	requested an amended petition in this underground storage tank reimbursement appeal involving a Cook County facility.	93-240	Scott's Unocal 76, Inc. v. EPA - See Final Actions.
93-231	People of the State of Illinois v. Prestwick Utilities Company - Upon receipt of proposed	93-241	Thornton Oil Company v. EPA - See Final Actions.
	stipulation and settlement agreement and an agreed motion to request relief from hearing the requirement in this water enforcement	93-242	Go-Tane Service Stations, Inc. v. EPA - See Final Actions.
	action against a Will County facility, the Board ordered publication of the required	93-243	Gas Mart (Posen Station) v. EPA - See Final Actions.
	newspaper notice.	93-244	Gas Mart (Riverdale Station) v. EPA - See
93-232	<u>David Geuther and Fehr-Graham & Associates</u> (Dave's Standard Service) v. EPA - The		Final Actions.
	Board requested an amended petition in this underground storage tank reimbursement	93-245	<u>Chicago Extruded Metals Company v. EPA</u> - See Final Actions.
	appeal involving a LaSalle County facility.	93-246	City of Elgin v. EPA - The Board requested
93-233	Enviropur Waste Refining and Technology, Inc. v. EPA - The Board accepted this land permit appeal involving a Cook County facility		an amended petition in this underground storage tank reimbursement appeal involving a facility in Cook and Kane Counties.
	for hearing.	AS 93-8	In the Matter of: Petition of Akzo Chemicals,
93-234	K & H Disposal v. EPA - The Board accepted this land permit appeal involving an Iroquois County facility for hearing.		Inc. for an Adjusted Standard from 35 III. Adm. Code 304.105 and 302.208 - The Board accepted an amended petition for an adjusted standard from certain of the water pollution
93-235	Texor Petroleum Company v. EPA - See Final Actions.		control regulations for this Grundy County facility.
			_

FINAL ACTIONS - December 16, 1993 BOARD MEETING

92-74	Kenneth F. Metivier and Cynthia Metivier v.		facility, ordered the respondent to pay a civil
	Douglas Kenyon, d/b/a Douglas Kenyon, Inc.		penalty of \$37,500.00, and ordered the
	- The Board found that Respondent did not		respondent to cease and desist from further
	violate the nuisance noise prohibitions of the		violation. J. Theodore Meyer concurred.
	Act and Board regulations and dismissed the		
	complaint.	93-12	H & H Towing-Phillips 66 v. EPA - The
			Board granted voluntary dismissal of this
92-191	People of the State of Illinois v. PPG		underground storage tank reimbursement
	Industries, Inc. with a business unit known as		appeal involving a Lake County facility.
	PPG/Mazer Chemicals - The Board accepted a		
	stipulation and settlement agreement in this air	93-18	City of Roodhouse v. EPA - The Board
	enforcement action against a Lake County		granted voluntary dismissal of this

Phillips 66 Company v. EPA - Upon receipt of

93-19	underground storage tank reimbursement appeal involving a Greene County facility. Consolidated with PCB 93-19. City of Roodhouse v. EPA - The Board granted voluntary dismissal of this	93-207	Naval Training Center Great Lakes, United States Department of the Navy v. EPA - The Board granted voluntary dismissal of this air variance petition involving a Lake County facility.
	underground storage tank reimbursement appeal involving a Greene County facility. Consolidated with PCB 93-18.	93-214	People of the State of Illinois v. Handy & Harman - The Board accepted a stipulation and settlement agreement in this land enforcement action against a Cook County
93-57	People of the State of Illinois v. Illinois Ayers Oil Company - The Board accepted a stipulation and settlement agreement in this underground storage tank enforcement action against a Hancock County facility, ordered the		facility, ordered the respondent to pay a civil penalty of \$25,00.00, and ordered the respondent to cease and desist from further violation. J. Theodore Meyer concurred.
	respondent to pay a civil penalty of \$4,800.00, and ordered the respondent to cease and desist from further violation.	93-216	People of the State of Illinois v. Aluminum Coil Anodizing Corporation - The Board accepted a stipulation and settlement agreement in this air enforcement action
93-135	City of Springfield v. EPA - The Board granted this Sangamon County facility a five-year variance with conditions from certain of the water pollution control regulations relating to dissolved oxygen in the Sangamon River.		against a Cook County facility, ordered the respondent to pay a civil penalty of \$17,500.00, and ordered the respondent to cease and desist from further violation. J. Theodore Meyer concurred.
93-159	Perma-Treat of Illinois, Inc. v. EPA - The Board reversed certain Agency-imposed conditions in this RCRA permit appeal involving a Williamson County facility. C. A. Manning and M. McFawn dissented; J.	93-226	<u>Dimitri's Auto Service v. EPA</u> - The Board granted voluntary dismissal of this underground storage tank reimbursement appeal involving a Cook County facility.
93-171	Theodore Meyer concurred. Leo G. Fore v. Midstate Kart Club - The Board dismissed this citizen's noise complaint against a Sangamon County facility, concluding that the respondent was an organized amateur or professional sporting activity, as defined and exempted by the Act.	93-229	People of the State of Illinois v. Hydraulic Research Co., d/b/a Accurate Brake and Clutch Exchange - The Board accepted a stipulation and settlement agreement in this air enforcement action against a Cook County facility, ordered the respondent to pay a civil penalty of \$9,000.00, and ordered the respondent to cease and desist from further violation. J. Theodore Meyer concurred.
93-178	General Chemical Corporation v. EPA - The Board granted this St. Clair County facility a 45-day extension of a previous variance with conditions from certain of the air pollution control regulations relating to particle emissions.	93-231	People of the State of Illinois v. Prestwick <u>Utilities Company</u> - The Board accepted a stipulation and settlement agreement in this water enforcement action against a Will County facility, ordered the respondent to pay a civil penalty of \$14,000.00, and ordered the
93-190	Municipal Solid Waste Landfills v. EPA - The Board granted dismissal of this statewide land variance petition as moot.		respondent to cease and desist from further violation. J. Theodore Meyer concurred.
93-197	<u>Uno-Ven Company v. EPA</u> - The Board dismissed this petition for a variance from certain of the water pollution control regulations for a Will County facility, since the adoption of a new site-specific rule rendered the petition moot.	93-251	The Hertz Corporation v. EPA - Upon receipt of an Agency recommendation, the Board granted the Cook County petitioner a 45-day extension of its previous provisional variance that extended the Stage II vapor recovery requirements.

93-252

		K93-10	Amendments (Amendments to 35 III. Adm. Code Part 810, Part 811, and Part 814 - See Rulemaking Update.
	Agency recommendation, the Board granted	R93-10	In the Matter of: RCRA Subtitle D
93-254	T.M.L. Associates, Inc., d/b/a Amoco Food Shop - The Crossing - Upon receipt of an	K95-0	Amend Reguations Pertaining to Water Pollution - See Rulemaking Update.
	requirements for 45 days for four of its Cook and Lake County facilities.	R93-8	Prohibitions - See Rulemaking Update. In the Matter of: Petition of Uno-Ven to
	granted the petitioner a provisional variance that extends the Stage II vapor recovery	R86-9(B)	In the Matter of: Hazardous Waste
93-253	Graham Oil Company v. EPA - Upon receipt of an Agency recommendation, the Board		LaSalle County facility and ordered the respondent to pay a civil penalty of \$500.00 within 30 days.
	requirements for 45 days for twenty-three of its Cook, DuPage, Kane, Will and Kendall, Lake and McHenry County facilities.	AC 93-52	<u>IEPA v. Craig Linton</u> - The Board entered a default order finding a violation of the Act at a
	an Agency recommendation, the Board granted the petitioner a provisional variance that extends the Stage II vapor recovery		the Kane County petitioner a provisional variance that extends the Stage II vapor recovery requirements for 45 days.

93-192	The Decatur Auto Auction, Inc. v. Macon County Farm Bureau, Inc., The Macon	93-248	People of the State of Illinois v. John Prior
	County Fair Association, and The Macon	<i>ye</i> 2 .6	and Industrial Salvage, Inc The Board
	County Horsemen's Association - The Board		accepted this land enforcement action against a
	accepted this citizen's air enforcement action		Marion County facility for hearing.
	against a Macon County facility for hearing.		g.
	ugunior a nation county facility for nouring.	93-249	Glenbard Wastewater Authority v. EPA - The
93-215	Marvin Damron v. IEPA and Tomahawk)5 2 .)	Board accepted this NPDES permit appeal
, , , , , ,	Group, Inc The Board accepted an amended		involving a DuPage County facility for
	petition and set this third party NPDES permit		hearing.
	appeal involving a Henry County facility for		
	hearing.	93-250	People of the State of Illinois v. Clark Oil &
	6		Refining Corporation (Wood River Refinery)
93-230	The Village of Hodgkins v. EPA - The Board		The Board accepted this air enforcement
	accepted an amended petition and set this		action against a Madison County facility for
	underground storage tank reimbursement		hearing.
	appeal involving a Cook County facility for		č
	hearing.	93-251	The Hertz Corporation v. EPA - See Final Actions.
02.246	C' CELL EDA EL D. 1		Actions.
93-246	City of Elgin v. EPA - The Board requested a	93-252	Dhilling 66 Company y EDA Coo Final
	second amended petition in this underground	93-232	Phillips 66 Company v. EPA - See Final Actions.
	storage tank reimbursement appeal involving a		Actions.
	facility located in Cook and Kane Counties.	93-253	Graham Oil Company v. EPA - See Final
00.045		75-255	Actions.
93-247	Valerie Johnson, Michael Brenston, Cheryl		
	Johnson v. Emergency Preparedness & Dis-	93-254	T.M.L. Associates, Inc., d/b/a Amoco Food
	aster Services, Chicago Fire Department, City		Shop - The Crossing - See Final Actions.
	of Chicago - The Board held this citizens'		
	Emergency Planning and Community Right-		
	To-Know Act (EPCRA) enforcement action		

against a Cook County facility for a frivolous

and duplicitous determination.

CALENDAR OF HEARINGS

All hearings held by the Board are open to the public. All Pollution Control Board Meetings (highlighted) are open to the public but public participation is generally not allowed. Times and locations are subject to cancellation and rescheduling without notice. Confirmation of hearing dates and times is available from the Clerk of the Board at 312-814-6931.

January 6 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
January 11 10:00 a.m.	PCB 93-183 UST-FRD	Edgewater Beach Apartments Corp. v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
January 19 10:00 a.m.	PCB 93-55 UST-FRD	Clarendon Hills/Bridal Center (Learsi & Co., Inc.) v. EPA - Clarendon Hills Village Hall, Board Room, 1 North Prospect Avenue, Clarendon Hills.
January 19 9:30 a.m.	PCB 93-161 N-E, Citizens	Joseph A. Schrantz, Charles Hullihan, and Elizabeth Stearns v. Village of Villa Park, Villa Park Rotary Club, Villa Park Kiwanis Club, and Villa Park Masonic Lodge - DuPage County Courthouse, Courtroom 2001, 505 North County Farm Road, Wheaton.
January 20 9:30 a.m.	PCB 93-161 N-E, Citizens	Joseph A. Schrantz, Charles Hullihan, and Elizabeth Stearns v. Village of Villa Park, Villa Park Rotary Club, Villa Park Kiwanis Club, and Villa Park Masonic Lodge - DuPage County Courthouse, Courtroom 2001, 505 North County Farm Road, Wheaton.
January 24 9:00 a.m.	PCB 93-87 A-E	<u>People of the State of Illinois v. South Holland Metal Finishing Co., Inc.</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
January 25 9:00 a.m.	PCB 93-233 P-A, Land	Enviropur Waste Refining and Technology, Inc. v. EPA - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
January 27 10:00 a.m.	R93-26 R, Air	In the Matter of: Amendments to New Source Review Rules, 35 Ill. Adm. Code 203 - Pollution Control Board Conference Room, 600 S. Second Street, Suite 402, Springfield.
February 1 9:30 a.m.	PCB 93-121 P-A, Land	<u>Gunite Corporation v. EPA</u> - State of Illinois Building, Third Floor, Large Conference Room, 200 South Wyman, Rockford.
February 1 9:30 a.m.	PCB 93-249 P-A, NPDES	Glenbard Wastewater Authority v. EPA - DuPage County Courthouse, Courtroom 2001, 505 North County Farm Road, Wheaton.
February 2 9:00 a.m.	AC 93-42 AC	Sangamon County v. Norman Clark and Brenda Bertrand (Springfield Township/Clark) SCDPH-93-AC-9 - Illinois Pollution Control Board, 600 South Second Street, Springfield.
February 8 10:00 a.m.	PCB 92-178 N-E, Citizens	John Zarlenga and Jean Zarlenga v. Bloomingdale Partners, an Illinois Limited Partnership, Howard Edison, Bruce McClaren and Gary Lakin - Wood Dale Public Library, 520 North Wood Dale Road, Wood Dale.

February 8 9:00 a.m.	PCB 93-215 P-A, NPDES, Third Party	Marvin Damron v. EPA and Tomahawk Group, Inc Union Federal Savings and Loan Building, Community Room, 104 North Tremont, Kewanee.				
February 8 10:00 a.m.	R93-27 R, Water	In the Matter of: Standards (35 Ill. Ac	In the Matter of: Groundwater Protection: Amendments to Groundwater Quality Standards (35 Ill. Adm. Code 620) - Capitol Building, Room 1228, Springfield.			
February 9 10:00 a.m.	PCB 92-178 N-E, Citizens		d Edison, Bruc	e McClaren and Gary Lakin - Wood Dale Public d, Wood Dale.		
February 10 10:00 a.m.	PCB 92-178 N-E, Citizens		d Edison, Bruc	e McClaren and Gary Lakin - Wood Dale Public d, Wood Dale.		
February 10 10:00 a.m.	R93-27 R, Water	In the Matter of: Standards (35 Ill. A West Randolph Street	dm. Code 620)	Protection: Amendments to Groundwater Quality 2 - James R. Thompson Center, Room 9-040, 100		
February 16 10:00 a.m.	PCB 91-11 P-A, RCRA		<u>Burlington Northern Railroad Company v. EPA</u> - Knox County Courthouse, 200 South Cherry Street, Galesburg.			
February 16 10:00 a.m.	PCB 93-230 UST-FRD		The Village of Hodgkins v. EPA - James R. Thompson Center, Room 11-500, 100 West Randolph Street, Chicago.			
March 23 10:00 a.m.	PCB 93-145 A-E		People of the State of Illinois v. Monarch Asphalt Co James R. Thompson Center, Room 11-500, 100 West Randolph Street, Chicago.			
March 24 10:00 a.m.	PCB 93-145 A-E	People of the State of Room 11-500, 100 V		onarch Asphalt Co James R. Thompson Center, Street, Chicago.		
Calendar Coo	<u>de</u>					
A-C	Administrative Citation	n	A-E	Air Enforcement		
A-S	Adjusted Standard		A-V	Air Variance		
CSO	Combined Sewer		L-E	Land Enforcement		
LCD	Overflow Exception		1 37	T and Manhama		
L-S-R N-E	Landfill Siting Review Noise Enforcement		L-V N-V	Land Variance		
N-E P-A			N-V PWS-E	Noise Variance Public Water Supply Enforcement		
P-A PWS-V	Permit Appeal Public Water Supply V	/ariance	PW3-E R	Regulatory Proceeding		
SO ₂	S0 ₂ Alternative Standa		SWH-E	Special Waste Hauling Enforcement		
SWH-V	Special Waste Hauling		T	Thermal Demonstration Rule		
				(35 ILL. ADM. CODE 302.211(F)		
T-C	Tax Certifications		T-S	Trade Secrets		
W-E	Water Enforcement		W-V	Water Variance		
WWS	Water-Well Setback E	-	UST-E	Underground Storage Tank Enforcement		
UST-FRD	Underground Storage	Tank Fund Reimburser	ment Determina	tion		

Illinois Environmental Protection Agency

Division of Public Water Supplies

Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of January 1, 1994.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/2

Illinois Environmental Protection Agency Division of Public Water Supplies Restricted Status List -- Public Water Supplies January, 1994

	NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
	Alexander Co McClure-East Cape PWD (0035050)	7	Inadequate Dist. System Storage	1,225	12/13/85
*	Alma (Marion Co 1210050)	7	Atrazine	450	12/15/93
	Altamont (Effingham Co 0490050)	4	Trihalomethane		06/15/92
	Arenzville (Cass Co 0170050)	5			03/20/81
	Ashley (Washington Co 1890100)	6	Tribalomethane		06/15/92
*	Auburn (Sangamon Co 1670050)	5	Nitrate Trihalomethane Atrazine		12/15/93
	Bellwood (Cook Co 0310150)	2	Radium		12/14/90
	Biggsville (Henderson Co 0710050)	5	Radium & Radiological		03/17/86
	Bond Co Royal Lake Wtr Dstrct (0055100)	6	Trihalomethane		06/15/92
	Bradford (Stark Co 1750050)	1	Radium		03/17/86
	Brownstown (Fayette Co 0510100)	6	Trihalomethane		06/15/92
	Buckingham (Kankakee Co 0910250)	2	Inadequate Pres. Tank	330	03/17/89
	Buda (Bureau Co 0110100)	1	Radium		06/15/93
	Bureau Co Bailey Sbdv (0115100)	1	Inadequate Pres. Tank	43	01/13/82
	Bush (Williamson Co 1990050)	5	Trihalomethane	403	06/15/93
	Byron (Ogle Co 1410100)	1	Radium	2,500	06/15/93
	Campus (Livingston Co 1050050)	4	Inadequate Pres. Tank	230	03/20/81
**	Carroll Co Carroll Hts Utl Cmpny (0155200)	1	Inadequate Pres. Tank	80	03/20/81
	Carroll Co Century Pines Apts (0150020)	1	Inadequate Pres. Tank	50	12/14/90
	Cedar Point Wtr Cmpny (LaSalle Co 0995040)	1	Radium	800	03/17/86
	Champaign Co D&R Apts (0190030)	4	Inadequate Pres Tank	26	09/16/93
	Chandlerville (Cass Co 0170200)	5	Nitrate	7,800	03/17/86
	Coalton (Montgomery Co 1350100)	5	Low System Pressure	325	03/20/81
	Coffeen (Montgomery Co 1350150)	5	Trihalomethane		03/17/92
	Concord (Morgan Co 1370100)	5	Nitrate		03/17/86
	Cook Co Mission Brook Sndst (0315920)	2	Radium		03/14/91
	Cook Co Orland Hills Sbdv (0317000)	2	Inadequate Pres. Tank		08/31/81
	Cook Co Plum Creek Condos (0317080)	2	Radium		03/17/86
	Coulterville (Randolph Co 1570150)	6	Trihalomethane		06/15/92
	Creal Springs (Williamson Co 1990300)	7	Inadequate Treatment Plant & Source	1,020	09/15/89
	Crystal Clear Wtr Cmpny (McHenry Co 1115150)	2	Inadequate Pres. Tank		09/16/88
	Dallas City (Hancock Co 0674300)	5	Trihalomethane		06/15/92
	DeKalb Co Buck Lake Ests Sbdv (0375100)	1	Inadequate Pres. Tank		09/14/84
	DeKalb Co DeKalb Univ Dvl Corp (0375148)	1	Inadequate Pres. Tank		12/16/92
	DeWitt Co DeWitt Cnty Nursing Home (0395129)	4	Inadequate Pres. Tank		06/17/83
	Diamond (Grundy Co 0630250)	2	Radium & Radiological		08/21/81
*	Divernon (Sangamon Co 1670450)	5	Atrazine	1,192	12/15/93
	Dover (Bureau Co 0110350)	1	Inadequate Pres. Tank		05/25/81
	DuPage Co Belmont- Highwood PWD (0435180)	2	Trichloroethylene		09/16/93
	DuPage Co Clarendon Wtr Cmpny (0435300)	2	Inadequate Pres. Tank		03/20/81
	DuPage Co Ctzns Lombard Heights Dvn (0435700)	2	Inadequate Pres. Tank		12/17/82
	DuPage Co Liberty Park Homeowners Assn (0435600)	2	Inadequate Pres. Tank		09/17/92
	DuPage Co Maple Hill Imprv Assn (0435800)	2	Inadequate Pres. Tank	234	08/31/81

```
DuPage Co. - Northside Peterson Wlfnd (0435866)
DuPage Co. - Northwest Belmont Imprv Assn (0435900)
                                                                             Inadequate Pres. Tank
                                                                                                                  30 12/15/89
                                                                              Inadequate Pres. Tank
                                                                                                                115
                                                                                                                      09/29/81
DuPage Co. - Pleasant Hill Cmnty Assn (0435980)
                                                                              Inadequate Pres. Tank
                                                                                                                180 03/17/89
DuPage Co. - Polo Drive & Saddle Rd Sbdv (0437000)
DuPage Co. - St Charles Cmsn Wlfnd 3 (0437040)
                                                                              Inadequate Pres. Tank
                                                                                                                  95 12/17/82
                                                                                                                  30 12/15/89
                                                                              Inadequate Pres. Tank
DuPage Co. - South Burdette Wtr (0437320)
DuPage Co. - York Center Coop (0437550)
                                                                              Inadequate Pres. Tank
                                                                                                                  30
                                                                                                                      06/16/89
                                                                              Inadequate Pres. Tank
                                                                                                                240
                                                                                                                      06/15/88
Elmwood (Peoria Co. - 1430300)
Fairview (Fulton Co. - 0570450)
                                                                                                                      03/17/86
                                                                             Radiological & Radium
                                                                                                              2,117
                                                                             Radiological, Radium &
                                                                                                                 20 03/20/81
                                                                              Inadequate Pressure Tank
Farina (Fayette Co. - 0510150)
                                                                             Trihalomethane
                                                                                                                600 06/15/92
Fulton Co. - Dunfermline -St David Wtr Cmsn (0575150)
Gillespie (Macoupin Co. - 1170400)
                                                                             Trihalomethane
                                                                                                                850 03/15/93
                                                                                                              7,221 06/15/92
                                                                             Trihalomethane
Girard (Macoupin Co. - 1170450)
Goreville (Johnson Co. - 0870200)
                                                                             Atrazine
                                                                                                              2,264
                                                                                                                      12/15/93
                                                                             Inadequate Treatment
                                                                                                                978 09/15/89
                                                                             Plant & Source
Greene Co. - Mt. Gilead Shorhm (0615129)
Grundy Co. - Heatherfield Sbdv (0635150)
Grundy Co. - Lisbon North Inc (0631000)
                                                                             Inadequate Pres. Ta nk
                                                                                                                  28 09/16/83
                                                                             Inadequate Pres. Tank
                                                                                                                      09/17/82
                                                                                                                  30 09/14/90
                                                                             Inadequate Pres. Tank
Grundy Co. - Ridgecrest North Sbdv (0635250)
                                                                             Inadequate Pres Tank
                                                                                                                  85
                                                                                                                      09/16/93
Henry (Marshall Co. - 1230050)
                                                                             Nitrate
                                                                                                              2,740
                                                                                                                      06/15/90
Henry Co. - Country Ests Sbdv (0735050)
Henry Co. - Daytons Valley View Well 1 (0735186)
                                                                             Nitrate
                                                                                                                250
                                                                                                                      06/15/90
                                                                             Inadequate Pres. Tank
                                                                                                                      09/17/82
Henry Co. - Green River Well 5 (0735416)
Henry Co. - Hazelwood 1st Addn Well 2 (0735446)
                                                                              Inadequate Pres. Tank
                                                                                                                      09/17/82
                                                                                                                  32
                                                                             Inadequate Pres. Tank
                                                                                                                      09/17/82
Henry Co. - Hazelwood 2nd Addn Well 1 (0735646)
                                                                             Inadequate Pres. Tank
                                                                                                                      09/17/82
Henry Co. - Hazelwood 2nd Addn Well 2 (0735666)
                                                                                                                      09/17/82
                                                                             Inadequate Pres. Tank
                                                                             Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Henry Co. - Hazelwood 2nd Addn Well 3 (0735686)
Henry Co. - Hazelwood West Sbdv (0735250)
                                                                                                                  32
                                                                                                                      09/17/82
                                                                                                                      03/19/84
Henry Co. - Holmes Small Farm Sbdv (0735246)
                                                                                                                  32
                                                                                                                      09/16/83
Henry Co. - Hollies Shall Farm Sbdv (0735246)
Henry Co. - Level Acres Wtr Sys Inc (0735536)
Henry Co. - Lake Lynwood Wtr Sys (0735330)
Henry Co. - Level Acres Well 1 (0735436)
Henry Co. - Ophiem PWS (0735150)
                                                                                                                      09/17/82
                                                                                                                  32
                                                                             Inadequate Pres. Tank
                                                                                                                      08/31/81
                                                                                                                      09/17/82
                                                                             Inadequate Pres. Tank
                                                                                                                  32
                                                                             Inadequate Pres. Tank
                                                                                                                      06/18/82
Henry Co. - Osco Mutual Wtr Supply Cpy Inc (0735200)
Henry Co. - Pine Ridge Utl Inc (0735400)
                                                                                                                115 12/15/89
                                                                             Inadequate Pres. Tank
                                                                              Inadequate Pres. Tank
                                                                                                                  46 09/29/81
Hurst - (Williams on Co. 1990450)
                                                                                                                873 03/15/93
                                                                             Trihalomethane
Iroquois Co. - A Merkle-C Kniprath Home (0755389)
Iroquois Co. - Belmont Acres MWC (0755150)
                                                                             Inadequate Pres. Tank
                                                                                                                 98 03/16/90
                                                                                                            14,000 12/15/93
                                                                             Arsenic
Iroquois Co. Spring Creek Campground II Inc. (0750030)
                                                                                       Inadequate Pres. Tank
Island Lake Wtr Cmpny (Lake Co. - 0975080)
                                                                                                              2,250 06/15/90
                                                                             Iron
JoDaviess Co. - Bahl Wtr/Pioneer Acres (0855200)
                                                                             Inad. Pres. Storage
                                                                                                                700 12/15/93
Johnson Co. - Burnside PWD (0875050)
                                                                              Inadequate Treatment
                                                                                                              1,642 09/15/89
                                                                             Plant & Source & TTHM
Kane Co. - Broadview Academy (0895149)
                                                                             Radium
                                                                                                                304 09/19/86
Kane Co. - Highland Sbdv (0895530)
                                                                             Inadequate Pres. Tank
                                                                                                                  50 09/16/83
Kane Co. - Moecherville Sbdv (0895300)
                                                                              Inadequate Pres. Tank
                                                                                                              1.120
                                                                                                                      03/20/81
Kane Co. - Park View Wtr Corp (0895500)
                                                                              Inadequate Pres. Tank
                                                                                                                150 12/17/82
Kane Co. - Pleasant Village (0895228)
                                                                              Inadequate Pres. Tank
                                                                                                                N/A
                                                                                                                      06/18/82
Kane Co. - Silver Glen Ests (0890040)
                                                                                                                      06/15/93
                                                                             Radium
Kane Co. - St Charles Skyline Swr-Wtr Cpy (0895030)
                                                                             Inadequate Pres. Tank
                                                                                                              1,300
                                                                                                                      09/19/86
Kane Co. - Wermes Sbdv (0895750)
                                                                             Inadequate Pres. Tank
                                                                                                                150 12/16/88
Kangley (LaSalle Co. - 0990250)
                                                                             Radium
                                                                                                                200
                                                                                                                      03/17/86
Kankakee Co. - Good Shepherd Manor (0915189)
Kankakee Co. - Skyview Sbdv (0915526)
                                                                                                                140 03/17/89
                                                                             Inadequate Pres. Tank
                                                                              Inadequate Pres. Tank
                                                                                                                 65
                                                                                                                      09/14/84
Kendall Co. - Bonnie Lane Wtr (093010)
Kendall Co. - Farm Colony (0935140)
                                                                              Inadequate Pres. Tank
                                                                                                                      09/16/93
                                                                             Radium
                                                                                                                  25
                                                                                                                      03/17/86
Kendall Co. - Fox Lawn Utl Cmpny (0935150)
Kendall Co. - Metro Utl Valley Dvn (0935100)
                                                                                                                      03/17/86
                                                                             Radium
                                                                             Inadequate Pres. Tank
                                                                                                              2,200
                                                                                                                      03/16/90
Kingston Mines (Peoria Co. - 1430450)
                                                                                                                350 03/17/86
                                                                             Radium
Kinmundy (Marion Co. - 1210300)
Kinsman (Grundy Co. - 0630450)
Kirkwood (Warren Co. - 1870050)
                                                                             Atrazine
                                                                                                              1,923
                                                                                                                      12/15/93
                                                                             Radium
                                                                                                                150
                                                                                                                      03/17/86
                                                                             Radium & Radiological
                                                                                                              1,008
                                                                                                                      07/23/93
Ladd (Bureau Co. - 0110450)
                                                                             Radium
                                                                                                             1,350
                                                                                                                      10/04/85
Lake Co. - Acorn Acres Sbdv (0975020)
Lake Co. - Blan Mar Hills Homeowners
                                                                              Inadequate Pres. Tank
                                                                                                                250
                                                                                                                      12/16/83
                                                Assn (0970090)
                                                                             Radium
                                                                                                                  18 12/16/91
Lake Co. - Bluff Lake Lodges, Inc (0970240)
                                                                              Inad. Pres. Storage
                                                                                                            25,200
                                                                                                                      12/15/93
Lake Co. - Briarcrest Sbdv Hmownrs Assn (0971060)
Lake Co. - D L Well Owners Assn (0975380)
Lake Co. - Echo Lake Block IV Water Assn (0970130)
Lake Co. - Echo Lake Wtr Sys Block 7 (0975820)
Lake Co. - Elm Oak Mutual Wtr Sys (0975736)
                                                                                                                      12/16/92
                                                                             Radium & Gross Alpha
                                                                                                                120
                                                                              Inadequate Pres. Tank
                                                                                                                      03/18/83
                                                                                                                125
                                                                              Inadequate Pres. Tank
                                                                                                                     06/15/88
                                                                                                                  48 09/16/83
                                                                              Inadequate Pres. Tank
                                                                             Inadequate Pres. Tank
                                                                                                                     06/13/86
                                                                             & Radium
Lake Co. - Forest Lake Addn (0975500)
                                                                              Inadequate Pres. Tank
                                                                                                                180 12/16/83
Lake Co. - Glenkirk Campus North (0977189)
                                                                              Inadequate Pres. Tank
                                                                                                                  64
                                                                                                                      06/15/88
Lake Co. - Glenkirk Campus South (0977199)
                                                                                                                 36 06/15/88
                                                                             Inadequate Pres. Tank
Lake Co. - Glenstone Sbdv (0970160)
                                                                             Radium
                                                                                                                168 09/17/92
Lake Co. - Highland Lake Sbdv (0975750)
                                                                                                                294 03/20/81
                                                                             Inadequate Pres. Tank
                                                                             Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Lake Co. - Lakewood Wtr Sys (0975400)
Lake Co. - Maple Hill Nursing Ctr (0971090)
                                                                                                                  49
                                                                                                                      12/16/83
                                                                                                                204
                                                                                                                      06/15/93
Lake Co. - Pekara Sbdv (0975900)
                                                                                                              2,173
                                                                                                                      05/25/81
                                                                                                             63 03/16/84
Lake Co. - Sturm Sbdv (0977010)
Lake Co. - Summit Homeowners Assn (0975280)
Lake Co. - Sylvan Lake 1st Sbdv (0977100)
                                                                                                                  48 03/16/84
                                                                             Inadequate Pres. Tank
                                                                             Inadequate Pres. Tank
                                                                                                                210 06/14/91
```

```
Lake Co. - Towner Sbdv (0977250)
                                                                                               Inadequate Pres. Tank
                                                                                                                                          238 01/14/82
Lake Co. - Wadsworth Oaks Sbdv (0977320)
Lake Co. - West Shoreland Sbdv (0977050)
                                                                                                                                            80 09/19/86
                                                                                               Inadequate Pres. Tank
                                                                                                                                          220 06/14/91
LaSalle Co. - West Shoretain Stav (0977030)
LaSalle Co. - Four Lakes Sbdv (0995110)
LaSalle Co. - Il Prairie Est Sbdv (0995300)
LaSalle Co. - Lynnwood Water Corp (0995336)
LaSalle Co. - Woodsmoke Ranch Assn (0990030)
                                                                                                                                           35 09/19/86
                                                                                               Radium
                                                                                                                                           45 06/15/88
                                                                                               Radium
                                                                                               Inadequate Pres. Tank
                                                                                                                                         114
                                                                                                                                                 03/18/83
                                                                                               Inadeq. Pres. Tank & Radium 350 06/15/90
Little York (Warren Co. - 1870100)
Livingston Co. - Salem Childrens Hm (1055229)
                                                                                                                                         356 12/16/91
66 03/18/83
                                                                                               Radium
                                                                                               Inadequate Pres. Tank
                                                                                               Inadequate Pres. Tank
Inadequate Pres. Tank
Logan Co. - Bartmann Health Care Center (1075169)
                                                                                                                                           93 12/16/83
London Mills - (Fulton County - 0574620)
                                                                                                                                          670 12/14/84
London Milis - (Fulton County - 0574620)

Lostant (LaSalle Co. - 0990450)

Macoupin Co. - ADGPTV (1175200)

Macoupin Co. - Palmyra-Modesto Wtr Assn (1175150)

Macoupin Co. - RR 1 - Il Wtr Assn (1175260)

Macoupin Co. - Scottville Rural Wtr (1170010)

Macoupin Co. - Staunton Res Rd Wtr Coop (1175250)
                                                                                               Radium & Radiological
                                                                                                                                         550 03/17/86
                                                                                                                                  16,437 12/15/93
                                                                                               Atrazine
                                                                                                                                    1,140
                                                                                               Atrazine
                                                                                                                                                 06/15/93
                                                                                               Trihalomethane
                                                                                                                                                 06/15/92
                                                                                               Atrazine
                                                                                                                                          510
                                                                                                                                                 12/15/93
                                                                                               Total Trihalomethane
                                                                                                                                          60 03/15/93
Mapleton (Peoria Co. - 1430500)
                                                                                                                                          235 03/17/86
                                                                                               Radium
Marshall Co. - Hopewell Wtr Wks (1235150)
McDonough Co. - Emmett Utl Inc (1095200)
                                                                                               Radium & Radiological
                                                                                                                                          350 03/17/86
                                                                                               Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                           39 12/17/82
McDonough Co. - Emmett Utl Inc (1095200)
McHenry Co. - C & A Wtr Corp (1115270)
McHenry Co. - Community Srvc Corp (1115350)
McHenry Co. - Deering Oaks Sbdv (1115200)
McHenry Co. - Prairie Ridge Assn (1115730)
McHenry Co. - Walk-Up-Woods Wtr Cmpny (1115800)
McLean Co. - Cropsey Cmnty Wtr (1135150)
McLean Co. - Hunters Knoll Sbdv (1130030)
McMaia (Honderson Co. - 2710350)
                                                                                                                                           33 06/18/82
                                                                                               Inadequate Pres. Tank
                                                                                                                                         750
                                                                                                                                                 09/16/83
                                                                                               Inadequate Pres. Tank
                                                                                                                                           60 12/17/82
                                                                                               Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                          140 03/16/90
                                                                                                                                          763 12/17/82
                                                                                                                                          60 03/20/81
                                                                                               1,2-Dichloropropane
                                                                                                                                          25 12/15/93
Media (Henderson Co. - 0710250)
Mercer Co. - M C L W Sys Inc (1315150)
Mercer Co. - Swedona Wtr Assn (1315200)
                                                                                               Nitrate
                                                                                                                                         150 03/17/86
                                                                                               Inadequate Source
                                                                                                                                         100 03/20/81
                                                                                               Inadequate Pres. Tank
                                                                                                                                         100
                                                                                                                                                 06/15/90
Modesto (Macoupin Co. - 1170600)
Monmouth (Warren Co. - 1870150)
                                                                                                                                          240 12/15/93
                                                                                               Atrazine
                                                                                                                                      9,500
                                                                                               Radium
                                                                                                                                                 12/15/93
Monroe Co. - Maple Leaf Ests Wtr Corp (1335100)
                                                                                                                                                 03/20/81
                                                                                               Inadequate Pres. Tank
                                                                                                                                          39
Mount Clare (Macoupin Co. - 1170650)
                                                                                               Trihalomethane
                                                                                                                                          858
                                                                                                                                                 03/17/92
Naplate (LaSalle Co. - 0990600)
Neponset (Bureau Co - 0110700)
                                                                                                                                                 03/17/86
                                                                                               Radium
                                                                                                                                          581
                                                                                               Radium
                                                                                                                                          640
                                                                                                                                                 09/14/90
New Boston (Mercer Co. - 1310250)
Nilwood (Macoupin Co. - 1170750)
Odell (Livingston Co. - 1050550)
                                                                                                                                         750 12/14/84
                                                                                               Nitrate
                                                                                               Atrazine
                                                                                                                                       1,063
                                                                                                                                                 12/15/93
                                                                                               Radium
                                                                                                                                       1,100
                                                                                                                                                 03/17/86
Ogle Co. - Lindenwood Wtr Assn (1415300)
                                                                                               Inadequate Pres. Tank
                                                                                                                                           50
                                                                                                                                                 01/13/82
Palmyra (Macoupin Co. - 1170800)
                                                                                                                                          850 12/15/93
                                                                                               Atrazine
                                                                                               Acrazine
Trihalomethane
Patoka (Marion Co. - 1210400)
Pawnee (Sangamon Co. - 1670850)
                                                                                                                                          820
                                                                                                                                                 12/16/92
                                                                                                                                       2,672
                                                                                                                                                 12/15/93
                                                                                               Atrazine
Pawnee (Sangamon Co. - 16/0850)
Peoria Co. - Brookview Sbdv (1435100)
Peoria Co. - Edelstein Wtr Coop (1435150)
Peoria Co. - Fahnstock Court Sbdv (1435200)
Peoria Co. - Galena Knolls Sbdv (1435300)
Peoria Co. - Trivoli PWD (1435510)
Peoria Co. - Woodland Hts Ests Sbdv (1435760)
                                                                                               Nitrate
                                                                                                                                          300
                                                                                                                                                 09/16/93
                                                                                               Radium & Radiological
                                                                                                                                         115 06/13/86
                                                                                               Inadequate Pres. Tank
                                                                                                                                           30
                                                                                                                                                 05/25/81
                                                                                               Nitrate
                                                                                                                                         180
                                                                                                                                                 06/15/88
                                                                                               Inadequate Pres. Tank
                                                                                                                                          350
                                                                                                                                                 06/17/83
                                                                                               Inadequate Pres. Tank
                                                                                                                                                 03/20/81
                                                                                                                                          245
Prairie City (McDonough Co. - 1090400)
Princeville (Peoria Co. - 1430750)
Ransom (LaSalle Co. - 0990900)
                                                                                                                                                 03/17/86
                                                                                               Radiological & Radium
                                                                                                                                          620
                                                                                               Radiological & Radium
                                                                                                                                       2,212
                                                                                                                                                 03/17/86
                                                                                                                                                 03/17/86
                                                                                               Radium
                                                                                                                                          450
Raritan (Henderson Co. - 0710350)
                                                                                                                                                 03/17/86
                                                                                               Radium & Radiological
                                                                                                                                          177
Reddick (Kankakee Co. - 0914780)
                                                                                               Radium
                                                                                                                                          208
                                                                                                                                                 09/16/93
Richview (Washington Co. - 1890500)
                                                                                               Inadequate Pres. Tank
                                                                                                                                                 09/19/86
                                                                                                                                          592
Rockdale (Will Co. - 1970850)
                                                                                               Radium
                                                                                                                                      1,500
                                                                                                                                                 03/17/86
Rock Island Co. - Byron Hls Sbdv Well 6 (1617266)
Rock Island Co. - Country Club Mnr Well 1 (1617286)
Rock Island Co. - Croppers 2nd & 3rd Addn (1615200)
Rock Island Co. - Eberts 2nd Addn (1615280)
                                                                                               Inadequate Pres. Tank
                                                                                                                                                 12/17/82
                                                                                               Inadequate Pres. Tank
                                                                                                                                                 01/14/82
                                                                                               Inadequate Pres. Tank
                                                                                                                                                 12/16/83
                                                                                               Inadequate Pressure Tank
                                                                                                                                                 09/15/89
                                                                                                                                            35
Rock Island Co. - Evergreen Vlg Sbdv (1615310)
Rock Island Co. - Fairacres Assn (1615350)
Rock Island Co. - Larson Court Rentals (1615728)
                                                                                               Inadequate Pres. Tank
                                                                                                                                          250 03/20/81
                                                                                               Inadequate Pres. Tank
                                                                                                                                          220
                                                                                                                                                 03/20/81
                                                                                                                                           48 01/14/82
                                                                                               Inadequate Pres. Tank
                                                                                               Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Trihalomethane
Inadequate Pres. Tank
Rock Island Co. - Lemon Street Well Cmpny (1615550)
Rock Island Co. - Park Hill Ests Well 1 (1617806)
Rock Island Co. - Park Hill Ests Well 2 (1617686)
                                                                                                                                                 03/20/81
                                                                                                                                          32
                                                                                                                                                 06/18/82
                                                                                                                                            32
                                                                                                                                                 06/18/82
Rock Island Co. - Rock Island Arsn (1615387)
Rock Island Co. - Silvis Heights Wtr Corp (1615750)
                                                                                                                                      9,000
                                                                                                                                                 06/15/92
                                                                                                                                                 03/20/82
                                                                                                                                      1,680
Rock Island Co. - Suburban Heights Sbdv (1615800)
                                                                                               Inadequate Pres. Tank
                                                                                                                                         114 12/16/83
Rock Island Co. - Tindalls Addn Wtr Sys (1617376)
Rock Island Co. - Tindalls 3rd & 6th Addns (1617376)
                                                                                               Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                           32 06/18/82
                                                                                                                                            28 06/18/82
Rock Island Co. - Tower Ridge Sbdv (1615780)
Rock Island Co. - Turkey Hollow Well Corp (1615686)
                                                                                                                                           70
                                                                                                                                                 09/17/92
                                                                                                                                          32 06/18/82
Roseville (Warren Co. - 1870200)
Rosiclare (Hardin Co. - 0690150)
Shipman (Macoupin Co. - 1170950)
Smithboro (Bond Co. - 0050250)
Sorento (Bond Co. - 0050300)
                                                                                               Nitrate
                                                                                                                                      1,254
                                                                                                                                                 03/17/89
                                                                                               Trihalomethane
                                                                                                                                      1,791
                                                                                                                                                 09/17/92
                                                                                               Atrazine
                                                                                                                                          695
                                                                                                                                                 06/15/93
                                                                                               Total Trihalomethane
                                                                                                                                          201 12/15/93
                                                                                               Atrazine
                                                                                                                                          710
                                                                                                                                                 06/15/92
South Pekin (Tazewell Co. - 1790650)
                                                                                               Nitrate
                                                                                                                                      1,400
                                                                                                                                                 06/15/93
South Wilmington (Grundy Co. - 0630650)
                                                                                               Radium
                                                                                                                                          750
                                                                                                                                                 03/15/93
                                                                                               Radium
Radium
Trihalomethane
Spring Valley (Bureau Co. - 0111000)
St. Clair Co. - Save Site (1635289)
                                                                                                                                                 09/17/92
                                                                                                                                       5,850
                                                                                                                                          375 06/15/92
St. Elmo (Fayette Co. - 0510250)
St. Peter (Fayette Co. - 0510300)
                                                                                               Total Trihalomethane
                                                                                                                                       3,053 12/15/93
                                                                                               Trihalomethane
                                                                                                                                         807 06/15/92
Standard (Putnam Co. -1550300)
                                                                                                                                         280 09/16/91
```

```
Staunton (Macoupin Co. - 1171050)
Steeleville (Randolph Co. - 1570650)
Stephenson Co. - Park Crest Wir Cmpny (1775100)
                                                                                            Trihalomethane
                                                                                                                                5,180 06/15/92
                                                                                            Radium
                                                                                                                                2,305
                                                                                                                                          03/17/86
                                                                                            Inadequate Pres. Tank
                                                                                                                                1,200
                                                                                                                                          09/14/84
     Table Grove (Fulton Co. - 0570900)
Taylor Springs (Montgomery Co. - 1350650)
                                                                                            Radium & Radiological
                                                                                                                                   500
                                                                                                                                          03/20/81
                                                                                            Trihalomethane
                                                                                                                                          03/17/92
                                                                                                                                   671
     Taylor Springs (Montgomery Co. - 1350650)
Tazewell Co. - Beverly Mnr Cntrl Imp Assn (1795120)
Tazewell Co. - Beverly Mnr-Grant (1795100)
Tazewell Co. - Breezeway Sbdv (1795150)
Tazewell Co. - Hickory Hls Sbdv Assn 1 (1795386)
Tazewell Co. - Hickory Hls Sbdv Assn 2 (1795396)
Tazewell Co. - Mayfair Sbdv (1795750)
Tazewell Co. - Oakhaven Sbdv (1795760)
Tazewell Co. - Prairie View Wtr Assn (1795900)
Thayer (Sangamon Co. - 1671250)
                                                                                            Inadequate Pres. Tank
                                                                                                                                          03/17/89
                                                                                                                                   525
                                                                                            Inadequate Pres. Tank
                                                                                                                                          03/20/81
                                                                                            Inadequate Pres. Tank
                                                                                                                                   175
                                                                                                                                          09/17/82
                                                                                                                                          06/14/85
                                                                                            Inadequate Pres. Tank
                                                                                            Inadequate Pres. Tank
                                                                                                                                     30
                                                                                                                                          06/14/85
                                                                                            Inadequate Pres. Tank
                                                                                                                                          03/16/90
                                                                                                                                   150
                                                                                            Inadequate Pres. Tank
                                                                                                                                    35
                                                                                                                                          05/25/81
                                                                                                                                        03/20/81
                                                                                            Inadequate Pres. Tank
                                                                                                                                    55
      Thayer (Sangamon Co. - 1671250)
                                                                                            Atrazine
                                                                                                                                   830 12/15/93
      Union Co. - Lick Creek PWD (1815100)
                                                                                            Inadequate Treatment
                                                                                                                                   816 09/15/89
                                                                                            Plant & Source
      Vermilion Co. - North Fork Well Assn (1835186)
                                                                                            Inadequate Pres. Tank
                                                                                                                                    66 06/17/83
     Bardolph (McDonough Co. - 1090050)
Rock Island Co. - WSCO Dvl-Ridgewood (1615670)
Viola (Mercer Co. - 1310450)
                                                                                                                                   299 09/16/93
                                                                                            Total Trihalomethane
                                                                                                                                   475 03/20/81
                                                                                            Inadequate Pres. Tank
                                                                                            Radium
                                                                                                                                1,144
                                                                                                                                          09/17/92
     Virden (Macoupin Co. - 1171100)
Westfield (Clark Co. - 0230200)
                                                                                            Atrazine & TTHM
                                                                                                                                3,675
                                                                                                                                         12/15/93
                                                                                            Inadequate Water Source
                                                                                                                                   700
                                                                                                                                          06/15/93
                                                                                            Trihalomethane
     White City (Macoupin Co. - 1171150)
White Hall (Greene Co. - 0610400)
                                                                                                                                   280 06/15/93
                                                                                                                                2,950 06/15/93
                                                                                            Atrazine
                                                                                      6
     Whiteside Co. - Lakeview Sbdv (1955150)
                                                                                            Inadequate Pres. Tank &
                                                                                                                                   146 03/20/81
                                                                                            Nitrate
      Whiteside Co. - Shady Nook (1950020)
                                                                                            Inadequate Pres. Tank
     Will Co. - Bel-Air Sbdv (1975130)
Will Co. - Clearview Sbdv (1975360)
                                                                                            Inadequate Pres. Tank
                                                                                                                                    91 08/04/81
                                                                                            Inadequate Pres. Tank
                                                                                                                                   420 01/13/82
      Will Co. - Dixie Dells (1977850)
                                                                                            Inadequate Pres. Tank
                                                                                                                                   550
                                                                                                                                          09/17/82
      Will Co. - East Moreland Wtr Assn (1975600)
                                                                                                                                   753 03/20/81
                                                                                            Inadequate Pres. Tank
      Will Co. - Fair Acres Sbdv (1975680)
                                                                                            Inadequate Pres. Tank
                                                                                                                                   185
                                                                                                                                          10/19/81
      Will Co. - Garden Street Imprv Assn (1975376)
                                                                                                                                        09/15/89
                                                                                            Inadequate Pres. Tank
                                                                                                                                   62
      Will Co. - Greenfield Cmnty Well Cmpny (1975760)
                                                                                            Inadequate Pres. Tank
                                                                                                                                          12/16/83
      Will Co. - Hillview Sbdv (1975800)
                                                                                                                                        03/15/85
                                                                                            Inadequate Pres. Tank
     Will Co. - Huntley Cmnty Sbdv (1975840)
Will Co. - Ingalls Park Sbdv (1975880)
                                                                                            Inadequate Pres. Tank
                                                                                                                                     48
                                                                                                                                          03/16/84
                                                                                                                                   690 09/16/83
                                                                                            Inadequate Pres. Tank
     Will Co. - Lakewood Shores Imprv Assn (1975930)
Will Co. - Oakview Avenue Wtrwks Inc (1977210)
                                                                                            Radium
                                                                                                                                     93
                                                                                                                                          03/17/86
                                                                                            Inadequate Pres. Tank
                                                                                                                                         03/20/81
     Will Co. - Park Road Wtr Assn (1977330)
Will Co. - Ridgewood Sbdv (1977650)
Will Co. - Scribner Street Sbdv (1977660)
                                                                                            Inadequate Pres. Tank
                                                                                                                                    60
                                                                                                                                         12/17/82
                                                                                            Inadequate Pres. Tank
                                                                                                                                          06/18/82
                                                                                            Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                    50
                                                                                                                                          03/18/83
      Will Co. - Shawnita Trc Wtr Assn (1977690)
                                                                                                                                          09/17/92
     Will Co. - Sunnyland Sbdv (1977730)
Williamson (Madison Co. - 1191100)
Williamson Co. - Devils Kitchen Wtr Dst (1995160)
                                                                                            Inadequate Pres. Tank
                                                                                                                                   350
                                                                                                                                          09/16/83
                                                                                            Trihalomethane
                                                                                                                                   350
                                                                                                                                         06/15/92
                                                                                            Inadequate Treatment Plt1,330 09/15/89
                                                                                            & Source & Trihalomethane
      Williamson Co. - Lake of Egypt PWD (1995200)
                                                                                            Inadequate Treatment
                                                                                                                                7,743 09/15/89
     Wilsonville (Macoupin Co. - 1171200)
                                                                                                                                   609 06/15/92
                                                                                            Trihalomethane
                                                                                            Inad. Press. Tank & Inad. Source of Supply
      Winnebago Co. - Blue & Gold Homeowners Assn (2015250) 1
                                                                                                                                   170 06/17/83
                                                                                            Inadequate Pres. Tank
Inadequate Pres. Tank
                                                                                                                                   192 09/13/85
     Winnebago Co. - Bradley Heights Sbdv (2015050)
     Winnebago Co. - Briar Garden Apts (2015190)
Winnebago Co. - Cherry Vale East Apts (2015470)
                                                                                                                                   60 12/17/82
                                                                                            Inadequate Pres. Tank
                                                                                                                                   180
                                                                                                                                         01/14/82
                                                                                            Inadequate Pres. Tank
     Winnebago Co. - Cherry View Apts (2015278)
Winnebago Co. - Goldie B Floberg Cntr (2015439)
Winnebago Co. - Great Oaks & Beacon Hls Apts (2015488)
                                                                                                                                   60 06/17/83
                                                                                            Inadequate Pres. Tank
                                                                                                                                    54 03/16/84
                                                                                                       Inadequate Pres. Tank
     Winnebago Co. - Kishwaukee -Kilbuck Assn (2010010)
Winnebago Co. - Larchmont Sbdv (2015290)
Winnebago Co. - Legend Lakes Wtr Assn (2015300)
Woodford Co. - Oak Ridge Sndst (2035300)
                                                                                            Inadequate Pres. Tank
                                                                                                                                    42 03/16/90
                                                                                            Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Inadequate Pres. Tank
Radiological & Radium
Radium and Inadequate
                                                                                                                                   106 06/17/83
                                                                                                                                   225 03/14/91
                                                                                                                                   240 03/20/81
     Wyoming (Stark Co. - 1750200)
Yates City (Knox Co. - 0950700)
                                                                                                                               1,614 03/17/86
                                                                                                                                   900 03/20/81
                                                                                            Pressure Tank
Public Water Supplies Removed from Previous List
     Blandinsville (McDonough Co. - 1090100)
Fithian (Vermilion Co. - 1830300)
Grantfork (Madison Co. - 1190350)
Granville (Putnam Co. - 1550050)
     Henry Co. - Hazelwood 1st Addn Well 5 (0735566)
Joliet Army Amn Plt-Mfg Plt (Will Co. - 1975877)
```

Mark (Putnam Co. - 1550250)

Norris (Fulton Co. - 0570750)

Rock Island Co. - Vanderheyden Sbdv (1617866)

Rock Island Co. - 176 Ave West Comrty Wtr Sys (1617436)

Sawyerville (Macoupin Co. - 1170850) Vernon (Marion Co. - 1210550) West Salem (Edwards Co. - 0470200) Illinois Environmental Protection Agency

Division of Public Water Supplies

Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of January 1, 1994.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/4

Illinois Environmental Protection Agency Division of Public Water Supplies Critical Review List -- Public Water Supplies January, 1994

				POP.	LISTING
	NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN			
	Baylis (Pike Co 1490100)	5	NATURE OF PROBLEM Source Capacity	300	09/13/85
	Pluford (Jefferson Co - 0810100)	7	Low System Pressure	465	03/20/81
	Camargo (Douglas Co 0410100)	4	Inadequate Treat ment Plan		
*	Carlyle (Clinton Co 0270300)	6	Inadequate Treatment Plant		
	Casevville (St. Clair Co 1630250)	6	Low System Pressure 12		
	Clinton (DeWitt Co 0390050)	4	Inadequate Plant Capacity		
	Camargo (Douglas Co 0410100) Carlyle (Clinton Co 0270300) Caseyville (St. Clair Co 1630250) Clinton (DeWitt Co 0390050) Davis (Stephenson Co 1770150)	1	Low System Pressure		
*	DePue (Bureau Co 0110300)	1	Inadequate Treatment Plant		
	D D	2	Inadequate Pressure Tank 1	L.100	09/17/92
	Edgewood (Effingham Co 0490200)	4	Inadequate Source Inad. Treatment Plant 30 Plant Capacity 1 Inadequate Wtr Plant 3	574	12/14/84
*	Edwardsville (Madison Co 1190250)	6	Inad. Treatment Plant 30	,581	12/15/93
	Evansville (Randolph Co 1570250)	6	Plant Capacity 1	,838	05/25/81
	Georgetown (Vermilion Co 1830350)	4	Inadequate Wtr Plant 3	678	06/15/93
	Hardin (Calhoun Co 0130200)	6	Low System Pressure 1	.,175	11/25/81
	Edgewood (Effingham Co 04902 00) Edwardsville (Madison Co 1190250) Evansville (Randolph Co 1570250) Georgetown (Vermilion Co 1830350) Hardin (Calhoun Co 0130200) Jackson Co South Highway PWD (0775400) Kane Co Lake Marian Wtr Corp (0895200)	7	Low System Pressure 8	189	06/15/92
	Hardin (Calhoun Co 0130200) Jackson Co South Highway PWD (0775400) Kane Co Lake Marian Wtr Corp (0895200)	2	Low System Pressure &	800	09/14/84
			Inadequate Pres. St orage		
	Kincaid (Christian Co 0210250)	5	Plant Capacity 2	2,640	06/14/85
	Lewistown (Fulton Co 0570600)	5	Inadequate Source 2	2,700	06/15/88
	Mason (Effingham Co 0490300)	4	Inadequate Source	612	12/14/84
	McHenry Co McHenry Shores Wtr Cmpny (1115020)	2	Inadequate Source Low System Pressure 1	.,170	09/17/92
	McHenry Co Whispering Hills Wtr Cmpny (1115700)	2	Low System Pressure Inadequate Storage Low System Pressure Low System Pressure 3	,000	06/15/93
	McHenry Co - Wonder Lake Wtr Cmpny (1115750)	2	Inadequate Storage 1	.,080	12/14/90
	Millstadt (St. Clair Co 1630850)	6	Low System Pressure 2	2,750	12/16/91
	North Utica (LaSalle Co 0990650)	1	Low System Pressure 3	,943	03/18/84
	Orangeville (Stephenson Co 1770350)	1	Low System Pressure	590	03/17/86
*	Patoka (Marion Co 1210400)	6	Inadequate Treatment Plant	820	12/15/93
	Pearl (Pike Co.1490650)	5	Inadequate Pres. Tank	322	09/17/82
	Pecatonica (Winnebago Co2010250)	1	Low System Pres. 1	.,830	06/15/90
	Millstadt (St. Clair Co 1630850) North Utica (LaSalle Co 0990650) Orangeville (Stephenson Co 1770350) Patoka (Marion Co 1210400) Pearl (Pike Co.1490650) Pecatonica (Winnebago Co2010250) Ramsey (Fayette Co 0510200)	6	Inadequate Pres. Tank Low System Pres. 1 Source Capacity & 1	.,350	09/13/85
			LOW System Pres.		
	Richland Co West Liberty Dundas Wtr Dist (1595050)	7	Low System Pres. &	693	12/14/84
			Inadequate Source		
	Stockton (Jo Daviess Co 0850450)	1	Low System Pressure 1 Low System Pressure 1 Low System Pressure Low System Pressure 1	.,900	06/15/84
	Sumner (Lawrence Co 1010300)	7	Low System Pressure 1	.,553	12/13/85
	Taylor Springs (Montgomery Co 1350650) Walnut Hill (Mario Co 1210600)	5	Low System Pressure	650	02/20/81
	Walnut Hill (Marion Co 1210600)	6	Low System Pressure 1	,200	06/14/85
	Will Co Metro Utl Chickasaw Dvn (1975320)	2	Low System Pressure 7	7,700	09/17/92

Public Water Supplies Removed from Previous List
Germantown (C linton Co. - 0270350)
West Frankfort (Franklin Co. - 0550700)

DED:sp/0046g/23 -25

Printed by Authority of the State of Illinois, January, 1994, 2,000 copies, order #57701.

The Illinois Pollution Control Board is an independent seven member board which adopts the environmental control standards for the State of Illinois and rules on enforcement actions and other environmental disputes. The Board Members are:

Claire A. Manning, Chairman Springfield, Illinois

Emmett E. Dunham, II Ronald C. Flemal G. Tanner Girard Elmhurst, Illinois DeKalb, Illinois Grafton, Illinois

Marili McFawn J. Theodore Meyer Michael L. Nardulli Palatine, Illinois Chicago, Illinois Chicago, Illinois

The Environmental Register is a newsletter published by the Board after every Board meeting. The Register provides updates on rulemakings and other information, lists final actions, and contains the Board's hearing calendar. The Register is provided free of charge.

Illinois Pollution Control Board State of Illinois Center, 11-500 100 West Randolph Street Chicago, Illinois 60601 (312) 814-3620

Address Correction Requested.