

## ILLINOIS POLLUTION CONTROL BOARD

January 19, 2010

VERNON and ELAINE ZOHFELD,	)	
	)	
Complainants,	)	
	)	
v.	)	PCB 05-193
	)	(Citizens Enforcement - Air)
WABASH VALLEY SERVICE COMPANY,	)	
NOAH D. HORTON, and STEVE KINDER,	)	
	)	
Respondents.	)	

**HEARING OFFICER ORDER**

On January 19, 2010, the parties participated in a telephone status conference with the hearing officer. The parties continue to discuss settlement.

The parties are directed to participate in a telephone status conference with the hearing officer at 3:00 p.m. on February 17, 2010. The status conference shall be initiated by the complainants.

IT IS SO ORDERED.




---

Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on January 19, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on January 19, 2010:

John T. Therriault  
Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph St., Ste. 11-500  
Chicago, Illinois 60601



Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
webbc@ipcb.state.il.us

PCB 2005-193  
Edward W. Dwyer  
Hodge Dwyer & Driver  
3150 Roland Avenue  
Post Office Box 5776  
Springfield, IL 62705-5776

PCB 2005-193  
Stephen F. Hedinger  
Sorling, Northrup, Hanna, etal  
Suite 800 Illinois Building  
607 East Adams  
P.O. Box 5131  
Springfield, IL 62705

PCB 2005-193  
Steve Kinder  
Wabash Valley Service Company  
909 N. Court Street  
Grayville, IL 62844

PCB 2005-193  
Wabash Valley Service Company  
909 N. Court Street  
Grayville, IL 62844

PCB 2005-193  
Noah D. Horton  
1101705 Jefferson St.  
Eldorado, IL 62930-1927