

ILLINOIS POLLUTION CONTROL BOARD

January 26, 2010

GENERAL ELECTRIC COMPANY d/b/a GE)	
PLASTICS,)	
Petitioner,)	
v.)	PCB 04-115
	(Permit Appeal)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
Respondent.)	

HEARING OFFICER ORDER

On January 26, 2010, petitioner participated in a telephone status conference with the hearing officer. In response to comments from respondent pertaining to the draft permit, petitioner is preparing to send additional information.

The parties are directed to participate in a telephone status conference with the hearing officer at 11:00 a.m. on April 6, 2010. To attend the telephone status conference, please call the following number: (877) 926-7700; access code 4444.

Petitioner filed an open waiver of the statutory decision deadline in this matter.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on January 26, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on January 26, 2010:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601

A handwritten signature in black ink that reads "Carol Webb". The signature is written in a cursive, flowing style.

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2004-115

IEPA

1021 North Grand Avenue East

P.O. Box 19276

Springfield, IL 62794-9276

PCB 2004-115

Alphonse McMahon

General Electric Company d/b/a GE Plastics

One Lexan Lane

Mount Vernon, IN 47620

PCB 2004-115

Shannon S. Broome, PC

General Electric Company d/b/a GE Plastics

5001 Proctor Avenue

Oakland, CA 94618