

Updated June 9, 2011

IN THE MATTER OF: )  
)  
AMENDMENTS TO 35 ILL. ADM. CODE ) R 11-20 (Rulemaking - Air)  
PART 229: HOSPITAL/MEDICAL/ )  
INFECTIOUS WASTE INCINERATORS )

**RECEIVED**  
**CLERK'S OFFICE**

**JUN 09 2011**

**STATE OF ILLINOIS**  
**Pollution Control Board**

**EXHIBIT LIST**

- Exhibit 1 Testimony of Dixon Nwaji, Environmental Protection Engineer, Air Quality Planning Section in the Illinois Environmental Protection Agency (IEPA) (4 page testimony, prefiled 2/18/2011; admitted into record as if read)
- Exhibit 2 Amendments Agreed to by IEPA & Stericycle to 35 Ill. Adm. Code 229.115 "Compliance Schedules for HMIWIs That Will Continue to Operate (2 page document dated 6/8/11, further agreed to change in Sec. 229.115(b)(2)(B)(vii) on p. 2, strike-through initialed by hearing officer)
- Exhibit 3 IEPA Answers and First Errata to Questions Regarding Hospital/Medical/ Infectious Waste Incinerators, filed 5/25/2011 (excluding Exhibit A-H) (12-pages)
- Exhibit 4 Stericycle Inc. Testimony on Amendments to 35 Ill. Adm. Code Part 229: HMIWI, filed 2/22/2011 (6-page letter signed by Selin Hoboy, VP Legislative and Regulatory Affairs)
- Exhibit 5 Stericycle Inc. Testimony on Amendments to 35 Ill. Adm. Code Part 229: HMIWI, filed 5/23/2011 (3-page letter signed by Selin Hoboy, VP Legislative and Regulatory Affairs)
- Exhibit 6 6/23/2011 Hearing officer order in R11-24 addressing questions to IEPA and Stericycle re respective filings of 5/25/2011 & 5/23, 2011 (9-pages)

The next hearing is scheduled for June 28, 2011

 ORIGINAL