

ILLINOIS POLLUTION CONTROL BOARD March 15, 2012

STATE OF ILLINOIS
Pollution Control Board

CENTERPOINT ENERGY – MISSISSIPPI)	
RIVER TRANSMISSION, LLC)	
)	
Petitioner,)	
)	
V.)	PCB 12-14
)	(Permit Appeal – CAAPP)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	DETHINA TO SECRETO OFFICE
-		NCIUM 13 LANS S IFFINE

HEARING OFFICER ORDER

On March 14, 2012, petitioner reported that settlement discussions are progressing, and additional documentation is being prepared for respondent. At the next status conference, an additional deadline waiver will be needed.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:00 a.m. on April 18, 2012. Petitioner will email a conference call-in number.

The decision deadline is currently July 26, 2012.

IT IS SO ORDERED.

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509

webbc@ipcb.state.il.us

Carol Webb

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on March 15, 2012, to each of the person on the a service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on March 15, 2012:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Hearing Officer Illinois Pollution Control Board

Carol Webb

1021 North Grand Avenue East P.O. Box 19274

P.O. Box 192/4

Springfield, Illinois 62794-9274

217/524-8509

webbc@ipcb.state.il.us

PCB 2012-014
Garry L. Keele, II
Hall, Estill, Hardwick, Gable,
Golden & Nelson, P.C.
320 South Boston Avenue
Suite 200
Tulsa, OK 74103-3706

PCB 2012-014
Sally A. Carter
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2012-014 Bryan A. Fuller Hall, Estill, Hardwick, Gable, Golden & Nelson, P.C. 320 South Boston Avenue Suite 200 Tulsa, OK 74103-3706