

ILLINOIS POLLUTION CONTROL BOARD September 13, 2012

STATE OF ILLINOIS
Pollution Control Board

		1 Ollegan
PEOPLE OF THE STATE OF ILLINOIS)	
)	
Complainant,)	
)	
v.) PCB 11-79	
) (Enforcemen	t – Water)
INVERSE INVESTMENTS, L.L.C., an)	
Illinois limited liability company,)	A PARAMETER
)	
Respondent.)	
-	P	CTHOM TO A SECOND
HEARING OFFICER ORDER		

On September 13, 2012, the complainant stated that it is reviewing a settlement offer submitted by the respondent and should be completed in the next 30 days. Discovery remains stayed while settlement discussions continue.

The parties or their legal representatives are directed to appear at a telephonic status conference with the hearing officer on November 15, 2012, at11:30 a.m. The telephonic status conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center, Suite 11-500

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on September 13, 2012, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on September 13, 2012:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

> Bradley P. Halloran Hearing Officer Illinois Pollution Cntrol Board James R. Thompson Center 100 West Randolph Street, Suite 11-500 Chicago, Illinois

Bradly P. Holon

SERVICE LIST

PCB 2011-079 Krystyna Bednarczyk Office of the Attorney General 69 W. Washington Street Suite 1800 Chicago, IL 60602 PCB 2011-079 Jennifer T. Nijman Nijman Franzetti LLP 10 S. LaSalle Street Suite 3600 Chicago, IL 60603