

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- 1) Heading of the Part: Organic Material Emission Standards and Limitations
- 2) Code Citation: 35 Ill. Adm. Code 215
- 3)

<u>Section Numbers</u> :	<u>Proposed Action</u> :
215.104	Amend
215.105	Amend
215.585	Repeal
- 4) Statutory Authority: Implementing Section 10 and authorized by Sections 27 and 28 of the Environmental Protection Act [415 ILCS 5/10, 27 and 28]
- 5) A Complete Description of the Subjects and Issues Involved: A lengthy discussion of the whole of this rulemaking docket is discussed in the Board's April 19, 2012 opinion and order: In the Matter of: Gasoline Volatility Standards and Motor Vehicle Refinishing; Proposed Amendments to 35 Ill. Adm. Code Parts 211, 215, 218, and 219, R 12-24 (Apr. 19, 2012). In Part 218, this proposal repeals the Pollution Control Board's ozone attainment area Gasoline Volatility Standards at 35 Ill. Adm. Code 215.585, as these standards were superseded by the federal Gasoline Volatility Standards. This proposal also repeals the definition of "Reid vapor pressure" in 35 Ill. Adm. Code 215.104 and repeals certain incorporations by reference at 35 Ill. Adm. Code 215.105 to be consistent with the proposed repeal of the Pollution Control Board's attainment area Gasoline Volatility Standards.
- 6) Published studies or reports, and sources of underlying data, used to compose this rulemaking: Specifically as to Part 215 only, 40 CFR 80.27 (2010). As to the entire R12-24 proposal generally, see the list of documents in the answer to this question in the notice of proposed amendments to Part 218.
- 7) Will this rulemaking replace any emergency rulemaking currently in effect? No
- 8) Does this rulemaking contain an automatic repeal date? No
- 9) Does this rulemaking contain incorporations by reference? Yes; repeal is proposed.
- 10) Are there any other proposed rulemakings pending in this Part? No
- 11) Statement of Statewide Policy Objective: This proposed rulemaking does not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act [30 ILCS 805/3(b)].

RECEIVED
CLERK'S OFFICE
MAY 10 2012
STATE OF ILLINOIS
Pollution Control Board

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

- 12) Time, Place, and Manner in which interested persons may comment on this proposed rulemaking: The Pollution Control Board will accept written public comments on this proposal for a period of 45 days after the date of publication in the *Illinois Register*. Comments should reference Docket R12-24 and be addressed to:

Clerk's Office
Illinois Pollution Control Board
100 W. Randolph St., Suite 11-500
Chicago, IL 60601

312/814-3620

The Board will also schedule two public hearings in this docket.

- 13) Initial Regulatory Flexibility Analysis:
- A) Types of small businesses, small municipalities and not for profit corporations affected: None; proposed amendments repeal superseded state standards and related definitions and incorporations by reference.
 - B) Reporting, bookkeeping or other procedures required for compliance: None
 - C) Types of Professional skills necessary for compliance: None
- 14) Regulatory Agenda on which this rulemaking was summarized: January 2012

The full text of the Proposed Amendments begins on the next page:

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE B: AIR POLLUTION
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER C: EMISSIONS STANDARDS AND LIMITATIONS
FOR STATIONARY SOURCES

RECEIVED
CLERK'S OFFICE
MAY 10 2012
STATE OF ILLINOIS
Pollution Control Board

PART 215
ORGANIC MATERIAL EMISSION STANDARDS AND LIMITATIONS

SUBPART A: GENERAL PROVISIONS

Section

215.100 Introduction
215.101 Clean-up and Disposal Operations
215.102 Testing Methods
215.103 Abbreviations and Conversion Factors
215.104 Definitions
215.105 Incorporation by Reference
215.106 Afterburners
215.107 Determination of Applicability
215.108 Measurement of Vapor Pressures
215.109 Monitoring for Negligibly-Reactive Compounds

SUBPART B: ORGANIC EMISSIONS FROM STORAGE
AND LOADING OPERATIONS

Section

215.121 Storage Containers
215.122 Loading Operations
215.123 Petroleum Liquid Storage Tanks
215.124 External Floating Roofs
215.125 Compliance Dates and Geographical Areas
215.126 Compliance Plan
215.127 Emissions Testing
215.128 Measurement of Seal Gaps

SUBPART C: ORGANIC EMISSIONS FROM
MISCELLANEOUS EQUIPMENT

Section

215.141 Separation Operations
215.142 Pumps and Compressors
215.143 Vapor Blowdown
215.144 Safety Relief Valves

SUBPART E: SOLVENT CLEANING

Section

215.181 Solvent Cleaning in General
215.182 Cold Cleaning
215.183 Open Top Vapor Degreasing
215.184 Conveyorized Degreasing
215.185 Compliance Plan

SUBPART F: COATING OPERATIONS

Section

215.202 Compliance Schedules
215.204 Emission Limitations for Manufacturing Plants
215.205 Alternative Emission Limitations
215.206 Exemptions from Emission Limitations
215.207 Compliance by Aggregation of Emission Units
215.208 Testing Methods for Volatile Organic Material Content
215.209 Exemption from General Rule on Use of Organic Material
215.210 Alternative Compliance Schedule
215.211 Compliance Dates and Geographical Areas
215.212 Compliance Plan
215.213 Special Requirements for Compliance Plan
215.214 Roadmaster Emissions Limitations (Repealed)
215.215 DMI Emissions Limitations

SUBPART H: SPECIAL LIMITATIONS FOR SOURCES IN MAJOR URBANIZED AREAS WHICH ARE NONATTAINMENT FOR OZONE

Section
215.240 Applicability
215.241 External Floating Roofs
215.245 Flexographic and Rotogravure Printing
215.249 Compliance Dates

SUBPART I: ADJUSTED RACT EMISSIONS LIMITATIONS

Section
215.260 Applicability
215.261 Petition
215.263 Public Hearing
215.264 Board Action
215.267 Agency Petition

SUBPART K: USE OF ORGANIC MATERIAL

Section
215.301 Use of Organic Material
215.302 Alternative Standard
215.303 Fuel Combustion Emission Sources
215.304 Operations with Compliance Program
215.305 Viscose Exemption (Repealed)

SUBPART N: VEGETABLE OIL PROCESSING

Section
215.340 Hexane Extraction Soybean Crushing
215.342 Hexane Extraction Corn Oil Processing
215.344 Recordkeeping for Vegetable Oil Processes
215.345 Compliance Determination
215.346 Compliance Dates and Geographical Areas
215.347 Compliance Plan

SUBPART P: PRINTING AND PUBLISHING

Section
215.401 Flexographic and Rotogravure Printing
215.402 Exemptions
215.403 Applicability of Subpart K

215.404 Testing and Monitoring (Repealed)
215.405 Compliance Dates and Geographical Areas
215.406 Alternative Compliance Plan
215.407 Compliance Plan
215.408 Heatset Web Offset Lithographic Printing
215.409 Testing Methods for Volatile Organic Material Content
215.410 Emissions Testing

SUBPART Q: LEAKS FROM SYNTHETIC ORGANIC CHEMICAL AND
POLYMER MANUFACTURING EQUIPMENT

Section

215.420 Applicability
215.421 General Requirements
215.422 Inspection Program Plan for Leaks
215.423 Inspection Program for Leaks
215.424 Repairing Leaks
215.425 Recordkeeping for Leaks
215.426 Report for Leaks
215.427 Alternative Program for Leaks
215.428 Compliance Dates
215.429 Compliance Plan
215.430 General Requirements
215.431 Inspection Program Plan for Leaks
215.432 Inspection Program for Leaks
215.433 Repairing Leaks
215.434 Recordkeeping for Leaks
215.435 Report for Leaks
215.436 Alternative Program for Leaks
215.437 Open-Ended Valves
215.438 Standards for Control Devices
215.439 Compliance Plan

SUBPART R: PETROLEUM REFINING AND RELATED
INDUSTRIES; ASPHALT MATERIALS

Section

215.441 Petroleum Refinery Waste Gas Disposal
215.442 Vacuum Producing Systems
215.443 Wastewater (Oil/Water) Separator
215.444 Process Unit Turnarounds
215.445 Leaks: General Requirements
215.446 Monitoring Program Plan for Leaks
215.447 Monitoring Program for Leaks
215.448 Recordkeeping for Leaks
215.449 Reporting for Leaks
215.450 Alternative Program for Leaks
215.451 Sealing Device Requirements
215.452 Compliance Schedule for Leaks
215.453 Compliance Dates and Geographical Areas

SUBPART S: RUBBER AND MISCELLANEOUS
PLASTIC PRODUCTS

Section

215.461 Manufacture of Pneumatic Rubber Tires
215.462 Green Tire Spraying Operations

215.463 Alternative Emission Reduction Systems
215.464 Emissions Testing
215.465 Compliance Dates and Geographical Areas
215.466 Compliance Plan
215.467 Testing Methods for Volatile Organic Material Content

SUBPART T: PHARMACEUTICAL MANUFACTURING

Section

215.480 Applicability of Subpart T
215.481 Control of Reactors, Distillation Units, Crystallizers, Centrifuges
and Vacuum Dryers
215.482 Control of Air Dryers, Production Equipment Exhaust Systems and
Filters
215.483 Material Storage and Transfer
215.484 In-Process Tanks
215.485 Leaks
215.486 Other Emission Sources
215.487 Testing
215.488 Monitors for Air Pollution Control Equipment
215.489 Recordkeeping (Renumbered)
215.490 Compliance Schedule (Renumbered)

SUBPART U: COKE MANUFACTURING AND BY-PRODUCT RECOVERY

Section

215.500 Exceptions
215.510 Coke By-Product Recovery Plants
215.512 Coke By-Product Recovery Plant Leaks
215.513 Inspection Program
215.514 Recordkeeping Requirements
215.515 Reporting Requirements
215.516 Compliance Dates
215.517 Compliance Plan

SUBPART V: AIR OXIDATION PROCESSES

Section

215.520 Applicability
215.521 Definitions
215.525 Emission Limitations for Air Oxidation Processes
215.526 Testing and Monitoring
215.527 Compliance Date

SUBPART W: AGRICULTURE

Section

215.541 Pesticide Exception

SUBPART X: CONSTRUCTION

Section

215.561 Architectural Coatings
215.562 Paving Operations
215.563 Cutback Asphalt

SUBPART Y: GASOLINE DISTRIBUTION

Section
215.581 Bulk Gasoline Plants
215.582 Bulk Gasoline Terminals
215.583 Gasoline Dispensing Facilities - Storage Tank Filling Operations
215.584 Gasoline Delivery Vessels
215.585 Gasoline Volatility Standards (Repealed)
215.586 Emissions Testing

SUBPART Z: DRY CLEANERS

Section
215.601 Perchloroethylene Dry Cleaners (Repealed)
215.602 Exemptions (Repealed)
215.603 Leaks (Repealed)
215.604 Compliance Dates and Geographical ~~Areas~~areas (Repealed)
215.605 Compliance Plan (Repealed)
215.606 Exception to Compliance Plan (Repealed)
215.607 Standards for Petroleum Solvent Dry Cleaners
215.608 Operating Practices for Petroleum Solvent Dry Cleaners
215.609 Program for Inspection and Repair of Leaks
215.610 Testing and Monitoring
215.611 Exemption for Petroleum Solvent Dry Cleaners
215.612 Compliance Dates and Geographical Areas (Repealed)
215.613 Compliance Plan
215.614 Testing Method for Volatile Organic Material Content of Wastes
215.615 Emissions Testing

SUBPART AA: PAINT AND INK MANUFACTURING

Section
215.620 Applicability
215.621 Exemption for Waterbase Material and Heatset Offset Ink
215.623 Permit Conditions
215.624 Open-top Mills, Tanks, Vats or Vessels
215.625 Grinding Mills
215.628 Leaks
215.630 Clean Up
215.636 Compliance Date

SUBPART BB: POLYSTYRENE PLANTS

Section
215.875 Applicability of Subpart BB
215.877 Emissions Limitation at Polystyrene Plants
215.879 Compliance Date
215.881 Compliance Plan
215.883 Special Requirements for Compliance Plan
215.886 Emissions Testing

SUBPART PP: MISCELLANEOUS FABRICATED PRODUCT
MANUFACTURING PROCESSES

Section
215.920 Applicability
215.923 Permit Conditions
215.926 Control Requirements

SUBPART QQ: MISCELLANEOUS FORMULATION MANUFACTURING PROCESSES

Section

215.940 Applicability
215.943 Permit Conditions
215.946 Control Requirements

SUBPART RR: MISCELLANEOUS ORGANIC CHEMICAL
MANUFACTURING PROCESSES

Section

215.960 Applicability
215.963 Permit Conditions
215.966 Control Requirements

215. ~~Appendix~~ APPENDIX A Rule into Section Table
215. ~~Appendix~~ APPENDIX B Section into Rule Table
215. ~~Appendix~~ APPENDIX C Past Compliance Dates
215. ~~Appendix~~ APPENDIX D List of Chemicals Defining Synthetic Organic Chemical
and Polymer Manufacturing
215. ~~Appendix~~ APPENDIX E Reference Methods and Procedures
215. ~~Appendix~~ APPENDIX F Coefficients for the Total Resource Effectiveness Index
(TRE) Equation

AUTHORITY: Implementing Sections 9.1 and 10 and authorized by Section 27 of the
Environmental Protection Act [415 ILCS 5/9.1, 10 and 27].

SOURCE: Adopted as Chapter 2: Air Pollution, Rule 205: Organic Material
Emission Standards and Limitations, R71-23, 4 PCB 191, filed and effective April
14, 1972; amended in R77-3, 33 PCB 357, at 3 Ill. Reg. 18, p. 41, effective May
3, 1979; amended in R78-3 and R78-4, 35 PCB 75, at 3 Ill. Reg. 30, p. 124,
effective July 28, 1979; amended in R80-5 at 7 Ill. Reg. 1244, effective January
21, 1983; codified at 7 Ill. Reg. 13601 Corrected at 7 Ill. Reg. 14575; amended
in R82-14 at 8 Ill. Reg. 13254, effective July 12, 1984; amended in R83-36 at 9
Ill. Reg. 9114, effective May 30, 1985; amended in R82-14 at 9 Ill. Reg. 13960,
effective August 28, 1985; amended in R85-28 at 11 Ill. Reg. 3127, effective
February 3, 1987; amended in R82-14 at 11 Ill. Reg. 7296, effective April 3,
1987; amended in R85-21(A) at 11 Ill. Reg. 11770, effective June 29, 1987;
recodified in R86-39 at 11 Ill. Reg. 13541; amended in R82-14 and R86-12 at 11
Ill. Reg. 16706, effective September 30, 1987; amended in R85-21(B) at 11 Ill.
Reg. 19117, effective November 9, 1987; amended in R86-36, R86-39, R86-40 at 11
Ill. Reg. 20829, effective December 14, 1987; amended in R82-14 and R86-37 at 12
Ill. Reg. 815, effective December 24, 1987; amended in R86-18 at 12 Ill. Reg.
7311, effective April 8, 1988; amended in R86-10 at 12 Ill. Reg. 7650, effective
April 11, 1988; amended in R88-23 at 13 Ill. Reg. 10893, effective June 27,
1989; amended in R88-30(A) at 14 Ill. Reg. 3555, effective February 27, 1990;
emergency amendments in R88-30A at 14 Ill. Reg. 6421, effective April 11, 1990,
for a maximum of 150 days; amended in R88-19 at 14 Ill. Reg. 7596, effective May
8, 1990; amended in R89-16(A) at 14 Ill. Reg. 9173, effective May 23, 1990;
amended in R88-30(B) at 15 Ill. Reg. 3309, effective February 15, 1991; amended
in R88-14 at 15 Ill. Reg. 8018, effective May 14, 1991; amended in R91-7 at 15
Ill. Reg. 12217, effective August 19, 1991; amended in R91-10 at 15 Ill. Reg.
15595, effective October 11, 1991; amended in R89-7(B) at 15 Ill. Reg. 17687,
effective November 26, 1991; amended in R91-9 at 16 Ill. Reg. 3132, effective
February 18, 1992; amended in R91-24 at 16 Ill. Reg. 13555, effective August 24,
1992; amended in R91-30 at 16 Ill. Reg. 13849, effective August 24, 1992;

amended in R98-15 at 22 Ill. Reg. 11427, effective June 19, 1998; amended in R12-24 at 36 Ill. Reg. , effective .

SUBPART A: GENERAL PROVISIONS

Section 215.104 Definitions

The definitions of 35 Ill. Adm. Code 201 and 211 apply to this Part, as well as the definitions contained in this Section. ~~Where~~When the definition contained in this Section is more specific than that found in 35 Ill. Adm. Code 201 or 211, it shall take precedence in application of this Part.

"Furniture Coating Application Line": The combination of coating application equipment, flash-off area, spray booths, ovens, conveyors, and other equipment operated in a predetermined sequence for purpose of applying coating to wood furniture.

"In Vacuum Service"~~+~~: For the purposes of Subpart Q, Sections 215.430 through 215.438 equipment ~~which~~that is operating at an internal pressure that is at least 5 kPa (0.73 psia) below ambient pressure.

"Opaque Stains": All stains containing pigments not classified as semi-transparent stains, including stains, glazes and other opaque material to give character to wood.

~~"Reid vapor pressure": is the standardized measure of the vapor pressure of a liquid in pounds per square inch absolute (psia) at 100° F (37.8° C).~~

(Source: Amended at 36 Ill. Reg. , effective)

Section 215.105 ~~Ineorporation~~Incorporations by Reference

The following materials are incorporated by reference:

a) American Society for Testing and Materials, ~~1916 Race Street,~~
Philadelphia, PA 19103+100 Barr Harbor Drive, West Conshohocken PA 19428-9555:

- 1) ASTM D 1644-59 Method A
- 2) ASTM D 1475-60
- 3) ASTM D 2369-81
- 4) ASTM D 2879-83 (Approved 1983); ASTM D 2879-86 (Approved 1986)
- ~~5) ASTM D 323-82 (Approved 1982)~~
- ~~5)6) ASTM D 86-82 (Approved 1982)~~
- ~~6)7) ASTM E 260-73 (Approved 1973), E 168 - 67 (Reapproved 1977), E 169 - 63 (Reapproved 1981), E 20 (Approved 1985)~~
- ~~7)8) ASTM D 97-66~~
- ~~8)9) ASTM D 1946-67~~

9) ASTM D 2382-76

10) ASTM D ~~2382-761011~~ ASTM D-2504-83

11) ~~12~~) ASTM D 2382-83

~~13~~) ~~ASTM D-4057-81 (Approved 1981)~~

~~14~~) ~~ASTM D-4177-82 (Approved 1982)~~

12) ~~15~~) ASTM D-4953-89

13) ~~16~~) ASTM D-4457-85

b) Federal Standard 141a, Method 4082.1.

c) National Fire Codes, National Fire Protection Association, Battery March Park, Quincy, Massachusetts 02269 (1979).

d) United States Environmental Protection Agency, Washington, D.C., EPA-450/2-77-026, Appendix A.

e) United States Environmental Protection Agency, Washington, D.C., EPA-450/2-78-051 Appendix A and Appendix B (December 1978).

f) Standards Industrial Classification Manual, published by Executive Office of the President, Office of Management and Budget, Washington, D.C., 1972.

g) 40 CFR 60 (1989).

h) United States Environmental Protection Agency, Washington D.C., EPA-450/2-78-041.

~~i~~) ~~40 CFR 80, Appendices D, E, and F (1989).~~

~~i~~) ~~j~~) Elsevier Scientific Publishing Co., New York, "The Vapor Pressure of Pure Substances" (1973), Boublik, T., V. Fried and E. Hala.

~~j~~) ~~k~~) McGraw-Hill Book Company, "Perry's Chemical Engineer's Handbook" (1984).

~~k~~) ~~l~~) Chemical Rubber Publishing Company, "CRC Handbook of Chemistry and Physics" (1968-87).

~~l~~) ~~m~~) McGraw-Hill Book Company, "Lange's Handbook of Chemistry" (1985) John A. Dean, editor.

~~m~~) ~~n~~) United States Environmental Protection Agency, Washington D.C., "Control of Volatile Organic Emissions from Manufacture of Synthesized Pharmaceutical Products", (EPA-450/2-78-029).

BOARD NOTE: The incorporations by reference listed ~~above~~ in this Section contain no later amendments or editions.

(Source: Amended at 36 Ill. Reg. , effective)

SUBPART Y: GASOLINE DISTRIBUTION

Section 215.585 Gasoline Volatility Standards (Repealed)

- ~~a) No person shall sell, offer for sale, dispense, supply, offer for supply, or transport for use in Illinois gasoline whose Reid vapor pressure exceeds the applicable limitations set forth in subsections (b) and (c) during the regulatory control periods, which shall be June 1 to September 15 for retail outlets, wholesale purchaser consumer facilities, and all other facilities.~~
- ~~b) The Reid vapor pressure of gasoline, a measure of its volatility, shall not exceed 9.0 psi (62.1 kPa) during the regulatory control period in 1991 only.~~
- ~~c) The Reid vapor pressure of ethanol blend gasolines shall not exceed the limitations for gasoline set forth in subsection (b) by more than 1.0 psi (6.9 kPa). Notwithstanding this limitation, blenders of ethanol blend gasolines whose Reid vapor pressure is less than 1.0 psi above the base stock gasoline immediately after blending with ethanol are prohibited from adding butane or any product that will increase the Reid vapor pressure of the blended gasoline.~~
- ~~d) All sampling of gasoline required pursuant to the provisions of this Section shall be conducted by one or more of the following approved methods or procedures which are incorporated by reference in Section 215.105.~~
- ~~1) For manual sampling, ASTM D4057;~~
 - ~~2) For automatic sampling, ASTM D4177;~~
 - ~~3) Sampling Procedures for Fuel Volatility, 40 CFR 80 Appendix D.~~
- ~~e) The Reid vapor pressure of gasoline shall be measured in accordance with a modification of ASTM D323 known as the "dry method" as set forth in 40 CFR 80, Appendix E, incorporated by reference in Section 215.105. For purposes of enforcement of the Reid vapor pressure limitations set forth in subsections (b) and (c), no enforcement action shall be initiated unless the Reid vapor pressure measured by the Agency is more than 0.3 psi (2.1 kPa) greater than the applicable standard.~~
- ~~f) The ethanol content of ethanol blend gasolines shall be determined by use of one of the approved testing methodologies specified in 40 CFR 80, Appendix F, incorporated by reference in Section 215.105.~~
- ~~g) Any alternate to the sampling or testing methods or procedures contained in subsections (d), (e), and (f) must be approved by the Agency, which shall consider data comparing the performance of the proposed alternative to the performance of one or more approved test methods or procedures. Such data shall accompany any request for Agency approval of any alternate test procedure. If the Agency determines that such data demonstrates that the proposed alternative will achieve results equivalent to the approved test methods or procedures, the Agency shall approve the proposed alternative. Upon approval of the alternate sampling or test methods or procedures contained in subsections (d), (e), and (f), the Agency will submit the methods or procedures to the United States Environmental Protection Agency (USEPA) as a revision to the State plan pursuant to Section 110 of the Clean Air Act (42 U.S.C.A. 7410). Alternate methods or procedures become effective only upon approval of the incorporation of the alternate method or procedure in the State plan by USEPA, unless such alternate~~

~~method or procedure (i.e., the "Grabner" test, ASTM Emergency Standards 14 and 15, approved February 6, 1990; this incorporation includes no later editions or amendments.) has previously been approved by USEPA for use in conjunction with a federally promulgated gasoline volatility regulation, in which case the alternate method or procedure becomes effective immediately upon approval by the Agency.~~

~~h) Each refiner or supplier that distributes gasoline or ethanol blends shall:~~

~~1) During the regulatory control period, state that the Reid vapor pressure of all gasoline or ethanol blends leaving the refinery or distribution facility for use in Illinois complies with the Reid vapor pressure limitations set forth in Section 215.585(b) and (c). Any facility receiving this gasoline shall be provided with a copy of an invoice, bill of lading, or other documentation used in normal business practice stating that the Reid vapor pressure of the gasoline complies with the State Reid vapor pressure standard.~~

~~2) Maintain records for a period of one year on the Reid vapor pressure, quantity shipped and date of delivery of any gasoline or ethanol blends leaving the refinery or distribution facility for use in Illinois. The Agency shall be provided with copies of such records if requested.~~

~~i) Each retail outlet and facility operated by a wholesale purchaser-consumer shall, during the regulatory control period, maintain records regarding each delivery of gasoline, which shall include documentation of compliance with the Reid vapor pressure, limitations set forth in Section 215.585(b) and (c), quantity received and date received. The Agency shall be provided with copies of such records, if requested.~~

~~j) This Section is effective for 1991 only.~~

(Source: Repealed at 36 Ill. Reg. , effective)

JCAR350215-1206934r01






ILLINOIS REGISTER

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENTS

Document comparison done by DeltaView on Tuesday, May 08, 2012 10:56:39 AM

Input:	
Document 1	file://Y:/Input/Agency Rulemakings - Files Received/2012/35-215-Agency(issue19).doc
Document 2	file://Y:/Input/Agency Rulemakings - Files Received/2012/35-215-JCARr01(iss19).doc
Rendering set	Standard

Legend:	
<u>Insertion</u>	
Deletion	
Moved from	
<u>Moved to</u>	
Style change	
Format change	
Moved deletion	
Inserted cell	
Deleted cell	
Moved cell	
Split/Merged cell	
Padding cell	

Statistics:	
	Count
Insertions	21
Deletions	54
Moved from	0
Moved to	0
Style change	0
Format changed	0
Total changes	75

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE B: AIR POLLUTION
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER c: EMISSIONS STANDARDS AND LIMITATIONS
FOR STATIONARY SOURCES

RECEIVED
CLERK'S OFFICE
MAY 10 2012
STATE OF ILLINOIS
Pollution Control Board

PART 215
ORGANIC MATERIAL EMISSION STANDARDS AND LIMITATIONS

SUBPART A: GENERAL PROVISIONS

- Section
- 215.100 Introduction
 - 215.101 Clean-up and Disposal Operations
 - 215.102 Testing Methods
 - 215.103 Abbreviations and Conversion Factors
 - 215.104 Definitions
 - 215.105 Incorporation by Reference
 - 215.106 Afterburners
 - 215.107 Determination of Applicability
 - 215.108 Measurement of Vapor Pressures
 - 215.109 Monitoring for Negligibly-Reactive Compounds

SUBPART B: ORGANIC EMISSIONS FROM STORAGE
AND LOADING OPERATIONS

- Section
- 215.121 Storage Containers
 - 215.122 Loading Operations
 - 215.123 Petroleum Liquid Storage Tanks
 - 215.124 External Floating Roofs
 - 215.125 Compliance Dates and Geographical Areas
 - 215.126 Compliance Plan
 - 215.127 Emissions Testing
 - 215.128 Measurement of Seal Gaps

SUBPART C: ORGANIC EMISSIONS FROM
MISCELLANEOUS EQUIPMENT

- Section
- 215.141 Separation Operations
 - 215.142 Pumps and Compressors
 - 215.143 Vapor Blowdown

44 215.144 Safety Relief Valves

45

46 SUBPART E: SOLVENT CLEANING

47

48 Section

49 215.181 Solvent Cleaning in General

50 215.182 Cold Cleaning

51 215.183 Open Top Vapor Degreasing

52 215.184 Conveyorized Degreasing

53 215.185 Compliance Plan

54

55 SUBPART F: COATING OPERATIONS

56

57 Section

58 215.202 Compliance Schedules

59 215.204 Emission Limitations for Manufacturing Plants

60 215.205 Alternative Emission Limitations

61 215.206 Exemptions from Emission Limitations

62 215.207 Compliance by Aggregation of Emission Units

63 215.208 Testing Methods for Volatile Organic Material Content

64 215.209 Exemption from General Rule on Use of Organic Material

65 215.210 Alternative Compliance Schedule

66 215.211 Compliance Dates and Geographical Areas

67 215.212 Compliance Plan

68 215.213 Special Requirements for Compliance Plan

69 215.214 Roadmaster Emissions Limitations (Repealed)

70 215.215 DMI Emissions Limitations

71

72 SUBPART H: SPECIAL LIMITATIONS FOR SOURCES IN MAJOR URBANIZED
73 AREAS WHICH ARE NONATTAINMENT FOR OZONE

74

75 Section

76 215.240 Applicability

77 215.241 External Floating Roofs

78 215.245 Flexographic and Rotogravure Printing

79 215.249 Compliance Dates

80

81 SUBPART I: ADJUSTED RACT EMISSIONS LIMITATIONS

82

83 Section

84 215.260 Applicability

85 215.261 Petition

86 215.263 Public Hearing

87	215.264	Board Action
88	215.267	Agency Petition
89		
90		SUBPART K: USE OF ORGANIC MATERIAL
91		
92	Section	
93	215.301	Use of Organic Material
94	215.302	Alternative Standard
95	215.303	Fuel Combustion Emission Sources
96	215.304	Operations with Compliance Program
97	215.305	Viscose Exemption (Repealed)
98		
99		SUBPART N: VEGETABLE OIL PROCESSING
100		
101	Section	
102	215.340	Hexane Extraction Soybean Crushing
103	215.342	Hexane Extraction Corn Oil Processing
104	215.344	Recordkeeping for Vegetable Oil Processes
105	215.345	Compliance Determination
106	215.346	Compliance Dates and Geographical Areas
107	215.347	Compliance Plan
108		
109		SUBPART P: PRINTING AND PUBLISHING
110		
111	Section	
112	215.401	Flexographic and Rotogravure Printing
113	215.402	Exemptions
114	215.403	Applicability of Subpart K
115	215.404	Testing and Monitoring (Repealed)
116	215.405	Compliance Dates and Geographical Areas
117	215.406	Alternative Compliance Plan
118	215.407	Compliance Plan
119	215.408	Heatset Web Offset Lithographic Printing
120	215.409	Testing Methods for Volatile Organic Material Content
121	215.410	Emissions Testing
122		
123		SUBPART Q: LEAKS FROM SYNTHETIC ORGANIC CHEMICAL AND
124		POLYMER MANUFACTURING EQUIPMENT
125		
126	Section	
127	215.420	Applicability
128	215.421	General Requirements
129	215.422	Inspection Program Plan for Leaks

130	215.423	Inspection Program for Leaks
131	215.424	Repairing Leaks
132	215.425	Recordkeeping for Leaks
133	215.426	Report for Leaks
134	215.427	Alternative Program for Leaks
135	215.428	Compliance Dates
136	215.429	Compliance Plan
137	215.430	General Requirements
138	215.431	Inspection Program Plan for Leaks
139	215.432	Inspection Program for Leaks
140	215.433	Repairing Leaks
141	215.434	Recordkeeping for Leaks
142	215.435	Report for Leaks
143	215.436	Alternative Program for Leaks
144	215.437	Open-Ended Valves
145	215.438	Standards for Control Devices
146	215.439	Compliance Plan

SUBPART R: PETROLEUM REFINING AND RELATED
INDUSTRIES; ASPHALT MATERIALS

147		
148		
149		
150		
151	Section	
152	215.441	Petroleum Refinery Waste Gas Disposal
153	215.442	Vacuum Producing Systems
154	215.443	Wastewater (Oil/Water) Separator
155	215.444	Process Unit Turnarounds
156	215.445	Leaks: General Requirements
157	215.446	Monitoring Program Plan for Leaks
158	215.447	Monitoring Program for Leaks
159	215.448	Recordkeeping for Leaks
160	215.449	Reporting for Leaks
161	215.450	Alternative Program for Leaks
162	215.451	Sealing Device Requirements
163	215.452	Compliance Schedule for Leaks
164	215.453	Compliance Dates and Geographical Areas

SUBPART S: RUBBER AND MISCELLANEOUS
PLASTIC PRODUCTS

165		
166		
167		
168		
169	Section	
170	215.461	Manufacture of Pneumatic Rubber Tires
171	215.462	Green Tire Spraying Operations
172	215.463	Alternative Emission Reduction Systems

173	215.464	Emissions Testing
174	215.465	Compliance Dates and Geographical Areas
175	215.466	Compliance Plan
176	215.467	Testing Methods for Volatile Organic Material Content

177

SUBPART T: PHARMACEUTICAL MANUFACTURING

178

179 Section

180	215.480	Applicability of Subpart T
181	215.481	Control of Reactors, Distillation Units, Crystallizers, Centrifuges and Vacuum Dryers
182	215.482	Control of Air Dryers, Production Equipment Exhaust Systems and Filters
183	215.483	Material Storage and Transfer
184	215.484	In-Process Tanks
185	215.485	Leaks
186	215.486	Other Emission Sources
187	215.487	Testing
188	215.488	Monitors for Air Pollution Control Equipment
189	215.489	Recordkeeping (Renumbered)
190	215.490	Compliance Schedule (Renumbered)

191

SUBPART U: COKE MANUFACTURING AND BY-PRODUCT RECOVERY

192

193 Section

194	215.500	Exceptions
195	215.510	Coke By-Product Recovery Plants
196	215.512	Coke By-Product Recovery Plant Leaks
197	215.513	Inspection Program
198	215.514	Recordkeeping Requirements
199	215.515	Reporting Requirements
200	215.516	Compliance Dates
201	215.517	Compliance Plan

202

SUBPART V: AIR OXIDATION PROCESSES

203

204 Section

205	215.520	Applicability
206	215.521	Definitions
207	215.525	Emission Limitations for Air Oxidation Processes
208	215.526	Testing and Monitoring
209	215.527	Compliance Date

210

SUBPART W: AGRICULTURE

211

212

213

214

215

216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258

Section
215.541

Pesticide Exception

SUBPART X: CONSTRUCTION

Section
215.561
215.562
215.563

Architectural Coatings
Paving Operations
Cutback Asphalt

SUBPART Y: GASOLINE DISTRIBUTION

Section
215.581
215.582
215.583
215.584
215.585
215.586

Bulk Gasoline Plants
Bulk Gasoline Terminals
Gasoline Dispensing Facilities – Storage Tank Filling Operations
Gasoline Delivery Vessels
Gasoline Volatility Standards (Repealed)
Emissions Testing

SUBPART Z: DRY CLEANERS

Section
215.601
215.602
215.603
215.604
215.605
215.606
215.607
215.608
215.609
215.610
215.611
215.612
215.613
215.614
215.615

Perchloroethylene Dry Cleaners (Repealed)
Exemptions (Repealed)
Leaks (Repealed)
Compliance Dates and Geographical ~~areas~~Areas (Repealed)
Compliance Plan (Repealed)
Exception to Compliance Plan (Repealed)
Standards for Petroleum Solvent Dry Cleaners
Operating Practices for Petroleum Solvent Dry Cleaners
Program for Inspection and Repair of Leaks
Testing and Monitoring
Exemption for Petroleum Solvent Dry Cleaners
Compliance Dates and Geographical Areas (Repealed)
Compliance Plan
Testing Method for Volatile Organic Material Content of Wastes
Emissions Testing

SUBPART AA: PAINT AND INK MANUFACTURING

Section

259	215.620	Applicability
260	215.621	Exemption for Waterbase Material and Heatset Offset Ink
261	215.623	Permit Conditions
262	215.624	Open-top Mills, Tanks, Vats or Vessels
263	215.625	Grinding Mills
264	215.628	Leaks
265	215.630	Clean Up
266	215.636	Compliance Date

267

268 SUBPART BB: POLYSTYRENE PLANTS

269

270 Section

271	215.875	Applicability of Subpart BB
272	215.877	Emissions Limitation at Polystyrene Plants
273	215.879	Compliance Date
274	215.881	Compliance Plan
275	215.883	Special Requirements for Compliance Plan
276	215.886	Emissions Testing

277

278 SUBPART PP: MISCELLANEOUS FABRICATED PRODUCT
279 MANUFACTURING PROCESSES

280

281 Section

282	215.920	Applicability
283	215.923	Permit Conditions
284	215.926	Control Requirements

285

286 SUBPART QQ: MISCELLANEOUS FORMULATION MANUFACTURING PROCESSES

287

288 Section

289	215.940	Applicability
290	215.943	Permit Conditions
291	215.946	Control Requirements

292

293 SUBPART RR: MISCELLANEOUS ORGANIC CHEMICAL
294 MANUFACTURING PROCESSES

295

296 Section

297	215.960	Applicability
298	215.963	Permit Conditions
299	215.966	Control Requirements

300

301 215.APPENDIX A Rule into Section Table

- 302 215.APPENDIX B Section into Rule Table
- 303 215.APPENDIX C Past Compliance Dates
- 304 215.APPENDIX D List of Chemicals Defining Synthetic Organic Chemical and Polymer
- 305 Manufacturing
- 306 215.APPENDIX E Reference Methods and Procedures
- 307 215.APPENDIX F Coefficients for the Total Resource Effectiveness Index (TRE) Equation
- 308

309 AUTHORITY: Implementing Sections 9.1 and 10 and authorized by Section 27 of the
 310 Environmental Protection Act [415 ILCS 5/9.1, 10 and 27].

311

312 SOURCE: Adopted as Chapter 2: Air Pollution, Rule 205: Organic Material Emission
 313 Standards and Limitations, R71-23, 4 PCB 191, filed and effective April 14, 1972; amended in
 314 R77-3, 33 PCB 357, at 3 Ill. Reg. 18, p. 41, effective May 3, 1979; amended in R78-3 and R78-
 315 4, 35 PCB 75, at 3 Ill. Reg. 30, p. 124, effective July 28, 1979; amended in R80-5 at 7 Ill. Reg.
 316 1244, effective January 21, 1983; codified at 7 Ill. Reg. 13601 Corrected at 7 Ill. Reg. 14575;
 317 amended in R82-14 at 8 Ill. Reg. 13254, effective July 12, 1984; amended in R83-36 at 9 Ill.
 318 Reg. 9114, effective May 30, 1985; amended in R82-14 at 9 Ill. Reg. 13960, effective August 28,
 319 1985; amended in R85-28 at 11 Ill. Reg. 3127, effective February 3, 1987; amended in R82-14 at
 320 11 Ill. Reg. 7296, effective April 3, 1987; amended in R85-21(A) at 11 Ill. Reg. 11770, effective
 321 June 29, 1987; recodified in R86-39 at 11 Ill. Reg. 13541; amended in R82-14 and R86-12 at 11
 322 Ill. Reg. 16706, effective September 30, 1987; amended in R85-21(B) at 11 Ill. Reg. 19117,
 323 effective November 9, 1987; amended in R86-36, R86-39, R86-40 at 11 Ill. Reg. 20829,
 324 effective December 14, 1987; amended in R82-14 and R86-37 at 12 Ill. Reg. 815, effective
 325 December 24, 1987; amended in R86-18 at 12 Ill. Reg. 7311, effective April 8, 1988; amended
 326 in R86-10 at 12 Ill. Reg. 7650, effective April 11, 1988; amended in R88-23 at 13 Ill. Reg.
 327 10893, effective June 27, 1989; amended in R88-30(A) at 14 Ill. Reg. 3555, effective February
 328 27, 1990; emergency amendments in R88-30A at 14 Ill. Reg. 6421, effective April 11, 1990, for
 329 a maximum of 150 days; amended in R88-19 at 14 Ill. Reg. 7596, effective May 8, 1990;
 330 amended in R89-16(A) at 14 Ill. Reg. 9173, effective May 23, 1990; amended in R88-30(B) at
 331 15 Ill. Reg. 3309, effective February 15, 1991; amended in R88-14 at 15 Ill. Reg. 8018, effective
 332 May 14, 1991; amended in R91-7 at 15 Ill. Reg. 12217, effective August 19, 1991; amended in
 333 R91-10 at 15 Ill. Reg. 15595, effective October 11, 1991; amended in R89-7(B) at 15 Ill. Reg.
 334 17687, effective November 26, 1991; amended in R91-9 at 16 Ill. Reg. 3132, effective February
 335 18, 1992; amended in R91-24 at 16 Ill. Reg. 13555, effective August 24, 1992; amended in R91-
 336 30 at 16 Ill. Reg. 13849, effective August 24, 1992; amended in R98-15 at 22 Ill. Reg. 11427,
 337 effective June 19, 1998; amended in R12-24 at 36 Ill. Reg. _____, effective _____.

338

339 SUBPART A: GENERAL PROVISIONS

340

341 **Section 215.104 Definitions**

342

343 The definitions of 35 Ill. Adm. Code 201 and 211 apply to this Part, as well as the definitions
 344 contained in this Section. ~~When~~Where the definition contained in this Section is more specific

345 than that found in 35 Ill. Adm. Code 201 or 211, it shall take precedence in application of this
346 Part.

347
348 "Furniture Coating Application Line": The combination of coating application
349 equipment, flash-off area, spray booths, ovens, conveyors, and other equipment
350 operated in a predetermined sequence for purpose of applying coating to wood
351 furniture.

352
353 "In Vacuum Service": For the purposes of Subpart Q, Sections 215.430 through
354 215.438 equipment ~~that~~ which is operating at an internal pressure that is at least 5
355 kPa (0.73 psia) below ambient pressure.

356
357 "Opaque Stains": All stains containing pigments not classified as semi-
358 transparent stains, including stains, glazes and other opaque material to give
359 character to wood.

360
361 "~~Reid vapor pressure": is the standardized measure of the vapor pressure of a~~
362 ~~liquid in pounds per square inch absolute (psia) at 100 F (37.8 C).~~

363
364 (Source: Amended at 36 Ill. Reg. _____, effective _____)

365
366 **Section 215.105 Incorporations by Reference**

367
368 The following materials are incorporated by reference:

- 369
370 a) American Society for Testing and Materials, 100 Barr Harbor Drive, West
371 Conshohocken PA 19428-9555~~1916 Race Street, Philadelphia, PA 19103:~~
372
373 1) ASTM D 1644-59 Method A
374
375 2) ASTM D 1475-60
376
377 3) ASTM D 2369-81
378
379 4) ASTM D 2879-83 (Approved 1983); ASTM D 2879-86 (Approved 1986)
380
381 ~~5) ASTM D 323-82 (Approved 1982)~~
382
383 ~~56)~~ 56) ASTM D 86-82 (Approved 1982)
384
385 ~~67)~~ 67) ASTM E 260-73 (Approved 1973), E 168 - 67 (Reapproved 1977), E 169
386 - 63 (Reapproved 1981), E 20 (Approved 1985)
387

- 388 ~~78)~~ ASTM D 97-66
 389
 390 ~~89)~~ ASTM D 1946-67
 391
 392 ~~940)~~ ASTM D 2382-76
 393
 394 ~~1044)~~ ASTM D 2504-83
 395
 396 ~~1142)~~ ASTM D 2382-83
 397
 398 ~~13)~~ ASTM D-4057-81 (Approved 1981)
 399
 400 ~~14)~~ ASTM D-4177-82 (Approved 1982)
 401
 402 ~~12)15)~~ ASTM D-4953-89
 403
 404 ~~13)16)~~ ASTM D-4457-85
 405
 406 b) Federal Standard 141a, Method 4082.1.
 407
 408 c) National Fire Codes, National Fire Protection Association, Battery March Park,
 409 Quincy, Massachusetts 02269 (1979).
 410
 411 d) United States Environmental Protection Agency, Washington, D.C., EPA-450/2-
 412 77-026, Appendix A.
 413
 414 e) United States Environmental Protection Agency, Washington, D.C., EPA-450/2-
 415 78-051 Appendix A and Appendix B (December 1978).
 416
 417 f) Standards Industrial Classification Manual, published by Executive Office of the
 418 President, Office of Management and Budget, Washington, D.C., 1972.
 419
 420 g) 40 CFR 60 (1989).
 421
 422 h) United States Environmental Protection Agency, Washington D.C., EPA-450/2-
 423 78-041.
 424
 425 ~~i)~~ ~~40 CFR 80, Appendices D, E, and F (1989).~~
 426
 427 ~~i)j)~~ Elsevier Scientific Publishing Co., New York, "The Vapor Pressure of Pure
 428 Substances" (1973), Boublik, T., V. Fried and E. Hala.
 429
 430 ~~j)k)~~ McGraw-Hill Book Company, "Perry's Chemical Engineer's Handbook" (1984).

- 431
 432 k)l) Chemical Rubber Publishing Company, "CRC Handbook of Chemistry and
 433 Physics" (1968-87).
 434
 435 l)m) McGraw-Hill Book Company, "Lange's Handbook of Chemistry" (1985) John A.
 436 Dean, editor.
 437
 438 m)n) United States Environmental Protection Agency, Washington D.C., "Control of
 439 Volatile Organic Emissions from Manufacture of Synthesized Pharmaceutical
 440 Products", (EPA-450/2-78-029).
 441

442 BOARD NOTE: The incorporations by reference listed in this Section above contain no
 443 later amendments or editions.
 444

445 (Source: Amended at 36 Ill. Reg. _____, effective _____)
 446

447 SUBPART Y: GASOLINE DISTRIBUTION
 448

449 **Section 215.585 Gasoline Volatility Standards (Repealed)**
 450

- 451 a) ~~No person shall sell, offer for sale, dispense, supply, offer for supply, or transport~~
 452 ~~for use in Illinois gasoline whose Reid vapor pressure exceeds the applicable~~
 453 ~~limitations set forth in subsections (b) and (c) during the regulatory control~~
 454 ~~periods, which shall be June 1 to September 15 for retail outlets, wholesale~~
 455 ~~purchaser consumer facilities, and all other facilities.~~
 456
 457 b) ~~The Reid vapor pressure of gasoline, a measure of its volatility, shall not exceed~~
 458 ~~9.0 psi (62.1 kPa) during the regulatory control period in 1991 only.~~
 459
 460 e) ~~The Reid vapor pressure of ethanol blend gasolines shall not exceed the~~
 461 ~~limitations for gasoline set forth in subsection (b) by more than 1.0 psi (6.9 kPa).~~
 462 ~~Notwithstanding this limitation, blenders of ethanol blend gasolines whose Reid~~
 463 ~~vapor pressure is less than 1.0 psi above the base stock gasoline immediately after~~
 464 ~~blending with ethanol are prohibited from adding butane or any product that will~~
 465 ~~increase the Reid vapor pressure of the blended gasoline.~~
 466
 467 d) ~~All sampling of gasoline required pursuant to the provisions of this Section shall~~
 468 ~~be conducted by one or more of the following approved methods or procedures~~
 469 ~~which are incorporated by reference in Section 215.105.~~
 470
 471 1) ~~For manual sampling, ASTM D4057;~~
 472
 473 2) ~~For automatic sampling, ASTM D4177;~~

- 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
- 3) ~~Sampling Procedures for Fuel Volatility, 40 CFR 80 Appendix D.~~
 - e) ~~The Reid vapor pressure of gasoline shall be measured in accordance with a modification of ASTM D323 known as the "dry method" as set forth in 40 CFR 80, Appendix E, incorporated by reference in Section 215.105. For purposes of enforcement of the Reid vapor pressure limitations set forth in subsections (b) and (c), no enforcement action shall be initiated unless the Reid vapor pressure measured by the Agency is more than 0.3 psi (2.1 kPa) greater than the applicable standard.~~
 - f) ~~The ethanol content of ethanol blend gasolines shall be determined by use of one of the approved testing methodologies specified in 40 CFR 80, Appendix F, incorporated by reference in Section 215.105.~~
 - g) ~~Any alternate to the sampling or testing methods or procedures contained in subsections (d), (e), and (f) must be approved by the Agency, which shall consider data comparing the performance of the proposed alternative to the performance of one or more approved test methods or procedures. Such data shall accompany any request for Agency approval of any alternate test procedure. If the Agency determines that such data demonstrates that the proposed alternative will achieve results equivalent to the approved test methods or procedures, the Agency shall approve the proposed alternative. Upon approval of the alternate sampling or test methods or procedures contained in subsections (d), (e), and (f), the Agency will submit the methods or procedures to the United States Environmental Protection Agency (USEPA) as a revision to the State plan pursuant to Section 110 of the Clean Air Act (42 U.S.C.A. 7410). Alternate methods or procedures become effective only upon approval of the incorporation of the alternate method or procedure in the State plan by USEPA, unless such alternate method or procedure (i.e., the "Grabner" test, ASTM Emergency Standards 14 and 15, approved February 6, 1990; this incorporation includes no later editions or amendments.) has previously been approved by USEPA for use in conjunction with a federally promulgated gasoline volatility regulation, in which case the alternate method or procedure becomes effective immediately upon approval by the Agency.~~
 - h) ~~Each refiner or supplier that distributes gasoline or ethanol blends shall:~~
 - 1) ~~During the regulatory control period, state that the Reid vapor pressure of all gasoline or ethanol blends leaving the refinery or distribution facility for use in Illinois complies with the Reid vapor pressure limitations set forth in Section 215.585(b) and (c). Any facility receiving this gasoline shall be provided with a copy of an invoice, bill of lading, or other documentation used in normal business practice stating that the Reid vapor~~

517 pressure of the gasoline complies with the State Reid vapor pressure
518 standard.

519
520 2) ~~Maintain records for a period of one year on the Reid vapor pressure,~~
521 ~~quantity shipped and date of delivery of any gasoline or ethanol blends~~
522 ~~leaving the refinery or distribution facility for use in Illinois. The Agency~~
523 ~~shall be provided with copies of such records if requested.~~

524
525 i) ~~Each retail outlet and facility operated by a wholesale purchaser consumer shall,~~
526 ~~during the regulatory control period, maintain records regarding each delivery of~~
527 ~~gasoline, which shall include documentation of compliance with the Reid vapor~~
528 ~~pressure, limitations set forth in Section 215.585(b) and (c), quantity received and~~
529 ~~date received. The Agency shall be provided with copies of such records, if~~
530 ~~requested.~~

531
532 j) ~~This Section is effective for 1991 only.~~

533
534 (Source: Repealed at 36 Ill. Reg. _____, effective _____)