

2200 WEBER RD.  
CREST HILL, IL 60403  
(815) 207-4445  
(815) 207-4446 (FAX)  
senatorpatmcguire@sbcglobal.net

124 STATE CAPITOL  
SPRINGFIELD, IL 62706  
(217) 782-8800  
(217) 558-6006 (FAX)  
pmcguire@senatedem.ilga.gov



COMMITTEES  
ENVIRONMENT  
GAMING  
HIGHER EDUCATION  
TRANSPORTATION

**PAT MCGUIRE**  
STATE SENATOR · 43RD DISTRICT

November 25, 2012

Illinois Pollution Control Board  
Thomas Holbrook, Chairman  
Office of the Clerk  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794

*Pctt 50*

RECEIVED  
CLERK'S OFFICE  
NOV 28 2012  
STATE OF ILLINOIS  
Pollution Control Board

RE: R12-9(B) Proposed Amendments to Clean Construction or Demolition Debris Fill Operations (CCDD)

Dear Chairman Holbrook:

We respectfully request and strongly encourage the members of the Illinois Pollution Control Board (IPCB) to amend the CCDD rule adopted by the Board on August 23, 2012 to include ground water monitoring at CCDD sites.

As you know Public Act 96-1416 provided for the first time the statutory language that governs how CCDD sites are regulated and monitored in Illinois. The General Assembly gave the Illinois Environmental Protection Agency (IEPA) and the IPCB the authority to develop the necessary rules and regulations that would provide the standards for certifying soil and materials at CCDD sites. In addition the law specifically stated that the rules must include standards and procedures necessary to protect ground water. The exclusion of ground water monitoring requirements in the rules adopted by the IPCB on August 23<sup>rd</sup> of this year unfortunately fall short of what the legislature had intended when drafting this bill.

Requiring CCDD sites to install ground water monitoring systems provides the necessary checks and balances to ensure that local community water supplies are protected and safe from contamination. We believe that the IEPA, Will County and other respondents have provided ample data and evidence that demonstrates that ground water monitoring costs are reasonable and not excessive.

It is our sincere hope that the Board will take into consideration the additional information presented in this sub-docket and propose an amendment to the existing CCDD rules that will include ground water protections.

Sincerely,

*Pat McGuire*  
Senator Pat McGuire