

RECEIVED
CLERK'S OFFICE

FEB 28 2013

STATE OF ILLINOIS
Pollution Control Board

ILLINOIS POLLUTION CONTROL BOARD
February 28, 2013

UNITED STATES STEEL CORPORATION,)
a Delaware corporation)
)
Petitioner,)
)
v.) PCB 12-54
) (Permit Appeal – Air)
ILLINOIS ENVIRONMENTAL)
PROTECTION AGENCY,)
)
Respondent.)

 ORIGINAL

HEARING OFFICER ORDER

On February 28, 2013, 2013, the parties were scheduled to participate in a telephone status conference with the hearing officer. As last reported, respondent continued to work on comments received during the public comment period. Petitioner has agreed to file a deadline waiver to August 8, 2013.

The parties are directed to participate in a telephone status conference with the hearing officer at 9:30 a.m. on March 28, 2013. The status conference shall be initiated by the petitioner.

The decision deadline is June 20, 2013.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on February 28, 2013, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on February 28, 2013:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

PCB 2012-054
Division of Legal Counsel
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2012-054
Katherine D. Hodge
Hodge Dwyer & Driver.
3150 Roland Avenue
P. O. Box 5776
Springfield, IL 62705-5776

PCB 2012-054
Monica T. Rios
Hodge Dwyer & Driver.
3150 Roland Avenue
P. O. Box 5776
Springfield, IL 62705-5776