

ILLINOIS POLLUTION CONTROL BOARD
May 15, 2017

BOARD OF TRUSTEES OF EASTERN)	
ILLINOIS UNIVERSITY,)	
)	
Petitioner,)	
)	
v.)	PCB 04-110
)	(Permit Appeal - Air)
)	
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On May 15, 2017, the parties participated in a telephone status conference with the hearing officer. The parties have agreed on a boiler upgrade, and petitioner expects to complete a permit application within the next few weeks. At that time, respondent will continue to make revisions to the other previously drafted construction permit.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:00 a.m. on July 18, 2017. The telephone status conference will be initiated by the petitioner.

The parties have consented to electronic service, and petitioner has filed an open waiver of the statutory decision deadline.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on May 15, 2017, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on May 15, 2017:

Don Brown
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

@Consents to electronic service

SERVICE LIST

PCB 2004-110 @
Katherine Hodge
Helperbroom, LLC
3150 Roland Avenue
Springfield, IL 62705-5776

PCB 2004-110 @
Nancy J. Tikalsky
Office of the Attorney General
69 West Washington Street
Suite 1800
Chicago, IL 60602

PCB 2004-110 @
Joshua J. Houser
Helperbroom, LLC
3150 Roland Avenue
Springfield, IL 62705-5776