

## **BOARD ADOPTS AMENDMENTS TO PUBLIC WATER SUPPLY PERMITTING RULES**

On November 6, the Illinois Pollution Control Board adopted a final opinion and order in the rulemaking entitled Radionuclide Restricted Status, Amendments to 35 Ill. Adm. Code 602.105, 602.106, 602.108, and 602.115, R03-21, adopting amendments to the permitting rules for public water supplies (PWS).

The rules extend the duration of an existing exemption, allowing the Illinois Environmental Protection Agency (IEPA) to continue issuing construction and operating permits to qualifying public water supplies (PWS) though the water supplies do not comply with the radionuclide standards for drinking water. However, a PWS not meeting these drinking water standards would qualify for the exemption *only if* the water supply is bound to a specific schedule for meeting the radionuclide standards under an enforceable court order or IEPA Compliance Commitment Agreement. The proposed exemption would end on December 8, 2009.

Under the Board's permit ban or "restricted status" rule, a PWS generally cannot receive a permit if it is out of compliance with a drinking water standard. The proposed exemption to this rule, like the current exemption, would *not* exempt any PWS from meeting the radionuclide drinking water standards, but rather would allow qualifying PWS to receive permits to modify and operate their systems. Illinois' drinking water standards for radionuclides, which must be and are the same as the federal standards, are 5 pico curies per liter (pCi/L) for combined radium (radium-226 and radium-228), 15 pCi/L for gross alpha particle activity, and 30 micrograms per liter ( $\mu\text{g/L}$ ) for uranium. *See* 35 Ill. Adm. Code 611.330. Compliance with these standards is required effective December 8, 2003.

The Board held two public hearings in this rulemaking and received public comment. Opinions and orders of the Board, hearing transcripts, and other documents in this rulemaking record are posted on the Board's Web site and may be downloaded from the Web without charge. Hard copies may be obtained for \$.75 per page from the Clerk's office at 312-814-3629, or by writing to the Clerk's office:

Dorothy Gunn, Clerk  
Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph Street  
Suite 11-500  
Chicago, Illinois 60601