

BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

VILLAGE OF WINNETKA,)	
)	
)	
Petitioner,)	
)	
v.)	PCB No. 2016-14
)	
ILLINOIS ENVIRONMENTAL PROTECTION)	
AGENCY,)	
)	
Respondent.)	

NOTICE OF FILING

To: See Attached Service List

PLEASE TAKE NOTICE that on July 26, 2018, the Village of Winnetka electronically filed with the Office of the Clerk of the Illinois Pollution Control Board an **Individual Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Water System / Des Plaines River Watershed**, a copy of which is hereby served upon you.

Dated: July 26, 2018

VILLAGE OF WINNETKA

By: /s/ Benjamin L. Schuster
One of Its Attorneys

Benjamin L. Schuster
HOLLAND & KNIGHT, LLP
131 S. Dearborn Street, 30th Floor
Chicago, Illinois 60603
Telephone: (312) 263-3600
Email: ben.schuster@hklaw.com

CERTIFICATE OF SERVICE

The undersigned attorney certifies, under penalties of perjury pursuant to 735 ILCS 5/1-109, that he caused a copy of the foregoing **Individual Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Water System / Des Plaines River Watershed**, to be served via electronic mail on the 26th day of July, 2018 to:

See Attached Service List

*/s/ Benjamin L. Schuster*_____

One of Its Attorneys

SERVICE LIST

Don Brown
Clerk of the Board
Illinois Pollution Control Board
100 W. Randolph Street, Suite 11-500
Chicago, Illinois 60601
Don.Brown@illinois.gov

PCB 2016-014@
Sara Terranova
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276
sara.terranova@illinois.gov

PCB 2016-014@
Stefanie N. Diers
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276
Stefanie.diers@illinois.gov

PCB 2016-015@
Dennis Walsh
Klein, Thorpe & Jenkins
15010 S. Ravinia Avenue
Suite 17
Orland Park, IL 60477
dgwalsh@ktjlaw.com

PCB 2016-014, -020@
Dennis G. Walsh
Scott F. Uhler
Erin K. Lavery
20 N. Wacker Drive
Suite 1660
Chicago, IL 60606
dgwalsh@ktjlaw.com
suhler@ktjlaw.com
eklavery@ktjlaw.com

Brad Halloran
Hearing Officer
Illinois Pollution Control Board
100 W. Randolph Street, Suite 11-500
Chicago, Illinois 60601
Brad.Halloran@illinois.gov

PCB 2016-014@
Christopher J. Cummings
Christopher J. Cummings, P.C.
2024 Hickory Road
Suite 205
Homewood, IL 60430
chris@CJCummingsLaw.com

PCB 2016-014@
Albert Ettinger
Law Firm of Albert Ettinger
53 W. Jackson
Suite 1664
Chicago, IL 60604
ettinger.albert@gmail.com

PCB 2016-015@
E. Kenneth Friker
Klein, Thorpe & Jenkins
15010 S. Ravinia Avenue
Suite 17
Orland Park, IL 60477
ekfriker@ktjlaw.com

PCB 2016-025@
W. Grant Farrar
City of Evanston Law Dept
2100 Ridge Road
Suite 4400
Evanston, IL 60201
gfarrrar@cityofevanston.org

PCB 2016-016@
David J. Freeman
Robbins, Schwartz, Nicholas, Lifton & Taylor, Ltd
631 E. Boughton Road
Suite 200
Bolingbrook, IL 60440
dfreeman@robbins-schwartz.com

PCB 2016-016, -017@
Dennis Walsh
Klein, Thorpe & Jenkins
15010 S. Ravinia Avenue
Suite 17
Orland Park, IL 60477
dgwalsh@ktjlaw.com

PCB 2016-021@
Amber M. Samuelson
Rosenthal, Murphey, Coblentz & Donahue
30 N. LaSalle Street, Suite 1624
Chicago, IL 60602
ASamuelson@rmcj.com

PCB 2016-021@
Peter D. Coblentz
Rosenthal, Murphey, Coblentz & Donahue
30 N. LaSalle Street, Suite 1624
Chicago, IL 60602
pcoblentz@rmcj.com

PCB 2016-023@
Katherine D. Hodge
Heplerbroom, LLC
4340 Acer Grove Drive
Springfield, IL 62711
Katherine.Hodge@heplerbroom.com

PCB 2016-025@
David Stoneback, Director
City of Evanston
555 Lincoln St.
Evanston, IL 60201
dstoneback@cityofevanston.org

PCB 2016-016@
Peter Murphy
11800 S. 75th Avenue
Suite 101
Palos Heights, IL 60463
pmmlawyer@aol.com

PCB 2016-018@
Katherine D. Hodge
Heplerbroom, LLC
4340 Acer Grove Drive
Springfield, IL 62711
Katherine.Hodge@heplerbroom.com

PCB 2016-025@
W. Grant Farrar
City of Evanston
555 Lincoln St.
Evanston, IL 60201
gfarrrar@cityofevanston.org

PCB 2016-022@
John P. Antonopoulos
Antonopoulos & Virtel, PC
15419 127th Street
Suite 100
Lemont, IL 60439
john@avlawoffice.net

PCB 2016-018, -023@
Joshua Houser
Heplerbroom, LLC
4340 Acer Grove Drive
Springfield, IL 62711
Joshua.Houser@heplerbroom.com

PCB 2016-025@
Mario Treto
Corporation Counsel
City of Evanston Law Department
2100 Ridge Road
Evanston, IL 60201
mtreto@cityofevanston.org

PCB 2016-025@

Lindsey Ott

City of Evanston

555 Lincoln St.

Evanston, IL 60201

Lott@cityofevanston.org

PCB 2016-026@

Melanie Pettway

Village of Skokie

5127 Oakton Street

Skokie, IL 60077

melanie.pettway@skokie.org

PCB 2016-027@

Matthew D. Dougherty

Special Assistant Attorney General

Illinois Dept. of Transportation

2300 S. Dirksen Parkway

Springfield, IL 62764

Matthew.Dougherty@illinois.gov

PCB 2016-029@

Fredric P. Andes

Paul M. Drucker

Barnes & Thornburg

1 N. Wacker Drive

Suite 4400

Chicago, IL 60602

fandes@btlaw.com

pdrucker@btlaw.com

PCB 2016-030@

Peter D. Coblentz

Rosenthal, Murphey Coblentz & Donahue

30 N. LaSalle Street, Suite 1624

Chicago, IL 60602

pcoblentz@rmcj.com

PCB 2016-026@

James G. McCarthy

Village of Skokie

5127 Oakton Street

Skokie, IL 60077

james.mccarthy@skokie.org

PCB 2016-026@

Michael M. Lorge

Village of Skokie

5127 Oakton Street

Skokie, IL 60077

michael.lorge@skokie.org

PCB 2016-029@

Margaret T. Conway

Metropolitan Water Reclamation District

100 E. Erie Street

Chicago, IL 60611

Margaret.conway@mwr.org

PCB 2016-030@

Amber M. Samuelson

Rosenthal, Murphey, Coblentz & Donahue

30 N. LaSalle Street, Suite 1624

Chicago, IL 60606

ASamuelson@rmcj.com

PCB 2016-031@

Andrew N. Fiske

Holland & Knight LLC

131 S. Dearborn Street

30th floor

Chicago, IL 60603

andrew.fiske@hklaw.com

PCB 2016-031@
Hart M. Passman
Holland & Knight LLC
131 S. Dearborn Street
30th Floor
Chicago, IL 60603
hart.passman@hklaw.com

PCB 2016-031@
Steven M. Elrod
Holland & Knight LLC
131 S. Dearborn Street
30th Floor
Chicago, IL 60603
steven.elrod@hklaw.com

PCB 2016-033@
Richard Rinchich
Director of Public Works
City of Oak Forest
15440 S. Central Avenue
Oak Forest, IL 60452
rrinchich@oak-forest.org

PCB 2016-033@
Dennis G. Walsh
Klein, Thorpe & Jenkins, Ltd.
20 N. Wacker Drive
Suite 1660
Chicago, IL 60606
dgwalth@ktjlaw.com

PCB 2016-033@
Erin K. Lavery
Klein, Thorpe & Jenkins, Ltd.
20 N. Wacker Drive
Suite 1660
Chicago, IL 60606
eklavery@ktjlaw.com

PCB 2016-033@
Scott F. Uhler
Klein, Thorpe & Jenkins, Ltd.
20 N. Wacker Drive
Suite 1660
Chicago, IL 60606
suhler@ktjlaw.com

BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

VILLAGE OF WINNEKTA,)	
)	
)	
Petitioner,)	
)	
v.)	PCB No. 2016-14
)	
ILLINOIS ENVIRONMENTAL PROTECTION)	
AGENCY,)	
)	
Respondent.)	

APPEARANCE

Holland & Knight LLP hereby enters its appearance on behalf of Petitioner, the Village of Winnetka, Illinois.

/s/ Benjamin L. Schuster
One of Its Attorneys

Benjamin L. Schuster
Holland & Knight LLP
131 S. Dearborn St., 30th Flr.
Chicago, Illinois 60603
Tel: (312) 263-3600
Email: ben.schuster@hklaw.com

ILLINOIS POLLUTION CONTROL BOARD

Docket Numbers: PCB 2016-14, PCB 2016-15, PCB 2016-16, PCB 2016-17, PCB 2016-18,
PCB 2016-20, PCB 2016-21, PCB 2016-22, PCB 2016-23, PCB 2016-25, PCB 2016-26,
PCB 2016-27, PCB 2016-29, PCB 2016-30, PCB 2016-31, PCB 2016-33
Time-Limited Water Quality Standard) (Consolidated)

*Individual Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard
("TLWQS") for the Defined Chicago Area Water System/Des Plaines River Watershed*

This Individual Submittal supplements the Joint Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Waterway System/Des Plaines River Watershed ("Joint Submittal"), submitted in the above-referenced docket numbers. The Joint Submittal incorporated by reference, together with this Individual Submittal, satisfies the requirements of 35 IAC Part 104, Subpart E for each Facility.

An Individual Submittal must be made for each permitted Facility discharging to a reach in the Watershed defined by the Joint Submittal that seeks to be covered by the TLWQS in this Docket.

This Individual Submittal must be made no later than July 26, 2018 for continued coverage (or initial coverage for new petitioners) under the current stay of effectiveness of the chlorides standards, found in 35 IAC 302.407(g)(2) and (g)(3).

Note: Discharges to General Use waters in the Watershed, which are subject to the chlorides standards in 35 IAC 302.208(g), can participate in the TLWQS, but the stay does not apply to those discharges.

Individual Discharger Information

1. Facility Name of Individual Discharger: Village of Winnetka
2. Owner/Operator of Facility: Village of Winnetka
3. Address of Facility: 1390 Willow Road, Winnetka, Illinois 60093
4. Contact Information for Facility's Responsible Official:
Name: James J. Bernahl Title: Assistant Director of PW & Engr
Mailing Address: 1390 Willow Road, Winnetka, Illinois 60093
Phone Number: 847-716-3261 Email: jbernahl@winnetka.org
5. Permit Number of Facility (include both National Pollutant Discharge Elimination System ("NPDES") Permits and Municipal Separate Storm Sewer System ("MS4") Permits that may be affected by the TLWQS): ILR400476

6. Are there any pending permit applications filed with Illinois Environmental Protection Agency that do not appear as part of the Joint Submittal's Appendices 5 and 6?

☐ Yes ☒ No

If Yes, provide the application number for the pending permit(s): _____

7. Select Category of Facility:

☐ Publicly Owned Treatment Works ("POTW") ☐ Industrial Source
☐ Illinois Department of Transportation/Illinois Tollway ☐ Salt Storage Facility
☐ Community with Combined Sewer Overflow ("CSO") Outfalls ☒ MS4

Location of Individual Discharger

8. Each Individual Submittal must provide the specific location information in the Watershed for the Facility seeking coverage under the TLWQS. Select the location of the discharge from the Facility from the list below:

The Chicago Area Waterway System ("CAWS") includes the following reaches:

☐ Chicago River, ☒ North Branch of the Chicago River,
☐ South Branch of the Chicago River, ☐ Chicago Sanitary and Ship Canal,
☐ Cal-Sag Channel, ☐ Grand Calumet River, ☐ Lake Calumet,
☐ Lake Calumet Connecting Channel, ☐ Calumet and Little Calumet Rivers, and
☐ North Shore Channel

The Lower Des Plaines River ("LDPR") includes the following areas:

☐ Des Plaines River from the Kankakee River to the Will County Line,
☐ Hickory Creek, ☐ Union Ditch, ☐ Spring Creek, ☐ Marley Creek, and
☐ East Branch of Marley Creek

9. The specific discharge locations for the Facility are:

a. Outfall number(s): 18 Total

b. General description of outfall location:

Various Locations

c. Outfall(s) appears on CAWS or LDPR list of Discharge Points (Joint Submittal Appendices 5 and 6): ☐ Yes ☒ No

TLWQS Requirements

10. Has any prior variance applied to the discharge from this Facility? ☐ Yes ☒ No

If yes, please identify the variance providing similar relief, including any Illinois Pollution Control Board docket number issued to the Individual Discharger, watershed, water body, waterbody segment, and if known, the Individual Discharger's predecessors.

Facility-Specific TLWQS Requirements

11. The Facility agrees to implement all of the Best Management Practices ("BMPs") included for the CAWS Category (from #8, above) for the Facility that are specified for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal.

12. Identify any past or currently in-use BMPs at the Facility for minimizing the discharge of chlorides.

Overall reduction of salt used, Pre-wetting of salt, salting of residential intersections only,
usage of air/ground temperature sensing equipment, usage of alternative deicing products
and ground speed relevant calibrated application equipment.

13. Will any additional BMPs, beyond those included for the Category of the Facility for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal, be implemented?
☐ Yes ☒ No

If Yes, describe any additional BMPs:

14. By six (6) months after the effective date of the TLWQS, each Facility covered by the TLWQS must have a Pollutant Minimization Plan (PMP) that contains specific details as to how the BMPs will be implemented and includes appropriate elements from the documentation procedures identified in Appendix 54 of the Joint Submittal. Chapter 9 of the Joint Submittal describes these requirements in more detail.

Has the Facility already developed a PMP to address its discharge of chlorides?

☐ Yes ☒ No

If Yes, what is the date of the PMP? _____

If the Facility has not already developed the described PMP, does the Facility agree to develop the described PMP no later than six (6) months after the effective date of the TLWQS?

☒ Yes ☐ No

Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name & Official Title (Type or Print)

James Bernahl, Asst. Dir. of PW & Eng

Signature



Date Signed

7-26-18