

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-107512-1
Client Project/Site: Joliet #29 CCR

For:
KPRG and Associates, Inc.
14665 West Lisbon Road,
Suite 2B
Brookfield, Wisconsin 53005

Attn: Richard Gnat



Authorized for release by:
2/25/2016 12:29:21 PM
Robin Kintz, Project Manager II
(708)534-5200
robinm.kintz@testamericainc.com

Designee for
Eric Lang, Manager of Project Management
(708)534-5200
eric.lang@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?

 **Ask
The
Expert**

Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

MWG13-15_59778

Comp Ex. 207 G






Table of Contents

| | |
|---------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Case Narrative | 3 |
| Method Summary | 4 |
| Sample Summary | 5 |
| Client Sample Results | 6 |
| Definitions | 11 |
| QC Association | 12 |
| QC Sample Results | 15 |
| Chain of Custody | 21 |
| Receipt Checklists | 22 |
| Chronicle | 23 |

Case Narrative

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Job ID: 500-107512-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-107512-1

Comments

No additional comments.

Receipt

The samples were received on 2/11/2016 4:55 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.1° C.

Metals

Method(s) 3005A: An initial volume(s) of 25ml was used for 500-107512-1. This deviates from the standard procedure and the reporting limits (RLs) have been adjusted proportionately.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Method Summary

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

| Method | Method Description | Protocol | Laboratory |
|---------------|-------------------------------|----------|------------|
| 6010C | Metals (ICP) | SW846 | TAL CHI |
| 6020A | Metals (ICP/MS) | SW846 | TAL CHI |
| 7470A | Mercury (CVAA) | SW846 | TAL CHI |
| SM 2540C | Solids, Total Dissolved (TDS) | SM | TAL CHI |
| SM 4500 Cl- E | Chloride, Total | SM | TAL CHI |
| SM 4500 F C | Fluoride | SM | TAL CHI |
| SM 4500 SO4 E | Sulfate, Total | SM | TAL CHI |

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

TestAmerica Chicago

Sample Summary

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 500-107512-1 | MW-03 | Water | 02/10/16 16:30 | 02/11/16 16:55 |
| 500-107512-2 | MW-04 | Water | 02/10/16 15:10 | 02/11/16 16:55 |
| 500-107512-3 | MW-05 | Water | 02/10/16 11:30 | 02/11/16 16:55 |
| 500-107512-4 | MW-10 | Water | 02/10/16 13:20 | 02/11/16 16:55 |
| 500-107512-5 | Dup | Water | 02/10/16 00:00 | 02/11/16 16:55 |



Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Client Sample ID: MW-03

Lab Sample ID: 500-107512-1

Date Collected: 02/10/16 16:30

Matrix: Water

Date Received: 02/11/16 16:55



Method: 6010C - Metals (ICP) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-----|------|---|----------------|----------------|---------|
| Lithium | 0.011 | | 0.010 | | mg/L | | 02/19/16 16:49 | 02/20/16 20:57 | 1 |

Method: 6020A - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Antimony | <0.0030 | | 0.0030 | | mg/L | | 02/15/16 09:03 | 02/18/16 14:33 | 1 |
| Arsenic | 0.0017 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Barium | 0.10 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Beryllium | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Boron | 0.49 | | 0.050 | | mg/L | | 02/15/16 09:03 | 02/18/16 11:42 | 1 |
| Cadmium | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Calcium | 100 | | 0.20 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Chromium | <0.0050 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Cobalt | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Lead | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Molybdenum | 0.0060 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Selenium | 0.0045 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |
| Thallium | <0.0020 | | 0.0020 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:33 | 1 |

Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Mercury | <0.00020 | | 0.00020 | | mg/L | | 02/12/16 15:50 | 02/14/16 17:08 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Total Dissolved Solids | 790 | | 10 | | mg/L | | | 02/15/16 23:11 | 1 |
| Chloride | 220 | | 10 | | mg/L | | | 02/18/16 18:42 | 5 |
| Fluoride | 0.44 | | 0.10 | | mg/L | | | 02/17/16 13:38 | 1 |
| Sulfate | 130 | | 25 | | mg/L | | | 02/22/16 06:10 | 5 |

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Client Sample ID: MW-04

Lab Sample ID: 500-107512-2

Date Collected: 02/10/16 15:10

Matrix: Water

Date Received: 02/11/16 16:55



Method: 6010C - Metals (ICP) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-----|------|---|----------------|----------------|---------|
| Lithium | 0.011 | | 0.010 | | mg/L | | 02/19/16 16:49 | 02/20/16 21:01 | 1 |

Method: 6020A - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Antimony | <0.0030 | | 0.0030 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Arsenic | 0.0018 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Barium | 0.088 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Beryllium | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Boron | 0.32 | | 0.050 | | mg/L | | 02/15/16 09:03 | 02/16/16 11:46 | 1 |
| Cadmium | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Calcium | 97 | | 0.20 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Chromium | <0.0050 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Cobalt | 0.0074 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Lead | 0.00062 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Molybdenum | 0.0063 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Selenium | <0.0025 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |
| Thallium | <0.0020 | | 0.0020 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:37 | 1 |

Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Mercury | <0.00020 | | 0.00020 | | mg/L | | 02/12/16 15:50 | 02/14/16 17:09 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Total Dissolved Solids | 810 | | 10 | | mg/L | | | 02/15/16 23:17 | 1 |
| Chloride | 210 | | 10 | | mg/L | | | 02/18/16 18:42 | 5 |
| Fluoride | 0.47 | | 0.10 | | mg/L | | | 02/17/16 13:40 | 1 |
| Sulfate | 140 | | 25 | | mg/L | | | 02/22/16 06:13 | 5 |

TestAmerica Chicago

MWG13-15_59784
2/25/2016

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Client Sample ID: MW-05

Lab Sample ID: 500-107512-3

Date Collected: 02/10/16 11:30

Matrix: Water

Date Received: 02/11/16 16:55



Method: 6010C - Metals (ICP) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-----|------|---|----------------|----------------|---------|
| Lithium | <0.020 | | 0.020 | | mg/L | | 02/19/16 16:49 | 02/20/16 21:05 | 1 |

Method: 6020A - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Antimony | <0.0030 | | 0.0030 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Arsenic | 0.0028 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Barium | 0.071 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Beryllium | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Boron | 0.46 | | 0.050 | | mg/L | | 02/15/16 09:03 | 02/18/16 11:50 | 1 |
| Cadmium | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Calcium | 110 | | 0.20 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Chromium | 0.0062 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Cobalt | 0.0013 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Lead | 0.0022 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Molybdenum | 0.0053 | F1 | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Selenium | <0.0025 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |
| Thallium | <0.0020 | | 0.0020 | | mg/L | | 02/15/16 09:03 | 02/16/16 14:41 | 1 |

Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Mercury | <0.00020 | | 0.00020 | | mg/L | | 02/12/16 15:50 | 02/14/16 17:11 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Total Dissolved Solids | 790 | | 10 | | mg/L | | | 02/15/16 23:19 | 1 |
| Chloride | 220 | | 10 | | mg/L | | | 02/18/16 18:43 | 5 |
| Fluoride | 0.39 | | 0.10 | | mg/L | | | 02/17/16 13:43 | 1 |
| Sulfate | 120 | | 25 | | mg/L | | | 02/22/16 06:14 | 5 |

TestAmerica Chicago

MWG13-15_59785
2/25/2016

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1


Client Sample ID: MW-10

Lab Sample ID: 500-107512-4

Date Collected: 02/10/16 13:20

Matrix: Water

Date Received: 02/11/16 16:55



Method: 6010C - Metals (ICP) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-----|------|---|----------------|----------------|---------|
| Lithium | 0.011 | | 0.010 | | mg/L | | 02/19/16 16:49 | 02/20/16 21:09 | 1 |

Method: 6020A - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Antimony | <0.0030 | | 0.0030 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Arsenic | 0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Barium | 0.043 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Beryllium | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Boron | 0.41 | | 0.050 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:08 | 1 |
| Cadmium | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Calcium | 100 | | 0.20 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Chromium | <0.0050 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Cobalt | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Lead | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Molybdenum | 0.0067 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Selenium | <0.0025 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |
| Thallium | <0.0020 | | 0.0020 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:00 | 1 |

Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Mercury | <0.00020 | | 0.00020 | | mg/L | | 02/12/16 15:50 | 02/14/16 17:13 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Total Dissolved Solids | 820 | | 10 | | mg/L | | | 02/15/16 23:22 | 1 |
| Chloride | 210 | | 10 | | mg/L | | | 02/18/16 18:43 | 5 |
| Fluoride | 0.44 | | 0.10 | | mg/L | | | 02/17/16 13:45 | 1 |
| Sulfate | 120 | | 25 | | mg/L | | | 02/22/16 06:15 | 5 |

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Client Sample ID: Dup

Lab Sample ID: 500-107512-5

Date Collected: 02/10/16 00:00

Matrix: Water

Date Received: 02/11/16 16:55



Method: 6010C - Metals (ICP) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-----|------|---|----------------|----------------|---------|
| Lithium | 0.012 | | 0.010 | | mg/L | | 02/19/16 16:49 | 02/20/16 21:13 | 1 |

Method: 6020A - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Antimony | <0.0030 | | 0.0030 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Arsenic | 0.0011 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Barium | 0.044 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Beryllium | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Boron | 0.40 | | 0.050 | | mg/L | | 02/15/16 09:03 | 02/18/16 12:23 | 1 |
| Cadmium | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Calcium | 110 | | 0.20 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Chromium | <0.0050 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Cobalt | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Lead | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Molybdenum | 0.0066 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Selenium | <0.0025 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |
| Thallium | <0.0020 | | 0.0020 | | mg/L | | 02/15/16 09:03 | 02/16/16 15:03 | 1 |

Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| Mercury | <0.00020 | | 0.00020 | | mg/L | | 02/12/16 15:50 | 02/14/16 17:19 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Total Dissolved Solids | 810 | | 10 | | mg/L | | | 02/15/16 23:25 | 1 |
| Chloride | 210 | | 10 | | mg/L | | | 02/18/16 18:45 | 5 |
| Fluoride | 0.44 | | 0.10 | | mg/L | | | 02/17/16 13:48 | 1 |
| Sulfate | 120 | | 25 | | mg/L | | | 02/22/16 06:18 | 5 |

TestAmerica Chicago

MWG13-15_59787
2/25/2016

Definitions/Glossary

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Qualifiers

Metals

| Qualifier | Qualifier Description |
|-----------|---|
| F1 | MS and/or MSD Recovery is outside acceptance limits. |
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration, therefore, control limits are not applicable. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|---|
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration, therefore, control limits are not applicable. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| * | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains no Free Liquid |
| DER | Duplicate error ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision level concentration |
| MDA | Minimum detectable activity |
| EDL | Estimated Detection Limit |
| MDC | Minimum detectable concentration |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative error ratio |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

TestAmerica Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Metals

Prep Batch: 322659

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 500-107512-1 | MW-03 | Total/NA | Water | 7470A | |
| 500-107512-2 | MW-04 | Total/NA | Water | 7470A | |
| 500-107512-3 | MW-05 | Total/NA | Water | 7470A | |
| 500-107512-4 | MW-10 | Total/NA | Water | 7470A | |
| 500-107512-5 | Dup | Total/NA | Water | 7470A | |
| LCS 500-322659/13-A | Lab Control Sample | Total/NA | Water | 7470A | |
| MB 500-322659/12-A | Method Blank | Total/NA | Water | 7470A | |

Prep Batch: 322853

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-------------------|--------|--------|------------|
| 500-107512-1 | MW-03 | Total Recoverable | Water | 3005A | |
| 500-107512-2 | MW-04 | Total Recoverable | Water | 3005A | |
| 500-107512-3 | MW-05 | Total Recoverable | Water | 3005A | |
| 500-107512-3 DU | MW-05 | Total Recoverable | Water | 3005A | |
| 500-107512-3 MS | MW-05 | Total Recoverable | Water | 3005A | |
| 500-107512-3 MSD | MW-05 | Total Recoverable | Water | 3005A | |
| 500-107512-4 | MW-10 | Total Recoverable | Water | 3005A | |
| 500-107512-5 | Dup | Total Recoverable | Water | 3005A | |
| LCS 500-322853/2-A | Lab Control Sample | Total Recoverable | Water | 3005A | |
| MB 500-322853/1-A | Method Blank | Total Recoverable | Water | 3005A | |

Analysis Batch: 322866

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 500-107512-1 | MW-03 | Total/NA | Water | 7470A | 322859 |
| 500-107512-2 | MW-04 | Total/NA | Water | 7470A | 322859 |
| 500-107512-3 | MW-05 | Total/NA | Water | 7470A | 322859 |
| 500-107512-4 | MW-10 | Total/NA | Water | 7470A | 322859 |
| 500-107512-5 | Dup | Total/NA | Water | 7470A | 322859 |
| LCS 500-322659/13-A | Lab Control Sample | Total/NA | Water | 7470A | 322859 |
| MB 500-322659/12-A | Method Blank | Total/NA | Water | 7470A | 322859 |

Analysis Batch: 323181

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-------------------|--------|--------|------------|
| 500-107512-1 | MW-03 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-2 | MW-04 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-3 | MW-05 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-3 DU | MW-05 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-3 MS | MW-05 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-3 MSD | MW-05 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-4 | MW-10 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-5 | Dup | Total Recoverable | Water | 6020A | 322853 |
| LCS 500-322853/2-A | Lab Control Sample | Total Recoverable | Water | 6020A | 322853 |
| MB 500-322853/1-A | Method Blank | Total Recoverable | Water | 6020A | 322853 |

Analysis Batch: 323537

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-------------------|--------|--------|------------|
| 500-107512-1 | MW-03 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-2 | MW-04 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-3 | MW-05 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-3 DU | MW-05 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-3 MS | MW-05 | Total Recoverable | Water | 6020A | 322853 |

TestAmerica Chicago

MWG13-15_59789
2/25/2016



QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Metals (Continued)

Analysis Batch: 323537 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-------------------|--------|--------|------------|
| 500-107512-3 MSD | MW-05 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-4 | MW-10 | Total Recoverable | Water | 6020A | 322853 |
| 500-107512-5 | Dup | Total Recoverable | Water | 6020A | 322853 |
| LCS 500-322853/2-A | Lab Control Sample | Total Recoverable | Water | 6020A | 322853 |
| MB 500-322853/1-A | Method Blank | Total Recoverable | Water | 6020A | 322853 |

Prep Batch: 323651

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-------------------|--------|--------|------------|
| 500-107512-1 | MW-03 | Total Recoverable | Water | 3005A | |
| 500-107512-2 | MW-04 | Total Recoverable | Water | 3005A | |
| 500-107512-3 | MW-05 | Total Recoverable | Water | 3005A | |
| 500-107512-4 | MW-10 | Total Recoverable | Water | 3005A | |
| 500-107512-5 | Dup | Total Recoverable | Water | 3005A | |
| LCS 500-323651/2-A | Lab Control Sample | Total Recoverable | Water | 3005A | |
| LCS 500-323651/3-A | Lab Control Sample Dup | Total Recoverable | Water | 3005A | |
| MB 500-323651/1-A | Method Blank | Total Recoverable | Water | 3005A | |

Analysis Batch: 323879

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-------------------|--------|--------|------------|
| 500-107512-1 | MW-03 | Total Recoverable | Water | 6010C | 323651 |
| 500-107512-2 | MW-04 | Total Recoverable | Water | 6010C | 323651 |
| 500-107512-3 | MW-05 | Total Recoverable | Water | 6010C | 323651 |
| 500-107512-4 | MW-10 | Total Recoverable | Water | 6010C | 323651 |
| 500-107512-5 | Dup | Total Recoverable | Water | 6010C | 323651 |
| LCS 500-323651/2-A | Lab Control Sample | Total Recoverable | Water | 6010C | 323651 |
| LCS 500-323651/3-A | Lab Control Sample Dup | Total Recoverable | Water | 6010C | 323651 |
| MB 500-323651/1-A | Method Blank | Total Recoverable | Water | 6010C | 323651 |

General Chemistry

Analysis Batch: 322964

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|----------|------------|
| 500-107512-1 | MW-03 | Total/NA | Water | SM 2540C | |
| 500-107512-1 DU | MW-03 | Total/NA | Water | SM 2540C | |
| 500-107512-2 | MW-04 | Total/NA | Water | SM 2540C | |
| 500-107512-3 | MW-05 | Total/NA | Water | SM 2540C | |
| 500-107512-4 | MW-10 | Total/NA | Water | SM 2540C | |
| 500-107512-5 | Dup | Total/NA | Water | SM 2540C | |
| LCS 500-322964/2 | Lab Control Sample | Total/NA | Water | SM 2540C | |
| MB 500-322964/1 | Method Blank | Total/NA | Water | SM 2540C | |

Analysis Batch: 323254

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|-------------|------------|
| 500-107512-1 | MW-03 | Total/NA | Water | SM 4500 F C | |
| 500-107512-2 | MW-04 | Total/NA | Water | SM 4500 F C | |
| 500-107512-3 | MW-05 | Total/NA | Water | SM 4500 F C | |
| 500-107512-4 | MW-10 | Total/NA | Water | SM 4500 F C | |
| 500-107512-5 | Dup | Total/NA | Water | SM 4500 F C | |
| LCS 500-323254/4 | Lab Control Sample | Total/NA | Water | SM 4500 F C | |
| MB 500-323254/3 | Method Blank | Total/NA | Water | SM 4500 F C | |

TestAmerica Chicago

MWG13-15_59790
2/25/2016

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

General Chemistry (Continued)

Analysis Batch: 323472

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------------|------------|
| 500-107512-1 | MW-03 | Total/NA | Water | SM 4500 Cl- E | |
| 500-107512-2 | MW-04 | Total/NA | Water | SM 4500 Cl- E | |
| 500-107512-3 | MW-05 | Total/NA | Water | SM 4500 Cl- E | |
| 500-107512-4 | MW-10 | Total/NA | Water | SM 4500 Cl- E | |
| 500-107512-4 MS | MW-10 | Total/NA | Water | SM 4500 Cl- E | |
| 500-107512-4 MSD | MW-10 | Total/NA | Water | SM 4500 Cl- E | |
| 500-107512-5 | Dup | Total/NA | Water | SM 4500 Cl- E | |
| LCS 500-323472/13 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| MB 500-323472/12 | Method Blank | Total/NA | Water | SM 4500 Cl- E | |

Analysis Batch: 323847

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|---------------|------------|
| 500-107512-1 | MW-03 | Total/NA | Water | SM 4500 SO4 E | |
| 500-107512-1 MS | MW-03 | Total/NA | Water | SM 4500 SO4 E | |
| 500-107512-1 MSD | MW-03 | Total/NA | Water | SM 4500 SO4 E | |
| 500-107512-2 | MW-04 | Total/NA | Water | SM 4500 SO4 E | |
| 500-107512-3 | MW-05 | Total/NA | Water | SM 4500 SO4 E | |
| 500-107512-4 | MW-10 | Total/NA | Water | SM 4500 SO4 E | |
| 500-107512-5 | Dup | Total/NA | Water | SM 4500 SO4 E | |
| LCS 500-323847/4 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| MB 500-323847/3 | Method Blank | Total/NA | Water | SM 4500 SO4 E | |

TestAmerica Chicago

MWG13-15_59791
2/25/2016

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 500-323651/1-A
Matrix: Water
Analysis Batch: 323879

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 323651

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-----|------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Lithium | <0.010 | | 0.010 | | mg/L | | 02/19/16 16:49 | 02/20/16 20:44 | 1 |

Lab Sample ID: LCS 500-323651/2-A
Matrix: Water
Analysis Batch: 323879

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 323651

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |

Lab Sample ID: LCSD 500-323651/3-A
Matrix: Water
Analysis Batch: 323879

Client Sample ID: Lab Control Sample Dup
Prep Type: Total Recoverable
Prep Batch: 323651

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|---------|-------------|-------------|----------------|------|---|------|--------------|-----|-------|
| | | | | | | | | | |

Method: 6020A - Metals (ICP/MS)

Lab Sample ID: MB 500-322853/1-A
Matrix: Water
Analysis Batch: 323181

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 322853

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Antimony | <0.0030 | | 0.0030 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Arsenic | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Barium | <0.0025 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Beryllium | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Cadmium | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Calcium | <0.20 | | 0.20 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Chromium | <0.0050 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Cobalt | <0.0010 | | 0.0010 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Lead | <0.00050 | | 0.00050 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Molybdenum | <0.0050 | | 0.0050 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Selenium | <0.0025 | | 0.0025 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |
| Thallium | <0.0020 | | 0.0020 | | mg/L | | 02/15/16 09:03 | 02/16/16 12:38 | 1 |

Lab Sample ID: MB 500-322853/1-A
Matrix: Water
Analysis Batch: 323537

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 322853

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-----|------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Boron | <0.050 | | 0.050 | | mg/L | | 02/15/16 09:03 | 02/18/16 11:35 | 1 |

Lab Sample ID: LCS 500-322853/2-A
Matrix: Water
Analysis Batch: 323181

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 322853

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |

TestAmerica Chicago

MWG13-15_59792
2/25/2016

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1



Method: 6020A - Metals (ICP/MS) (Continued)

| Lab Sample ID: LCS 500-322853/2-A Matrix: Water Analysis Batch: 323181 | | | | Client Sample ID: Lab Control Sample Prep Type: Total Recoverable Prep Batch: 322853 | | | |
|--|-------------|------------|---------------|--|---|------|----------|
| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
| Arsenic | 0.100 | 0.103 | | mg/L | | 103 | 80 - 120 |
| Barium | 0.500 | 0.527 | | mg/L | | 105 | 80 - 120 |
| Beryllium | 0.0500 | 0.0482 | | mg/L | | 96 | 80 - 120 |
| Cadmium | 0.0500 | 0.0532 | | mg/L | | 106 | 80 - 120 |
| Calcium | 10.0 | 11.3 | | mg/L | | 113 | 80 - 120 |
| Chromium | 0.200 | 0.207 | | mg/L | | 103 | 80 - 120 |
| Cobalt | 0.500 | 0.539 | | mg/L | | 108 | 80 - 120 |
| Lead | 0.100 | 0.102 | | mg/L | | 102 | 80 - 120 |
| Molybdenum | 1.00 | 1.04 | | mg/L | | 104 | 80 - 120 |
| Selenium | 0.100 | 0.104 | | mg/L | | 104 | 80 - 120 |
| Thallium | 0.100 | 0.102 | | mg/L | | 102 | 80 - 120 |

| Lab Sample ID: LCS 500-322853/2-A Matrix: Water Analysis Batch: 323537 | | | | Client Sample ID: Lab Control Sample Prep Type: Total Recoverable Prep Batch: 322853 | | | |
|--|-------------|------------|---------------|--|---|------|----------|
| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
| Boron | 1.00 | 0.996 | | mg/L | | 100 | 80 - 120 |

| Lab Sample ID: 500-107512-3 MS Matrix: Water Analysis Batch: 323181 | | | | Client Sample ID: MW-05 Prep Type: Total Recoverable Prep Batch: 322853 | | | | | |
|---|---------------|------------------|-------------|---|--------------|------|---|------|----------|
| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | Limits |
| Antimony | <0.0030 | | 0.500 | 0.548 | | mg/L | | 110 | 75 - 125 |
| Arsenic | 0.0028 | | 0.100 | 0.106 | | mg/L | | 103 | 75 - 125 |
| Barium | 0.071 | | 0.500 | 0.570 | | mg/L | | 100 | 75 - 125 |
| Beryllium | <0.0010 | | 0.0500 | 0.0528 | | mg/L | | 106 | 75 - 125 |
| Cadmium | <0.00050 | | 0.0500 | 0.0518 | | mg/L | | 104 | 75 - 125 |
| Calcium | 110 | | 10.0 | 122 | 4 | mg/L | | 74 | 75 - 125 |
| Chromium | 0.0062 | | 0.200 | 0.199 | | mg/L | | 97 | 75 - 125 |
| Cobalt | 0.0013 | | 0.500 | 0.506 | | mg/L | | 101 | 75 - 125 |
| Lead | 0.0022 | | 0.100 | 0.103 | | mg/L | | 101 | 75 - 125 |
| Molybdenum | 0.0053 | F1 | 1.00 | 0.733 | F1 | mg/L | | 73 | 75 - 125 |
| Selenium | <0.0025 | | 0.100 | 0.105 | | mg/L | | 103 | 75 - 125 |
| Thallium | <0.0020 | | 0.100 | 0.101 | | mg/L | | 101 | 75 - 125 |

| Lab Sample ID: 500-107512-3 MS Matrix: Water Analysis Batch: 323537 | | | | Client Sample ID: MW-05 Prep Type: Total Recoverable Prep Batch: 322853 | | | | | |
|---|---------------|------------------|-------------|---|--------------|------|---|------|----------|
| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | Limits |
| Boron | 0.46 | | 1.00 | 1.54 | | mg/L | | 109 | 75 - 125 |

TestAmerica Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Method: 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: 500-107512-3 MSD
Matrix: Water
Analysis Batch: 323181

Client Sample ID: MW-05
Prep Type: Total Recoverable
Prep Batch: 322853

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD | | Unit | D | %Rec | Limits | RPD | Limit |
|------------|---------------|------------------|-------------|--------|-----------|------|---|------|----------|-----|-------|
| | | | | Result | Qualifier | | | | | | |
| Antimony | <0.0030 | | 0.500 | 0.548 | | mg/L | | 110 | 75 - 125 | 0 | 20 |
| Arsenic | 0.0028 | | 0.100 | 0.105 | | mg/L | | 103 | 75 - 125 | 1 | 20 |
| Barium | 0.071 | | 0.500 | 0.569 | | mg/L | | 100 | 75 - 125 | 0 | 20 |
| Beryllium | <0.0010 | | 0.0500 | 0.0517 | | mg/L | | 103 | 75 - 125 | 2 | 20 |
| Cadmium | <0.00050 | | 0.0500 | 0.0522 | | mg/L | | 104 | 75 - 125 | 1 | 20 |
| Calcium | 110 | | 10.0 | 123 | 4 | mg/L | | 84 | 75 - 125 | 1 | 20 |
| Chromium | 0.0062 | | 0.200 | 0.205 | | mg/L | | 100 | 75 - 125 | 3 | 20 |
| Cobalt | 0.0013 | | 0.500 | 0.508 | | mg/L | | 101 | 75 - 125 | 0 | 20 |
| Lead | 0.0022 | | 0.100 | 0.104 | | mg/L | | 102 | 75 - 125 | 1 | 20 |
| Molybdenum | 0.0053 | F1 | 1.00 | 0.727 | F1 | mg/L | | 72 | 75 - 125 | 1 | 20 |
| Selenium | <0.0025 | | 0.100 | 0.104 | | mg/L | | 102 | 75 - 125 | 1 | 20 |
| Thallium | <0.0020 | | 0.100 | 0.102 | | mg/L | | 102 | 75 - 125 | 1 | 20 |

Lab Sample ID: 500-107512-3 MSD
Matrix: Water
Analysis Batch: 323537

Client Sample ID: MW-05
Prep Type: Total Recoverable
Prep Batch: 322853

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD | | Unit | D | %Rec | Limits | RPD | Limit |
|---------|---------------|------------------|-------------|--------|-----------|------|---|------|----------|-----|-------|
| | | | | Result | Qualifier | | | | | | |
| Boron | 0.46 | | 1.00 | 1.41 | | mg/L | | 95 | 75 - 125 | 9 | 20 |

Lab Sample ID: 500-107512-3 DU
Matrix: Water
Analysis Batch: 323181

Client Sample ID: MW-05
Prep Type: Total Recoverable
Prep Batch: 322853

| Analyte | Sample Result | Sample Qualifier | DU | | Unit | D | RPD | Limit |
|------------|---------------|------------------|----------|-----------|------|---|-----|-------|
| | | | Result | Qualifier | | | | |
| Antimony | <0.0030 | | <0.0030 | | mg/L | | NC | 20 |
| Arsenic | 0.0028 | | 0.00273 | | mg/L | | 0.8 | 20 |
| Barium | 0.071 | | 0.0695 | | mg/L | | 2 | 20 |
| Beryllium | <0.0010 | | <0.0010 | | mg/L | | NC | 20 |
| Cadmium | <0.00050 | | <0.00050 | | mg/L | | NC | 20 |
| Calcium | 110 | | 114 | | mg/L | | 1 | 20 |
| Chromium | 0.0062 | | <0.0050 | | mg/L | | NC | 20 |
| Cobalt | 0.0013 | | 0.00132 | | mg/L | | 0.5 | 20 |
| Lead | 0.0022 | | 0.00220 | | mg/L | | 0.5 | 20 |
| Molybdenum | 0.0053 | F1 | 0.00530 | | mg/L | | 0.2 | 20 |
| Selenium | <0.0025 | | <0.0025 | | mg/L | | NC | 20 |
| Thallium | <0.0020 | | <0.0020 | | mg/L | | NC | 20 |

Lab Sample ID: 500-107512-3 DU
Matrix: Water
Analysis Batch: 323537

Client Sample ID: MW-05
Prep Type: Total Recoverable
Prep Batch: 322853

| Analyte | Sample Result | Sample Qualifier | DU | | Unit | D | RPD | Limit |
|---------|---------------|------------------|--------|-----------|------|---|-----|-------|
| | | | Result | Qualifier | | | | |
| Boron | 0.46 | | 0.442 | | mg/L | | 3 | 20 |

TestAmerica Chicago

MWG13-15_59794
2/25/2016

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 500-322659/12-A
Matrix: Water
Analysis Batch: 322866

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 322659

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|----------|-----------|---------|-----|------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Mercury | <0.00020 | | 0.00020 | | mg/L | | 02/12/16 15:50 | 02/14/16 16:23 | 1 |

Lab Sample ID: LCS 500-322659/13-A
Matrix: Water
Analysis Batch: 322866

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 322659

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |
| Mercury | 0.00200 | 0.00190 | | mg/L | | 95 | 80 - 120 |

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 500-322964/1
Matrix: Water
Analysis Batch: 322964

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|----|-----|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Total Dissolved Solids | <10 | | 10 | | mg/L | | | 02/15/16 22:52 | 1 |

Lab Sample ID: LCS 500-322964/2
Matrix: Water
Analysis Batch: 322964

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |
| Total Dissolved Solids | 250 | 246 | | mg/L | | 98 | 80 - 120 |

Lab Sample ID: 500-107512-1 DU
Matrix: Water
Analysis Batch: 322964

Client Sample ID: MW-03
Prep Type: Total/NA

| Analyte | Sample Sample | | DU DU | | Unit | D | RPD | RPD Limit |
|------------------------|---------------|-----------|--------|-----------|------|---|-----|-----------|
| | Result | Qualifier | Result | Qualifier | | | | |
| Total Dissolved Solids | 790 | | 806 | | mg/L | | 2 | 5 |

Method: SM 4500 Cl- E - Chloride, Total

Lab Sample ID: MB 500-323472/12
Matrix: Water
Analysis Batch: 323472

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Chloride | <2.0 | | 2.0 | | mg/L | | | 02/18/16 18:05 | 1 |

Lab Sample ID: LCS 500-323472/13
Matrix: Water
Analysis Batch: 323472

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |
| Chloride | 50.0 | 49.8 | | mg/L | | 100 | 80 - 120 |

TestAmerica Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Method: SM 4500 Cl- E - Chloride, Total (Continued)

Lab Sample ID: 500-107512-4 MS
Matrix: Water
Analysis Batch: 323472

Client Sample ID: MW-10
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Chloride | 210 | | 50.0 | 254 | 4 | mg/L | | 82 | 75 - 125 |

Lab Sample ID: 500-107512-4 MSD
Matrix: Water
Analysis Batch: 323472

Client Sample ID: MW-10
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Chloride | 210 | | 50.0 | 254 | 4 | mg/L | | 83 | 75 - 125 | 0 | 20 |

Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 500-323254/3
Matrix: Water
Analysis Batch: 323254

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|------|-----|------|---|----------|----------------|---------|
| Fluoride | <0.10 | | 0.10 | | mg/L | | | 02/17/16 12:58 | 1 |

Lab Sample ID: LCS 500-323254/4
Matrix: Water
Analysis Batch: 323254

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Fluoride | 10.0 | 10.2 | | mg/L | | 102 | 80 - 120 |

Method: SM 4500 SO4 E - Sulfate, Total

Lab Sample ID: MB 500-323847/3
Matrix: Water
Analysis Batch: 323847

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-----|-----|------|---|----------|----------------|---------|
| Sulfate | <5.0 | | 5.0 | | mg/L | | | 02/22/16 06:06 | 1 |

Lab Sample ID: LCS 500-323847/4
Matrix: Water
Analysis Batch: 323847

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| Sulfate | 20.0 | 19.7 | | mg/L | | 99 | 80 - 120 |

Lab Sample ID: 500-107512-1 MS
Matrix: Water
Analysis Batch: 323847

Client Sample ID: MW-03
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Sulfate | 130 | | 200 | 346 | | mg/L | | 106 | 75 - 125 |

TestAmerica Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Method: SM 4500 SO4 E - Sulfate, Total (Continued)

Lab Sample ID: 500-107512-1 MSD
Matrix: Water
Analysis Batch: 323847

Client Sample ID: MW-03
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Sulfate | 130 | | 200 | 358 | | mg/L | | 112 | 75 - 125 | 4 | 20 |



TestAmerica Chicago
 2417 Bond Street
 University Park, IL 60404
 Phone (708) 534-5200 Fax (708) 534-5211

Chain of Custody Record

Eric Barr

TestAmerica
 THE LEADER IN ENVIRONMENTAL TESTING

| | | | | | | | |
|---|--|--|--|---|--|---|--|
| Client Information | | Company: KPRG & Associates Inc. | | Sample: Ian John Howison | | Lab No: 500-107512 | |
| Address: 14865 W Lisbon Rd Suite 2B | | City: Brookfield | | Phone: 500-290-8850 | | E-Mail: bonnie.stadelmann@testamericainc.com | |
| State: WI 53005 | | Country: USA | | Fax: 500-107512 | | Job # 500-107512 | |
| Phone: 262-781-0475 | | Fax: 500-107512 | | Project Name: Quarterly MWG Idet #28 CCR | | Page 1 of 1 | |
| Email: kprginc@kprginc.com | | Project # 50011568 | | Site: SOWA | | Page 1 of 1 | |
| Date Data Requested: | | TAT Requested (days): 15 days | | Analysis Requested | | Preservation Codes: | |
| Sample Identification | | Sample Date | | Sample Type (Gr-Comp, Preserv, A-As) | | Matrix (Pre-Test, Preserv, A-As) | |
| MW-03 | | 2-10-16 | | S | | Water | |
| MW-04 | | 2-10-16 | | S | | Water | |
| MW-05 | | 2-10-16 | | S | | Water | |
| MW-10 | | 2-10-16 | | S | | Water | |
| Dup | | 2-10-16 | | S | | Water | |
| Possible Hazard Identification | | Field Filtered Sample (Yes or No) | | Total Number of containers | | Special Instructions/Note: | |
| <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | <input checked="" type="checkbox"/> 6010C, 6020A, 7470A <input checked="" type="checkbox"/> 2540C, 4800_F_C, SM4500_Cl_E, SM4500_504_E <input checked="" type="checkbox"/> 903.0, 904.0 | | <input checked="" type="checkbox"/> 12313.0 <input type="checkbox"/> 500-40303-20793.1 | |
| Deliverable Requested: I, II, III, IV, Other (specify) - Level IV | | Special Instructions/QC Requirements: | | Method of Shipment: | | Cooler Temperature(s) °C and Other Remarks: | |
| Empty Kit Returned by: | | Date | | Time | | Received by: | |
| Date/Time: 2-11-16 16:55 | | Company: KPRG | | Received by: [Signature] | | Date/Time: 02/11/16 16:55 | |
| Custody Seals Intact: A Yes A No | | Custody Seal No: | | Company: KPRG | | Date/Time: 2-23-16 10:55 | |
| Page 21 of 25 | | Page 21 of 25 | | Page 21 of 25 | | Page 21 of 25 | |

Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-107512-1

Login Number: 107512

List Source: TestAmerica Chicago

List Number: 1

Creator: Scott, Sherri L

| Question | Answer | Comment |
|---|--------|---------|
| Radioactivity wasn't checked or is \neq background as measured by a survey meter. | True | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 4.1 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Client Sample ID: MW-03

Date Collected: 02/10/16 16:30

Date Received: 02/11/16 16:55

Lab Sample ID: 500-107512-1

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-------------------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total Recoverable | Prep | 3005A | | | 323651 | 02/19/16 16:49 | JNH | TAL CHI |
| Total Recoverable | Analysis | 6010C | | 1 | 323879 | 02/20/16 20:57 | PJ1 | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323181 | 02/16/16 14:33 | PFK | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323537 | 02/18/16 11:42 | PFK | TAL CHI |
| Total/NA | Prep | 7470A | | | 322659 | 02/12/16 15:50 | MJD | TAL CHI |
| Total/NA | Analysis | 7470A | | 1 | 322866 | 02/14/16 17:08 | MJD | TAL CHI |
| Total/NA | Analysis | SM 2540C | | 1 | 322964 | 02/15/16 23:11 | CLB | TAL CHI |
| Total/NA | Analysis | SM 4500 Cl- E | | 5 | 323472 | 02/18/16 18:42 | HMW | TAL CHI |
| Total/NA | Analysis | SM 4500 F C | | 1 | 323254 | 02/17/16 13:38 | EAT | TAL CHI |
| Total/NA | Analysis | SM 4500 SO4 E | | 5 | 323847 | | CLB | TAL CHI |
| | | | | | (Start) | 02/22/16 06:10 | | |
| | | | | | (End) | 02/22/16 06:11 | | |

Client Sample ID: MW-04

Date Collected: 02/10/16 15:10

Date Received: 02/11/16 16:55

Lab Sample ID: 500-107512-2

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-------------------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total Recoverable | Prep | 3005A | | | 323651 | 02/19/16 16:49 | JNH | TAL CHI |
| Total Recoverable | Analysis | 6010C | | 1 | 323879 | 02/20/16 21:01 | PJ1 | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323181 | 02/16/16 14:37 | PFK | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323537 | 02/18/16 11:46 | PFK | TAL CHI |
| Total/NA | Prep | 7470A | | | 322659 | 02/12/16 15:50 | MJD | TAL CHI |
| Total/NA | Analysis | 7470A | | 1 | 322866 | 02/14/16 17:09 | MJD | TAL CHI |
| Total/NA | Analysis | SM 2540C | | 1 | 322964 | 02/15/16 23:17 | CLB | TAL CHI |
| Total/NA | Analysis | SM 4500 Cl- E | | 5 | 323472 | 02/18/16 18:42 | HMW | TAL CHI |
| Total/NA | Analysis | SM 4500 F C | | 1 | 323254 | 02/17/16 13:40 | EAT | TAL CHI |
| Total/NA | Analysis | SM 4500 SO4 E | | 5 | 323847 | | CLB | TAL CHI |
| | | | | | (Start) | 02/22/16 06:13 | | |
| | | | | | (End) | 02/22/16 06:14 | | |

Client Sample ID: MW-05

Date Collected: 02/10/16 11:30

Date Received: 02/11/16 16:55

Lab Sample ID: 500-107512-3

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-------------------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total Recoverable | Prep | 3005A | | | 323651 | 02/19/16 16:49 | JNH | TAL CHI |
| Total Recoverable | Analysis | 6010C | | 1 | 323879 | 02/20/16 21:05 | PJ1 | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |

TestAmerica Chicago



Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Client Sample ID: MW-05

Date Collected: 02/10/16 11:30

Date Received: 02/11/16 16:55

Lab Sample ID: 500-107512-3

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-------------------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total Recoverable | Analysis | 6020A | | 1 | 323181 | 02/16/16 14:41 | PFK | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323537 | 02/18/16 11:50 | PFK | TAL CHI |
| Total/NA | Prep | 7470A | | | 322659 | 02/12/16 15:50 | MJD | TAL CHI |
| Total/NA | Analysis | 7470A | | 1 | 322866 | 02/14/16 17:11 | MJD | TAL CHI |
| Total/NA | Analysis | SM 2540C | | 1 | 322964 | 02/15/16 23:19 | CLB | TAL CHI |
| Total/NA | Analysis | SM 4500 Cl- E | | 5 | 323472 | 02/18/16 18:43 | HMW | TAL CHI |
| Total/NA | Analysis | SM 4500 F C | | 1 | 323254 | 02/17/16 13:43 | EAT | TAL CHI |
| Total/NA | Analysis | SM 4500 SO4 E | | 5 | 323847 | | CLB | TAL CHI |
| | | | | | (Start) | 02/22/16 06:14 | | |
| | | | | | (End) | 02/22/16 06:15 | | |

Client Sample ID: MW-10

Date Collected: 02/10/16 13:20

Date Received: 02/11/16 16:55

Lab Sample ID: 500-107512-4

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-------------------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total Recoverable | Prep | 3005A | | | 323651 | 02/19/16 16:49 | JNH | TAL CHI |
| Total Recoverable | Analysis | 6010C | | 1 | 323879 | 02/20/16 21:09 | PJ1 | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323181 | 02/16/16 15:00 | PFK | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323537 | 02/18/16 12:08 | PFK | TAL CHI |
| Total/NA | Prep | 7470A | | | 322659 | 02/12/16 15:50 | MJD | TAL CHI |
| Total/NA | Analysis | 7470A | | 1 | 322866 | 02/14/16 17:13 | MJD | TAL CHI |
| Total/NA | Analysis | SM 2540C | | 1 | 322964 | 02/15/16 23:22 | CLB | TAL CHI |
| Total/NA | Analysis | SM 4500 Cl- E | | 5 | 323472 | 02/18/16 18:43 | HMW | TAL CHI |
| Total/NA | Analysis | SM 4500 F C | | 1 | 323254 | 02/17/16 13:45 | EAT | TAL CHI |
| Total/NA | Analysis | SM 4500 SO4 E | | 5 | 323847 | | CLB | TAL CHI |
| | | | | | (Start) | 02/22/16 06:15 | | |
| | | | | | (End) | 02/22/16 06:16 | | |

Client Sample ID: Dup

Date Collected: 02/10/16 00:00

Date Received: 02/11/16 16:55

Lab Sample ID: 500-107512-5

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-------------------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total Recoverable | Prep | 3005A | | | 323651 | 02/19/16 16:49 | JNH | TAL CHI |
| Total Recoverable | Analysis | 6010C | | 1 | 323879 | 02/20/16 21:13 | PJ1 | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323181 | 02/16/16 15:03 | PFK | TAL CHI |
| Total Recoverable | Prep | 3005A | | | 322853 | 02/15/16 09:03 | JEF | TAL CHI |
| Total Recoverable | Analysis | 6020A | | 1 | 323537 | 02/18/16 12:23 | PFK | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Joliet #29 CCR

TestAmerica Job ID: 500-107512-1

Client Sample ID: Dup

Lab Sample ID: 500-107512-5

Date Collected: 02/10/16 00:00

Matrix: Water

Date Received: 02/11/16 16:55

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 7470A | | | 322659 | 02/12/16 15:50 | MJD | TAL CHI |
| Total/NA | Analysis | 7470A | | 1 | 322866 | 02/14/16 17:19 | MJD | TAL CHI |
| Total/NA | Analysis | SM 2540C | | 1 | 322964 | 02/15/16 23:25 | CLB | TAL CHI |
| Total/NA | Analysis | SM 4500 Cl- E | | 5 | 323472 | 02/18/16 18:45 | HMW | TAL CHI |
| Total/NA | Analysis | SM 4500 F C | | 1 | 323254 | 02/17/16 13:48 | EAT | TAL CHI |
| Total/NA | Analysis | SM 4500 SO4 E | | 5 | 323847 | | CLB | TAL CHI |
| | | | | | (Start) | 02/22/16 06:18 | | |
| | | | | | (End) | 02/22/16 06:19 | | |

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



