


255 Powerton	MW-07	manganese	11.000	0.150	7/31/2013 *
256 Powerton	MW-07	manganese	5.900	0.150	<del>10/23/2013 *</del>
257 Powerton	MW-07	manganese	5.800	0.150	<del>9/5/2014 *</del>
258 Powerton	MW-07	manganese	0.330	0.150	<del>5/29/2014 *</del>
259 Powerton	MW-07	manganese	6.600	0.150	<del>8/27/2014 *</del>
260 Powerton	MW-07	sulfate	<del>530.000</del> 52	400.000	<del>5/29/2014 *</del>
261 Powerton	MW-07	TDS	1300.000	1200.000	6/16/2011 *
262 Powerton	MW-07	TDS	1300.000	1200.000	9/20/2011 *
263 Powerton	MW-07	TDS	1300.000	1200.000	12/12/2011 *
264 Powerton	MW-07	TDS	1400.000	1200.000	3/19/2012 *
265 Powerton	MW-07	TDS	1300.000	1200.000	6/25/2012 *
266 Powerton	MW-07	TDS	1300.000	1200.000	9/18/2012 *
267 Powerton	MW-07	TDS	1300.000	1200.000	7/31/2013 *
268 Powerton	MW-07	TDS	<del>1400.000</del> 1250	1200.000	<del>5/29/2014 *</del>
269 Powerton	MW-07	TDS	1300.000	1200.000	<del>8/27/2014 *</del>
270 Powerton	MW-08	chloride	210.000	200.000	3/25/2011 *
271 Powerton	MW-08	chloride	210.000	200.000	9/20/2011 * 9/19/11
272 Powerton	MW-08	chloride	210.000	200.000	9/18/2012 *
273 Powerton	MW-08	chloride	220.000	200.000	12/12/2012 *
274 Powerton	MW-08	chloride	230.000	200.000	5/30/2013 *
275 Powerton	MW-08	chloride	220.000	200.000	7/31/2013 *
276 Powerton	MW-08	chloride	260.000	200.000	<del>10/23/2013 *</del>
277 Powerton	MW-08	chloride	230.000	200.000	<del>3/3/2014 *</del>
278 Powerton	MW-08	chloride	340.000	200.000	<del>5/28/2014 *</del>
279 Powerton	MW-08	chloride	380.000	200.000	<del>8/27/2014 *</del>
280 Powerton	MW-08	iron	6.500	5.000	2/27/2013 *
281 Powerton	MW-08	iron	6.600	5.000	7/31/2013 *
282 Powerton	MW-08	manganese	0.270	0.150	3/25/2011 *
283 Powerton	MW-08	manganese	0.290	0.150	6/16/2011 *
284 Powerton	MW-08	manganese	0.180	0.150	9/20/2011 * 9/19/11
285 Powerton	MW-08	manganese	0.200	0.150	12/12/2011 *
286 Powerton	MW-08	manganese	0.270	0.150	3/19/2012 *
287 Powerton	MW-08	manganese	0.200	0.150	6/25/2012 *
288 Powerton	MW-08	manganese	0.200	0.150	9/18/2012 *
289 Powerton	MW-08	manganese	0.230	0.150	12/12/2012 *
290 Powerton	MW-08	manganese	0.430	0.150	2/27/2013 *
291 Powerton	MW-08	manganese	0.250	0.150	5/30/2013 *
292 Powerton	MW-08	manganese	0.480	0.150	7/31/2013 *
293 Powerton	MW-08	manganese	0.160	0.150	<del>10/23/2013 *</del>
294 Powerton	MW-08	manganese	0.200	0.150	<del>3/3/2014 *</del>
295 Powerton	MW-08	manganese	0.700	0.150	<del>5/28/2014 *</del>
296 Powerton	MW-08	manganese	0.170	0.150	<del>8/27/2014 *</del>
297 Powerton	MW-08	sulfate	440.000	400.000	6/25/2012 *
298 Powerton	MW-08	sulfate	460.000	400.000	5/30/2013 *
299 Powerton	MW-08	TDS	1300.000	1200.000	5/30/2013 *
300 Powerton	MW-08	TDS	1300.000	1200.000	7/31/2013 *
301 Powerton	MW-08	TDS	1300.000	1200.000	<del>10/23/2013 *</del>
302 Powerton	MW-08	TDS	1400.000	1200.000	<del>5/28/2014 *</del>
303 Powerton	MW-08	TDS	1400.000	1200.000	<del>8/27/2014 *</del>
304 Powerton	MW-09	boron	2.100	2.000	12/16/2010 *
305 Powerton	MW-09	boron	2.500	2.000	9/20/2011 * 9/19/11
306 Powerton	MW-09	boron	2.700	2.000	12/12/2011 *



307	Powerton	MW-09	boron	2.600	2.000	3/19/2012 *
308	Powerton	MW-09	boron	2.600	2.000	6/25/2012 *
309	Powerton	MW-09	boron	2.900	2.000	9/18/2012 *
310	Powerton	MW-09	boron	3.200	2.000	12/12/2012 *
311	Powerton	MW-09	boron	4.300	2.000	2/27/2013 *
312	Powerton	MW-09	boron	3.200	2.000	5/30/2013 *
313	Powerton	MW-09	boron	2.500	2.000	7/30/2013 *
314	Powerton	MW-09	boron	2.500	2.000	<del>5/29/2014 *</del>
315	Powerton	MW-09	boron	2.400	2.000	<del>8/26/2014 *</del>
316	Powerton	MW-09	iron	<del>24.000</del> 0.024	5.000	2/27/2013 *
317	Powerton	MW-09	manganese	0.230	0.150	12/16/2010 *
318	Powerton	MW-09	manganese	0.450	0.150	3/25/2011 *
319	Powerton	MW-09	manganese	0.480	0.150	6/16/2011 *
320	Powerton	MW-09	manganese	0.280	0.150	12/12/2011 *
321	Powerton	MW-09	manganese	0.220	0.150	3/19/2012 *
322	Powerton	MW-09	manganese	0.340	0.150	6/25/2012 *
323	Powerton	MW-09	manganese	0.190	0.150	2/27/2013 *
324	Powerton	MW-09	manganese	0.840	0.150	<del>3/3/2014 *</del>
325	Powerton	MW-09	manganese	0.360	0.150	<del>5/29/2014 *</del>
326	Powerton	MW-09	Nitrogen/Nitrate	12.000	10.000	2/27/2013 *
327	Powerton	MW-09	Nitrogen/Nitrate	11.000	10.000	5/30/2013 *
328	Powerton	MW-09	Nitrogen/Nitrate	11.000	10.000	<del>5/29/2014 *</del>
329	Powerton	MW-10	boron	2.100	2.000	<del>3/6/2014 *</del>
330	Powerton	MW-10	boron	3.200	2.000	<del>5/30/2014 *</del>
331	Powerton	MW-10	manganese	2.100	0.150	12/15/2010 *
332	Powerton	MW-10	manganese	2.800	0.150	3/25/2011 *
333	Powerton	MW-10	manganese	3.800	0.150	6/16/2011 *
334	Powerton	MW-10	manganese	2.300	0.150	9/20/2011 * 9/19/11
335	Powerton	MW-10	manganese	2.300	0.150	12/12/2011 *
336	Powerton	MW-10	manganese	2.300	0.150	3/19/2012 *
337	Powerton	MW-10	manganese	2.600	0.150	6/25/2012 *
338	Powerton	MW-10	manganese	2.500	0.150	9/18/2012 *
339	Powerton	MW-10	manganese	2.200	0.150	12/12/2012 *
340	Powerton	MW-10	manganese	1.900	0.150	2/27/2013 *
341	Powerton	MW-10	manganese	3.200	0.150	5/29/2013 *
342	Powerton	MW-10	manganese	1.500	0.150	7/31/2013 *
343	Powerton	MW-10	manganese	2.000	0.150	<del>10/23/2013 *</del>
344	Powerton	MW-10	manganese	3.100	0.150	<del>3/6/2014 *</del>
345	Powerton	MW-10	manganese	1.600	0.150	<del>5/30/2014 *</del>
346	Powerton	MW-10	manganese	2.100	0.150	<del>8/28/2014 *</del>
347	Powerton	MW-11	arsenic	0.030	0.010	12/12/2012 *
348	Powerton	MW-11	arsenic	0.045	0.010	2/27/2013 *
349	Powerton	MW-11	arsenic	0.028	0.010	5/30/2013 *
350	Powerton	MW-11	arsenic	0.038	0.010	7/30/2013 *
351	Powerton	MW-11	arsenic	0.038	0.010	10/22/2013 *
352	Powerton	MW-11	arsenic	0.057	0.010	3/4/2014 *
353	Powerton	MW-11	arsenic	0.036	0.010	5/29/2014 *
354	Powerton	MW-11	arsenic	0.068	0.010	8/26/2014 *
355	Powerton	MW-11	boron	2.300	2.000	3/19/2012 *
356	Powerton	MW-11	boron	2.600	2.000	9/18/2012 *
357	Powerton	MW-11	iron	5.800	5.000	3/4/2014 *
358	Powerton	MW-11	iron	5.500	5.000	8/26/2014 *

463	Powerton	MW-13	sulfate	540.000	400.000	6/16/2011 *
464	Powerton	MW-13	sulfate	440.000	400.000	8/9/2011 *
465	Powerton	MW-13	sulfate	660.000	400.000	10/13/2011 *
466	Powerton	MW-13	sulfate	1100.000	400.000	12/12/2011 *
467	Powerton	MW-13	sulfate	1100.000	400.000	4/10/2012 *
468	Powerton	MW-13	sulfate	1100.000	400.000	12/14/2012 *
469	Powerton	MW-13	sulfate	730.000	400.000	2/28/2013 *
470	Powerton	MW-13	sulfate	880.000	400.000	5/30/2013 *
471	Powerton	MW-13	sulfate	1000.000	400.000	7/30/2013 *
472	Powerton	MW-13	sulfate	690.000	400.000	<del>10/22/2013 *</del>
473	Powerton	MW-13	sulfate	660.000	400.000	<del>3/4/2014 *</del>
474	Powerton	MW-13	sulfate	630.000	400.000	<del>5/28/2014 *</del>
475	Powerton	MW-13	sulfate	740.000	400.000	<del>8/27/2014 *</del>
476	Powerton	MW-13	TDS	2600.000	1200.000	12/15/2010 *
477	Powerton	MW-13	TDS	1600.000	1200.000	2/15/2011 *
478	Powerton	MW-13	TDS	1400.000	1200.000	4/25/2011 *
479	Powerton	MW-13	TDS	1300.000	1200.000	6/16/2011 *
480	Powerton	MW-13	TDS	1500.000	1200.000	10/13/2011 *
481	Powerton	MW-13	TDS	2100.000	1200.000	12/12/2011 *
482	Powerton	MW-13	TDS	2300.000	1200.000	4/10/2012 *
483	Powerton	MW-13	TDS	1900.000	1200.000	12/14/2012 *
484	Powerton	MW-13	TDS	1600.000	1200.000	2/28/2013 *
485	Powerton	MW-13	TDS	2000.000	1200.000	5/30/2013 *
486	Powerton	MW-13	TDS	2000.000	1200.000	7/30/2013 *
487	Powerton	MW-13	TDS	1700.000	1200.000	<del>10/22/2013 *</del>
488	Powerton	MW-13	TDS	1900.000	1200.000	<del>3/4/2014 *</del>
489	Powerton	MW-13	TDS	2100.000	1200.000	<del>5/28/2014 *</del>
490	Powerton	MW-13	TDS	2300.000	1200.000	<del>8/27/2014 *</del>
491	Powerton	MW-14	arsenic	0.024	0.010	12/15/2010 *
492	Powerton	MW-14	arsenic	0.019	0.010	2/15/2011 *
493	Powerton	MW-14	arsenic	0.015	0.010	10/13/2011 *
494	Powerton	MW-14	chloride	240.000	200.000	8/9/2011 *
495	Powerton	MW-14	chloride	220.000	200.000	<del>3/4/2014 *</del>
496	Powerton	MW-14	iron	<del>12.000</del> 9.017	5.000	12/14/2012 *
497	Powerton	MW-14	manganese	0.680	0.150	12/15/2010 *
498	Powerton	MW-14	manganese	0.810	0.150	2/15/2011 *
499	Powerton	MW-14	manganese	0.290	0.150	4/25/2011 *
500	Powerton	MW-14	manganese	0.360	0.150	6/16/2011 *
501	Powerton	MW-14	manganese	0.570	0.150	8/9/2011 *
502	Powerton	MW-14	manganese	0.840	0.150	10/13/2011 *
503	Powerton	MW-14	manganese	0.630	0.150	4/10/2012 *
504	Powerton	MW-14	manganese	0.720	0.150	5/30/2013 *
505	Powerton	MW-14	manganese	0.320	0.150	7/30/2013 *
506	Powerton	MW-14	manganese	1.200	0.150	<del>10/22/2013 *</del>
507	Powerton	MW-14	manganese	1.300	0.150	<del>3/4/2014 *</del>
508	Powerton	MW-14	manganese	0.340	0.150	<del>5/28/2014 *</del>
509	Powerton	MW-14	manganese	1.800	0.150	<del>8/27/2014 *</del>
510	Powerton	MW-14	selenium	0.065	0.050	4/25/2011 *
511	Powerton	MW-14	selenium	0.150	0.050	2/27/2013 *
512	Powerton	MW-14	sulfate	960.000	400.000	12/15/2010 *
513	Powerton	MW-14	sulfate	820.000	400.000	2/15/2011 *
514	Powerton	MW-14	sulfate	770.000	400.000	4/25/2011 *

619 Waukegan	MW-01	selenium	0.056	0.050	3/7/2013 *
620 Waukegan	MW-02	antimony	0.015	0.006	10/25/2010 *
621 Waukegan	MW-02	arsenic	0.025	0.010	10/25/2010 *
622 Waukegan	MW-02	arsenic	0.016	0.010	3/24/2011 *
623 Waukegan	MW-02	arsenic	0.011	0.010	6/18/2012 *
624 Waukegan	MW-02	arsenic	0.011	0.010	9/28/2012 *
625 Waukegan	MW-02	arsenic	0.012	0.010	3/7/2013 *
626 Waukegan	MW-02	boron	2.200	2.000	10/25/2010 *
627 Waukegan	MW-02	boron	2.200	2.000	3/24/2011 *
628 Waukegan	MW-02	boron	2.600	2.000	6/18/2012 *
629 Waukegan	MW-02	boron	2.100	2.000	9/28/2012 *
630 Waukegan	MW-02	boron	2.200	2.000	3/7/2013 *
631 Waukegan	MW-02	boron	2.100	2.000	7/25/2013 *
632 Waukegan	MW-02	boron	2.200	2.000	11/4/2013 *
633 Waukegan	MW-03	arsenic	<del>0.011</del> 0.0031	0.010	12/19/2012 *
634 Waukegan	MW-03	boron	2.200	2.000	3/24/2011 *
635 Waukegan	MW-03	boron	2.300	2.000	6/13/2011 *
636 Waukegan	MW-03	boron	2.500	2.000	6/7/2013 *
637 Waukegan	MW-03	Nitrogen/Nitrate	13.000	10.000	6/7/2013 *
638 Waukegan	MW-03	selenium	0.067	0.050	6/7/2013 *
639 Waukegan	MW-04	boron	2.100	2.000	3/24/2011 *
640 Waukegan	MW-04	boron	2.100	2.000	12/6/2011 *
641 Waukegan	MW-04	boron	2.200	2.000	3/14/2012 *
642 Waukegan	MW-04	boron	2.500	2.000	6/18/2012 *
643 Waukegan	MW-04	boron	2.200	2.000	9/28/2012 *
644 Waukegan	MW-04	boron	2.500	2.000	12/19/2012 *
645 Waukegan	MW-04	boron	2.400	2.000	3/7/2013 *
646 Waukegan	MW-04	boron	2.300	2.000	6/6/2013 *
647 Waukegan	MW-04	boron	2.500	2.000	7/25/2013 *
648 Waukegan	MW-04	boron	2.800	2.000	11/4/2013 *
649 Waukegan	MW-04	manganese	0.360	0.150	9/13/2011 *
650 Waukegan	MW-05	arsenic	0.012	0.010	9/28/2012 *
651 Waukegan	MW-05	arsenic	0.011	0.010	12/19/2012 *
652 Waukegan	MW-05	arsenic	0.012	0.010	3/7/2013 *
653 Waukegan	MW-05	boron	28.000	2.000	10/25/2010 *
654 Waukegan	MW-05	boron	33.000	2.000	3/24/2011 *
655 Waukegan	MW-05	boron	12.000	2.000	6/13/2011 *
656 Waukegan	MW-05	boron	30.000	2.000	9/13/2011 *
657 Waukegan	MW-05	boron	37.000	2.000	12/6/2011 *
658 Waukegan	MW-05	boron	44.000	2.000	3/14/2012 *
659 Waukegan	MW-05	boron	47.000	2.000	6/18/2012 *
660 Waukegan	MW-05	boron	41.000	2.000	9/28/2012 *
661 Waukegan	MW-05	boron	27.000	2.000	12/19/2012 *
662 Waukegan	MW-05	boron	33.000	2.000	3/7/2013 *
663 Waukegan	MW-05	boron	12.000	2.000	6/6/2013 *
664 Waukegan	MW-05	boron	29.000	2.000	7/25/2013 *
665 Waukegan	MW-05	boron	32.000	2.000	11/5/2013 *
666 Waukegan	MW-05	chloride	540.000	200.000	6/13/2011 *
667 Waukegan	MW-05	chloride	220.000	200.000	9/13/2011 *
668 Waukegan	MW-05	chloride	220.000	200.000	12/19/2012 *
669 Waukegan	MW-05	chloride	600.000	200.000	6/6/2013 *
670 Waukegan	MW-05	chloride	210.000	200.000	7/25/2013 *

1035 Will	MW-10	manganese	0.250	0.150	12/13/2010 *
1036 Will	MW-10	manganese	0.220	0.150	3/28/2011 *
1037 Will	MW-10	manganese	0.250	0.150	6/15/2011 *
1038 Will	MW-10	manganese	0.270	0.150	9/15/2011 *
1039 Will	MW-10	manganese	0.290	0.150	12/8/2011 *
1040 Will	MW-10	manganese	0.250	0.150	3/16/2012 *
1041 Will	MW-10	manganese	0.260	0.150	6/20/2012 *
1042 Will	MW-10	manganese	0.230	0.150	9/24/2012 *
1043 Will	MW-10	manganese	0.290	0.150	12/18/2012 *
1044 Will	MW-10	manganese	0.290	0.150	3/5/2013 *
1045 Will	MW-10	manganese	0.240	0.150	5/22/2013 *
1046 Will	MW-10	manganese	0.220	0.150	<del>10/28/2013</del> *
1047 Will	MW-10	manganese	0.180	0.150	2/20/2014 *
1048 Will	MW-10	sulfate	420.000	400.000	9/15/2011 *
1049 Joliet 29	MW-02	chloride	240.000	200.000	10/23/2014
1050 Joliet 29	MW-02	chloride	410.000	200.000	5/27/2015
1051 Joliet 29	MW-03	chloride	220.000	200.000	5/27/2015
1052 Joliet 29	MW-04	chloride	290.000	200.000	5/27/2015
1053 Joliet 29	MW-05	chloride	220.000	200.000	2/11/2015
1054 Joliet 29	MW-05	chloride	250.000	200.000	5/27/2015
1055 Joliet 29	MW-06	chloride	270.000	200.000	5/28/2015
1056 Joliet 29	MW-07	chloride	210.000	200.000	2/10/2015
1057 Joliet 29	MW-07	chloride	260.000	200.000	5/28/2015
1058 Joliet 29	MW-08	chloride	470.000	200.000	2/10/2015
1059 Joliet 29	MW-08	chloride	270.000	200.000	5/27/2015
1060 Joliet 29	MW-08	iron	10.000	5.000	2/10/2015
1061 Joliet 29	MW-08	manganese	1.100	0.150	2/10/2015
1062 Joliet 29	MW-08	Nickel	0.190	0.100	2/10/2015
1063 Joliet 29	MW-08	sulfate	600.000	400.000	2/10/2015
1064 Joliet 29	MW-08	TDS	2000.000	1200.000	2/10/2015
1065 Joliet 29	MW-09	chloride	230.000	200.000	10/23/2014
1066 Joliet 29	MW-09	chloride	390.000	200.000	2/10/2015
1067 Joliet 29	MW-09	chloride	340.000	200.000	5/27/2015
1068 Joliet 29	MW-09	chloride	220.000	200.000	10/27/2015
1069 Joliet 29	MW-09	iron	45.000	5.000	10/23/2014
1070 Joliet 29	MW-09	iron	23.000	5.000	2/10/2015
1071 Joliet 29	MW-09	iron	140.000	5.000	5/27/2015
1072 Joliet 29	MW-09	iron	140.000	5.000	5/27/2015
1073 Joliet 29	MW-09	iron	3400.000	5.000	5/11/2016
1074 Joliet 29	MW-09	iron	900.000	5.000	11/1/2016
1075 Joliet 29	MW-09	iron	250.000	5.000	2/8/2017
1076 Joliet 29	MW-09	iron	1000.000	5.000	4/25/2017
1077 Joliet 29	MW-09	manganese	0.380	0.150	10/23/2014
1078 Joliet 29	MW-09	manganese	0.540	0.150	2/10/2015
1079 Joliet 29	MW-09	manganese	0.660	0.150	5/27/2015
1080 Joliet 29	MW-09	manganese	0.660	0.150	5/27/2015
1081 Joliet 29	MW-09	manganese	1.400	0.150	8/4/2015
1082 Joliet 29	MW-09	manganese	0.790	0.150	10/27/2015
1083 Joliet 29	MW-09	manganese	2.300	0.150	2/9/2016
1084 Joliet 29	MW-09	manganese	6.000	0.150	5/11/2016
1085 Joliet 29	MW-09	manganese	3.700	0.150	8/30/2016
1086 Joliet 29	MW-09	manganese	1.600	0.150	11/1/2016

11 GMZ

} duplicate row

} duplicate row

GMZ

1087 Joliet 29	MW-09	manganese	0.610	0.150	2/8/2017
1088 Joliet 29	MW-09	manganese	1.900	0.150	4/25/2017
1089 Joliet 29	MW-09	Nickel	0.170	0.100	5/11/2016
1090 Joliet 29	MW-09	Nickel	0.140	0.100	8/30/2016
1091 Joliet 29	MW-09	sulfate	960.000	400.000	10/23/2014
1092 Joliet 29	MW-09	sulfate	820.000	400.000	2/10/2015
1093 Joliet 29	MW-09	sulfate	1100.000	400.000	5/27/2015
1094 Joliet 29	MW-09	TDS	1700.000	1200.000	10/23/2014
1095 Joliet 29	MW-09	TDS	2400.000	1200.000	2/10/2015
1096 Joliet 29	MW-09	TDS	3100.000	1200.000	5/27/2015
1097 Joliet 29	MW-09	TDS	3100.000	1200.000	5/27/2015
1098 Joliet 29	MW-09	TDS	3900.000	1200.000	8/4/2015
1099 Joliet 29	MW-09	TDS	2600.000	1200.000	10/27/2015
1100 Joliet 29	MW-09	TDS	4700.000	1200.000	2/9/2016
1101 Joliet 29	MW-09	TDS	19000.000	1200.000	5/11/2016
1102 Joliet 29	MW-09	TDS	15000.000	1200.000	8/30/2016
1103 Joliet 29	MW-09	TDS	6100.000	1200.000	11/1/2016
1104 Joliet 29	MW-09	TDS	2800.000	1200.000	2/8/2017
1105 Joliet 29	MW-09	TDS	6500.000	1200.000	4/25/2017
1106 Joliet 29	MW-10	chloride	210.000	200.000	2/11/2015
1107 Joliet 29	MW-10	chloride	320.000	200.000	5/28/2015
1108 Joliet 29	MW-10	chloride	210.000	200.000	10/28/2015
1109 Joliet 29	MW-10	chloride	290.000	200.000	5/12/2016
1110 Joliet 29	MW-10	chloride	210.000	200.000	4/26/2017
1111 Joliet 29	MW-11	chloride	270.000	200.000	2/11/2015
1112 Joliet 29	MW-11	chloride	290.000	200.000	5/28/2015
1113 Joliet 29	MW-11	chloride	230.000	200.000	2/11/2016
1114 Joliet 29	MW-11	chloride	240.000	200.000	5/11/2016
1115 Joliet 29	MW-11	chloride	240.000	200.000	2/7/2017
1116 Joliet 29	MW-11	manganese	0.270	0.150	2/11/2015
1117 Joliet 29	MW-11	Nickel	0.160	0.100	2/11/2015
1118 Joliet 29	MW-11	TDS	1300.000	1200.000	2/11/2015
<hr/>					
1119 Powerton	MW-06	chloride	230.000	200.000	5/11/2015
1120 Powerton	MW-06	chloride	210.000	200.000	8/16/2016
1121 Powerton	MW-06	chloride	210.000	200.000	11/17/2016
1122 Powerton	MW-06	manganese	0.900	0.150	5/11/2015
1123 Powerton	MW-06	manganese	1.200	0.150	8/18/2015
1124 Powerton	MW-06	manganese	0.980	0.150	11/17/2015
1125 Powerton	MW-06	manganese	0.870	0.150	2/23/2016
1126 Powerton	MW-06	manganese	0.850	0.150	5/17/2016
1127 Powerton	MW-06	manganese	0.570	0.150	8/16/2016
1128 Powerton	MW-06	manganese	0.790	0.150	11/16/2016
1129 Powerton	MW-06	manganese	1.000	0.150	2/16/2017
1130 Powerton	MW-06	manganese	0.860	0.150	5/2/2017
1131 Powerton	MW-06	sulfate	490.000	400.000	11/17/2015
1132 Powerton	MW-06	sulfate	500.000	400.000	5/17/2016
1133 Powerton	MW-06	sulfate	470.000	400.000	11/16/2016
1134 Powerton	MW-06	sulfate	420.000	400.000	5/2/2017
1135 Powerton	MW-06	TDS	1400.000	1200.000	8/18/2015
1136 Powerton	MW-06	TDS	1400.000	1200.000	5/17/2016
1137 Powerton	MW-07	arsenic	0.180	0.010	5/11/2015
1138 Powerton	MW-07	arsenic	0.230	0.010	8/18/2015

duplicate row

GMZ  
↓

190.000 11/16/16

1399 Waukegan	MW-01	Vanadium		0.092	0.049	8/12/2015
1400 Waukegan	MW-01	Vanadium		0.100	0.049	11/2/2015
1401 Waukegan	MW-01	Vanadium		0.071	0.049	3/1/2016
1402 Waukegan	MW-01	Vanadium		0.071	0.049	5/4/2016
1403 Waukegan	MW-01	Vanadium		0.095	0.049	8/23/2016
1404 Waukegan	MW-01	Vanadium		0.091	0.049	12/5/2016
1405 Waukegan	MW-02	arsenic	0.0085	<del>0.0310</del>	0.010	3/10/2014
1406 Waukegan	MW-02	arsenic	0.0062	<del>0.0336</del>	0.010	5/15/2014
1407 Waukegan	MW-02	arsenic	0.0081	<del>0.019</del>	0.010	8/21/2014
1408 Waukegan	MW-02	arsenic	0.0095	<del>0.210</del>	0.010	11/6/2014
1409 Waukegan	MW-02	arsenic	0.0087	<del>0.050</del>	0.010	2/17/2015
1410 Waukegan	MW-02	arsenic	0.0089	<del>0.056</del>	0.010	4/21/2015
1411 Waukegan	MW-02	arsenic		0.042	0.010	8/12/2015
1412 Waukegan	MW-02	arsenic		0.015	0.010	11/2/2015
1413 Waukegan	MW-02	arsenic		0.015	0.010	12/5/2016
1414 Waukegan	MW-02	arsenic		0.026	0.010	2/21/2017
1415 Waukegan	MW-02	arsenic		0.016	0.010	5/15/2017
1416 Waukegan	MW-02	boron		2.800	2.000	3/10/2014
1417 Waukegan	MW-02	boron		2.600	2.000	5/16/2014
1418 Waukegan	MW-02	boron		3.000	2.000	8/21/2014
1419 Waukegan	MW-02	boron		3.000	2.000	11/6/2014
1420 Waukegan	MW-02	boron		3.200	2.000	2/17/2015
1421 Waukegan	MW-02	boron		2.900	2.000	4/21/2015
1422 Waukegan	MW-02	boron		2.500	2.000	8/12/2015
1423 Waukegan	MW-02	boron		2.500	2.000	11/2/2015
1424 Waukegan	MW-02	boron		3.600	2.000	3/1/2016
1425 Waukegan	MW-02	boron		3.300	2.000	5/4/2016
1426 Waukegan	MW-02	boron		3.000	2.000	8/23/2016
1427 Waukegan	MW-02	boron		3.000	2.000	12/5/2016
1428 Waukegan	MW-02	boron		2.900	2.000	2/21/2017
1429 Waukegan	MW-02	boron		3.400	2.000	5/15/2017
1430 Waukegan	MW-02	manganese		0.160	0.150	5/15/2014
1431 Waukegan	MW-03	arsenic		0.016	0.010	2/21/2017
1432 Waukegan	MW-03	boron		2.300	2.000	11/6/2014
1433 Waukegan	MW-03	boron		2.700	2.000	3/1/2016
1434 Waukegan	MW-03	boron		2.400	2.000	5/4/2016
1435 Waukegan	MW-03	boron		2.700	2.000	12/5/2016
1436 Waukegan	MW-03	boron		2.100	2.000	2/21/2017
1437 Waukegan	MW-03	boron		3.500	2.000	5/16/2017
1438 Waukegan	MW-04	arsenic		0.018	0.010	2/22/2017
1439 Waukegan	MW-04	boron		3.000	2.000	3/11/2014
1440 Waukegan	MW-04	boron		2.700	2.000	5/16/2014
1441 Waukegan	MW-04	boron		2.900	2.000	12/5/2016
1442 Waukegan	MW-04	boron		2.400	2.000	2/22/2017
1443 Waukegan	MW-04	boron		2.600	2.000	5/16/2017
1444 Waukegan	MW-05	arsenic		0.017 ^	0.010	4/20/2015
1445 Waukegan	MW-05	arsenic		0.013	0.010	12/7/2016
1446 Waukegan	MW-05	arsenic		0.040	0.010	2/22/2017
1447 Waukegan	MW-05	boron		31.000	2.000	3/11/2014
1448 Waukegan	MW-05	boron		36.000	2.000	5/16/2014
1449 Waukegan	MW-05	boron		35.000	2.000	8/21/2014
1450 Waukegan	MW-05	boron		36.000	2.000	11/5/2014

1555 Waukegan	MW-07	manganese	0.400	0.150	11/3/2015
1556 Waukegan	MW-07	manganese	0.620	0.150	2/22/2017
1557 Waukegan	MW-07	manganese	0.690	0.150	5/16/2017
1558 Waukegan	MW-07	sulfate	540.000	400.000	3/10/2014
1559 Waukegan	MW-07	sulfate	<del>330.000</del> 880.000	400.000	5/15/2014
1560 Waukegan	MW-07	sulfate	690.000	400.000	8/21/2014
1561 Waukegan	MW-07	sulfate	710.000	400.000	2/17/2015
1562 Waukegan	MW-07	sulfate	470.000	400.000	4/20/2015
1563 Waukegan	MW-07	sulfate	760.000	400.000	8/12/2015
1564 Waukegan	MW-07	sulfate	770.000	400.000	11/3/2015
1565 Waukegan	MW-07	TDS	1600.000	1200.000	3/10/2014
1566 Waukegan	MW-07	TDS	1300.000	1200.000	5/15/2014
1567 Waukegan	MW-07	TDS	1600.000	1200.000	8/21/2014
1568 Waukegan	MW-07	TDS	1600.000	1200.000	2/17/2015
1569 Waukegan	MW-07	TDS	1400.000	1200.000	4/20/2015
1570 Waukegan	MW-07	TDS	1700.000	1200.000	8/12/2015
1571 Waukegan	MW-07	TDS	1500.000	1200.000	11/3/2015
1572 Will	MW-01	manganese	0.260	0.150	5/20/2014
1573 Will	MW-01	manganese	0.240	0.150	8/13/2014
1574 Will	MW-01	manganese	0.170	0.150	10/21/2014
1575 Will	MW-02	arsenic	0.013	0.010	10/20/2014
1576 Will	MW-02	boron	2.800	2.000	<del>5/1/2014</del> 5/20/2014
1577 Will	MW-02	boron	3.000	2.000	8/13/2014
1578 Will	MW-02	boron	3.600	2.000	10/20/2014
1579 Will	MW-02	boron	3.800	2.000	2/4/2015
1580 Will	MW-02	boron	3.800	2.000	5/1/2015
1581 Will	MW-02	sulfate	510.000	400.000	10/20/2014
1582 Will	MW-02	sulfate	460.000	400.000	5/1/2015
1583 Will	MW-03	boron	3.300	2.000	5/21/2014
1584 Will	MW-03	boron	3.500	2.000	8/12/2014
1585 Will	MW-03	boron	3.600	2.000	10/20/2014
1586 Will	MW-03	boron	2.900	2.000	2/4/2015
1587 Will	MW-03	boron	4.100	2.000	7/28/2015
1588 Will	MW-03	boron	3.000	2.000	11/10/2015
1589 Will	MW-03	boron	3.000	2.000	2/17/2016
1590 Will	MW-03	boron	2.900	2.000	5/25/2016
1591 Will	MW-03	boron	3.100	2.000	8/11/2016
1592 Will	MW-03	boron	3.300	2.000	10/27/2016
1593 Will	MW-03	boron	3.000	2.000	2/1/2017
1594 Will	MW-03	boron	4.100	2.000	5/11/2017
1595 Will	MW-03	manganese	0.250	0.150	5/21/2014
1596 Will	MW-03	manganese	0.160	0.150	8/12/2014
1597 Will	MW-03	manganese	0.290	0.150	10/20/2014
1598 Will	MW-03	manganese	0.470	0.150	2/4/2015
1599 Will	MW-03	manganese	0.430	0.150	5/1/2015
1600 Will	MW-03	manganese	0.280	0.150	7/28/2015
1601 Will	MW-03	manganese	0.420	0.150	11/10/2015
1602 Will	MW-03	manganese	0.330	0.150	2/17/2016
1603 Will	MW-03	manganese	0.350	0.150	5/25/2016
1604 Will	MW-03	manganese	0.410	0.150	8/11/2016
1605 Will	MW-03	manganese	0.490	0.150	10/27/2016
1606 Will	MW-03	manganese	0.330	0.150	2/1/2017

GMZ



1607 Will	MW-03	manganese	0.033	<del>0.700</del>	0.150	5/11/2017
1608 Will	MW-03	sulfate		560.000	400.000	5/21/2014
1609 Will	MW-03	sulfate		570.000	400.000	8/12/2014
1610 Will	MW-03	sulfate		570.000	400.000	10/20/2014
1611 Will	MW-03	sulfate	250.000	<del>860.000</del>	400.000	5/1/2015
1612 Will	MW-03	sulfate		520.000	400.000	7/28/2015
1613 Will	MW-03	sulfate	240.000	<del>870.000</del>	400.000	11/11/2015
1614 Will	MW-03	sulfate	400.000	<del>1800.000</del>	400.000	2/17/2016
1615 Will	MW-03	sulfate	370.000	<del>1300.000</del>	400.000	5/25/2016
1616 Will	MW-03	sulfate	230.000	<del>880.000</del>	400.000	8/11/2016
1617 Will	MW-03	sulfate	240.000	<del>1400.000</del>	400.000	10/27/2016
1618 Will	MW-03	sulfate	310.000	<del>1200.000</del>	400.000	2/1/2017
1619 Will	MW-03	sulfate		510.000	400.000	5/11/2017
1620 Will	MW-03	TDS	990	<del>2300.000</del>	1200.000	5/1/2015
1621 Will	MW-03	TDS	1100	<del>3200.000</del>	1200.000	7/28/2015
1622 Will	MW-03	TDS	950	<del>1900.000</del>	1200.000	11/11/2015
1623 Will	MW-03	TDS	980	<del>3200.000</del>	1200.000	2/17/2016
1624 Will	MW-03	TDS	960	<del>2700.000</del>	1200.000	5/25/2016
1625 Will	MW-03	TDS	930	<del>2200.000</del>	1200.000	8/11/2016
1626 Will	MW-03	TDS	910	<del>2800.000</del>	1200.000	10/27/2016
1627 Will	MW-03	TDS	940	<del>2700.000</del>	1200.000	2/1/2017
1628 Will	MW-03	TDS	1100	<del>2800.000</del>	1200.000	5/11/2017
1629 Will	MW-04	boron		4.200	2.000	5/21/2014
1630 Will	MW-04	boron		4.800	2.000	8/13/2014
1631 Will	MW-04	boron		4.500	2.000	10/20/2014
1632 Will	MW-04	boron		3.900	2.000	2/4/2015
1633 Will	MW-04	boron		4.000	2.000	5/1/2015
1634 Will	MW-04	manganese		0.490	0.150	5/21/2014
1635 Will	MW-04	manganese		0.880	0.150	8/13/2014
1636 Will	MW-04	manganese		0.640	0.150	10/20/2014
1637 Will	MW-04	manganese		0.520	0.150	2/4/2015
1638 Will	MW-04	manganese		0.450	0.150	5/1/2015
1639 Will	MW-04	sulfate		1100.000	400.000	5/21/2014
1640 Will	MW-04	sulfate		1200.000	400.000	8/13/2014
1641 Will	MW-04	sulfate		1600.000	400.000	10/20/2014
1642 Will	MW-04	sulfate		1100.000	400.000	2/4/2015
1643 Will	MW-04	sulfate		860.000	400.000	5/1/2015
1644 Will	MW-04	TDS		2500.000	1200.000	5/21/2014
1645 Will	MW-04	TDS		2200.000	1200.000	8/13/2014
1646 Will	MW-04	TDS		2600.000	1200.000	10/20/2014
1647 Will	MW-04	TDS		2600.000	1200.000	2/4/2015
1648 Will	MW-04	TDS		2300.000	1200.000	5/1/2015
1649 Will	MW-05	boron		2.900	2.000	5/21/2014
1650 Will	MW-05	boron		2.700	2.000	8/12/2014
1651 Will	MW-05	boron		4.700	2.000	10/20/2014
1652 Will	MW-05	boron		2.400	2.000	2/3/2015
1653 Will	MW-05	boron		3.700	2.000	5/1/2015
1654 Will	MW-05	boron		5.300	2.000	7/28/2015
1655 Will	MW-05	boron		5.900	2.000	11/11/2015
1656 Will	MW-05	boron		4.100	2.000	2/18/2016
1657 Will	MW-05	boron		3.700	2.000	5/26/2016
1658 Will	MW-05	boron		4.100	2.000	8/10/2016

1659 Will	MW-05	boron	3.900	2.000	10/26/2016
1660 Will	MW-05	boron	4.200	2.000	2/1/2017
1661 Will	MW-05	boron	3.500	2.000	5/11/2017
1662 Will	MW-05	manganese	0.170	0.150	11/11/2015
1663 Will	MW-05	sulfate	1700.000	400.000	5/21/2014
1664 Will	MW-05	sulfate	610.000	400.000	8/12/2014
1665 Will	MW-05	sulfate	840.000	400.000	10/20/2014
1666 Will	MW-05	sulfate	430.000	400.000	2/3/2015
1667 Will	MW-05	sulfate	480.000	400.000	5/1/2015
1668 Will	MW-05	sulfate	770.000	400.000	7/28/2015
1669 Will	MW-05	sulfate	780.000	400.000	11/11/2015
1670 Will	MW-05	sulfate	730.000	400.000	2/18/2016
1671 Will	MW-05	sulfate	600.000	400.000	5/26/2016
1672 Will	MW-05	sulfate	530.000	400.000	8/10/2016
1673 Will	MW-05	sulfate	500.000	400.000	2/1/2017
1674 Will	MW-05	sulfate	470.000	400.000	5/11/2017
1675 Will	MW-05	TDS	1600.000	1200.000	5/21/2014
1676 Will	MW-05	TDS	1400.000	1200.000	8/12/2014
1677 Will	MW-05	TDS	2100.000	1200.000	10/20/2014
1678 Will	MW-05	TDS	1600.000	1200.000	5/1/2015
1679 Will	MW-05	TDS	2000.000	1200.000	7/28/2015
1680 Will	MW-05	TDS	1900.000	1200.000	11/11/2015
1681 Will	MW-05	TDS	1700.000	1200.000	2/18/2016
1682 Will	MW-05	TDS	1500.000	1200.000	5/26/2016
1683 Will	MW-05	TDS	1600.000	1200.000	2/1/2017
1684 Will	MW-06	boron	2.900	2.000	5/20/2014
1685 Will	MW-06	boron	2.800	2.000	8/12/2014
1686 Will	MW-06	boron	3.400	2.000	10/20/2014
1687 Will	MW-06	boron	3.200	2.000	2/3/2015
1688 Will	MW-06	boron	3.000	2.000	4/30/2015
<del>1689 Will</del>	<del>MW-06</del>	<del>boron</del>	<del>3.100</del>	<del>2.000</del>	<del>7/27/2015</del>
1690 Will	MW-06	boron	3.600	2.000	7/28/2015
1691 Will	MW-06	boron	2.900	2.000	11/9/2015
<del>1692 Will</del>	<del>MW-06</del>	<del>boron</del>	<del>3.800</del>	<del>2.000</del>	<del>2/17/2016</del>
1693 Will	MW-06	boron	2.400	2.000	2/18/2016
1694 Will	MW-06	boron	2.900	2.000	5/26/2016
<del>1695 Will</del>	<del>MW-06</del>	<del>boron</del>	<del>2.800</del>	<del>2.000</del>	<del>8/9/2016</del>
1696 Will	MW-06	boron	3.600	2.000	8/11/2016
<del>1697 Will</del>	<del>MW-06</del>	<del>boron</del>	<del>3.200</del>	<del>2.000</del>	<del>10/25/2016</del>
1698 Will	MW-06	boron	3.900	2.000	10/26/2016
<del>1699 Will</del>	<del>MW-06</del>	<del>boron</del>	<del>3.700</del>	<del>2.000</del>	<del>1/31/2017</del>
1700 Will	MW-06	boron	2.900	2.000	2/1/2017
<del>1701 Will</del>	<del>MW-06</del>	<del>boron</del>	<del>4.300</del>	<del>2.000</del>	<del>5/9/2017</del>
1702 Will	MW-06	boron	3.000	2.000	5/11/2017
1703 Will	MW-06	sulfate	420.000	400.000	10/20/2014
1704 Will	MW-06	sulfate	350 440.000	400.000	4/30/2015
1705 Will	MW-06	sulfate	330 420.000	400.000	7/27/2015 7/29/2015
1706 Will	MW-06	sulfate	360 420.000	400.000	11/9/2015 11/10/2015
1707 Will	MW-06	sulfate	290 700.000	400.000	2/17/2016 2/18/2016
1708 Will	MW-06	sulfate	350 530.000	400.000	5/24/2016 5/26/2016
1709 Will	MW-06	sulfate	320 510.000	400.000	10/25/2016 10/26/2016
1710 Will	MW-06	sulfate	260 500.000	400.000	1/31/2017 2/1/17

1711 Will	MW-06	sulfate	<del>280</del> <del>540.000</del>	400.000	5/9/2017
1712 Will	MW-07	boron	4.800	2.000	5/20/2014
1713 Will	MW-07	boron	3.900	2.000	8/12/2014
1714 Will	MW-07	boron	5.100	2.000	10/21/2014
1715 Will	MW-07	boron	3.000	2.000	2/3/2015
1716 Will	MW-07	boron	3.300	2.000	4/30/2015
1717 Will	MW-07	sulfate	540.000	400.000	5/20/2014
1718 Will	MW-07	sulfate	570.000	400.000	8/12/2014
1719 Will	MW-07	sulfate	680.000	400.000	10/21/2014
1720 Will	MW-07	sulfate	440.000	400.000	4/30/2015
1721 Will	MW-07	TDS	1300.000	1200.000	5/20/2014
1722 Will	MW-07	TDS	1300.000	1200.000	8/12/2014
1723 Will	MW-07	TDS	1500.000	1200.000	10/21/2014
1724 Will	MW-08	arsenic	0.014	0.010	8/12/2014
1725 Will	MW-08	boron	2.500	2.000	5/20/2014
1726 Will	MW-08	boron	2.400	2.000	8/12/2014
1727 Will	MW-08	boron	2.800	2.000	10/21/2014
1728 Will	MW-08	boron	2.300	2.000	2/3/2015
1729 Will	MW-08	boron	2.300	2.000	4/30/2015
1730 Will	MW-08	boron	2.800	2.000	7/27/2015
1731 Will	MW-08	boron	4.000	2.000	11/9/2015
1732 Will	MW-08	boron	2.800	2.000	2/16/2016
1733 Will	MW-08	boron	2.300	2.000	5/24/2016
1734 Will	MW-08	boron	2.600	2.000	8/9/2016
1735 Will	MW-08	boron	4.100	2.000	10/25/2016
1736 Will	MW-08	boron	2.500	2.000	1/31/2017
1737 Will	MW-08	manganese	0.390	0.150	2/20/2014
1738 Will	MW-08	manganese	0.350	0.150	5/20/2014
1739 Will	MW-08	manganese	0.300	0.150	8/12/2014
1740 Will	MW-08	manganese	0.440	0.150	10/21/2014
1741 Will	MW-08	manganese	0.310	0.150	2/3/2015
1742 Will	MW-08	manganese	0.280	0.150	4/30/2015
1743 Will	MW-08	manganese	0.310	0.150	7/27/2015
1744 Will	MW-08	manganese	0.250	0.150	11/9/2015
1745 Will	MW-08	manganese	0.240	0.150	2/16/2016
1746 Will	MW-08	manganese	0.360	0.150	5/24/2016
1747 Will	MW-08	manganese	0.270	0.150	8/9/2016
1748 Will	MW-08	manganese	0.620	0.150	10/25/2016
1749 Will	MW-08	manganese	<del>0.090</del> <del>0.240</del>	0.150	1/31/2017
1750 Will	MW-08	sulfate	520.000	400.000	4/30/2015
1751 Will	MW-08	sulfate	650.000	400.000	7/27/2015
1752 Will	MW-08	sulfate	800.000	400.000	11/9/2015
1753 Will	MW-08	sulfate	750.000	400.000	2/16/2016
1754 Will	MW-08	sulfate	580.000	400.000	5/24/2016
1755 Will	MW-08	sulfate	520.000	400.000	8/9/2016
1756 Will	MW-08	sulfate	680.000	400.000	10/25/2016
1757 Will	MW-08	sulfate	450.000	400.000	1/31/2017
1758 Will	MW-08	TDS	1300.000	1200.000	2/20/2014
1759 Will	MW-08	TDS	1400.000	1200.000	5/20/2014
1760 Will	MW-08	TDS	1500.000	1200.000	10/21/2014
1761 Will	MW-08	TDS	1400.000	1200.000	2/3/2015
1762 Will	MW-08	TDS	1400.000	1200.000	4/30/2015

1763 Will	MW-08	TDS		1600.000	1200.000	11/9/2015
1764 Will	MW-08	TDS		1600.000	1200.000	2/16/2016
1765 Will	MW-08	TDS		1400.000	1200.000	5/24/2016
1766 Will	MW-08	TDS		1300.000	1200.000	8/9/2016
1767 Will	MW-08	TDS		1700.000	1200.000	10/25/2016
1768 Will	MW-08	TDS		1500.000	1200.000	1/31/2017
1769 Will	MW-09	arsenic	0.0044	0.014	0.010	4/30/2015
1770 Will	MW-09	arsenic	0.0057	0.017	0.010	11/10/2015
1771 Will	MW-09	arsenic	0.0049	0.011	0.010	<del>8/10/2016</del> 8/9/2016
1772 Will	MW-09	arsenic	0.0018	0.025	0.010	10/26/2016
1773 Will	MW-09	arsenic	0.0050	0.013	0.010	<del>2/2/2017</del> 1/31/17
1774 Will	MW-09	boron		2.100	2.000	11/11/2015
1775 Will	MW-09	boron		2.600	2.000	10/25/2016
1776 Will	MW-09	chloride		250.000	200.000	5/20/2014
1777 Will	MW-09	chloride		210.000	200.000	8/12/2014
1778 Will	MW-09	chloride		310.000	200.000	4/30/2015
1779 Will	MW-09	chloride		230.000	200.000	7/27/2015
1780 Will	MW-09	chloride		250.000	200.000	1/31/2017
1781 Will	MW-09	chloride		360.000	200.000	5/9/2017
1782 Will	MW-09	sulfate		430.000	400.000	10/21/2014
1783 Will	MW-10	arsenic		0.012	0.010	2/3/2015
1784 Will	MW-10	arsenic		0.014	0.010	4/30/2015
1785 Will	MW-10	boron		2.200	2.000	5/20/2014
1786 Will	MW-10	boron		2.100	2.000	8/13/2014
1787 Will	MW-10	boron		3.300	2.000	10/20/2014
1788 Will	MW-10	boron		3.300	2.000	2/3/2015
1789 Will	MW-10	boron		3.600	2.000	4/20/2015
1790 Will	MW-10	boron		3.100	2.000	7/27/2015
1791 Will	MW-10	boron		4.400	2.000	11/10/2015
1792 Will	MW-10	boron		3.600	2.000	2/16/2016
1793 Will	MW-10	boron		3.800	2.000	5/25/2016
1794 Will	MW-10	boron		3.700	2.000	8/10/2016
1795 Will	MW-10	boron		3.500	2.000	10/26/2016
1796 Will	MW-10	boron		3.200	2.000	2/2/2017
1797 Will	MW-10	boron		3.000	2.000	5/10/2017
1798 Will	MW-10	manganese		0.250	0.150	10/20/2014
1799 Will	MW-10	manganese		0.380	0.150	2/3/2015
1800 Will	MW-10	manganese		0.290	0.150	4/20/2015
1801 Will	MW-10	manganese		0.190	0.150	7/27/2015
1802 Will	MW-10	manganese		0.260	0.150	<del>11/11/2015</del> 11/10/2015
1803 Will	MW-10	manganese		0.250	0.150	2/16/2016
1804 Will	MW-10	manganese		0.200	0.150	5/25/2016
1805 Will	MW-10	manganese		0.250	0.150	8/10/2016
1806 Will	MW-10	manganese		0.430	0.150	10/26/2016
1807 Will	MW-10	manganese		0.320	0.150	2/2/2017
1808 Will	MW-10	manganese		0.210	0.150	5/10/2017