

RECEIVED
CLERK'S OFFICE

JUN 23 2014

STATE OF ILLINOIS
Pollution Control Board

ILLINOIS POLLUTION CONTROL BOARD
June 23, 2014

PEOPLE OF THE STATE OF ILLINOIS,)
)
Complainant,)
)
v.)
)
AMERENENERGY RESOURCES)
GENERATING COMPANY,)
)
Respondent.)



ORIGINAL

PCB 13-41
(Enforcement - Land)

HEARING OFFICER ORDER

On June 23, 2014, the parties participated in a telephone status conference with the hearing officer. Respondent requested time to consider a reply to the People's objection to the motion to substitute. The parties agree that any reply shall be filed by July 30, 2014.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:30 a.m. on July 30, 2014. The status conference shall be initiated by the People.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on June 23, 2014 to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on June 23, 2014:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

SERVICE LIST

PCB 2013-041
Renee Cipriano
Schiff Hardin, LLP
6600 Willis Tower
233 S. Wacker Drive
Chicago, IL 60606-6473

PCB 2013-041
Raymond J. Callery
Office of the Attorney General
500 South Second Street
Springfield, IL 62706

PCB 2013-041
Deborah Bone
Schiff Hardin, LLP
6600 Willis Tower
233 S. Wacker Drive
Chicago, IL 60606-6473

PCB 2013-041
Francis X. Lyons
Schiff Hardin, LLP
6600 Willis Tower
233 S. Wacker Drive
Chicago, IL 60606-6473